
8 LITERATURVERZEICHNIS

- ABE H, YAMAGUCHI-SHINOZAKI K, URAO T, IWASAKI T, HOSOKAWA D, SHINOZAKI K (1997) Role of the *Arabidopsis* MYC and MYB homologs in drought- and abscisic acid – regulated gene expression. *Plant Cell* 9: 1859-1868
- ALI IA, KAFKAFI U, YAMAGUCHI I, SUGIMOTO Y, INANAGA S (2000) Growth, transpiration, root-born cytokinins and gibberellins, and nutrient compositional changes in sesame exposed to low root-zone temperature under different ratios of nitrate: Ammonium supply. *J Plant Nutrition* 23: 123-140
- ALI IA, KAFKAFI U, YAMAGUCHI I, SUGIMOTO Y, INANAGA S (1997) Gibberellin, cytokinin, nitrate content in the stem in response to root temperature. *Soil Science Plant Nutrition* 43: 1085-1090
- ADDICOTT FT, CARNES HR, LYON JL, SMITH OE, McMEANS JL (1964) On the physiology of abscisins. In: Nitsch JP (Editor) *Régulateurs Naturels de la Croissance Végétale*. Cent Natl Rech Sci, Paris, pp 687-703
- AGRE P, SABOORI AM, ASIMOS A, SMITH BL (1987) Purification and partial characterization of the M_r 30,000 integral membrane protein associated with the erythrocyte Rh(D) antigen. *J Biol Chem* 262: 17497-17503
- AL-BABILI S, HARTUNG W, KLEINIG H, BEYER P (1999) CPTA modulates levels of carotenogenic proteins and their mRNAs and affects carotenoid and ABA content as well as chromoplast structure in *Narcissus pseudonarcissus* flowers. *Plant Biology* 1: 607-612
- ALONI R, ENSTONE DE, PETERSON CA (1998) Indirect evidence for bulk water flow in root cortical cell walls of three dicotyledonous species. *Planta* 207: 1-7
- ANDERSON BE, WARD JM, SCHROEDER JI (1994) Evidence for an extracellular reception site for abscisic acid in *Commelina* guard cells. *Plant Physiol* 104: 1177-1183
- ANDERSON WP (1975) Ion transport through roots. In: Porrey JG, Clarkson DT (Editoren) *The Development and Function of Roots*. Academis, London, pp 437-463
- ANDERSON WP (1976) Transport through roots. In: Lütge U, Pitman MG (Editoren) *Transport in plants II, Part B, Tissues and organs*. Springer-Verlag, Berlin, pp 129-156
- ASSMAN SM (1993) Signal transduction in guard cells. *Ann Rev Cell Biol* 9: 345-347

ASTLE MC, RUBERY PH (1983) Carriers for abscisic acid and indole-3-acetic acid in primary roots: Their regional localisation and thermodynamic driving forces. *Planta* 157: 53-63

ATKINSON CJ, RUIZ LP, MANSFIELD TA (1992) Calcium in xylem sap and its regulation of its delivery to the shoot. *J Exp Bot* 43: 1315-1324

AUSUBEL FM, BRENT R, KINGSTONE RE, MOORE DD, SEIDMAN JG, SMITH JA, STRUHL K (1995) Current protocols in molecular biology. John Wiley Sons, New York, USA

AZAIZEH H, GUNSE B, STEUDLE E (1992) Effects of NaCl und CaCl₂ on water transport across root cells of maize (*Zea mays* L.) seedlings. *Plant Physiol* 99: 886-894

BAKER DA (1971) Barriers to the radial diffusion of ions in maize roots. *Planta* 98: 285-293

BAKER J, STEELE C, DURE L (1988) Sequence and characterization of 6 LEA proteins and their genes from cotton. *Plant Mol Biol* 11: 277-291

BANO A, DÖRFFLING K, BETTIN D, HAHN H (1993) Abscisic acid and cytokinins as possible root-to-shoot signals in xylem sap of rice plants in drying soil. *Austr J Plant Physiol* 20: 109-115

BARTELS D, SINGH M, SALAMINI F (1988) Onset of desiccation tolerance during development of the barley embryo. *Planta*: 485-492

BARTELS D, SCHNEIDER K, TERSTAPPEN G, PIATKOWSKI D, SALAMINI F (1990) Molecular cloning of abscisic acid-modulated genes which are induced during the desiccation of the resurrection plant *Chamaegigas plantagineum*. *Planta* 181: 27-34

BASSIRI RAD H, RADIN JW (1992) Temperature-dependent water and ion transport properties of barley and sorghum roots. *Plant Physiol* 99: 34-37

BECK E, WAGNER BM (1994) Quantification of the daily cytokinin transport from the root to the shoot of *Urtica dioica* L. *Bot Acta* 107: 342-348

BEHL R, JESCHKE WD, HARTUNG W (1981) A compartmental analysis of abscisic acid in roots of *Hordeum distichon*. *J Exp Bot* 32: 889-897

BEHL R, HARTUNG W (1984) Transport and compartmentation of abscisic acid in roots of *Hordeum distichon* under osmotic stress. *J Exp Bot* 36: 1433-1440

BEHL R, HARTUNG W (1987) Compartmental analysis – a valuable tool in determining intracellular compartmentation of plant hormones in plant tissues. *Bull Growth Regulator Soc America* 15: 1-13

-
- BLACKMANN PG, DAVIES WJ (1985) Root to shoot communication in maize plants and the effects of soil drying. *J Exp Bot* 36: 39-48
- BOYER GL, MILBORROW BV, WAREING PF, ZEEVAART JAD (1985) The nomenclature of abscisic acid and its metabolites. In: Bopp M (Editor) Plant growth substances. Springer Verlag, Berlin, pp 99-100
- BRAY EA, BEACHY RN (1985) Regulation by ABA of β -conglycin expression in cultured developing soybean cotyledons. *Plant Physiol* 79: 746-750
- BROUWER R (1953) Water absorption by the roots of *Vicia faba* at various transpiration strengths. *Proc K Ned Akad Wet C* 57: 68-80
- BÜRNER H, BENZ R, GIMMLER H, HARTUNG W, STILLWELL H (1993) Abscisic acid-lipid interactions: a phospholipid monolayer study. *Biochim Biophys Acta* 1150: 165-172
- BRUNDRETT MC, ENSTONE DE, PETERSON CA (1988) A berberine-aniline blue fluorescent staining procedure for suberin, lignin, and callose in plant tissue. *Protoplasma* 146: 133-142
- BRUNDRETT M, MURASE G, KENDRICK B (1990) Comparative anatomy of roots and mycorrhizae of common Ontario trees. *Can J Bot* 68: 551-577
- CAMBRIDGE AP, MORRIS DA (1995) Transfer of exogenous auxin from the phloem to the polar auxin transport pathway in pea (*Pisum sativum* L.). *Planta* 199: 583-588
- CASPARY R (1866) Bemerkungen ueber die Schutzscheide und die Bildung des Stammes und der Wurzel. *Jahr wiss Bot* 4: 101-123
- CARPITA N, SABULARSE D, MONTEZINOS D, DELMER D (1979) Determination of the pore size of cell walls of living plant cells. *Science* 205: 1144-1147
- CHANDLER PM, ROBERTSON M (1994) Gene expression by abscisic acid and its relation to stress tolerance. *Ann Rev Plant Physiol Plant Mol Biol* 45: 113-141
- CHAUMONT F, BARRIEU F, JUNG R, CHRISPEELS MJ (2000) Plasma membrane intrinsic proteins from maize cluster in two sequence subgroups with differential aquaporin activity. *Plant Physiol* 122: 1025-1034
- CHEN HH, LI PH, BRENNER ML (1983) Involvement of abscisic acid in potato cold acclimation. *Plant Physiol* 71: 362-365
- CHEN R, HILSON P, SEDBROOK J, ROSEN E, CASPER T, MASSON PH (1998) The *Arabidopsis thaliana* AGRAVITROPIC 1 gene encodes a component of the polar-auxin-transport efflux carrier. *Proc Natl Acad Sci USA* 95: 15112-15117

CHURCHILL GC, EWAN B, REANEY MJ, ABRAMS SR, GUSTA LV (1992) Structure-activity relationships of abscisic acid analogs based on the induction on freezing tolerance in Bromegrass (*Bromus inermis* Leyss) cell cultures. *Plant Physiol* 100: 2024-2029

CHRISPEELS MJ, MAUREL C (1994) Aquaporins: the molecular basis of facilitated water movement through living plant cells? *Plant Physiol* 105: 9-13

CLARKSON DT, ROBARDS AW (1975) The endodermis, its structural development and physiological role. In: Torrey JG, Clarkson DT (Editoren) The development and function of roots. Academic Press, London, pp 415-436

CLARKSON DT, ROBARDS AW, STEPHENS JE, STARK M (1987) Suberin lamellae in the hypodermis of maize (*Zea mays*) roots; development and factors affecting the permeability of hypodermal layers. *Plant Cell Environment* 10: 83-93

CLARKSON DT, CARVAJAL M, HENZLER T, WATERHOUSE RN, SMYTH AJ, COOKE DT, STEUDLE E (2000) Root hydraulic conductance: diurnal aquaporin expression and the effects of nutrient stress. *J Exp Bot* 51: 61-70

CLIPSON NJW, LACHNO DR, FLOWERS TJ (1988) Salt tolerance in the halophyte *Suaeda maritima* L. DUM.: Abscisic acid concentrations in response to constant and altered salinity. *J Exp Bot* 39: 1381-1388

CLOSE TJ, LAMMERS PJ (1993) An osmotic stress protein of cyanobacteria is immunologically related to plant dehydrins. *Plant Physiol* 101: 773-779

CORNISH K, ZEEVAART JAD (1985) Abscisic acid accumulation by roots of *Xanthium strumarium* L. and *Lycopersicon esculentum* Mill. in relation to water stress. *Plant Physiol* 79: 653-658

CRAM WJ, PITMAN MG (1972) The action of abscisic acid on ion uptake and water flow in plant root. *Austral J biol Sci* 25: 1125-1132

CRUZ RT, JORDAN WR, DREW MC (1992) Structural changes and associated reduction of hydraulic conductance in roots of *Sorghum bicolor* L. following exposure to water deficit. *Plant Physiol* 99: 203-213

CUTLER AJ, KROCHKO JE (1999) Formation and breakdown of abscisic acid. *Trends in plant science* 4: 472-478

DAETER W, HARTUNG W (1990) Compartmentation and transport of abscisic acid in mesophyll cells of intact leaves of *Valerianella locusta*. *J Plant Physiol* 136: 306-312

DAETER W, SLOVIK S, HARTUNG W (1993) The pH gradients in the root system and the abscisic acid concentration in xylem and apoplastic saps. *Phil Trans R Soc Lond B* 341: 49-56

-
- DAETER W, HARTUNG W (1993) The permeability of the epidermal cell plasma membrane of barley leaves to abscisic acid. *Planta* 191: 41-47
- DAETER W (1994) Die stressphysiologische Bedeutung der Epidermis für den Transport und die Metabolisierung der Abscisinsäure im Blatt. Dissertation an der Universität Würzburg
- DAINTY J (1963) Water relations of plant cells. *Adv Bot Res* 1: 279-326
- DAMUS M, PETERSON RL, ENSTONE DE, PETERSON CA (1997) Modifications of cortical cell walls in roots of seedless vascular plants. *Bot Acta* 110: 190-195
- DANIELS MJ, MIRKOV TE, CHRISPEELS MJ (1994) The plasma membrane of *Arabidopsis thaliana* contains a mercury-insensitive aquaporin that is a homolog of the tonoplast water channel TIP. *Plant Physiol* 106: 1325-1333
- DANIELS MJ, CHAUMONT F, MIRKOV TE, CHRISPEELS MJ (1996) Characterization of a new vacuolar membrane aquaporin sensitive to mercury at a unique site. *Plant Cell* 8: 587-599
- DAVIES PJ (1995) The plant hormones: Their nature, occurrence and functions. In: Davies PJ (Editor) Plant hormones: physiology, biochemistry and molecular biology 2nd edition. Kluwer Academic Press, Dordrecht, pp 1-12
- DAVIES WJ, ZHANG J (1991) Root signals and the regulation of growth and development of plants in drying soil. *Ann Rev Plant Physiol Plant Mol Biol* 42: 55-76
- DE BOER AH (1998) Potassium translocation into the root xylem. *Plant Biology* 1: 36-45
- DEGENHARDT B, GIMMLER H (2000) Cell wall adaptations to multiple environmental stresses in maize roots. *J Exp Bot* 51: 595-603
- DEGENHARDT B, GIMMLER H, HOSE E, HARTUNG W (2000) Effect of alkaline and saline substrates on ABA contents, -distribution and –transport in plant roots. *Plant and Soil*: im Druck
- DEGENHARDT B (2000) Wachstum und physiologisches Verhalten von *Zea mays* bei multiplem Stress unter besonderer Berücksichtigung des Wurzelsystems. Dissertation an der Universität Würzburg, eingereicht
- DENKER BM, SMITH BL, KUHAJDA FP, AGRE P (1988) Identification, purification and partial characterization of a novel 28,000-molecular-weight integral membrane protein from erythrocytes and renal tubules. *J Biol Chem* 263: 15634-42

DESIKAN R, HAGENBECK D, NEILL SJ, ROCK CD (1999) Flow cytometry and surface plasmon resonance analyses demonstrate that the monoclonal antibody JIM19 interacts with a rice cell surface component involved in abscisic acid signalling in protoplasts. *FEBS-Letters* 456: 257-262

DIELEMAN JA, VERSTAPPEN FWA, PERIK RRJ, KUIPER D (1997) Quantification of the export of cytokinins from the roots to the shoots of *Rosa hybrida* and their degradation rate in the shoot. *Physiol Plant* 101: 347-352

DIETZ J-K, SAUTER A, WICHERT K, MESSDAGHI D, HARTUNG W (2000) Extracellular β -glucosidase activity in barley involved in the hydrolysis of ABA glucose conjugates in leaves. *J Exp Bot* 51: 937-944

DIETZ S (1999) Untersuchungen zu Vorkommen, Regulation und Funktion von Abscisinsäure in Flechten. Dissertation an der Universität Würzburg

DOLAN L (1998) Pointing roots in the right direction: the role of auxin transport in response to gravity. *Genes Development* 12: 2091-2095

EBERT G, VÖLKER R, HAEHN K (1991) Optisches Verfahren zur nicht destruktiven Messung der Wurzeloberfläche. *Gartenbauwissenschaft* 56: 160-163

ECKERT M, BIELA A, SIEFRITZ F, KALDENHOFF R (1999) New aspects of plant aquaporin regulation and specificity. *J Exp Bot* 50: 1541-1545

ENGEL A, FUJIYOSHI Y, AGRE P (2000) The importance of aquaporin water channel protein structures. *EMBO Journal* 19: 800-806

ELSE MA, DAVIES WJ, WHITFORD PN, HALL KC, JACKSON MB (1994) Concentrations of abscisic acid and other solutes in xylem sap from root systems of tomato and castor-oil plants are distorted by wounding and variable sap flow rates. *J Exp Bot* 45: 317-323

ELSE MA, HALL KC, ARNOLD GM, DAVIES WJ, JACKSON MB (1995) Export of abscisic acid, 1-aminocyclopropane-1-carboxylic acid, phosphate, and nitrate from roots to shoots of flooded tomato plants accounting for effects of xylem sap flow rate on concentration and delivery. *Plant Physiol* 107: 377-384

ENSTONE DE, PETERSON CA (1992a) A rapid fluorescence technique to probe the permeability of the root apoplast. *Can J Bot* 70: 1493-1501

ENSTONE DE, PETERSON CA (1992b) The apoplastic permeability of root apices. *Can J Bot* 70: 1502-1512

ENSTONE DE, PETERSON CA (1998) Effects of exposure to humid air on epidermal viability and suberin deposition in maize (*Zea mays* L.) roots. *Plant Cell Environment* 21: 837-844

-
- FELLE HH (1998) The apoplastic pH of *Zea mays* root cortex as measured with pH-sensitive microelektrodes: aspects of regulation. *J Exp Bot* 49: 987-995
- FISCUS EL (1981) Effects of abscisic acid on the hydraulic conductance and the total ion transport through *Phaseolus* root systems. *Plant Physiol* 68: 169-174
- FISCUS EL (1982a) Effects of abscisic acid in the root: communication between shoot and root. In: Wareing PF (Editor) *Plant Growth Substances*, Academic Press, London, pp 591-598
- FISCUS EL (1982b) Abscisic acid transport coefficients of *Phaseolus* root systems. *Plant Physiol* 69: 1353-1355
- FLEISCHER A, EHWALD R (1995) The free space of sugars in plant tissues – external film and apoplastic volume. *J Exp Bot* 46: 647-654
- FLEMING AJ, GOWING DJG, HANKE DE (1991) The level of abscisic acid in the root tip of runner bean seedlings: Implications for the ABA-uptake carrier. *J Plant Physiol* 138: 717-721
- FOURNIER JM, BENLLOCH M, DIAZ DE LA GUARDIA M (1987) Effect of abscisic acid on exudation of sunflower roots as affected by nutrient status, glucose level and aeration. *Physiol Plant* 69: 675-679
- Fox GG, GERENDÁS J, RATCLIFFE RG, SPICKETT CM (1990) Cytoplasmic pH regulation in plants: an NMR perspective. *J Exp Bot* 43, Supplement: 25
- FRENSCH J, STEUDLE E (1989) Axial und radial hydraulic resistance to roots of maize (*Zea mays* L.). *Plant Physiol* 91: 719-726
- FRENSCH J, HSIAO TC, STEUDLE E (1996) Water and solute transport along developing maize roots. *Planta* 198: 348-355
- GÄLWEILER L, GUAN C, MÜLLER A, WISMAN E, MENDGEN K, YEPHREMOV A, PALME K (1998) Regulation of polar auxin transport by AtPN1 in *Arabidopsis* vascular tissue. *Science* 282: 2226-2230
- GAO YP, YOUNG L, BONHAM-SMITH P, GUSTA LV (1999) Characterization and expression of plasma and tonoplast membrane aquaporins in primed seed of *Brassica napus* during germination under stress conditions. *Plant Mol Biol* 40: 635-644
- GAYMARD F, PILOT G, LACOMBE B, BOUCHEZ D, BRUNEAU D, BOUCHEREZ J, MICHAUX-FERRIÈRE, THIBAUD J-B, SENTENAC H (1998) Identification and disruption of a plant shaker-like outward channel involved in K⁺ release into the xylem sap. *Cell* 94: 647-655

GERENDÁS J, RATCLIFFE RG (2000) Intracellular pH regulation in maize root tips exposed to ammonium at high external pH. *J Exp Bot* 343: 207-219

GERLACH D (1984) Botanische Mikrotechnik. Thieme, Stuttgart

GIERTH M, STELZER R, LEHMANN H (1999) An analytical microscopical study on the role of the exodermis in apoplastic $Rb^+(K^+)$ transport in barley roots. *Plant and Soil* 207: 209-218

GIMMLER H, HEILMANN B, DEMMING B, HARTUNG W (1981) The permeability coefficients of the plasmalemma and the chloroplast envelope of spinach mesophyll cells for phytohormones. *Zeitschrift Naturforschung* 36c: 672-678

GIRAUDAT J, PARCY F, BERTAUCHE N, GOSH F, LEUNG J (1994) Current advances in abscisic acid action and signalling. *Ann Rev Plant Physiol Plant Mol Biol* 26: 1557-1577

GLINKA Z (1977) Effects of abscisic acid and of hydrostatic pressure gradients on water movement through excised sunflower roots. *Plant Physiol* 59: 933-935

GLINKA Z (1980) Abscisic acid promotes both volume flow and ion release to the xylem in sunflower roots. *Plant Physiol* 65: 537-540

GLINKA Z, ABIR N (1989) Abscisic acid promotes passive fluxes of vacuolar solutes in excised sunflower roots. In: Longham BC, Gasparikova O, Kolek J (Editoren) *Developments in Plant and Soil Sciences; Structural and Functional Aspects*, Kluwer, pp 97-99

GLOY D (1995) Der radiale Transportweg der Abscisinsäure in Wurzeln von *Helianthus annuus* L. und *Zea mays* L. Diplomarbeit an der Universität Würzburg

GOWING DJG, JONES HG, DAVIES WJ (1993) Xylem-transported abscisic acid: the relative importance of its mass and its concentration in the control of stomatal aperture. *Plant Cell Environment* 16: 453-459

GRATZER B (1993) Die Permeabilität des Plasmalemmas und des Tonoplasten von Wurzelrindenparenchymzellen. Staatsexamensarbeit an der Universität Würzburg

GROSSMANN K, WEILER EW, JUNG J (1985) Effects of different sterols on the inhibition of cell culture growth caused by the growth retardant tetcyclacis. *Planta* 164: 370-375

GUTTENBERG H VON (1968) Der primäre Bau der Angiospermenwurzel. In: Gebrüder Linsbauer (Editoren) *Handbuch der Pflanzenanatomie* 8, Kapitel 5 Borntraeger, Berlin

-
- HANSON PJ, SUCOFF E, MARKHART AH (1985) Quantifying apoplastic flux through red pine root systems using trisodium, 3-hydroxy-5,8,10-pyrenetrisulfonate. *Plant Physiol* 77: 21-24
- HARRIS GA, CAMPBELL GC (1989) Automated quantification of roots using a simple image analyzer. *Agron J* 81: 935-938
- HARTUNG W (1983) The site of action of abscisic acid at the guard cell plasmalemma of *Valerianella locusta*. *Plant Cell Environment* 6: 427-428
- HARTUNG W, DIERICH B (1983) Uptake and release of abscisic acid by runner bean root tip segments. *Z Naturforsch* 38c: 719-723
- HARTUNG W, RADIN JW, HENDRIX DL (1988) Abscisic acid movement into the apoplastic solution of water-stressed cotton leaves. *Plant Physiol* 86: 908-913
- HARTUNG W, HEILMEIER H, WARTINGER W, KETTEMANN I, SCHULZE E-D (1990) Ionic and abscisic acid relationships of *Anastatica hiemochuntica* L. under arid conditions. *Israel J Bot* 39: 373-382
- HARTUNG W, DAVIES WJ (1991) Drought-induced changes in physiology and ABA. In: Davies WJ, Jones HG (Editoren) *Abscisic acid, physiology and biochemistry*. BIOS Scientific Publishers, Oxford, pp 63-79
- HARTUNG W, SLOVIK S (1991) Physicochemical properties of plant growth regulators and plant tissues determine their distribution and redistribution: stomatal regulation by abscisic acid in leaves. *New Phytol* 119: 361-382
- HARTUNG W, HEILMEIER H (1993) Stomatal responses to abscisic acid in natural environments. In: Jackson MB, Black CR (Editoren) *Interacting stresses on plants in a changing climate*. Springer-Verlag, Berlin Heidelberg, pp 525-542
- HARTUNG W, SAUTER A, TURNER NC, FILLERY I, HEILMEIER H (1996) Abscisic acid in soils: What is its function and which factors and mechanisms influence its concentration? *Plant and Soil* 184: 105-110
- HARTUNG W, WILKINSON S, DAVIES WJ (1998) Factors that regulate abscisic acid concentrations at the primary site of action at the guard cell. *J Exp Bot* 49, Special issue, 361-367
- HARTUNG W, JESCHKE WD (1999) Abscisic acid: A long-distance stress signal in salt-stressed plants. In: Lerner HR (Editor) *Plant responses to environmental stresses*. Marcel Dekker-Verlag, New York Basel, pp 333-348
- HARTUNG W, PEUKE AD, DAVIES WJ (1999) Abscisic acid - a hormonal long distance stress signal in plants under drought and salt stress. In: Pessarakali M (Editor) *Hand book of crop stress* (2. Ausgabe). Marcel Dekker, New York, pp 731-747

-
- HELLWEGE EM, DIETZ K-J, VOLK OH, HARTUNG W (1994) Abscisic acid and the induction of desiccation tolerance in the extremely xerophilic liverwort *Exormotheca holstii*. *Planta* 194: 525-531
- HENZLER T, STEUDLE E (1995) Reversible closing of water channels in *Chara* internodes provides evidence for a composite transport model of the plasma membrane. *J Exp Bot* 46: 199-209
- HENZLER T (1996) Biophysikalische Untersuchungen zum molekularen Mechanismus des Wassertransports in Pflanzen: die Rolle von Wasserkanälen. Diplomarbeit an der Universität Bayreuth
- HENZLER T, WATERHOUSE RN, SMYTH AJ, CARVAJAL M, COOKE DT, SCHÄFFNER AR, STEUDLE E, CLARKSON DT (1999) Diurnal variations in hydraulic conductivity and root pressure can be correlated with the expression of putative aquaporins in the root of *Lotus japonicus*. *Planta* 210: 50-60
- HETHERINGTON AM, DAVIES WJ (Editoren) (1998) Special issue: Stomatal biology. *J Exp Bot* 49: 293-469
- HETHERINGTON AM, QUATRANO RS (1991) Mechanisms of abscisic acid at the cellular level. *New Phytol* 102: 239-247
- HEY SJ, BACON A, BURNETT E, NEILL SJ (1997) Abscisic acid signal transduction in epidermal cells of *Pisum sativum* L. *Argenteum*: Both dehydrin mRNA accumulation and stomatal responses require protein phosphorylation and dephosphorylation. *Planta* 202: 85-92
- HEYMANN JB, AGRE P, ENGEL A (1998) Progress on the structure and function of aquaporin 1. *J Struc Biol* 121: 191-206
- HIPKINS MF, HILLMAN JR (1986) Plant growth substances and the ionic permeability of membranes. In: Bopp M (Editor) *Plant Growth Substances*, Springer Verlag, Berlin, pp 151-158
- HIRL H (1997) Multiple roles of MAP kinases in plant signal transduction. *Trends Plant Sci* 2: 11-15
- HOFER R-M (1996) Root Hairs. In: Waisel Y, Eshel A, Kafkafi U (Editoren) *Plant roots: the hidden half*. Dekker, New York, pp 111-126
- HORNBERG C, WEILER EW (1984) High-affinity binding sites for abscisic acid on the plasmalemma of *Vicia faba* guard cells. *Nature* 310: 321-324
- JACKSON MB, DAVIES WJ, ELSE MA (1996) Pressure-flow relationships, xylem solutes and root hydraulic conductance in flooded tomato plants. *Ann Bot* 77: 17-24

JEANNETTE E, RONA J-P, BARDAT F, CORNEL D, SOTTA X, MIGNIAC E (1999) Induction of *RAB18* gene expression and activation of K⁺ outward rectifying channels depend on an extracellular perception of ABA in *Arabidopsis thaliana* suspension cells. *Plant J* 18: 13-22

JESCHKE WD (1972) Wirkung von K⁺ auf die Fluxe und den Transport von Na⁺ in Gerstenwurzeln. K⁺-stimulierter Na⁺-Efflux in der Wurzelrinde. *Planta* 106: 73-90

JESCHKE WD, PEUKE AD, PATE JS, HARTUNG W (1997a) Transport, synthesis and catabolism of abscisic acid (ABA) in intact plants of castor bean (*Ricinus communis* L.) under phosphate deficiency and moderate salinity. *J Exp Bot* 48: 1737-1747

JESCHKE WD, HOLOBRADÁ M, HARTUNG W (1997b) Growth of *Zea mays* L. plants with their seminal roots only. Effects on plant development, xylem transport, mineral nutrition and the flow and distribution of abscisic acid (ABA) as a possible shoot to root signal. *J Exp Bot* 48: 1229-1239

JOHANSSON I, LARSON C, Ek B, KJELLBOM P (1996) The major intrinsic proteins of spinach leaf plasma membranes are putative aquaporins and are phosphorylated in response to Ca²⁺ and apoplastic water potential. *Plant Cell* 8: 1181-1191

JONES AM (1998) Auxin transport: Down and out and up again. *Science* 282: 2201-2202

JOVANOVIC L, DAETER W, HARTUNG W (1992) Compartmental analysis of abscisic acid in root segments of two maize lines differing in drought susceptibility. *J Exp Bot* 43, Suppl. 37

JUNG J, GROSSMANN K (1985) Effectiveness of new terpenoid derivates, abscisic acid and its methyl ester on transpiration and leaf senescence of barley. *J Plant Physiol* 121: 361-367

JUNG J, PRESTON G, SMITH B, GUGGINO W, AGRE P (1994) Molecular structure of the water channel through aquaporin CHIP. The hourglass model. *J Biol Chem* 269: 14648-14654

JUPP AP, NEUMANN EI (1987) Morphological and anatomical effects of severe drought on the roots of *Lolium perenne* L. *New Phytol* 105, 393-402

KAISSER WM, HARTUNG W (1981) Uptake and release of abscisic acid by isolated photoautotrophic mesophyll cells, depending on pH-gradients. *Plant Physiol* 68: 202-206

KALDENHOFF R, KÖLLING A, RICHTER G (1993) A novel blue light- and abscisic acid-inducible gene of *Arabidopsis thaliana* encoding an intrinsic membrane protein. *Plant Mol Biol* 23: 1187-1198

KALDENHOFF R, KÖLLING A, MEYERS J, KARmann U, RUPPEL G, RICHTER G (1995) The blue light-responsive AtH2 gene of *Arabidopsis thaliana* is primarily expressed in expanding as well as in differentiating cells and encodes a putative channel protein of the plasmalemma. *Plant J* 7: 87-95

KALDENHOFF R, KÖLLING A, RICHTER G (1996) Regulation of the *Arabidopsis thaliana* aquaporin AthH2 (PIP1b). *J Phytochem Photobiol* 36: 351-354

KAMBOJ JS, PLAKE PS, BAKER DA (1998) Cytokinins in the vascular saps of *Ricinus communis*. *Plant Growth Regulation* 25: 123-126

KAMMERLOHER W, FISCHER U, PIECHOTTKA GP, SCHÄFFNER AR (1994) Water channels in the plasmamembrane cloned by immunoselection from a mammalian expression system. *Plant J* 6: 187-199

KAMULA SA, PETERSON CA, MAYFIELD CI (1995) Impact of the exodermis on infection of roots by *Fusarium culmorum*. In: Baluska F et al. (Editoren) Structure and function of roots. Kluwer Academic Publishers, Niederlande, pp 271-276

KARMOKER JL, VAN STEVENICK RFM (1978) Stimulation of volume flow and ion flux by abscisic acid in excised root systems of *Phaseolus vulgaris* L. cv. Redland Pioneer. *Planta* 141: 37-43

KEDEM O, KATACHALSKY A (1961) A physical interpretation of the phenomenological coefficients of membrane permeability. *J Gen Physiol* 45: 143-179

KEDEM O, KATACHALSKY A (1963a) Permeability of composite membranes. Part 2. Parallel arrays of elements. *Trans Faraday Soc* 59: 1931-1940

KEDEM O, KATACHALSKY A (1963b) Permeability of composite membranes. Part 3. Series arrays of elements. *Trans Faraday Soc* 59: 1941-1953

KEFU Z, MUNNS R, KING RW (1991) Abscisic acid levels in NaCl-treated barley, cotton and saltbush. *Aust J Plant Physiol* 18: 17-24

KJELLBOM P, LARSSON C, JOHANSSON I, KARLSSON M, JOHANSON U (1999) Aquaporins and water homeostasis in plants. *Trends plant science* 4: 308-314

KNOX JP, PEART J, NEILL SJ (1995) Identification of novel cell surface epitopes using a leaf epidermal-strip assay system. *Planta* 196: 266-270

KOEFOED-JOHNSON V, USSING HH (1953) The contribution of diffusion and flow to the passage of D₂O through living membranes. Effect of neurohypophyseal hormone on isolated anuran skin. *Acta Physiol Scand* 28: 60-76

-
- KOLATTUKUDY PE, AGRAWAL VP (1974) Structure and composition of aliphatic constituents of potato tuber skin (suberin). *Lipids* 9: 682-691
- KOLATTUKUDY PE, KRONMAN K, POULOSE AJ (1975) Determination of structure and composition of suberin from the roots of carrots, parsnip, rutabaga, turnip, red beet and sweet potato by combined gas-liquid chromatography and mass spectrometry. *Plant Physiol* 55: 567-573
- KOLATTUKUDY PE (1984) Fungal penetration of defensive barriers in plants. In: Dugger WM, Bartnicki-Garcia S (Editoren) Structure, function and biosynthesis of plant cell walls. American Society of Plant Physiologists, Rockland, pp 302-343
- KOLATTUKUDY PE (1987) Lipid-derived defensive polymers and waxes and their role in plant-microbe interaction. In Stumpf PK, Conn EE (Editoren) The biochemistry of plants. Vol. 9 Lipids: structure and function. Academic Press, Orlando, pp 291-314
- KWIATKOWSKA M, MALINOWSKI S (1995) The influence of the disappearance of plasmodesmal connections between antheridia and thallus of ^3H -GA₃ transport. *Folia Histochemica Cytobiologica* 33: 53-55
- LACHNO DR, BAKER DA (1986) Stress induction of abscisic acid in maize roots. *Physiol Plant* 68: 215-221
- LEE Y, CHOI YB, LEE J, ASSMANN SM, JOE CO, KELLEHER JF, CRAIN RC (1996) Abscisic acid-induced phosphoinositide turnover in guard cell protoplasts of *Vicia faba*. *Plant Physiol*: 987-996
- LEE HS, MILBORROW BV (1997) Endogenous biosynthesis precursors of (+)-abscisic acid: V. Inhibition by tungstate and its removal by cinchonine shows that xanthoxal is oxidised by a molybdo-aldehyde oxidase. *Austr J Plant Physiol* 24: 727-732
- LEUNG J, GIRAUDAT J (1998) Abscisic acid signal transduction. *Ann Rev Plant Physiol Plant Mol Biol* 49: 199-222
- LEYSER O (1999) Plant hormones: Ins and outs of auxin transport. *Current Biology* 9: R8-R10
- LI J, ASSMAN SM (1996) An abscisic acid-activated and calcium-independent protein kinase from guard cells of Fava bean. *Plant Cell*: 2359-2368
- LI H, LEE S, JAP BK (1997) Molecular design of aquaporin-1 water channel as revealed by electron crystallography. *Nature Struct Biol* 4: 263-265

-
- LICHTENTHALER HK, ROHMER M, SCHWENDER J (1997) Two independent biochemical pathways for isopentenyl diphosphate and isoprenoid biosynthesis in higher plants. *Physiol Plant* 101: 643-652
- LIOTENBERG S, NORTH H, MARION-POLL A (1999) Molecular biology and regulation of abscisic acid biosynthesis in plants. *Plant Physiol Biochem* 37: 341-350
- LÜTTGE U (1973) Stofftransport in Pflanzen. Springer-Verlag, Berlin
- LUDEWIG M, DÖRFFLING K, SEIFERT H (1988) Abscisic acid and water transport in sunflowers. *Planta* 175: 325-333
- LUSCHNIG C, GAXIOLA RA, GRISAFI P, FINK GR (1998) EIR1, a root-specific protein involved in auxin transport, is required for gravitropism in *Arabidopsis thaliana*. *Genes Development* 12: 2175-2187
- MACROBBIE EAC, DAINTY J (1958) Ion transport in *Nitellopsis obtusa*. *J Gen Physiol* 42: 335-353
- MACROBBIE EAC (1997) Signalling in guard cells and regulation of ion channel activity. *J Exp Bot* 48: 515-528
- MACROBBIE EAC (1998) Signal transduction and ion channels in guard cells. *Phil Trans R Soc London B* 353: 1475-1488
- MADISON M, RAPPAPORT L (1968) Regulation of bud rest in tubers of potato, *Solanum tuberosum* L. V. Abscisic acid and inhibitors of nucleic acid and protein syntheses. *Plant Cell Physiol* 9: 147-153
- MARIAUX JB, BOCKEL C, SALAMINI F, BARTELS D (1998) Desiccation- and abscisic acid-responsive genes encoding major intrinsic proteins (MIPs) from the resurrection plant *Craterostigma plantagineum*. *Plant Mol Biol* 38: 1089-1099
- MARKHART AH, FISCUS EL, NAYLOR AW, KRAMER PJ (1979) Effect of abscisic acid on root hydraulic conductivity. *Plant Physiol* 64: 611-614
- MARKHART AH (1982) Penetration of soybean root systems by abscisic acid isomers. *Plant Physiol* 69: 1350-1352
- MASIA A, PITACCO A, BRAGGIO L, GIULIVO C (1994) Hormonal responses to partial drying of the root system of *Helianthus annuus*. *J Exp Bot* 45: 69-76
- MARSCHNER H, RÖMHELD V (1983) In vivo measurement of root induced pH changes at the soil-root interface: effect of plant species and nitrogen source. *Z Pflanzenphys* 111: 241-251
- MARSCHNER H (1995) Mineral nutrition of higher plants. 2. Auflage. Academic Press, London

-
- MAUREL C, REIZER J, SCHROEDER JI, CHRISPEELS MH (1993) The vacuolar membrane protein γ -TIP creates water specific channels in *Xenopus* oocytes. *EMBO Journal* 12: 2241-2247
- MAUREL C, KADO RT, GUERN J, CHRISPEELS MJ (1995) Phosphorylation regulates the water channel activity of the seed-specific aquaporin α -TIP. *EMBO Journal* 14: 3028-3035
- MAUREL C (1997) Aquaporins and water permeability of plant membranes. *Ann Rev Plant Physiol Plant Mol Biol* 48: 399-429
- MELCHIOR W, STEUDLE E (1993) Water transport in onion (*Allium cepa* L.) roots. Changes of axial and radial hydraulic conductivity during root development. *Plant Physiol* 101: 1305-1315
- MILBROW BV (1967) The identification of (+)-abscisic II in plants and measurement of its concentration. *Planta* 76: 93-113
- MILBROW BV, RUBERY PH (1985) The specificity of the carrier-mediated uptake of ABA by root segments of *Phaseolus coccineus* L. *J Exp Bot* 36: 807-822
- MILLER DM (1985) Studies of root function in *Zea mays*. III. Xylem sap composition at maximum root pressure provides evidence of active transport in the xylem and a measurement of the reflection coefficient of the root. *Plant Physiol* 77: 162-167
- MIZOGUCHI T, ICHIMURA K, SHINOZAKI K (1997) Environmental stress response in plants: The role of mitogen-activated protein kinases. *TIBTECH* 15: 15-19
- MOON GJ, PETERSON CA, PETERSON RL (1983) Structural, chemical, and permeability changes following wounding in onion roots. *Can J Bot* 62: 2253-2259
- MOON GJ, CLOUGH BF, PETERSON CA, ALLAWAY WG (1986) Apoplastic and symplastic pathways in *Avicennia marina* (Forsk.) Vierh. roots revealed by fluorescent tracer dyes. *Aust J Plant Physiol* 13: 637-648
- MORI IC, MUTO S (1997) Abscisic acid activates a 48-kilodalton protein kinase in guard cell protoplasts. *Plant Physiol* 113: 833-839
- MÜLLER M, DEIGELE C, ZIEGLER H (1989) Hormonal interactions in the rhizosphere of maize (*Zea mays* L.) and their effects on plant development. *Z Pflanzenernährung Bodenkunde* 152: 247-254
- MÜLLER R, STEIGNER W, GIMMLER H, KAISER WM (1990) Effect of ammonium on dark-CO₂ fixation and on cytosolic and vacuolar pH values in *Eremosphaera viridis* de Bary (Chlorococcales). *J Exp Bot* 41: 441-448

MÜLLER A, GUAN G, GÄLWEILER L, TAENZLER P, HUISER P, MARCHANT A, PARRY G, BENNET M, WISMAN E, PALME K (1998) AtPIN2 defines a locus of *Arabidopsis* for root gravitropism control. *EMBO Journal* 17: 6903-6911

NEALES TF, MASIA A, ZHANG J, DAVIES WJ (1989) The effect of partially drying of *Helianthus annuus* on the abscisic acid content of the roots, xylem sap and leaves. *J Exp Bot* 40: 1113-1120

NEILL SJ, HORGAN R (1984) Biosynthesis of abscisic acid. In: Crozur A, Hillmann JR (Editoren) The biosynthesis and metabolism of plant hormones. University Press, Cambridge, pp 43-71

NEILL SJ, BURNETT EC (1999) Regulation of gene expression during water deficit stress. *Plant Growth Regulation* 29: 23-33

NICHOLSON RL, HAMMERSCHMIDT R (1992) Phenolic compounds and their role in disease resistance. *Ann Rev Phytopath* 30: 369-389

NIELSEN S, MARPLES D, BIRN H, MOTASHAMI M, DALBY NO, TRIMBLE W, KNEPPER M (1995) Vasopressin increases water permeability of kidney collecting duct by inducing translocation of aquaporin-CD water channels to plasma membrane. *Proc Natl Acad Sci USA* 92: 1013-1017

NORTH GB, NOBEL PS (1991) Changes in hydraulic conductivity and anatomy caused by drying and rewetting roots of *Agave desertii* (Agavaceae). *American J Bot* 78, 906-915

NORTH GB, NOBEL PS (1995) Radial hydraulic conductivity of concentric root tissues of *Agave desertii* Engelm. under wet and dry conditions. *New Phytol* 130: 47-57

NORTH GB, NOBEL PS (1996) Radial hydraulic conductivity of individual root tissues of *Opuntia ficus-indica* (L.) Miller as soil moisture varies. *Ann Bot* 77: 13-142

O`BRIEN TPO, FEDER N, MCCULLY ME (1964) Polychromatic staining of plant cell walls by Toluidine Blue O. *Protoplasma* 41: 367-373

ODEN PC, WANG Q, HOGBERG KA, WERNER M (1995) Transport and metabolism of gibberellins in relation to flower bud differentiation in Norway spruce (*Picea abies*). *Tree Physiol* 15: 451-456

OKHUMA K, LYON JL, ADDICOTT FT, SMITH OE (1963) Abscisic II, an abscission-accelerating substance from young cotton fruit. *Science* 142: 1592-1593

OTTMANN MJ, TIMM H (1984) Measurement of viable plant roots with the image analyzing computer. *Agron J* 76: 1018-1020

-
- PARRY AD, HORGAN R (1992) Abscisic acid biosynthesis in roots. I. The identification of potential abscisic acid precursors, and other carotenoids. *Planta* 187: 185-191
- PEDRON J, BRAULT M, NAKE C, MIGNIAC E (1998) Detection of abscisic-acid-binding proteins in the microsomal protein fraction of *Arabidopsis thaliana* with abscisic acid-protein conjugates used as affinity probes. *Eur J Biochem* 252: 385-390
- PEIRSON DR, DUMBROFF EB (1969) Demonstration of a complete Casparyan strip in *Avena* und *Ipomoea* by a fluorescent staining technique. *Can J Bot* 47: 1869-1871
- PETERSON CA, PETERSON RL, ROBARDS AW (1978) A correlated histochemical and ultrastructural study of the epidermis and hypodermis of onion roots. *Protoplasma* 96: 1-21
- PETERSON CA, EMANUEL ME, HUMPHREYS GB (1980) Pathway of movement of apoplastic fluorescent dye tracers through the endodermis at the site of secondary root formation in corn (*Zea mays*) and broad bean (*Vicia faba*). *Can J Bot* 59: 618-625
- PETERSON TA, SWANSON ES, HULL RJ (1986) Use of Lanthanum to trace apoplastic solute transport in intact plants. *J Exp Bot* 37: 807-822
- PETERSON CA (1987) The exodermal Casparyan band of onion roots blocks the apoplastic movement of sulphate ions. *J Exp Bot* 38: 2068-2081
- PETERSON CA (1988) Exodermal Casparyan bands, their significance for ion uptake by roots. *Physiol Plant* 72: 204-208
- PETERSON CA (1989) Significance of the exodermis in root function. In: Longham BC, Gasparikova O, Kolek JS (Editoren) *Developments in plant and soil sciences, structural and functional aspects*. Kluwer, Dordrecht, pp 35-40
- PETERSON CA, PERUMALLA CJ (1990) A survey of angiosperm species to detect hypodermal Casparyan bands. II. Roots with a multiserat hypodermis or epidermis. *Bot J Lin Soc* 103: 113-125
- PETERSON CA, STEUDLE E (1993) Lateral hydraulic conductivity of early metaxylem vessels in *Zea mays* L. roots. *Planta* 189: 288-297
- PETERSON CA, MURRMANN M, STEUDLE E (1993) Location of the major barriers to water and ion movement in young corn roots of *Zea mays* L. *Planta* 190: 127-136
- PETERSON RL (1992) Adaptations of root structure in relation to biotic and abiotic factors. *Can J Bot* 70: 661-675

PERUMALLA CJ, PETERSON CA (1986) Deposition of Casparyan bands and suberin lamellae in the exodermis and endodermis of young corn and onion roots. *Can J Bot* 64: 1873-1878

PERUMALLA CJ, PETERSON CA, ENSTONE DE (1990) A survey of angiosperm species to detect hypodermal Casparyan bands. I. Roots with a uniserate hypodermis and epidermis. *Bot J Lin Soc* 103: 93-112

PEUKE AD, JESCHKE WD, HARTUNG W (1994) The uptake and flow of C, N and ions between roots and shoots in *Ricinus communis* L. III. Long-distance transport of abscisic acid depending on nitrogen nutrition and salt stress. *J Exp Bot* 45: 741-747

PFISTER-SIEBER M, BRÄNDLE R (1994) Aspects of plant behaviour under anoxia and post-anoxia. *Proc R Soc Edinburgh* 102 B, pp 313-324

PHILLIPS IDJ, HARTUNG W (1974) Basipetal und acropetal transport of [3,4-³H]Gibberellin A₁ in short and long segments of *Phaseolus coccineus* second internode. *Planta* 116: 109-121

PIERCE M, RASCHKE K (1981) Synthesis and metabolism of ABA in detached leaves of *Phaseolus vulgaris* L. after loss and recovery of turgor. *Planta* 153: 156-165

PIRSON A, SEIDEL F (1950) Zell- und stoffwechselphysiologische Untersuchungen an der Wurzel von *Lemna minor* L. unter besonderer Berücksichtigung von Kalium- und Kalziummangel. *Planta* 38: 431-473

PRESTON GM, AGRE P (1991) Isolation of the cDNA for erythrocyte integral protein of 28 kilodaltons: member of an ancient channel family. *Proc Natl Acad Sci USA* 88: 11110-11114

QUINTERO JM, FOURNIER JM, RAMOS J, BENLLOCH M (1998) K⁺ status and ABA affect both exudation rate and hydraulic conductivity in sunflower roots. *Physiol Plant* 102: 279-284

QUINTERO JM, FOURNIER JM, BENLLOCH M (1999) Water transport in sunflower root systems: effects of ABA, Ca²⁺ status und HgCl₂. *J Exp Bot* 50: 1607-1612

RADEMACHER W, FRITSCH H, GRAEBE JE, SAUTER H, JUNG J (1987) Tetracyclacis and Triazole-type plant growth retardants: Their influence on the biosynthesis of gibberellins and other metabolic processes. *Pestic Science* 21: 241-252

RADEMACHER W (1988) New types of plant growth retardants – Additional perspectives for practical application in agriculture and horticulture. In: Pharis RP, Rood SB (Editoren) *Plant growth substances*. Springer-Verlag, Berlin, pp 611-618

REID MS (1995) Ethylene in plant growth, development, and senescence. In: Davies PJ (Editor) Plant hormones: physiology, biochemistry and molecular biology 2nd edition. Kluwer Academic Press, Dordrecht, pp 486-508

RICHERT J, KRAM E, LÖRZ H, DRESSELHAUS T (1996) A reverse transcriptase-polymerase chain reaction assay for gene expression studies at the single cell level. *Plant Science* 114: 93-99

ROBARDS AW, JACKSON SM, CLARKSON DT, SANDERSON J (1973) The structure of barley roots in relation to the transport of ions into the stele. *Protoplasma* 77: 291-311

ROBERTS JKM, WEMMER D, RAY P, JARDETZKY O (1982) Regulation of the cytoplasmic and vacuolar pH in maize root tips under different experimental conditions. *Plant Physiol* 69: 1344-1347

ROBERTS SK (1998) Regulation of K⁺ channels in maize roots by water stress and abscisic acid. *Plant Physiol* 116: 145-153

ROBINSON DG, SIEBER H, KAMMERLOHER W; SCHÄFFNER AR (1996) PIP1 aquaporins are concentrated in plasmalemmomasomes of *Arabidopsis thaliana* mesophyll. *Plant Physiol* 111: 645-649

RÜDINGER AW, HIERLINGER P, STEUDLE E (1992) Osmotic biosensors. How to use a characean internode for measuring the alcohol content of beer. *Bot Acta* 105: 3-12

SAAB IN, SHARP RE, PRITCHARD J, VOETBERG GS (1990) Increased endogenous abscisic acid maintains primary root growth and inhibits shoot growth of maize seedlings at low water potentials. *Plant Physiol* 93: 1329-1336

SANDERSON J (1983) Water uptake by different regions of the barley root. Pathways of radial flow in relation to development of the endodermis. *J Exp Bot* 34: 240-253

SAUTER A, HARTUNG W (2000) Abscisic acid conjugates – do they play a role as long-distance stress signal in the xylem? *J Exp Bot* 51: 929-936

SCHÄFFNER AR (1998) Aquaporin function, structure, and expression: are there more surprises to surface in water relations? *Planta* 204: 131-139

SCHEURING S, RINGLER P, BROGNIA M, STAHLBERG H, MÜLLER D, AGRE P, ENGEL A (1999) High resolution AFM topographs of the *Escherichia coli* water channel aquaporin Z. *EMBO Journal* 18: 4981-4987

SCHILLER P, HEILMEIER H, HARTUNG W (1997) Abscisic acid (ABA) relations in the aquatic resurrection plant *Chamaegigas intrepidus* under naturally fluctuating conditions. *New Phytol* 136: 603-611

-
- SCHMALLE HW, KLASKA KH, JARCHOW O (1977) The crystal and molecular structure of RS cis trans abscisic acid. *Acta Crystallographia B* 33: 2218-2224
- SCHREIBER L, BREINER H-W, RIEDERER M, DÜGGELIN M, GUGGENHEIM R (1994) The Casparyan strip of *Clivia miniata* Reg. roots: isolation, fine structure and chemical nature. *Bot Acta* 107: 353-361
- SCHREIBER L (1996) Chemical composition of Casparyan strips isolated from *Clivia miniata* Reg. roots: evidence for lignin. *Planta* 199: 596-601
- SCHREIBER L, HARTMANN K, SKRABS M, ZEIER J (1999) Apoplastic barriers in roots: chemical composition of endodermal and hypodermal walls. *J Exp Bot* 50: 1267-1280
- SHANER DL, MERTZ M, ARNTZEN CJ (1975) Inhibition of ion accumulation in maize roots by abscisic acid. *Planta* 122: 79-90
- SHEEN J (1996) Ca^{2+} -dependent protein kinases and stress signal transduction in plants. *Science* 274: 1900-1902
- SHINOZAKI K, YAMAGUCHI-SHINOZAKI K (1997) Gene expression and signal transduction in water-stress response. *Plant Physiol.* 327-334
- SIDEL VW, SOLOMON AK (1957) Entrance of water into human red cells under a osmotic pressure gradient. *J Gen Physiol* 41: 243-257
- SINGH NK, LA ROSA PC, HANDA AK, HASEGAWA PM, BRESSAN RA (1987) Hormonal regulation of protein synthesis associated with salt tolerance in plant cells. *Proc Nat A Soc USA* 84: 739-743
- SKINNER RH, RADIN JW (1994) The effect of phosphorus nutrition on water flow through the apoplastic bypass in cotton roots. *J Exp Bot* 45: 423-428
- SLOVIK S, BAIER M, HARTUNG W (1992) Compartmental distribution and redistribution of abscisic acid in intact leaves. I. Mathematical formulation. *Planta* 187: 14-25
- SLOVIK S, HARTUNG W (1992a) Compartmental distribution and redistribution of abscisic acid in intact leaves. II. Model analysis. *Planta* 187: 26-36
- SLOVIK S, HARTUNG W (1992b) Compartmental distribution and redistribution of abscisic acid in intact leaves. III. Analysis of the stress-signal chain. *Planta* 187:37-47
- SLOVIK S, HARTUNG W (1992c) Stress-induced redistribution kinetics of ABA in leaves: model considerations. In: Karssen CM, Van Loon LC, Vreugdenhil D (Editoren) *Progress in plant growth regulation*. Dordrecht, Kluwer, pp 464-476

SLOVIK S, DAETER W, HARTUNG W (1995) Compartmental redistribution and long-distance transport of abscisic acid (ABA) in plants as influenced by environmental changes in the rhizosphere - a biomathematical model. *J Exp Bot* 46: 881-894

SMITH BL, AGRE P (1991) Erythrocyte M_r 28.000 transmembrane protein exists as a multisubunit oligomer similar to channel proteins. *J Biol Chem* 266: 6407-6415

SOLIDAY CL, DEAN BB, KOLATTUKUDY PE (1978) Suberization: inhibition by washing and stimulation by abscisic acid in potato disks and tissue culture. *Plant Physiol* 61: 170-174

SPICER RA (1989) Physiological characteristics of land plants in relation to environment through time. *Trans R Soc Edinburgh Earth Sci* 80: 321-329

SPICKETT CM, SMIRNOFF N, RATCLIFFE RG (1992) The metabolic response of maize roots to hyperosmotic shock: an in vivo ³¹P-NMR study. *Plant Physiol* 99: 856-863

SPICKETT CM, SMIRNOFF N, RATCLIFFE RG (1993) An in vivo nuclear magnetic resonance investigation of ion transport in maize (*Zea mays*) und *Spartina anglica* roots during exposure to high salt concentrations. *Plant Physiol* 102: 629-638

STASOVSKY E, PETERSON CA (1993) Effects of drought and subsequent rehydration on the structure, vitality and permeability of *Allium cepa* adventitious roots. *Can J Bot* 71: 700-707

STEUDLE E, ZIMMERMANN U (1974) Determination of the hydraulic conductivity and of reflection coefficients in *Nitella flexilis* by means of direct cell-turgor pressure measurements. *Biochim Biophys Acta* 332: 399-412

STEUDLE E, SMITH JAC, LÜTTGE U (1980) Water-relation parameters of individual mesophyll cells of the crassulacean acid metabolism plant *Kalanchoë daigremontiana*. *Plant Physiol* 66: 1155-1163

STEUDLE E, JESCHKE WD (1983) Water transport in barley roots: water and solute relations. Measurements of root pressure and hydraulic conductivity of roots in parallel with turgor and hydraulic conductivity of root cells. *Planta* 158: 237-248

STEUDLE E, TYERMAN SD (1983) Determination of permeability coefficients, reflection coefficients and hydraulic conductivity of *Chara corallina* using the pressure probe: effects of concentrations. *J Membr Biol* 75: 85-96

STEUDLE E, OREN R, SCHULZE E-D (1987) Water transport in maize roots. Measurement of hydraulic conductivity, solute permeability, and of reflection coefficients of excised roots using the root pressure probe. *Plant Physiol* 84: 1220-1232

-
- STEUDLE E, BRINCKMANN E (1989) The osmometer model of the root: water and solute relations of roots of *Phaseolus coccineus*. *Bot Acta* 15: 85-95
- STEUDLE E, FRENSCH J (1989) Osmotic responses of maize roots: water and solute relations. *Planta* 177: 281-295
- STEUDLE E (1993) Pressure probe techniques: basic principles and application to studies of water and solute relations at the cell, tissue and organ level. In: Smith JAC, Griffith H (Editoren) Water deficits: plant responses from cell to community. Bios Scientific Publishers, Oxford, pp 5-36
- STEUDLE E, MURRMANN M, PETERSON CA (1993) Transport of water and solutes across maize roots modified by puncturing the endodermis. *Plant Physiol* 103: 335-349
- STEUDLE E (1994a) Water transport across roots. *Plant and Soil* 167: 79-90
- STEUDLE E (1994b) The regulation of plant water at the cell, tissue, and organ level: role of active processes and of compartmentation. In: Schulze ED (Editor) Flux control in biological systems. From enzymes to populations and ecosystems. Academic Press San Diego, pp 237-299
- STEUDLE E, FRENSCH J (1996) Water transport in plants: role of the apoplast. *Plant and Soil* 198: 67-79
- STEUDLE E, PETERSON CA (1998) How does water get through roots? *J Exp Bot* 49: 775-788
- STEUDLE E, ZIMMERMANN HM, HENZLER T (1999) Water uptake by plant roots: modes of regulation. In: Ito O, O'Toole J, Hardy B (Editoren) Genetic improvement of rice for water-limited environments. Manila, Philippinen: International Rice Research Institute, pp 73-88
- TALEISNIK E, PEYRANO G, CÓRDOBA A, ARIAS C (1999) Water retention capacity in root segments differing in the degree of exodermis development. *Ann Bot* 83: 19-27
- TAN BC, SCHWARTZ SH, ZEEVAART JAD, McCARTY DR (1997) Genetic control of abscisic acid biosynthesis in maize. *Proc Natl Acad Sci USA* 94: 12235-12240
- TAYLOR BI, BURBIDGE A, THOMPSON AJ (2000) Control of abscisic acid biosynthesis. *J Exp Bot* : im Druck
- TETLEY U (1925) The secretory system of the roots of the compositae. *New Phytol* 24: 138-162

THOMAS TL, CHUNG HJ, NUNBERG AN (1997) ABA signaling in plant development and growth. In: Aducci P (Editor) Signal transduction in plants. Birkhäuser Verlag, Basel-Boston-Berlin, pp 23-44

TREWAVAS AJ (1981) How do plant growth substances act? *Plant Cell Environment* 4: 203-228

TREWAVAS AJ, JONES HG (1991) An assessment of the role of ABA in plant development. In: Davies WJ, Jones HG (Editoren) Abscisic acid. Physiology and Biochemistry. Bios Scientific, Oxford, pp 169-188

TURNER NC, PERRY MW, GREGORY PJ, BELFORD RK (1992) Crop production in duplex soils. *Aust J Exp Agricult* 32: 797-807

TYERMAN SD, STEUDLE E (1982) Comparison between osmotic and hydrostatic water flow in a higher plant cell: determination of hydraulic conductivities and reflection coefficients in isolated epidermis cells of *Tradescantia virginiana*. *Aust J Plant Physiol* 9: 461-479

TYERMAN SD, BOHNERT HJ, MAUREL C, STEUDLE E, SMITH JAC (1999) Plant aquaporins: their molecular biology, biophysics and significance for plant water relations. *J Exp Bot* 50: 1055-1071

VAN FLEET DS (1961) Histochemistry and function of the endodermis. *Bot Rev* 27: 165-219

VAN STEVENICK RFM, VAN STEVENICK ME, LÄUCHLI A (1988) The effect of abscisic acid and K⁺ on xylem exudation from excised roots of *Lupinus luteus*. *Physiol Plant* 72: 1-7

WALKER NA, PITMAN MG (1976) Measurement of fluxes across membranes. In: Lütte U, Pitman MG (Editoren) Encyclopedia of plant physiology. New series Vol. 2, Part A. Springer Verlag, Berlin, Heidelberg, New York, pp 93-126

WALZ T, SMITH B, AGRE P, ENGEL A (1994) The three-dimensional structure of human erythrocyte aquaporin CHIP. *EMBO Journal* 13: 2985-2993

WAN X, ZWIAZEK JJ (2000) Root water flow and leaf stomatal conductance in aspen (*Populus tremuloides*) seedlings treated with ABA. *Planta*, im Druck

WANG AH, DOYLE MV, MARK DF (1989) Quantitation of mRNA by the polymerase chain reaction. *Proc Natl Acad Sci USA* 86: 9717-9721

WANG M, HEIMOVAARA-DIJKSTRA S, VAN DER MEULEN RM, KNOX JP, NEILL SJ (1995) The monoclonal antibody JIM19 modulates abscisic acid action in barley aleurone protoplasts. *Planta* 196: 271-276

WARKALLA K (1999) Untersuchungen zur Lokalisation, Genexpression und physiologischen Rolle der Plasmamembran-Aquaporine aus *Arabidopsis thaliana*. Dissertation an der LM-Universität München

WAYNE R, TAZAWA M (1990) Nature of the water channels in the internodal cells of *Nitellopsis*. *J Membrane Biol* 116: 31-39

WEHNER R, GEHRING W (1990) Zoologie. Georg Thieme Verlag, Stuttgart 22. Auflage

WEILER EW (1986) Plant hormone immunoassay based on monoclonal and polyclonal antibodies. In: Linskens HF, Jackson JF (Editoren) Modern methods of plant analysis 4. Springer Verlag, Berlin, pp 1-17

WEIG A, DESWARTE C, CHRISPEELS MJ (1997) The major intrinsic protein family of *Arabidopsis* has 23 members that form three distinct groups with functional aquaporins in each group. *Plant Physiol* 114: 1347-1357

WHITE PJ, BOWEN HC, WOOLAWAY KE (2000) Transport of calcium to the xylem in plant roots. *J Exp Bot* 51, Supplement 5

WILCOX H (1962) Growth studies of the root of incense cedar *Libocedrus decurrens*. I. The origin and development of primary tissues. *American J Bot* 49: 221-236

WILKINSON S, DAVIES WJ (1997) Xylem sap pH increase: a drought signal received at the apoplastic face of the guard cell which involves the suppression of saturable ABA uptake by the epidermal symplast. *Plant Physiol* 113: 559-573

WILLIAMS BC (1954) Observation on intercellular canals in root tips with special reference to the compositae. *American J Bot* 41: 104-106

WILSON CA, PETERSON CA (1983) Chemical composition of the epidermal, hypodermal, endodermal and intervening cortical cell walls of various plant roots. *Ann Bot* 51: 759-769

WOLF O, JESCHKE WD, HARTUNG W (1990) Long distance transport of abscisic acid in NaCl-treated intact plants of *Lupinus albus*. *J Exp Bot* 41: 593-600

WU Y, KUZMA J, MARECHAL E, GRAEFF R, LEE HC, FOSTER R, CHUA N-H (1997) Abscisic acid signalling through cyclic ADP-ribose in plants. *Science* 278: 2126-2130

YAMADA S, KATSUHARA M, KELLY WB, MICHALOWSKI CB, BOHNERT HJ (1995) A family of transcripts encoding water channel proteins: tissue-specific expression in the common ice plant. *Plant Cell* 7: 1129-1142

YAMAMOTO YT, TAYLOR CG, ACEDO GN, CHENG C-L, CONKLING MA (1991) Characterisation of cis-acting sequences regulation root-specific gene expression in tobacco. *Plant Cell* 3: 371-382

-
- ZEEVAART JAD, CREELMAN RA (1988) Metabolism and physiology of abscisic acid. *Ann Rev Plant Physiol Plant Mol Biol* 39: 439-473
- ZEIER J, SCHREIBER L (1997) Chemical composition of hypodermal and endodermal cell walls and xylem vessels isolated from *Clivia miniata*: Identification of the biopolymers lignin and suberin. *Plant Physiol* 113: 1226-1231
- ZEIER J (1998) Pflanzliche Abschlussgewebe der Wurzel: Chemische Zusammensetzung und Feinstruktur der Endodermis in Abhangigkeit von Entwicklung und auferen Einflussen. Doktorarbeit an der Universitat Wrzburg
- ZEIER J, SCHREIBER L (1998a) Comparative investigation of primary and tertiary endodermal cell walls isolated from the roots of five monocotyledoneous species: chemical composition in relation to fine structure. *Planta* 206: 349-361
- ZEIER J, SCHREIBER L (1998b) Chemical composition of hypodermal and endodermal cell walls and xylem vessels isolated from the roots of *Clivia miniata*: identification of the biopolymers lignin and suberin. *Plant Physiol* 113: 1223-1231
- ZEIER J, GOLL A, YOKOYAMA M, KARAHARA I, SCHREIBER L (1999a) Structure and chemical composition of endodermal and hypodermal/rhizodermal walls of several species. *Plant Cell Environment* 22: 271-279
- ZEIER J, RUEL K, RYSER U, SCHREIBER L (1999b) Chemical analysis and immunolocalization of lignin and suberin in the endodermis and hypodermis/rhizodermis of developing maize (*Zea mays* L.) roots. *Planta* 209: 1-12
- ZHANG J, SCHURR U, DAVIES WJ (1987) Control of stomatal behaviour by abscisic acid which apparently originates in the roots. *J Exp Bot* 38: 1174-1181
- ZHANG J, DAVIES WJ (1989) Abscisic acid produced in dehydrating roots may enable the plant to measure the water status of the soil. *Plant Cell Environment* 12: 73-81
- ZHANG J, ZHANG X, LIANG J (1995) Exudation rate and hydraulic conductivity of maize are enhanced by drying soil and abscisic acid treatment. *New Phytol* 131: 329-336
- ZHU GL, STEUDLE E (1991) Water transport across maize roots. *Plant Physiol* 95: 305-315
- ZIMMERMANN HM, STEUDLE E (1998) Apoplastic transport across young maize roots: effect of the exodermis. *Planta* 206: 7-19

ZIMMERMANN MH, HARTMANN K, SCHREIBER L, STEUDLE E (2000) Chemical composition of apoplastic transport barriers in relation to radial hydraulic conductivity of corn roots (*Zea mays* L.). *Planta* 210: 302-311