Sensory Ecology of Carbon Dioxide Perception in Leaf-cutting Ants

Christoph Kleineidam



Worker of the leaf-cutting ant Atta sexdens (Forel 1908)

CONTENTS

| GENERAL INTRODUCTION | 5 |
|--|---------|
| THE ANIMALS | 6 |
| THE NESTS OF ATTA VOLLENWEIDERI | 6 |
| I. CARBON DIOXIDE CONCENTRATIONS IN THE NESTS OF | |
| THE LEAF-CUTTING ANT ATTA VOLLENWEIDERI | 7 |
| INTRODUCTION | 9 |
| METHODS | 10 |
| NEST CHARACTERISTICS | 10 |
| MICROCLIMATE IN THE NESTS | 11 |
| RESPIRATION RATE OF SMALL COLONIES | 12 |
| RESULTS | 13 |
| MICROCLIMATE IN THE NESTS | 13 |
| NEST CLOSURE OF SMALL COLONIES | 15 |
| RESPIRATION RATE OF A COLONY | 17 |
| DISCUSSION | 18 |
| CO ₂ CONCENTRATIONS | 18 |
| VENTILATION | 19 |
| TEMPERATURE AND HUMIDITY | 19 |
| NEST CLOSURE OF SMALL COLONIES COLONY RESPIRATION | 20 |
| | 20 |
| <u>II. NEST VENTILATION MECHANISMS OF THE LEAF-CUTTING ANT</u> ATTA VOLLENWEIDERI | 23 |
| INTRODUCTION | 25 |
| METHODS | 26 |
| MEASURING DEVICES AND DATA ACOUISITION | 27 |
| RESIDITS | 28 |
| | 20 |
| FUNCTIONS OF NEST CHANNELS AND POSITIONS OF CHANNEL OPENINGS | 29 |
| EFFICIENCY ESTIMATION OF WIND-INDUCED NEST VENTILATION | 31 |
| TEMPORAL DEPENDENCIES BETWEEN WIND AND AIRFLOW IN THE CHANNELS | 32 |
| INTERACTIONS BETWEEN INFLOW CHANNELS | 33 |
| DISCUSSION | 34 |
| III. ORIENTATION BEHAVIOR OF LEAF-CUTTING ANT WORKERS ATTA | SEXDENS |
| TOWARDS A CO ₂ SOURCE | 37 |
| INTRODUCTION | 39 |
| METHODS | 40 |
| INJECTION OF CO_2 | 41 |
| DATA CAPTURE | 41 |
| RESULTS | 42 |
| SIDE PREFERENCE | 42 |

| CO_2 PREFERENCE | 43 |
|--|----------------------|
| DEGLIGION | 44 |
| | 45 |
| <u>IV. MORPHOLOGY AND ULTRASTRUCTURE OF THE SENSILLUM</u> RESPONSIBLE FOR CO ₂ PERCEPTION | 48 |
| INTRODUCTION | 51 |
| Methods | 53 |
| COMPARATIVE MORPHOLOGY EXTERNAL MORPHOLOGY IDENTIFICATION OF THE CO_2 SENSILLA | 53 53 53 |
| ULTRASTRUCTURE BESILTES | 54 |
| RESULTS | 54 |
| MORPHOLOGY OF THE SENSILLUM COELOCONICUM AND SENSILLUM AMPULLACEUM ULTRASTRUCTURE OF THE SENSILLUM AMPULLACEUM IDENTIFICATION OF THE SENSILLUM HOUSING THE CO_2 RECEPTOR CELL COMPARATIVE MORPHOLOGY OF SENSILLA AMPULLACEA | 54 55 60 61 |
| DISCUSSION | 62 |
| MORPHOLOGY OF SENSILLA AMPULLACEA ULTRASTRUCTURE | 63 64 |
| V. RESPONSE CHARACTERISTICS OF THE CO2 RECEPTOR CELL | 67 |
| INTRODUCTION | 68 |
| SENSORY NEURONS FOR CO_2 PERCEPTION | 70 |
| Methods | 70 |
| THRESHOLD CURVE TEMPORAL RESOLUTION DELAY OF PERCEPTION ADAPTATION | 71 71 72 73 |
| RESULTS | 73 |
| THRESHOLD CURVE TEMPORAL RESOLUTION DELAY OF PERCEPTION ADAPTATION | 74 75 76 77 |
| DISCUSSION | 78 |
| SUMMARY | 83 |
| LITERATURE | 85 |
| ANHANG | 95 |
| ZUSAMMENFASSUNG | 97 |
| LEBENSLAUF | 99 |
| PUBLIKATIONEN | 101 |
| DANKSAGUNG | 103 |
| Erklärung | 105 |