

Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

The ATLAS collaboration

ABSTRACT: A search is presented for same-sign top-quark production and down-type heavy quarks of charge $-1/3$ in events with two isolated leptons (e or μ) that have the same electric charge, at least two jets and large missing transverse momentum. The data are selected from pp collisions at $\sqrt{s} = 7$ TeV recorded by the ATLAS detector and correspond to an integrated luminosity of 1.04 fb^{-1} . The observed data are consistent with expectations from Standard Model processes. Upper limits are set at 95% confidence level on the cross section of new sources of same-sign top-quark pair production of 1.4-2.0 pb depending on the assumed mediator mass. Upper limits are also set on the pair-production cross-section for new heavy down-type quarks; a lower limit of 450 GeV is set at 95% confidence level on the mass of heavy down-type quarks under the assumption that they decay 100% of the time to Wt .

KEYWORDS: Hadron-Hadron Scattering

Contents

1	Introduction	1
2	The ATLAS detector	3
3	Data and Monte Carlo samples	4
3.1	Data sample	4
3.2	Monte Carlo samples	4
4	Object reconstruction	5
5	Event selection	5
6	Standard model backgrounds	6
6.1	Backgrounds with leptons originating from jets or photons	7
6.2	Background from charge misidentification	8
6.3	Backgrounds from processes with two electroweak bosons	9
6.4	Background control regions	9
7	Systematic uncertainties	10
8	Results	11
9	Interpretation of the results	13
9.1	Same-sign top-quark production	14
9.2	Heavy down-type quarks	19
10	Conclusion	19
	The ATLAS collaboration	24

1 Introduction

The Standard Model (SM) of the electroweak and strong interactions is extremely successful in explaining most of the measurements in particle physics at energies accessible today. Its predicted behaviour at high energies, however, presents some theoretical problems which have motivated a large variety of theories encompassing and extending it. Due to the large variety of models proposed, signature-based searches are often useful when exploring the consequences of these theories in an economical way. In hadron collisions it is useful to group final states by the number of charged leptons (electrons or muons). Within this classification, a signal with two leptons of the same electric charge (same-sign leptons) is




Figure 1. Production of same-sign top-quark pairs via the production of a heavy vector boson (such as color-triplet \mathcal{Q}_μ^5 or color-sextet \mathcal{Y}_μ^5 [17]) in the s -channel (left) or exchange of a heavy vector boson (such as Z' or g') in the t -channel (right). For large resonance masses, both cases can be described by a four-fermion interaction (middle).




Figure 2. Pair production and decay of heavy quarks with decays to $W^+W^-\bar{b}W^-W^+b$.

interesting since it has a low background rate in the Standard Model, and potentially large contributions from new theories, for example new flavour-changing Z' bosons, proposed [1] to explain the forward-backward asymmetry (A_{FB}) measured at the Tevatron [2, 3], or new heavy quarks [4, 5].

In this paper we present a search for events characterised by two isolated same-sign leptons in association with at least two jets and large missing transverse momentum ($E_{\text{T}}^{\text{miss}}$). Two specific signal processes are considered, same-sign top-quark production [6–8] and pair production of down-type heavy quarks of charge $-1/3$ [9]. Feynman diagrams of these processes are shown in figures 1 and 2, respectively. The $uu \rightarrow tt$ process illustrated in figure 1 can be mediated at the tree level by the exchange of a s -channel resonance (left), or a t -channel resonance (right). In the case of new vector bosons exchanged in the s -channel, the new particle must be a colour-triplet or colour-sextet (respectively labelled as \mathcal{Q}_μ^5 , \mathcal{Y}_μ^5) with charge $4/3$, while for t -channel exchange it can be a colour-singlet Z' or colour-octet g' , both with zero charge. For resonance masses m much larger than the electroweak symmetry breaking scale v and the typical energy scales in the process, all these cases can be described by a gauge-invariant effective four-fermion interaction, as shown in figure 1 (middle). For the heavy quark search, a specific model in which the heavy quark is a fourth-generation chiral quark is taken as representative and referred to as b' . The search uses data recorded by the ATLAS detector from pp collisions at a centre-of-mass energy of $\sqrt{s} = 7$ TeV produced by the Large Hadron Collider (LHC) with an integrated luminosity of $1.04 \pm 0.04 \text{ fb}^{-1}$ [10, 11].

The CMS and CDF Collaborations searched for fourth-generation down-type quarks with same-sign leptons using 34 pb^{-1} of pp collisions [12] and 2.7 fb^{-1} of $p\bar{p}$ collisions [13], respectively. They set lower mass limits of 361 GeV and 338 GeV, respectively, at 95% confidence level. The ATLAS and CDF Collaborations searched for fourth-generation down-type quarks in single-lepton events with many jets using 1.1 fb^{-1} of pp collisions [14] and 4.8 fb^{-1} of $p\bar{p}$ collisions [15], respectively. They set lower mass limits of 480 GeV and 372 GeV, respectively, at 95% confidence level.

In this analysis, the data are found to be consistent with SM expectations, and upper limits on the same-sign top quark production cross section are presented. These limits are interpreted as constraints on the coefficients for a set of dimension-six effective operators [16] that can be used to parameterise same-sign top-quark production as four-fermion contact interactions. Limits on these coefficients are translated into limits on a wide range of SM extensions mediating same-sign top-quark production at the tree level [17], assuming that the new particles are heavy, which is consistent with the non-observation of an excess over the SM prediction. Limits are also obtained for the specific case of light flavour-changing Z' bosons [1]. Additionally, upper limits are placed on the cross section of pair production of b' , and a lower limit on the heavy quark mass is presented.

2 The ATLAS detector

The ATLAS detector [18] is a multipurpose detector with precision tracking, calorimetry and muon spectrometry. The transverse momenta (p_{T}) of charged particles with pseudorapidity $|\eta| < 2.5^1$ are measured by the inner detector (ID), which is a combination of a silicon pixel detector, a silicon microstrip detector and a straw-tube detector. The ID operates in a uniform 2 tesla magnetic field. Measurements from the pixel detector enable precise determination of production vertices. Electromagnetic calorimetry for electron, photon, and jet reconstruction is provided by a high granularity, three layer depth-sampling liquid-argon (LAr) detector with lead absorbers in the region $|\eta| < 3.2$. Jet reconstruction also uses hadron calorimetry provided by a scintillating tile detector with iron absorbers in the central region for $|\eta| < 1.7$, and a LAr active-medium sampling calorimeter for $1.5 < |\eta| < 4.9$. A presampler detector is used to correct for energy losses by electrons and photons in material in front of the calorimeter for $|\eta| < 1.8$.

Muons are detected with a multi-system muon spectrometer (MS). Precision measurements of the track coordinates are provided by monitored drift tubes over most of the η range. These are supplemented by cathode-strip chambers measuring both the η and ϕ coordinates for $2.0 < |\eta| < 2.7$ in the innermost endcap muon station. Fast measurements required for initiating trigger logic are provided by resistive-plate chambers for $|\eta| < 1.05$, and beyond that by thin-gap chambers for $|\eta| < 2.4$. The muon detectors operate in a

¹ATLAS uses a right-handed system with its origin at the nominal interaction point (IP) in the center of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the center of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Distances in $\eta - \phi$ space are given as $\Delta R = \sqrt{\Delta\phi^2 + \Delta\eta^2}$.

non-uniform magnetic field generated by three superconducting air-core toroid magnetic systems with eight coils per toroid.

To trigger readout, full event reconstruction and event storage by the data acquisition system, electron candidates must have transverse energy greater than 20 GeV. They must satisfy shower-shape requirements and correspond to an ID track. Muon candidates must have transverse momentum greater than 18 GeV and a consistent trajectory reconstructed in the ID and muon spectrometer. The full trigger chain uses signals from all muon detectors. These triggers reach their efficiency plateau at lepton p_T thresholds of 20 GeV for muons and 25 GeV for electrons.

3 Data and Monte Carlo samples

3.1 Data sample

The data used in this search were collected by the ATLAS detector at the CERN LHC between March and June of 2011, using a single muon or electron trigger as described above. The data sample corresponds to an integrated luminosity of $1.04 \pm 0.04 \text{ fb}^{-1}$ [10, 11].

3.2 Monte Carlo samples

Monte Carlo simulation samples have been used to develop and validate the analysis procedures, calculate the acceptance for signal events and to evaluate the contributions from some background processes. The ATLAS software [19] uses GEANT4 [20] to simulate the detector response.

In order to describe properly the effects of multiple proton-proton interactions per bunch crossing, the Monte Carlo samples contain multiple interactions per beam-crossing, weighted to match the data. Except where specifically noted, all simulated samples are generated with the CTEQ6L1 [21] parton distribution functions (PDF). Simulated samples of same-sign top-quark production with dileptonic decay have been generated by PROTOS [16], accurate to leading order (LO) in QCD, with showering and hadronisation performed by PYTHIA [22]. Samples have been generated for each of the three possible chirality configurations (left-left, left-right, right-right).

Simulated samples of heavy down-type quark pair production and decay have been generated by PYTHIA using the MRST2007 LO* PDF set [23] for several mass values, between 300 and 600 GeV; the cross section is normalized to NNLO [24].

Several background processes contribute to the final state of same-sign leptons with associated jets. The largest backgrounds (including top-quark pair production, W +jets and single top quark production) are estimated from data, as described in detail below (thereafter referred to as ‘data-driven’). Additional background estimates are described using simulated Monte Carlo samples as listed here:

- Di-boson production ($W^\pm W^\mp$, WZ , ZZ) was generated using ALPGEN [25] to explicitly account for hard emission of up to two partons and HERWIG [26, 27] to describe soft emission, showering and hadronisation. The cross sections are normalised to next-to-leading-order (NLO) theoretical calculations [28].

- $t\bar{t}+W$, $t\bar{t}+Z$, $t\bar{t}+W+\text{jet}$, $t\bar{t}+Z+\text{jet}$, $t\bar{t}+W^\pm W^\mp$, $W^\pm W^\pm+2$ jets were generated with MADGRAPH [29], and showered and hadronised with PYTHIA. These are normalised to LO theoretical calculations [29].

4 Object reconstruction

Electrons are found by a calorimeter-seeded reconstruction algorithm and are matched to a track. They are required to satisfy $E_T = E_{\text{cluster}}/\cosh(\eta_{\text{track}}) > 25$ GeV (where ‘cluster’ refers to the calorimeter electron cluster) in a pseudorapidity range $|\eta_{\text{cluster}}| < 2.47$ but excluding the transition region between the barrel and endcap calorimeters covering $1.37 < |\eta_{\text{cluster}}| < 1.52$. We require a ‘tight’ electron selection [30]. Electrons must also satisfy calorimeter isolation: the difference between the transverse energy deposited inside a cone of size $\Delta R = \sqrt{\Delta\phi^2 + \Delta\eta^2} = 0.2$ around the electron direction and the electron transverse energy has to be lower than 3.5 GeV.

Muons are found with an algorithm which requires that tracks reconstructed in the muon spectrometer match a track in the inner detector [31]. We apply a loose cosmic ray rejection by removing all back-to-back muon pairs ($\Delta\phi(\mu_1, \mu_2) > 3.1$) whose transverse impact parameter with respect to the beam spot is greater than 0.5 mm. Muon candidates must satisfy $p_T > 20$ GeV and $|\eta| < 2.5$. We also require that the muons are isolated. An η - ϕ cone of $\Delta R = 0.3$ about the muon direction must contain less than 4 GeV of additional energy in the calorimeter and less than 4 GeV from additional tracks. Finally, we remove all muons within an η - ϕ cone of $\Delta R = 0.4$ of any jet with $p_T > 20$ GeV.

Jets [32] are reconstructed from topological clusters of calorimeter energy deposits [33] using the anti- k_t algorithm [34] with a radius parameter equal to 0.4. A jet energy scale (JES) correction is applied to account for the energy response and non-uniformity of the EM and hadronic calorimeters. Jets are required to satisfy $p_T > 20$ GeV and $|\eta| < 2.5$. Jets overlapping with selected electrons within an η - ϕ cone of $\Delta R = 0.2$ are removed. During part of the data-taking period, data from a small portion of the LAr electromagnetic calorimeter was not read out due to a technical problem; this results in a signal efficiency loss of 10-15%, depending on jet multiplicity.

Missing transverse momentum (E_T^{miss}) is constructed from the vector sum of topological calorimeter cluster deposits, projected in the transverse plane [35]. Deposits associated with selected jets or electrons are corrected to the energy scale appropriate for jets or electrons, respectively. Muons are included in the E_T^{miss} calculation after a correction for the muon contribution to calorimeter energy deposits. All other energy deposits with $|\eta| < 4.5$ and not associated with leptons or jets contribute to the calculation of E_T^{miss} .

5 Event selection

In the mass range considered, where $m_{b'} > m_t + m_W$, each b' is assumed to decay exclusively to a top quark and a W boson, giving a signature of $t\bar{t}$ with two additional W bosons, as shown in figure 2. The signature for same-sign top-quark production is similar to $t\bar{t}$, but with two positive leptons in the final state from top-quark decay due to the asymmetric

charge of the pp collisions. In this analysis, the final state for both signatures must contain at least one lepton pair with the same electric charge, plus missing transverse momentum from neutrinos, and a large jet multiplicity.

Events are selected that satisfy the following requirements:

- Events must contain a primary vertex, consistent with the beam spot position, determined with at least five tracks, each with $p_T > 0.4$ GeV;
- Events must contain at least two leptons with the same electric charge, each within $|\eta| < 2.5$. Muons must have $p_T > 20$ GeV and electrons must have $E_T > 25$ GeV. In events with more than one same-sign pair, the pairs are sorted according to the leading lepton p_T , then by the subleading lepton p_T . The first pair is chosen;
- In the ee or $\mu\mu$ channel, the invariant mass of the two leptons must exceed 15 GeV and not be in the Z -boson mass window: $|m_{\ell\ell} - m_Z| > 10$ GeV;
- Events must contain at least two jets, each with $p_T > 20$ GeV and $|\eta| < 2.5$;
- The magnitude of the missing transverse momentum must be greater than 40 GeV;
- Three signal regions are defined, as follows.
 - For a heavy down-type quark, and for same-sign top quarks produced from high-mass Z' exchange, the scalar sum H_T of the transverse energy of the selected leptons and jets must exceed 350 GeV. This cut has been optimised in order to reach the maximum sensitivity with $m_{b'}$ = 400 GeV (close to previous exclusion limits) and for same-sign top quarks produced from high-mass Z' exchange. Including both lepton charge configurations, we refer to this as the ‘heavy-quark signal region’.
 - When applied to searches for same-sign top-quarks, the events are required to satisfy all the requirements of the heavy-quark signal region, but including only events with positively-charged leptons, as the pp initial state of the LHC gives predominantly positively-charged top quarks; we refer to this as the ‘same-sign top-quark signal region’.
 - For same-sign top quarks produced from low-mass Z' exchange, the signal region is optimised by requiring positively-charged leptons, $H_T > 150$ GeV and invariant mass of the lepton pair $m_{\ell\ell} > 100$ GeV; we refer to this as the ‘low-mass Z' boson signal region’.

The efficiencies of the event selection for heavy-quark and same-sign top-quark events are given in table 1.

6 Standard model backgrounds

In the SM, events with the same-sign dilepton signature are due to three categories of processes:

Heavy-quark and same-sign top-quark signal regions		
	$\ell^+\ell^+$ and $\ell^-\ell^-$	
$b'_{m_{b'}=350 \text{ GeV}}$	2.0%	
$b'_{m_{b'}=450 \text{ GeV}}$	2.5%	
$b'_{m_{b'}=550 \text{ GeV}}$	2.7%	
	$\ell^+\ell^+$	$\ell^-\ell^-$
tt_{LL}	0.7%	negligible
tt_{LR}	0.8%	negligible
tt_{RR}	0.8%	negligible
Low-mass Z' boson signal region		
$tt_{RR,m_{Z'}=100 \text{ GeV}}$	0.7%	negligible
$tt_{RR,m_{Z'}=150 \text{ GeV}}$	0.8%	negligible
$tt_{RR,m_{Z'}=200 \text{ GeV}}$	1.0%	negligible

Table 1. Efficiencies of the event selection for heavy-quark and same-sign top-quark events in the heavy-quark signal region (two same-sign leptons, at least two jets, and $E_T^{\text{miss}} > 40 \text{ GeV}$ and $H_T > 350 \text{ GeV}$) as well as efficiencies of the event selection for same-sign top-quark events via a low-mass Z' boson in the low-mass Z' boson signal region (two same-sign leptons, at least two jets, $E_T^{\text{miss}} > 40 \text{ GeV}$, $H_T > 150 \text{ GeV}$ and $m_{\ell\ell} > 100 \text{ GeV}$). Efficiencies are relative to the total cross section, and so include the effect of branching ratios (4.5% for tt and 9% for b' , without including $W \rightarrow \tau\nu$ contributions) as well as acceptance. Statistical uncertainty is 0.01% for tt and 0.05% for b' .

- those in which one lepton originates from a jet or from a photon conversion,
- those with an opposite-sign dilepton pair in which the reconstructed charge of one lepton is mismeasured, and
- those that originate from a pair of Z/W gauge bosons.

The diboson contribution is estimated using simulated samples, and the remaining backgrounds are estimated by extrapolation from control samples selected in the data as described in the following sections.

6.1 Backgrounds with leptons originating from jets or photons

A significant SM background source is due to events in which one of the two leptons comes from the decay of a W or Z boson (called ‘real’ below) and the second is a ‘fake’ lepton, a jet or photon misreconstructed as an isolated lepton. Here ‘fake’ is used to indicate both non-prompt leptons and misidentified π^0 s, conversions, etc.

The dominant fake-lepton mechanism is the semi-leptonic decay of a b - or c -hadron, in which a muon survives the isolation requirements. In the case of electrons, the three mechanisms are b - or c -hadron decay, light flavour jets with a leading π^0 overlapping with a charged particle, and conversion of photons. Processes that contribute are opposite-sign top-quark pair production, production of W bosons in association with jets and multi-jet production.

The ‘matrix method’ [36] is applied to estimate the fraction of events in the signal regions that contains at least one fake lepton. A selection is defined to isolate lepton-like jets and used to count the number of observed dilepton events with zero, one or two selected leptons (‘L’) together with two, one or zero lepton-like jets (‘J’), respectively ($N_{JJ}, N_{LJ}, N_{JL}, N_{LL}$). The categories N_{LJ} and N_{JL} are distinguished by p_T -ordering.

Two probabilities are defined and measured: r and f , the probabilities that real or fake leptons, respectively, which satisfy the lepton-like jet selection also satisfy the final lepton selection requirements. Using r and f , linear expressions are obtained for the observed yields as a function of the number of events with zero, one and two real leptons (‘R’) together with two, one and zero fake leptons (‘F’), respectively ($N_{FF}, N_{RF}, N_{FR}, N_{RR}$, respectively). These linear expressions form a matrix that is inverted in order to extract the real and fake content of the selected dilepton event sample. The categories N_{RF} and N_{FR} are distinguished by p_T -ordering.

For muons, lepton-like jets are found by removing the three isolation requirements: calorimeter, track and jet isolation as described above. For electrons, lepton-like jets are found by removing the requirement on the electron isolation and the quality of the associated ID track.

The probability for real leptons r is measured in samples of opposite-sign dielectron and dimuon events, with one selected lepton and one lepton-like jet, which are dominated by $Z \rightarrow \ell\ell$ decays. The requirement $86 \text{ GeV} < m_{\ell+\ell^-} < 96 \text{ GeV}$ is applied to achieve a high purity.

The corresponding probability for fake leptons f is measured in data from a sample of single-lepton candidate events dominated by multi-jet production, where contributions from real leptons are suppressed using kinematic requirements. The probability f is found to decrease significantly with rising lepton p_T or event H_T , and is therefore parameterised in these variables [37].

The value of the probability f is found to be substantially different in samples with and without a large heavy-flavour contribution. If the heavy-flavour fraction in the signal region is different from the control region, using the value of f from the control region would lead to a biased estimate of the fake-lepton contribution in the signal regions. Instead, individual jets are assigned either a heavy-flavour probability (f_{HF}) or a light-flavour probability (f_{LF}) based on a standard heavy-flavour tagging algorithm which identifies jets with tracks which have large impact parameter significance [38]. This algorithm correctly identifies 90% of heavy-flavour jets and misidentifies 50% of light-flavour jets in $t\bar{t}$ simulated events. The probability f_{HF} is measured in samples of heavy-flavour jets, selected using the same tagging algorithm with a stricter requirement. The probability f_{LF} is measured in a sample of jets constructed by requiring small impact parameter significance.

6.2 Background from charge misidentification

Events in which a pair of opposite-sign leptons are produced may be reconstructed as a pair of same-sign leptons if a lepton charge is misidentified. This is referred to as ‘charge flip’ in the plots and the tables.

For electrons, the dominant mechanism is hard bremsstrahlung, producing a photon which carries a large fraction of the electron momentum and then converts asymmetrically, giving most of its momentum to an electron of the opposite charge. Processes susceptible to this effect are those with opposite-sign electrons, such as $Z/\gamma^* \rightarrow e^+e^-$ (including $Z/\gamma^* \rightarrow \tau^+\tau^- \rightarrow e^+e^- + 4\nu$) and $t\bar{t}$ dileptonic decays with at least one electron. For both electrons and muons, misidentification of the charge may occur due to misreconstruction of the ID track. For muons, the requirement that the measured charges in the ID and MS agree reduces this to negligible levels in the range of p_T found in the sample.

The charge-flip rate for electrons is derived as a function of electron η from the rate of same-sign and opposite-sign electron pairs in events with $m_{\ell\ell} \in [81, 101]$ GeV. This rate is then applied to events with an opposite-sign ee or $e\mu$ pair to model the charge-flip contribution to the same-sign sample.

A fraction of the charge-flip electron background is included in the data-driven estimate of the fake lepton events described above. However, studies of Z events show that electron charge-flips are well modeled using the weighted opposite-sign lepton pair events as described here. To avoid double counting, the overlap is removed from the fake-lepton background prediction. The charge-flip overlap fraction is measured by normalizing the prediction to the observed same-sign dilepton peak from $Z \rightarrow e^+e^-$ processes in events with $m_{\ell\ell} \in [81, 101]$ GeV and found to be $(23 \pm 3)\%$.

6.3 Backgrounds from processes with two electroweak bosons

True same-sign dilepton events are produced from SM diboson processes such as WZ or ZZ production. With a total cross section to same-sign leptons equal to 0.7 pb, small with respect to the expected b' or same-sign top-quark production, SM diboson events are a rare but irreducible background to new physics sources, since events with more than two leptons are not excluded by the selection. This category includes events from the processes $t\bar{t} + W$, $t\bar{t} + Z$, $t\bar{t} + W + \text{jet}$, $t\bar{t} + Z + \text{jet}$, $t\bar{t} + W^\pm W^\mp$, and $W^\pm W^\pm + 2$ jets, which together contribute 12-29% of the diboson background. The contribution to the selected sample is estimated using simulated events, as described above, and referred to as ‘real’ in plots and tables.

6.4 Background control regions

To validate the modeling of the SM backgrounds, two control regions are examined. Control regions are orthogonal to signal regions and defined by selections which suppress possible signal contributions.

The first control region inverts the charge selection, requiring a pair of opposite-sign leptons, at least two reconstructed jets and missing transverse momentum greater than 40 GeV. This region validates the lepton efficiencies and the modeling of the missing transverse momentum and H_T . Figure 3 shows the observed and expected missing transverse momentum and H_T distributions, which are in good agreement within uncertainties.

The second control region is used to validate modeling of the same-sign background sources, but in events with no reconstructed jets. Figure 4 shows the observed and expected missing transverse momentum and H_T distributions, which are in good agreement within uncertainties.




Figure 3. Comparison of observed data and expected SM backgrounds in events with a pair of opposite-sign leptons, at least two reconstructed jets and missing transverse momentum greater than 40 GeV. Distribution of missing transverse momentum (left) and H_T (right). Uncertainties (hatched) are systematic and statistical. The last bin includes overflow events.




Figure 4. Comparison of observed data and expected SM backgrounds in events with a pair of same-sign leptons and no reconstructed jets; the invariant mass requirement is not made here. Distribution of missing transverse momentum (left) and H_T (right). Uncertainties (hatched) are systematic and statistical. The last bin includes overflow events.

7 Systematic uncertainties

Several sources of systematic uncertainties have been considered, and their estimates are summarised below.

- Object calibration and resolutions: Uncertainties in the jet [32] and lepton efficiency, energy or momentum calibration, and resolution lead to systematic uncertainties on the signal and background acceptances. There is also some uncertainty in estimating the effect of problems with the LAr calorimeter readout as described above. These uncertainties are summarised in table 2 for signal and background separately.
- Fake-lepton background: A 20%-70% uncertainty on the estimate of the fake lepton background is estimated from a combination of two sources. First, we vary the heavy-flavour tagging threshold defined in section 5 to modify the heavy-flavour iden-

tification efficiency within its uncertainties; the difference in the estimated fake-lepton background is taken as an uncertainty. Second, we compare the fake probability f measured from the simulated multijet samples to probabilities measured in $t\bar{t}$ and W boson+jets simulated samples; the difference in the probabilities is propagated to the fake-lepton background estimate.

- Charge-flip background: the uncertainty on the overall scale of the charge-flip background in the signal regions is derived from a comparison of the charge-flip rate extracted by several methods. All techniques use dielectron events with dilepton invariant mass close to the Z boson mass. The primary technique uses a maximum likelihood fit to extract the charge-flip rates in different kinematic regions simultaneously. An alternative method, tag-and-probe, identifies a tag electron in the low pseudorapidity region which satisfies strict track-matching requirements to ensure a negligible charge-flip rate; the probe electron is used to measure the charge-flip rate. In a third method, the rates for each region are derived from electron pairs in that region. The difference in the method results is used to estimate the systematic uncertainty, which is found to be 30% – 100%, increasing as a function of lepton $|\eta|$ and p_T .
- Uncertainties affecting the Monte Carlo backgrounds and signals: luminosity and Monte Carlo cross sections. The uncertainty on the measured luminosity from van der Meer scans was estimated to be 3.7% [10, 11]. Uncertainties on Monte Carlo cross sections depend on the process. The main source of systematic uncertainty on the production cross section originates from the diboson contribution. This uncertainty, which is nearly 100%, is estimated from the difference between the nominal sample described above and an alternative sample which uses HERWIG to model the generation and emission of hard partons.
- Initial and final state QCD radiation: parameters describing the level of radiation in the simulation are varied over a range consistent with experimental data [39]. In the signal regions, the corresponding uncertainty on the acceptance is 12.3% for the $t\bar{t}$ signal and 6.8% for the b' signal.
- Parton Distribution Functions: the uncertainty is evaluated using a range of current PDF sets [39]. In the signal regions, the uncertainty on the acceptance is 2.0% for both the $t\bar{t}$ and b' signals.

8 Results

Due to the charge of the initial state in pp collisions, the SM and same-sign top-quark expectation for positively- and negatively-charged pairs are not equal. This makes the negatively-charged pairs a control region for the same-sign top-quark signal. In both cases, the observed number of events agrees well with the SM expectation within uncertainties. Heavy down-type quarks are expected in both the positively- and negatively-charged samples.

Source	Uncertainty on tt acceptance (%)	Uncertainty on b' acceptance (%)	Uncertainty on background acceptance (%)
Jet energy scale	+1.7, -2.3	+0.5, -0.5	+7.1, -5.5
Jet energy resolution	+0.7, -0.8	+0.7, -0.8	+4.1, -4.2
Jet reconstruction efficiency	+0.1, -0.1	+0.1, -0.1	+0.1, -0.1
Electron energy scale	+0.5, -0.7	+0.2, -0.3	+1.1, -1.2
Electron energy resolution	+0.1, -0.3	+0.1, -0.1	+0.8, -0.8
Electron efficiency	+3.5, -4.2	+3.3, -4.9	+1.8, -2.0
Muon energy scale	+0.1, -0.1	+0.1, -0.1	+0.1, -0.1
Muon energy resolution	+0.2, -0.3	+0.1, -0.2	+0.6, -0.7
Muon efficiency	+4.7, -5.8	+4.3, -5.2	+2.3, -3.0
Missing transverse momentum	+0.8, -0.8	+0.8, -0.8	+0.9, -0.9
LAr calorimeter readout	+2.0, -3.0	+2.0, -3.0	+1.0, -2.0

Table 2. Sources of systematic uncertainties related to jet and lepton energy or momentum calibration and resolution, and their contributions to the uncertainty on signal (tt and b') and background acceptance. Lepton efficiencies include trigger, reconstruction and identification terms.




Figure 5. E_T^{miss} distribution: comparison of observed data and expected SM backgrounds for events with a pair of same-sign leptons, at least two reconstructed jets, $E_T^{\text{miss}} > 40$ GeV and $H_T > 350$ GeV. Left are negatively-charged lepton pairs, right are positively-charged lepton pairs. Uncertainties (hatched) are systematic and statistical. The last bin includes overflow events. tt_{RR} (scaled by 0.1 and assuming $C/\Lambda^2 = 1/\text{TeV}^2$, see eq. (9.1)) and b' signals include both signal and background.

In each of the three signal regions, the largest source of SM background is due to diboson production, followed by the fake lepton background. In table 3 (table 4) the expected and observed yields are shown for events with two negatively (positively) charged leptons in the heavy-quark signal region. The positive-lepton sample is the same-sign top-quark signal region. The distributions of E_T^{miss} and H_T are shown in figures 5 and 6.

	e^-e^-	$\mu^-\mu^-$	$e^-\mu^-$
Fake	$0.2 \pm 0.3 \pm 0.1$	$0.7 \pm 0.3_{-0.3}^{+0.6}$	$0.5 \pm 0.2_{-0.3}^{+0.7}$
Charge flip	$0.3 \pm 0.1_{-0.1}^{+0.3}$	$0 \pm 0_{-0.0}^{+0.1}$	$0.3 \pm 0.1_{-0.1}^{+0.2}$
Real	$0.8 \pm 0_{-0.6}^{+0.3}$	$1.0 \pm 0_{-0.6}^{+0.4}$	$2.3 \pm 0_{-1.9}^{+0.8}$
Total	$1.4 \pm 0.3_{-0.6}^{+0.4}$	$1.7 \pm 0.3 \pm 0.7$	$3.1 \pm 0.2_{-1.9}^{+1.1}$
Data	1	2	2
tt_{LL}	$0.2 \pm 0 \pm 0.1$	$0.2 \pm 0 \pm 0.1$	$0.5 \pm 0 \pm 0.3$
tt_{LR}	$0.02 \pm 0 \pm 0.01$	$0.001 \pm 0_{-0.001}^{+0.01}$	$0.02 \pm 0 \pm 0.02$
tt_{RR}	$0.5 \pm 0 \pm 0.3$	$0.1 \pm 0 \pm 0.2$	$0.8 \pm 0 \pm 0.3$
b' 450 GeV	$1.8 \pm 0 \pm 0.3$	$2.1 \pm 0 \pm 0.3$	$4.3 \pm 0 \pm 0.5$

Table 3. Predicted number of SM background events and observed data with two negatively-charged leptons, at least two jets, $E_T^{\text{miss}} > 40$ GeV and $H_T > 350$ GeV. Uncertainties are statistical followed by systematic. The expected contribution from same-sign top-quark pairs is shown (assuming $C/\Lambda^2 = 1/\text{TeV}^2$, see eq. (9.1)) as well as from a 450 GeV b' .

	e^+e^+	$\mu^+\mu^+$	$e^+\mu^+$
Fake	$0.8 \pm 0.6_{-0.4}^{+0.2}$	$1.0 \pm 0.3_{-0.4}^{+0.6}$	$3.3 \pm 1.1_{-1.4}^{+1.6}$
Charge flip	$0.3 \pm 0.1_{-0.1}^{+0.3}$	$0 \pm 0_{-0.0}^{+0.1}$	$0.4 \pm 0.1_{-0.1}^{+0.3}$
Real	$1.9 \pm 0_{-1.5}^{+0.7}$	$1.6 \pm 0_{-0.9}^{+0.7}$	$4.4 \pm 0_{-3.1}^{+1.3}$
Total	$3.0 \pm 0.6_{-1.5}^{+0.8}$	$2.6 \pm 0.3_{-1.1}^{+0.9}$	$8.1 \pm 1.1_{-3.4}^{+2.2}$
Data	2	1	10
tt_{LL}	$30.1 \pm 0 \pm 5.0$	$30.4 \pm 0 \pm 4.8$	$64.2 \pm 0 \pm 10.3$
tt_{LR}	$3.8 \pm 0 \pm 0.6$	$4.2 \pm 0 \pm 0.7$	$8.3 \pm 0 \pm 1.3$
tt_{RR}	$35.5 \pm 0 \pm 6.0$	$29.5 \pm 0 \pm 4.6$	$65.7 \pm 0 \pm 10.4$
b' 450 GeV	$1.8 \pm 0 \pm 0.3$	$2.7 \pm 0 \pm 0.4$	$5.0 \pm 0 \pm 0.7$

Table 4. Predicted number of SM background events and observed data with two positively-charged leptons, at least two jets, $E_T^{\text{miss}} > 40$ GeV and $H_T > 350$ GeV. Uncertainties are statistical followed by systematic. The expected contribution from same-sign top-quark pairs is shown (assuming $C/\Lambda^2 = 1/\text{TeV}^2$, see eq. (9.1)) as well as from a 450 GeV b' .

In the signal region tuned for same-sign top quarks due to low-mass Z' exchange, the expected and observed yields are shown for events with two negatively (positively) charged leptons in table 5 (table 6). The distribution of E_T^{miss} and H_T are shown in figures 7 and 8.

9 Interpretation of the results

Since the data are consistent with the Standard Model expectations, the analysis sets limits on the production of two processes producing same-sign dilepton signals from new physics sources. For each model, upper limits at 95% confidence level on the cross sections of the hypothetical processes are derived using the CL_s method [40, 41]. In both cases,




Figure 6. H_T distribution: comparison of observed data and expected SM backgrounds for events with a pair of same-sign leptons, at least two reconstructed jets, $E_T^{\text{miss}} > 40$ GeV and $H_T > 350$ GeV. Left are negatively-charged lepton pairs, right are positively-charged lepton pairs. Uncertainties (hatched) are systematic and statistical. The last bin includes overflow events. tt_{RR} (scaled by 0.1 and assuming $C/\Lambda^2 = 1/\text{TeV}^2$, see eq. (9.1)) and b' signals include both signal and background.

	$e^- e^-$	$\mu^- \mu^-$	$e^- \mu^-$
Fake	$0.2 \pm 0.4 \pm 0.1$	$0.8 \pm 0.4_{-0.3}^{+0.4}$	$0.4 \pm 0.3_{-0.1}^{+1.0}$
Charge flip	$0.7 \pm 0.1_{-0.2}^{+0.7}$	$0.2 \pm 0 \pm 0.2$	$0.5 \pm 0.1_{-0.1}^{+0.5}$
Real	$1.5 \pm 0_{-1.0}^{+0.6}$	$1.4 \pm 0_{-0.8}^{+0.5}$	$2.9 \pm 0_{-1.8}^{+0.8}$
Total	$2.4 \pm 0.4_{-1.1}^{+0.9}$	$2.4 \pm 0.4_{-0.8}^{+0.6}$	$3.9 \pm 0.3_{-1.8}^{+1.4}$
Data	1	3	1
$tt_{RR, m_{Z'}=100\text{GeV}}$	$0.01 \pm 0 \pm 0.01$	$0.01 \pm 0 \pm 0.01$	$0.01 \pm 0 \pm 0.01$
$tt_{RR, m_{Z'}=150\text{GeV}}$	$0.02 \pm 0 \pm 0.01$	$0.02 \pm 0 \pm 0.01$	$0.03 \pm 0 \pm 0.01$
$tt_{RR, m_{Z'}=200\text{GeV}}$	$0.01 \pm 0 \pm 0.01$	$0.01 \pm 0 \pm 0.01$	$0.06 \pm 0 \pm 0.02$

Table 5. Predicted number of SM background events and observed data with two negatively-charged leptons, at least two jets, $E_T^{\text{miss}} > 40$ GeV, $H_T > 150$ GeV and $m_{\ell\ell} > 100$ GeV. Uncertainties are statistical followed by systematic. The expected contribution from same-sign top-quark pairs with low-mass Z' exchange is shown, using a fixed value $C/\Lambda^2 = -1 \text{ TeV}^{-2}$, where $\Lambda = m_{Z'}$ in each case, see eq. (9.1).

we use a single-bin counting experiment, fitting the data to extract the most likely signal cross section. Systematic uncertainties are included as variations in the expected signal and background yields, which are fluctuated in the ensembles used to generate the CLs distributions.

9.1 Same-sign top-quark production

We calculate upper limits on the cross section of same-sign top-quark pair production using only the positively-charged lepton pairs. Modeling tt production in terms of effective four-fermion operators, the expected 95% confidence level limits on $\sigma(pp \rightarrow tt)$ are shown in table 7 for the three possible chirality combinations of the tt pair, which influence the

	e^+e^+	$\mu^+\mu^+$	$e^+\mu^+$
Fake	$0.5 \pm 0.4^{+0.1}_{-0.2}$	$1.6 \pm 0.5^{+1.2}_{-1.3}$	$3.1 \pm 1.0^{+2.2}_{-1.5}$
Charge flip	$0.6 \pm 0.1^{+0.6}_{-0.2}$	$0 \pm 0^{+0.1}_{-0.0}$	$0.9 \pm 0.1^{+0.6}_{-0.2}$
Real	$1.9 \pm 0^{+0.7}_{-1.1}$	$2.1 \pm 0^{+0.8}_{-0.7}$	$5.6 \pm 0^{+1.6}_{-3.5}$
Total	$3.0 \pm 0.4^{+0.9}_{-1.2}$	$3.7 \pm 0.5 \pm 1.5$	$9.6 \pm 1.0^{+2.8}_{-3.8}$
Data	3	4	8
$tt_{RR,m_{Z'}=100\text{GeV}}$	$0.24 \pm 0 \pm 0.04$	$0.36 \pm 0 \pm 0.06$	$0.6 \pm 0 \pm 0.1$
$tt_{RR,m_{Z'}=150\text{GeV}}$	$0.6 \pm 0 \pm 0.1$	$0.9 \pm 0 \pm 0.2$	$1.5 \pm 0 \pm 0.3$
$tt_{RR,m_{Z'}=200\text{GeV}}$	$1.1 \pm 0 \pm 0.2$	$1.7 \pm 0 \pm 0.3$	$3.2 \pm 0 \pm 0.6$

Table 6. Predicted number of SM background events and observed data with two positively-charged leptons, at least two jets, $E_T^{\text{miss}} > 40$ GeV, $H_T > 150$ GeV and $m_{\ell\ell} > 100$ GeV. Uncertainties are statistical followed by systematic. The expected contribution from same-sign top-quark pairs with low-mass Z' exchange is shown, using a fixed value of the coupling $C/\Lambda^2 = -1 \text{ TeV}^{-2}$, where $\Lambda = m_{Z'}$ in each case, see eq. (9.1).




Figure 7. E_T^{miss} distribution: comparison of observed data and expected SM backgrounds for events with a pair of same-sign leptons, at least two reconstructed jets, $E_T^{\text{miss}} > 40$ GeV, $H_T > 150$ GeV and $m_{\ell\ell} > 100$ GeV. Left are negatively-charged lepton pairs, right are positively-charged lepton pairs. Uncertainties (hatched) are systematic and statistical. The last bin includes overflow events. tt_{RR} from Z' 100 GeV ($\times 10$) signal histogram includes both signal and background.

efficiency primarily through the lepton transverse momentum. In table 8 the limits are given for a model with a light flavour-changing Z' boson with right-handed couplings, and three values of its mass. These limits supersede those on this process previously reported by ATLAS [42]. The limits reported here are more stringent than those of ref. [42] due to the use of both electrons and muons, and an event selection optimized for same-sign top-quark pair production including a jet multiplicity requirement. Ref. [42] used a more inclusive selection examining a range of new physics models.

The cross-section limits in table 7 can be directly translated into limits on coefficients of effective operators corresponding to each pair of chiralities. There are five independent dimension-six four-fermion operators mediating $uu \rightarrow tt$ [16], with four possible structures.




Figure 8. H_T distributions: comparison of observed data and expected SM backgrounds for events with a pair of same-sign leptons, at least two reconstructed jets, $E_T^{\text{miss}} > 40$ GeV, $H_T > 150$ GeV and $m_{\ell\ell} > 100$ GeV. Left are negatively-charged lepton pairs, right are positively-charged lepton pairs. Uncertainties (hatched) are systematic and statistical. The last bin includes overflow events. tt_{RR} from Z' 100 GeV ($\times 10$) signal histogram includes both signal and background.

Chirality config.	Median expected limit, σ	68% range limit, σ	Observed limit, σ	Observed limit, C
LL	$\sigma < 1.8$ pb	1.1-3.2 pb	$\sigma < 1.7$ pb	$C_{LL}/\Lambda^2 < 0.35 \text{ TeV}^{-2}$
LR	$\sigma < 1.7$ pb	1.0-3.0 pb	$\sigma < 1.7$ pb	$C_{RL}/\Lambda^2, C'_{LR}/\Lambda^2 < 0.98 \text{ TeV}^{-2}$
RR	$\sigma < 1.7$ pb	1.0-3.0 pb	$\sigma < 1.7$ pb	$C_{RR}/\Lambda^2 < 0.35 \text{ TeV}^{-2}$

Table 7. Expected and observed upper limits on same-sign top-quark cross section at 95% confidence level. The uncertainties for the expected limits describe a range which includes 68% of pseudo-experiments drawn from the background-only hypothesis. A dileptonic decay branching ratio of 10.6% has been taken into account, so that the limits are directly on $\sigma(pp \rightarrow tt)$. The observed limit on the coefficients $C_{LL}, C_{LR} = C'_{RL}, C_{RR}$ of the effective operator is also indicated.

Z' mass	Median expected limit, σ	68% range limit, σ	Observed limit, σ
100 GeV	$\sigma < 2.1$ pb	1.4-3.3 pb	$\sigma < 2.0$ pb
150 GeV	$\sigma < 1.7$ pb	1.0-2.8 pb	$\sigma < 1.6$ pb
200 GeV	$\sigma < 1.5$ pb	0.9-2.3 pb	$\sigma < 1.4$ pb

Table 8. Expected and observed upper limits on same-sign top-quark production from low mass Z' cross sections at 95% confidence level. The uncertainties for the expected limits describe a range which includes 68% of pseudo-experiments drawn from the background-only hypothesis. A dileptonic decay branching ratio of 10.6% has been taken into account.

The resulting Lagrangian relevant for tt production reads

$$\begin{aligned}
 \mathcal{L}_{4F} = & \frac{1}{2} \frac{C_{LL}}{\Lambda^2} (\bar{u}_L \gamma^\mu t_L) (\bar{u}_L \gamma_\mu t_L) + \frac{1}{2} \frac{C_{RR}}{\Lambda^2} (\bar{u}_R \gamma^\mu t_R) (\bar{u}_R \gamma_\mu t_R) \\
 & - \frac{1}{2} \frac{C_{LR}}{\Lambda^2} (\bar{u}_L \gamma^\mu t_L) (\bar{u}_R \gamma_\mu t_R) - \frac{1}{2} \frac{C'_{LR}}{\Lambda^2} (\bar{u}_{La} \gamma^\mu t_{Lb}) (\bar{u}_{Rb} \gamma_\mu t_{Ra}) + \text{h.c.}, \quad (9.1)
 \end{aligned}$$

where the subindices a, b in the last term indicate the colour contractions. The limits on operator coefficients are the most relevant for a comparison between different experiments,

Label	Spin	Quantum numbers	Limit	Mass Limit
\mathcal{B}_μ	1	$(1, 1)_0$	$ g_{13} /\Lambda < 0.57 \text{ TeV}^{-1}$	1.7 TeV
\mathcal{W}_μ	1	$(1, 3)_0$	$ g_{13} /\Lambda < 0.57 \text{ TeV}^{-1}$	1.7 TeV
\mathcal{G}_μ	1	$(8, 1)_0$	$ g_{13} /\Lambda < 0.99 \text{ TeV}^{-1}$	1.0 TeV
\mathcal{H}_μ	1	$(8, 3)_0$	$ g_{13} /\Lambda < 0.99 \text{ TeV}^{-1}$	1.0 TeV
\mathcal{Q}_μ^5	1	$(3, 2)_{-\frac{5}{6}}$	$ g_{11}g_{33} /\Lambda^2 < 0.34 \text{ TeV}^{-2}$	1.7 TeV
\mathcal{Y}_μ^5	1	$(\bar{6}, 2)_{-\frac{5}{6}}$	$ g_{11}g_{33} /\Lambda^2 < 0.63 \text{ TeV}^{-2}$	1.3 TeV
ϕ	0	$(1, 2)_{-\frac{1}{2}}$	$ g_{13}^u g_{31}^u /\Lambda^2 < 0.92 \text{ TeV}^{-2}$	1.1 TeV
Φ	0	$(8, 2)_{-\frac{1}{2}}$	$ g_{13}^u g_{31}^u /\Lambda^2 < 1.8 \text{ TeV}^{-2}$	0.8 TeV
Ω^4	0	$(\bar{6}, 1)_{-\frac{4}{3}}$	$ g_{11}g_{33} /\Lambda^2 < 0.33 \text{ TeV}^{-2}$	1.8 TeV
Σ	0	$(\bar{6}, 3)_{-\frac{1}{3}}$	$ g_{11}g_{33} /\Lambda^2 < 0.16 \text{ TeV}^{-2}$	2.5 TeV

Table 9. Lower (upper) limits at 95% confidence level on the masses (couplings) for generic heavy vector bosons and scalars which mediate the production of same-sign top-quark pairs. A theoretical uncertainty due to variations of the Q^2 scale gives a 5% uncertainty on the limits of the couplings g . Quantum numbers are defined in the text.

because the production cross sections themselves depend on the type of particles being collided and their centre-of-mass energy. These limits improve on those reported by the CMS Collaboration, $C_{RR}/\Lambda^2 < 2.7 \text{ TeV}^{-2}$ [43] using 35 pb^{-1} of 2010 data.

Constraints can also be placed on generic classes of models with new particles mediating same-sign top-quark production at the tree level. These new particles can be classified according to their quantum numbers under the SM group $SU(3)_C \times SU(2)_L \times U(1)_Y$. In table 9 limits are given for different types of particles, using the notation of ref. [17]; the quantum numbers $(C, I)_Y$ refer to the transformation properties under the SM group, where C is the colour (octet, sextet, triplet or singlet); I the weak isospin (triplet, doublet or singlet) and Y is the hypercharge. The couplings labeled as g_{13} involve a flavour change between the up and top quark, whereas g_{11} , g_{33} are flavour-diagonal couplings of the new particle to the up and top quarks, respectively; for \mathcal{B}_μ and \mathcal{G}_μ vector bosons $|g_{13}| \equiv (|g_{13}^q|^2 + |g_{13}^u|^2)^{1/2}$, where g_{13}^q is left-handed and g_{13}^u is right-handed. In particular, limits are placed on new colour-sextet scalars and vector bosons produced in the s -channel [6, 7], as well as on heavy flavour-changing scalars and vector bosons. The last column gives the mass limits for unit couplings. Notice that for larger couplings the mass limits are more stringent, and conversely for smaller couplings the mass limits are looser.

Limits for neutral colour singlets (\mathcal{B}_μ) are of interest because the exchange of a t -channel Z' boson, corresponding to \mathcal{B}_μ in table 9, has been proposed as a possible mechanism which could increase the value of the forward-backward production asymmetry A_{FB} in $t\bar{t}$ production at the Tevatron. CDF and D0 have reported measurements [2, 3] of this asymmetry which lie above the Standard Model expectation. In the simplest realisation of this idea, the Z' boson is real and leads to same-sign top-quark pair production [1, 44].




Figure 9. Allowed regions for the new physics contributions to the inclusive (left) and high-mass (right) A_{FB} at Tevatron, and the $t\bar{t}$ cross section at LHC. Limits from this analysis are the solid horizontal lines. The measurements of A_{FB} from CDF and D0 are shown as vertical lines with bands representing the uncertainties.

For a given mass and coupling of the new Z' boson, its contribution to the A_{FB} at the Tevatron and the $t\bar{t}$ cross section at the LHC are related. Figure 9 shows the contributions to the inclusive (left) and high-mass (right) A_{FB} from the exchange of a Z' boson with right-handed couplings, versus the same-sign top-quark pair cross sections at the LHC. They have been obtained following the method outlined in ref. [45].

For each curve in figure 9, corresponding to a different Z' boson mass ranging between 100 GeV and 1 TeV from bottom to top, the lower end (out of scale) corresponds to vanishing coupling $g_{13} = 0$. The shape of the curves is due to the interference of the Z' with the $t\bar{t}$ production amplitude, which gives a negative contribution to the forward-backward production asymmetry, while the quadratic Z' contribution increases it. As the coupling is increased from zero, the contribution to the forward-backward asymmetry is first negative and then becomes positive at larger couplings.

The solid horizontal line represents the 95% CL limit on same-sign top-quark production obtained from this analysis, taken as the most conservative one in tables 7 and 8. For comparison, limits from previous analyses [42, 43] are also shown. Previous ATLAS limits [42] already exclude the possibility of any positive contributions to either the inclusive or the high-mass A_{FB} in $t\bar{t}$ production in minimal models with a single, real Z' boson. Still, these constraints can be evaded in non-minimal models [46] which involve more than one Z' boson so as to partially cancel their contribution to same-sign top quark production. The tighter constraints reported here narrow the parameter space for such cancellations.




Figure 10. 95% confidence level exclusion limits on cross section times branching ratio for $b'\bar{b}'$ production with decay $b' \rightarrow tW$.

9.2 Heavy down-type quarks

The second process investigated is pair production of chiral down-type charge $-1/3$ quarks b' with decay $b'\bar{b}' \rightarrow W^-tW^+\bar{t}$. The branching ratio for $b' \rightarrow Wt$ is assumed to be unity for fourth-generation quarks b' if $m_{b'} > m_t + m_W$ or for other heavy quark models such as exotic isodoublets $(T_B)_{L,R}$ coupling predominantly to the third generation [5]. The cross section for strong pair production is the same in both cases. The observed and expected cross-section limits for $b'\bar{b}'$ production are shown in figure 10. The intersection of the limit with the theoretical cross-section calculation at next-to-next-to-leading order in QCD yields a lower bound of 450 GeV on the new quark mass.

10 Conclusion

A search is presented for anomalous same-sign top-quark production and heavy fourth-generation down-type quark production in events with two isolated leptons (e or μ) having the same electric charge, large missing transverse momentum, and at least two jets. The data are selected from events collected from pp collisions at $\sqrt{s} = 7$ TeV by the ATLAS detector and correspond to an integrated luminosity of 1.04 fb^{-1} . The observed data are consistent with expectations from Standard Model processes. Upper limits are set at 95% confidence level on the cross section of new sources of same-sign top-quark pair production via a heavy mediator at 1.7 pb for each chirality. For light Z' mediators, limits range from 1.4-2.0 pb depending on the Z' mass. These limits are translated into limits on coefficients of effective operators which mediate $uu \rightarrow tt$ production, and an interpretation is presented for the case of a flavor-changing Z' boson, which has been proposed as an explanation for the measurement of the top-quark pair production forward-backward asymmetry at the Tevatron. In addition, limits are set on the production of heavy down-type quarks. A lower limit of 450 GeV is set at 95% confidence level on the mass of fourth-generation down-type quarks. This is the strongest limit in the same-sign lepton channel, complementing a stronger limit in the single-lepton channel [14], which has a larger branching ratio but significantly higher background levels.

Acknowledgments

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET and ERC, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNAS, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (U.K.) and BNL (U.S.A.) and in the Tier-2 facilities worldwide.

Open Access. This article is distributed under the terms of the Creative Commons Attribution License which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] S. Jung, H. Murayama, A. Pierce and J.D. Wells, *Top quark forward-backward asymmetry from new t -channel physics*, *Phys. Rev. D* **81** (2010) 015004 [[arXiv:0907.4112](#)] [[INSPIRE](#)].
- [2] CDF collaboration, T. Aaltonen et al., *Evidence for a mass dependent forward-backward asymmetry in top quark pair production*, *Phys. Rev. D* **83** (2011) 112003 [[arXiv:1101.0034](#)] [[INSPIRE](#)].
- [3] D0 collaboration, V.M. Abazov et al., *Forward-backward asymmetry in top quark-antiquark production*, *Phys. Rev. D* **84** (2011) 112005 [[arXiv:1107.4995](#)] [[INSPIRE](#)].
- [4] R. Contino and G. Servant, *Discovering the top partners at the LHC using same-sign dilepton final states*, *JHEP* **06** (2008) 026 [[arXiv:0801.1679](#)] [[INSPIRE](#)].
- [5] J. Aguilar-Saavedra, *Identifying top partners at LHC*, *JHEP* **11** (2009) 030 [[arXiv:0907.3155](#)] [[INSPIRE](#)].
- [6] E.L. Berger, Q.-H. Cao, C.-R. Chen, G. Shaughnessy and H. Zhang, *Color sextet scalars in early LHC experiments*, *Phys. Rev. Lett.* **105** (2010) 181802 [[arXiv:1005.2622](#)] [[INSPIRE](#)].

- [7] H. Zhang, E.L. Berger, Q.-H. Cao, C.-R. Chen and G. Shaughnessy, *Color sextet vector bosons and same-sign top quark pairs at the LHC*, *Phys. Lett. B* **696** (2011) 68 [[arXiv:1009.5379](#)] [[INSPIRE](#)].
- [8] CDF collaboration, D. Acosta et al., *Inclusive search for anomalous production of high p_T like-sign lepton pairs in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV*, *Phys. Rev. Lett.* **93** (2004) 061802 [[hep-ex/0405063](#)] [[INSPIRE](#)].
- [9] P.H. Frampton, P. Hung and M. Sher, *Quarks and leptons beyond the third generation*, *Phys. Rept.* **330** (2000) 263 [[hep-ph/9903387](#)] [[INSPIRE](#)].
- [10] ATLAS collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector in 2011*, *ATLAS-CONF-2011-116* (2011).
- [11] ATLAS collaboration, G. Aad et al., *Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **71** (2011) 1630 [[arXiv:1101.2185](#)] [[INSPIRE](#)].
- [12] CMS collaboration, S. Chatrchyan et al., *Search for a heavy bottom-like quark in pp collisions at $\sqrt{s} = 7$ TeV*, *Phys. Lett. B* **701** (2011) 204 [[arXiv:1102.4746](#)] [[INSPIRE](#)].
- [13] CDF collaboration, T. Aaltonen et al., *Search for new bottomlike quark pair decays $q\bar{q} \rightarrow (tW^{+}) (\bar{t}W^{-})$ in same-charge dilepton events*, *Phys. Rev. Lett.* **104** (2010) 091801 [[arXiv:0912.1057](#)] [[INSPIRE](#)].
- [14] ATLAS collaboration, G. Aad et al., *Search for down-type fourth generation quarks with the ATLAS detector in events with one lepton and high transverse momentum hadronically decaying W bosons in $\sqrt{s} = 7$ TeV pp collisions*, [arXiv:1202.6540](#) [[INSPIRE](#)].
- [15] THE CDF collaboration, T. Aaltonen et al., *Search for heavy bottom-like quarks decaying to an electron or muon and jets in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. Lett.* **106** (2011) 141803 [[arXiv:1101.5728](#)] [[INSPIRE](#)].
- [16] J. Aguilar-Saavedra, *Effective four-fermion operators in top physics: a roadmap*, *Nucl. Phys. B* **843** (2011) 638 [Erratum *ibid.* **B 851** (2011) 443-444] [[arXiv:1008.3562](#)] [[INSPIRE](#)].
- [17] J. Aguilar-Saavedra and M. Pérez-Victoria, *No like-sign tops at tevatron: constraints on extended models and implications for the $t \bar{t}$ asymmetry*, *Phys. Lett. B* **701** (2011) 93 [[arXiv:1104.1385](#)] [[INSPIRE](#)].
- [18] ATLAS collaboration, G. Aad et al., *The ATLAS experiment at the CERN Large Hadron Collider*, *2008 JINST* **3** S08003 [[INSPIRE](#)].
- [19] ATLAS collaboration, G. Aad et al., *The ATLAS simulation infrastructure*, *Eur. Phys. J. C* **70** (2010) 823 [[arXiv:1005.4568](#)] [[INSPIRE](#)].
- [20] GEANT4 collaboration, S. Agostinelli et al., *GEANT4: a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250 [[INSPIRE](#)].
- [21] J. Pumplin, D. Stump, J. Huston, H. Lai, P.M. Nadolsky, et al., *New generation of parton distributions with uncertainties from global QCD analysis*, *JHEP* **07** (2002) 012 [[hep-ph/0201195](#)] [[INSPIRE](#)].
- [22] T. Sjöstrand, S. Mrenna and P.Z. Skands, *PYTHIA 6.4 physics and manual*, *JHEP* **05** (2006) 026 [[hep-ph/0603175](#)] [[INSPIRE](#)].

- [23] A. Sherstnev and R. Thorne, *Parton distributions for LO generators*, *Eur. Phys. J. C* **55** (2008) 553 [[arXiv:0711.2473](#)] [[INSPIRE](#)].
- [24] M. Aliev, H. Lacker, U. Langenfeld, S. Moch, P. Uwer, et al., *HATHOR: hadronic top and heavy quarks cross section calculator*, *Comput. Phys. Commun.* **182** (2011) 1034 [[arXiv:1007.1327](#)] [[INSPIRE](#)].
- [25] M.L. Mangano, M. Moretti, F. Piccinini, R. Pittau and A.D. Polosa, *ALPGEN, a generator for hard multiparton processes in hadronic collisions*, *JHEP* **07** (2003) 001 [[hep-ph/0206293](#)] [[INSPIRE](#)].
- [26] G. Marchesini, B. Webber, G. Abbiendi, I. Knowles, M. Seymour, et al., *HERWIG: a Monte Carlo event generator for simulating hadron emission reactions with interfering gluons. Version 5.1 - April 1991*, *Comput. Phys. Commun.* **67** (1992) 465 [[INSPIRE](#)].
- [27] G. Corcella, I. Knowles, G. Marchesini, S. Moretti, K. Odagiri, et al., *HERWIG 6: an event generator for hadron emission reactions with interfering gluons (including supersymmetric processes)*, *JHEP* **01** (2001) 010 [[hep-ph/0011363](#)] [[INSPIRE](#)].
- [28] J.M. Campbell and R.K. Ellis, *An update on vector boson pair production at hadron colliders*, *Phys. Rev. D* **60** (1999) 113006 [[hep-ph/9905386](#)] [[INSPIRE](#)].
- [29] F. Maltoni and T. Stelzer, *MadEvent: automatic event generation with MadGraph*, *JHEP* **02** (2003) 027 [[hep-ph/0208156](#)] [[INSPIRE](#)].
- [30] ATLAS collaboration, G. Aad et al., *Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data*, *Eur. Phys. J. C* **72** (2012) 1909 [[arXiv:1110.3174](#)] [[INSPIRE](#)].
- [31] THE ATLAS collaboration, G. Aad et al., *Studies of the performance of the ATLAS detector using cosmic-ray muons*, *Eur. Phys. J. C* **71** (2011) 1593 [[arXiv:1011.6665](#)] [[INSPIRE](#)].
- [32] ATLAS collaboration, G. Aad et al., *Jet energy measurement with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV*, [arXiv:1112.6426](#) [[INSPIRE](#)].
- [33] W. Lampl et al., *Calorimeter clustering algorithms: description and performance*, [ATL-LARG-PUB-2008-002](#) (2008).
- [34] M. Cacciari, G.P. Salam and G. Soyez, *The \bar{k}_t jet clustering algorithm*, *JHEP* **04** (2008) 063 [[arXiv:0802.1189](#)] [[INSPIRE](#)].
- [35] ATLAS collaboration, G. Aad et al., *Performance of missing transverse momentum reconstruction in proton-proton collisions at 7 TeV with ATLAS*, *Eur. Phys. J. C* **72** (2012) 1844 [[arXiv:1108.5602](#)] [[INSPIRE](#)].
- [36] ATLAS collaboration, G. Aad et al., *Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV*, *Eur. Phys. J. C* **71** (2011) 1577 [[arXiv:1012.1792](#)] [[INSPIRE](#)].
- [37] H.K. Kunduri and J. Lucietti, *Constructing near-horizon geometries in supergravities with hidden symmetry*, *JHEP* **07** (2011) 107 [[arXiv:1104.2260](#)] [[INSPIRE](#)].
- [38] ATLAS collaboration, *Performance of impact parameter-based b-tagging algorithms with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 7$ TeV*, [ATLAS-CONF-2010-091](#) (2010).
- [39] THE ATLAS collaboration, G. Aad et al., *Expected performance of the ATLAS experiment — detector, trigger and physics*, [arXiv:0901.0512](#) [[INSPIRE](#)].

- [40] A.L. Read, *Presentation of search results: the CL(s) technique*, *J. Phys. G* **28** (2002) 2693 [[INSPIRE](#)].
- [41] W. Fisher, *Systematics and limit calculations.*, Fermilab Report **FERMILAB-TM-2386-E** [[INSPIRE](#)].
- [42] ATLAS collaboration, G. Aad et al., *Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the Standard Model with the ATLAS detector*, *Phys. Rev. D* **88** (2012) 032004 [[arXiv:1201.1091](#)] [[INSPIRE](#)].
- [43] CMS collaboration, S. Chatrchyan et al., *Search for same-sign top-quark pair production at $\sqrt{s} = 7\text{ TeV}$ and limits on flavour changing neutral currents in the top sector*, *JHEP* **08** (2011) 005 [[arXiv:1106.2142](#)] [[INSPIRE](#)].
- [44] E.L. Berger, Q.-H. Cao, C.-R. Chen, C.S. Li and H. Zhang, *Top quark forward-backward asymmetry and same-sign top quark pairs*, *Phys. Rev. Lett.* **106** (2011) 201801 [[arXiv:1101.5625](#)] [[INSPIRE](#)].
- [45] J. Aguilar-Saavedra and M. Pérez-Victoria, *Asymmetries in $t\bar{t}$ production: LHC versus Tevatron*, *Phys. Rev. D* **84** (2011) 115013 [[arXiv:1105.4606](#)] [[INSPIRE](#)].
- [46] S. Jung, A. Pierce and J.D. Wells, *Top quark asymmetry from a non-abelian horizontal symmetry*, *Phys. Rev. D* **83** (2011) 114039 [[arXiv:1103.4835](#)] [[INSPIRE](#)].

The ATLAS collaboration

G. Aad⁴⁸, B. Abbott¹¹⁰, J. Abdallah¹¹, S. Abdel Khalek¹¹⁴, A.A. Abdelalim⁴⁹, A. Abdesselam¹¹⁷, O. Abdinov¹⁰, B. Abi¹¹¹, M. Abolins⁸⁷, O.S. AbouZeid¹⁵⁷, H. Abramowicz¹⁵², H. Abreu¹¹⁴, E. Acerbi^{88a,88b}, B.S. Acharya^{163a,163b}, L. Adamczyk³⁷, D.L. Adams²⁴, T.N. Addy⁵⁶, J. Adelman¹⁷⁴, M. Aderholz⁹⁸, S. Adomeit⁹⁷, P. Adragna⁷⁴, T. Adye¹²⁸, S. Aefsky²², J.A. Aguilar-Saavedra^{123b,a}, M. Aharrouche⁸⁰, S.P. Ahlen²¹, F. Ahles⁴⁸, A. Ahmad¹⁴⁷, M. Ahsan⁴⁰, G. Aielli^{132a,132b}, T. Akdogan^{18a}, T.P.A. Åkesson⁷⁸, G. Akimoto¹⁵⁴, A.V. Akimov⁹³, A. Akiyama⁶⁶, M.S. Alam¹, M.A. Alam⁷⁵, J. Albert¹⁶⁸, S. Albrand⁵⁵, M. Aleksa²⁹, I.N. Aleksandrov⁶⁴, F. Alessandria^{88a}, C. Alexa^{25a}, G. Alexander¹⁵², G. Alexandre⁴⁹, T. Alexopoulos⁹, M. Alhroob²⁰, M. Aliev¹⁵, G. Alimonti^{88a}, J. Alison¹¹⁹, M. Aliyev¹⁰, B.M.M. Allbrooke¹⁷, P.P. Allport⁷², S.E. Allwood-Spiers⁵³, J. Almond⁸¹, A. Aloisio^{101a,101b}, R. Alon¹⁷⁰, A. Alonso⁷⁸, B. Alvarez Gonzalez⁸⁷, M.G. Alviggi^{101a,101b}, K. Amako⁶⁵, P. Amaral²⁹, C. Amelung²², V.V. Ammosov¹²⁷, A. Amorim^{123a,b}, G. Amorós¹⁶⁶, N. Amram¹⁵², C. Anastopoulos²⁹, L.S. Ancu¹⁶, N. Andari¹¹⁴, T. Andeen³⁴, C.F. Anders²⁰, G. Anders^{58a}, K.J. Anderson³⁰, A. Andreazza^{88a,88b}, V. Andrei^{58a}, M-L. Andrieux⁵⁵, X.S. Anduaga⁶⁹, A. Angerami³⁴, F. Anghinolfi²⁹, A. Anisenkov¹⁰⁶, N. Anjos^{123a}, A. Annovi⁴⁷, A. Antonaki⁸, M. Antonelli⁴⁷, A. Antonov⁹⁵, J. Antos^{143b}, F. Anulli^{131a}, S. Aoun⁸², L. Aperio Bella⁴, R. Apolle^{117,c}, G. Arabidze⁸⁷, I. Aracena¹⁴², Y. Arai⁶⁵, A.T.H. Arce⁴⁴, S. Arfaoui¹⁴⁷, J-F. Arguin¹⁴, E. Arik^{18a,*}, M. Arik^{18a}, A.J. Armbruster⁸⁶, O. Arnaez⁸⁰, V. Arnal⁷⁹, C. Arnault¹¹⁴, A. Artamonov⁹⁴, G. Artoni^{131a,131b}, D. Arutinov²⁰, S. Asai¹⁵⁴, R. Asfandiyarov¹⁷¹, S. Ask²⁷, B. Åsman^{145a,145b}, L. Asquith⁵, K. Assamagan²⁴, A. Astbury¹⁶⁸, A. Astvatsaturov⁵², B. Aubert⁴, E. Auge¹¹⁴, K. Augsten¹²⁶, M. Aurousseau^{144a}, G. Avolio¹⁶², R. Avramidou⁹, D. Axen¹⁶⁷, C. Ay⁵⁴, G. Azuelos^{92,d}, Y. Azuma¹⁵⁴, M.A. Baak²⁹, G. Baccaglioni^{88a}, C. Bacci^{133a,133b}, A.M. Bach¹⁴, H. Bachacou¹³⁵, K. Bachas²⁹, M. Backes⁴⁹, M. Backhaus²⁰, E. Badescu^{25a}, P. Bagnaia^{131a,131b}, S. Bahinipati², Y. Bai^{32a}, D.C. Bailey¹⁵⁷, T. Bain¹⁵⁷, J.T. Baines¹²⁸, O.K. Baker¹⁷⁴, M.D. Baker²⁴, S. Baker⁷⁶, E. Banas³⁸, P. Banerjee⁹², Sw. Banerjee¹⁷¹, D. Banfi²⁹, A. Bangert¹⁴⁹, V. Bansal¹⁶⁸, H.S. Bansil¹⁷, L. Barak¹⁷⁰, S.P. Baranov⁹³, A. Barashkou⁶⁴, A. Barbaro Galtieri¹⁴, T. Barber⁴⁸, E.L. Barberio⁸⁵, D. Barberis^{50a,50b}, M. Barbero²⁰, D.Y. Bardin⁶⁴, T. Barillari⁹⁸, M. Barisonzi¹⁷³, T. Barklow¹⁴², N. Barlow²⁷, B.M. Barnett¹²⁸, R.M. Barnett¹⁴, A. Baroncelli^{133a}, G. Barone⁴⁹, A.J. Barr¹¹⁷, F. Barreiro⁷⁹, J. Barreiro Guimarães da Costa⁵⁷, P. Barrillon¹¹⁴, R. Bartoldus¹⁴², A.E. Barton⁷⁰, V. Bartsch¹⁴⁸, R.L. Bates⁵³, L. Batkova^{143a}, J.R. Batley²⁷, A. Battaglia¹⁶, M. Battistin²⁹, F. Bauer¹³⁵, H.S. Bawa^{142,e}, S. Beale⁹⁷, T. Beau⁷⁷, P.H. Beauchemin¹⁶⁰, R. Beccherle^{50a}, P. Bechtel²⁰, H.P. Beck¹⁶, S. Becker⁹⁷, M. Beckingham¹³⁷, K.H. Becks¹⁷³, A.J. Beddall^{18c}, A. Beddall^{18c}, S. Bedikian¹⁷⁴, V.A. Bednyakov⁶⁴, C.P. Bee⁸², M. Begel²⁴, S. Behar Harpaz¹⁵¹, P.K. Behera⁶², M. Beimforde⁹⁸, C. Belanger-Champagne⁸⁴, P.J. Bell⁴⁹, W.H. Bell⁴⁹, G. Bella¹⁵², L. Bellagamba^{19a}, F. Bellina²⁹, M. Bellomo²⁹, A. Belloni⁵⁷, O. Beloborodova^{106,f}, K. Belotskiy⁹⁵, O. Beltramello²⁹, O. Benary¹⁵², D. Bencheikroun^{134a}, C. Benchouk⁸², M. Bendel⁸⁰, N. Benekos¹⁶⁴, Y. Benhammou¹⁵², E. Benhar Noccioli⁴⁹, J.A. Benitez Garcia^{158b}, D.P. Benjamin⁴⁴, M. Benoit¹¹⁴, J.R. Bensinger²², K. Benslama¹²⁹, S. Bentvelsen¹⁰⁴, D. Berge²⁹, E. Bergeaas Kuutmann⁴¹, N. Berger⁴, F. Berghaus¹⁶⁸, E. Berglund¹⁰⁴, J. Beringer¹⁴, P. Bernat⁷⁶, R. Bernhard⁴⁸, C. Bernius²⁴, T. Berry⁷⁵, C. Bertella⁸², A. Bertin^{19a,19b}, F. Bertinelli²⁹, F. Bertolucci^{121a,121b}, M.I. Besana^{88a,88b}, N. Besson¹³⁵, S. Bethke⁹⁸, W. Bhimji⁴⁵, R.M. Bianchi²⁹, M. Bianco^{71a,71b}, O. Biebel⁹⁷, S.P. Bieniek⁷⁶, K. Bierwagen⁵⁴, J. Biesiada¹⁴, M. Biglietti^{133a}, H. Bilokon⁴⁷, M. Bindi^{19a,19b}, S. Binet¹¹⁴, A. Bingul^{18c}, C. Bini^{131a,131b}, C. Biscarat¹⁷⁶, U. Bitenc⁴⁸, K.M. Black²¹, R.E. Blair⁵, J.-B. Blanchard¹³⁵, G. Blanchot²⁹, T. Blazek^{143a}, C. Blocker²², J. Blocki³⁸, A. Blondel⁴⁹, W. Blum⁸⁰, U. Blumenschein⁵⁴, G.J. Bobbink¹⁰⁴, V.B. Bobrovnikov¹⁰⁶, S.S. Bocchetta⁷⁸, A. Bocci⁴⁴, C.R. Boddy¹¹⁷, M. Boehler⁴¹, J. Boek¹⁷³, N. Boelaert³⁵,

J.A. Bogaerts²⁹, A. Bogdanchikov¹⁰⁶, A. Bogouch^{89,*}, C. Bohm^{145a}, J. Bohm¹²⁴,
 V. Boisvert⁷⁵, T. Bold³⁷, V. Boldea^{25a}, N.M. Bolnet¹³⁵, M. Bomben⁷⁷, M. Bona⁷⁴,
 V.G. Bondarenko⁹⁵, M. Bondioli¹⁶², M. Boonekamp¹³⁵, C.N. Booth¹³⁸, S. Bordoni⁷⁷,
 C. Borer¹⁶, A. Borisov¹²⁷, G. Borissov⁷⁰, I. Borjanovic^{12a}, M. Borri⁸¹, S. Borroni⁸⁶,
 V. Bortolotto^{133a,133b}, K. Bos¹⁰⁴, D. Boscherini^{19a}, M. Bosman¹¹, H. Boterenbrood¹⁰⁴,
 D. Botterill¹²⁸, J. Bouchami⁹², J. Boudreau¹²², E.V. Bouhova-Thacker⁷⁰, D. Boumediene³³,
 C. Bourdarios¹¹⁴, N. Bousson⁸², A. Boveia³⁰, J. Boyd²⁹, I.R. Boyko⁶⁴, N.I. Bozhko¹²⁷,
 I. Bozovic-Jelisavcic^{12b}, J. Bracnik¹⁷, A. Braem²⁹, P. Branchini^{133a}, G.W. Brandenburg⁵⁷,
 A. Brandt⁷, G. Brandt¹¹⁷, O. Brandt⁵⁴, U. Bratzler¹⁵⁵, B. Brau⁸³, J.E. Brau¹¹³,
 H.M. Braun¹⁷³, B. Brelier¹⁵⁷, J. Bremer²⁹, K. Brendlinger¹¹⁹, R. Brenner¹⁶⁵, S. Bressler¹⁷⁰,
 D. Britton⁵³, F.M. Brochu²⁷, I. Brock²⁰, R. Brock⁸⁷, T.J. Brodbeck⁷⁰, E. Brodet¹⁵²,
 F. Broggi^{88a}, C. Bromberg⁸⁷, J. Bronner⁹⁸, G. Brooijmans³⁴, W.K. Brooks^{31b},
 G. Brown⁸¹, H. Brown⁷, P.A. Bruckman de Renstrom³⁸, D. Bruncko^{143b}, R. Bruneliere⁴⁸,
 S. Brunet⁶⁰, A. Bruni^{19a}, G. Bruni^{19a}, M. Bruschi^{19a}, T. Buanes¹³, Q. Buat⁵⁵,
 F. Bucci⁴⁹, J. Buchanan¹¹⁷, N.J. Buchanan², P. Buchholz¹⁴⁰, R.M. Buckingham¹¹⁷,
 A.G. Buckley⁴⁵, S.I. Buda^{25a}, I.A. Budagov⁶⁴, B. Budick¹⁰⁷, V. Büscher⁸⁰, L. Bugge¹¹⁶,
 O. Bulekov⁹⁵, M. Bunse⁴², T. Buran¹¹⁶, H. Burckhart²⁹, S. Burdin⁷², T. Burgess¹³,
 S. Burke¹²⁸, E. Busato³³, P. Bussey⁵³, C.P. Buszello¹⁶⁵, F. Butin²⁹, B. Butler¹⁴²,
 J.M. Butler²¹, C.M. Buttar⁵³, J.M. Butterworth⁷⁶, W. Buttinger²⁷, S. Cabrera Urbán¹⁶⁶,
 D. Caforio^{19a,19b}, O. Cakir^{3a}, P. Calafiura¹⁴, G. Calderini⁷⁷, P. Calfayan⁹⁷, R. Calkins¹⁰⁵,
 L.P. Caloba^{23a}, R. Caloi^{131a,131b}, D. Calvet³³, S. Calvet³³, R. Camacho Toro³³,
 P. Camarri^{132a,132b}, M. Cambiaghi^{118a,118b}, D. Cameron¹¹⁶, L.M. Caminada¹⁴,
 S. Campana²⁹, M. Campanelli⁷⁶, V. Canale^{101a,101b}, F. Canelli^{30,g}, A. Canepa^{158a},
 J. Cantero⁷⁹, L. Capasso^{101a,101b}, M.D.M. Capeans Garrido²⁹, I. Caprini^{25a},
 M. Caprini^{25a}, D. Capriotti⁹⁸, M. Capua^{36a,36b}, R. Caputo⁸⁰, R. Cardarelli^{132a},
 T. Carli²⁹, G. Carlino^{101a}, L. Carminati^{88a,88b}, B. Caron⁸⁴, S. Caron¹⁰³, E. Carquin^{31b},
 G.D. Carrillo Montoya¹⁷¹, A.A. Carter⁷⁴, J.R. Carter²⁷, J. Carvalho^{123a,h}, D. Casadei¹⁰⁷,
 M.P. Casado¹¹, M. Cascella^{121a,121b}, C. Caso^{50a,50b,*}, A.M. Castaneda Hernandez¹⁷¹,
 E. Castaneda-Miranda¹⁷¹, V. Castillo Gimenez¹⁶⁶, N.F. Castro^{123a}, G. Cataldi^{71a},
 F. Cataneo²⁹, A. Catinaccio²⁹, J.R. Catmore²⁹, A. Cattai²⁹, G. Cattani^{132a,132b},
 S. Caughron⁸⁷, D. Cauz^{163a,163c}, P. Cavalleri⁷⁷, D. Cavalli^{88a}, M. Cavalli-Sforza¹¹,
 V. Cavasinni^{121a,121b}, F. Ceradini^{133a,133b}, A.S. Cerqueira^{23b}, A. Cerri²⁹, L. Cerrito⁷⁴,
 F. Cerutti⁴⁷, S.A. Cetin^{18b}, F. Cevenini^{101a,101b}, A. Chafaq^{134a}, D. Chakraborty¹⁰⁵,
 K. Chan², B. Chapleau⁸⁴, J.D. Chapman²⁷, J.W. Chapman⁸⁶, E. Chareyre⁷⁷,
 D.G. Charlton¹⁷, V. Chavda⁸¹, C.A. Chavez Barajas²⁹, S. Cheatham⁸⁴, S. Chekanov⁵,
 S.V. Chekulaev^{158a}, G.A. Chelkov⁶⁴, M.A. Chelstowska¹⁰³, C. Chen⁶³, H. Chen²⁴,
 S. Chen^{32c}, T. Chen^{32c}, X. Chen¹⁷¹, S. Cheng^{32a}, A. Cheplakov⁶⁴, V.F. Chepurinov⁶⁴,
 R. Cherkaoui El Moursli^{134e}, V. Chernyatin²⁴, E. Cheu⁶, S.L. Cheung¹⁵⁷, L. Chevalier¹³⁵,
 G. Chiefari^{101a,101b}, L. Chikovani^{51a}, J.T. Childers²⁹, A. Chilingarov⁷⁰, G. Chiodini^{71a},
 A.S. Chisholm¹⁷, R.T. Chislett⁷⁶, M.V. Chizhov⁶⁴, G. Choudalakis³⁰, S. Chouridou¹³⁶,
 I.A. Christidi⁷⁶, A. Christov⁴⁸, D. Chromek-Burckhart²⁹, M.L. Chu¹⁵⁰, J. Chudoba¹²⁴,
 G. Ciapetti^{131a,131b}, A.K. Ciftci^{3a}, R. Ciftci^{3a}, D. Cinca³³, V. Cindro⁷³, M.D. Ciobotaru¹⁶²,
 C. Ciocca^{19a}, A. Ciocio¹⁴, M. Cirilli⁸⁶, M. Citterio^{88a}, M. Ciubancan^{25a}, A. Clark⁴⁹,
 P.J. Clark⁴⁵, W. Cleland¹²², J.C. Clemens⁸², B. Clement⁵⁵, C. Clement^{145a,145b},
 R.W. Clift¹²⁸, Y. Coadou⁸², M. Cobal^{163a,163c}, A. Coccaro¹⁷¹, J. Cochran⁶³, P. Coe¹¹⁷,
 J.G. Cogan¹⁴², J. Coggshall¹⁶⁴, E. Cogneras¹⁷⁶, J. Colas⁴, A.P. Colijn¹⁰⁴, N.J. Collins¹⁷,
 C. Collins-Tooth⁵³, J. Collot⁵⁵, G. Colon⁸³, P. Conde Muiño^{123a}, E. Coniavitis¹¹⁷,
 M.C. Conidi¹¹, M. Consonni¹⁰³, S.M. Consonni^{88a,88b}, V. Consorti⁴⁸, S. Constantinescu^{25a},
 C. Conta^{118a,118b}, G. Conti⁵⁷, F. Conventi^{101a,i}, J. Cook²⁹, M. Cooke¹⁴, B.D. Cooper⁷⁶,
 A.M. Cooper-Sarkar¹¹⁷, K. Copic¹⁴, T. Cornelissen¹⁷³, M. Corradi^{19a}, F. Corriveau^{84,j},
 A. Cortes-Gonzalez¹⁶⁴, G. Cortiana⁹⁸, G. Costa^{88a}, M.J. Costa¹⁶⁶, D. Costanzo¹³⁸,
 T. Costin³⁰, D. Côté²⁹, R. Coura Torres^{23a}, L. Courneyea¹⁶⁸, G. Cowan⁷⁵, C. Cowden²⁷,

B.E. Cox⁸¹, K. Cranmer¹⁰⁷, F. Crescioli^{121a,121b}, M. Cristinziani²⁰, G. Crosetti^{36a,36b},
 R. Crupi^{71a,71b}, S. Crépé-Renaudin⁵⁵, C.-M. Cuciuc^{25a}, C. Cuenca Almenar¹⁷⁴,
 T. Cuhadar Donszelmann¹³⁸, M. Curatolo⁴⁷, C.J. Curtis¹⁷, C. Cuthbert¹⁴⁹,
 P. Cwetanski⁶⁰, H. Czirr¹⁴⁰, P. Czodrowski⁴³, Z. Czyczula¹⁷⁴, S. D’Auria⁵³,
 M. D’Onofrio⁷², A. D’Orazio^{131a,131b}, P.V.M. Da Silva^{23a}, C. Da Via⁸¹, W. Dabrowski³⁷,
 A. Dafinca¹¹⁷, T. Dai⁸⁶, C. Dallapiccola⁸³, M. Dam³⁵, M. Dameri^{50a,50b}, D.S. Damiani¹³⁶,
 H.O. Danielsson²⁹, D. Dannheim⁹⁸, V. Dao⁴⁹, G. Darbo^{50a}, G.L. Darlea^{25b}, W. Davey²⁰,
 T. Davidek¹²⁵, N. Davidson⁸⁵, R. Davidson⁷⁰, E. Davies^{117,c}, M. Davies⁹², A.R. Davison⁷⁶,
 Y. Davygora^{58a}, E. Dawe¹⁴¹, I. Dawson¹³⁸, J.W. Dawson^{5,*}, R.K. Daya-Ishmukhametova²²,
 K. De⁷, R. de Asmundis^{101a}, S. De Castro^{19a,19b}, P.E. De Castro Faria Salgado²⁴,
 S. De Cecco⁷⁷, J. de Graat⁹⁷, N. De Groot¹⁰³, P. de Jong¹⁰⁴, C. De La Taille¹¹⁴,
 H. De la Torre⁷⁹, B. De Lotto^{163a,163c}, L. de Mora⁷⁰, L. De Nooij¹⁰⁴, D. De Pedis^{131a},
 A. De Salvo^{131a}, U. De Sanctis^{163a,163c}, A. De Santo¹⁴⁸, J.B. De Vivie De Regie¹¹⁴,
 G. De Zorzi^{131a,131b}, S. Dean⁷⁶, W.J. Dearnaley⁷⁰, R. Debbe²⁴, C. Debenedetti⁴⁵,
 B. Dechenaux⁵⁵, D.V. Dedovich⁶⁴, J. Degenhardt¹¹⁹, M. Dehchar¹¹⁷, C. Del Papa^{163a,163c},
 J. Del Peso⁷⁹, T. Del Prete^{121a,121b}, T. Delemontex⁵⁵, M. Deliyergiyev⁷³, A. Dell’Acqua²⁹,
 L. Dell’Asta²¹, M. Della Pietra^{101a,i}, D. della Volpe^{101a,101b}, M. Delmastro⁴, N. Delruelle²⁹,
 P.A. Delsart⁵⁵, C. Deluca¹⁴⁷, S. Demers¹⁷⁴, M. Demichev⁶⁴, B. Demirkoz^{11,k}, J. Deng¹⁶²,
 S.P. Denisov¹²⁷, D. Derendarz³⁸, J.E. Derkaoui^{134d}, F. Derue⁷⁷, P. Dervan⁷²,
 K. Desch²⁰, E. Devetak¹⁴⁷, P.O. Deviveiros¹⁰⁴, A. Dewhurst¹²⁸, B. DeWilde¹⁴⁷,
 S. Dhaliwal¹⁵⁷, R. Dhullipudi^{24,l}, A. Di Ciaccio^{132a,132b}, L. Di Ciaccio⁴, A. Di Girolamo²⁹,
 B. Di Girolamo²⁹, S. Di Luise^{133a,133b}, A. Di Mattia¹⁷¹, B. Di Micco²⁹, R. Di Nardo⁴⁷,
 A. Di Simone^{132a,132b}, R. Di Sipio^{19a,19b}, M.A. Diaz^{31a}, F. Diblen^{18c}, E.B. Diehl⁸⁶,
 J. Dietrich⁴¹, T.A. Dietzsch^{58a}, S. Diglio⁸⁵, K. Dindar Yagci³⁹, J. Dingfelder²⁰,
 C. Dionisi^{131a,131b}, P. Dita^{25a}, S. Dita^{25a}, F. Dittus²⁹, F. Djama⁸², T. Djobava^{51b},
 M.A.B. do Vale^{23c}, A. Do Valle Wemans^{123a}, T.K.O. Doan⁴, M. Dobbs⁸⁴, R. Dobinson^{29,*},
 D. Dobos²⁹, E. Dobson^{29,m}, J. Dodd³⁴, C. Doglioni⁴⁹, T. Doherty⁵³, Y. Doi^{65,*},
 J. Dolejsi¹²⁵, I. Dolenc⁷³, Z. Dolezal¹²⁵, B.A. Dolgoshein^{95,*}, T. Dohmae¹⁵⁴,
 M. Donadelli^{23d}, M. Donega¹¹⁹, J. Donini³³, J. Dopke²⁹, A. Doria^{101a}, A. Dos Anjos¹⁷¹,
 M. Dosit¹¹, A. Dotti^{121a,121b}, M.T. Dova⁶⁹, J.D. Dowell¹⁷, A.D. Doxiadis¹⁰⁴, A.T. Doyle⁵³,
 Z. Drasal¹²⁵, J. Drees¹⁷³, N. Dressnandt¹¹⁹, H. Drevermann²⁹, C. Driouichi³⁵,
 M. Dris⁹, J. Dubbert⁹⁸, S. Dube¹⁴, E. Duchovni¹⁷⁰, G. Duckeck⁹⁷, A. Dudarev²⁹,
 F. Dudziak⁶³, M. Dührssen²⁹, I.P. Duerdoth⁸¹, L. Dufflot¹¹⁴, M-A. Dufour⁸⁴,
 M. Dunford²⁹, H. Duran Yildiz^{3a}, R. Duxfield¹³⁸, M. Dwuznik³⁷, F. Dydak²⁹,
 M. Düren⁵², W.L. Ebenstein⁴⁴, J. Ebke⁹⁷, S. Eckweiler⁸⁰, K. Edmonds⁸⁰, C.A. Edwards⁷⁵,
 N.C. Edwards⁵³, W. Ehrenfeld⁴¹, T. Ehrich⁹⁸, T. Eifert¹⁴², G. Eigen¹³, K. Einsweiler¹⁴,
 E. Eisenhandler⁷⁴, T. Ekelof¹⁶⁵, M. El Kacimi^{134c}, M. Ellert¹⁶⁵, S. Elles⁴, F. Ellinghaus⁸⁰,
 K. Ellis⁷⁴, N. Ellis²⁹, J. Elmsheuser⁹⁷, M. Elsing²⁹, D. Emeliyanov¹²⁸, R. Engelmann¹⁴⁷,
 A. Engl⁹⁷, B. Epp⁶¹, A. Eppig⁸⁶, J. Erdmann⁵⁴, A. Ereditato¹⁶, D. Eriksson^{145a},
 J. Ernst¹, M. Ernst²⁴, J. Ernwein¹³⁵, D. Errede¹⁶⁴, S. Errede¹⁶⁴, E. Ertel⁸⁰,
 M. Escalier¹¹⁴, C. Escobar¹²², X. Espinal Curull¹¹, B. Esposito⁴⁷, F. Etienne⁸²,
 A.I. Etienvre¹³⁵, E. Etzion¹⁵², D. Evangelakou⁵⁴, H. Evans⁶⁰, L. Fabbri^{19a,19b},
 C. Fabre²⁹, R.M. Fakhruddinov¹²⁷, S. Falciano^{131a}, Y. Fang¹⁷¹, M. Fanti^{88a,88b},
 A. Farbin⁷, A. Farilla^{133a}, J. Farley¹⁴⁷, T. Farooque¹⁵⁷, S. Farrell¹⁶², S.M. Farrington¹¹⁷,
 P. Farthouat²⁹, P. Fassnacht²⁹, D. Fassouliotis⁸, B. Fatholahzadeh¹⁵⁷, A. Favareto^{88a,88b},
 L. Fayard¹¹⁴, S. Fazio^{36a,36b}, R. Febbraro³³, P. Federic^{143a}, O.L. Fedin¹²⁰, W. Fedorko⁸⁷,
 M. Fehling-Kaschek⁴⁸, L. Feligioni⁸², D. Fellmann⁵, C. Feng^{32d}, E.J. Feng³⁰,
 A.B. Fenyuk¹²⁷, J. Ferencei^{143b}, J. Ferland⁹², W. Fernando¹⁰⁸, S. Ferrag⁵³, J. Ferrando⁵³,
 V. Ferrara⁴¹, A. Ferrari¹⁶⁵, P. Ferrari¹⁰⁴, R. Ferrari^{118a}, D.E. Ferreira de Lima⁵³,
 A. Ferrer¹⁶⁶, M.L. Ferrer⁴⁷, D. Ferrere⁴⁹, C. Ferretti⁸⁶, A. Ferretto Parodi^{50a,50b},
 M. Fiascaris³⁰, F. Fiedler⁸⁰, A. Filipčić⁷³, A. Filippas⁹, F. Filthaut¹⁰³, M. Fincke-Keeler¹⁶⁸,
 M.C.N. Fiolhais^{123a,h}, L. Fiorini¹⁶⁶, A. Firan³⁹, G. Fischer⁴¹, P. Fischer²⁰, M.J. Fisher¹⁰⁸,

M. Flechl⁴⁸, I. Fleck¹⁴⁰, J. Fleckner⁸⁰, P. Fleischmann¹⁷², S. Fleischmann¹⁷³,
 T. Flick¹⁷³, A. Floderus⁷⁸, L.R. Flores Castillo¹⁷¹, M.J. Flowerdew⁹⁸, M. Fokitis⁹,
 T. Fonseca Martin¹⁶, D.A. Forbush¹³⁷, A. Formica¹³⁵, A. Forti⁸¹, D. Fortin^{158a},
 J.M. Foster⁸¹, D. Fournier¹¹⁴, A. Foussat²⁹, A.J. Fowler⁴⁴, K. Fowler¹³⁶, H. Fox⁷⁰,
 P. Francavilla¹¹, S. Franchino^{118a,118b}, D. Francis²⁹, T. Frank¹⁷⁰, M. Franklin⁵⁷, S. Franz²⁹,
 M. Fraternali^{118a,118b}, S. Fratina¹¹⁹, S.T. French²⁷, F. Friedrich⁴³, R. Froeschl²⁹,
 D. Froidevaux²⁹, J.A. Frost²⁷, C. Fukunaga¹⁵⁵, E. Fullana Torregrosa²⁹, J. Fuster¹⁶⁶,
 C. Gabaldon²⁹, O. Gabizon¹⁷⁰, T. Gadfort²⁴, S. Gadomski⁴⁹, G. Gagliardi^{50a,50b},
 P. Gagnon⁶⁰, C. Galea⁹⁷, E.J. Gallas¹¹⁷, V. Gallo¹⁶, B.J. Gallop¹²⁸, P. Gallus¹²⁴,
 K.K. Gan¹⁰⁸, Y.S. Gao^{142,e}, V.A. Gapienko¹²⁷, A. Gaponenko¹⁴, F. Garberson¹⁷⁴,
 M. Garcia-Sciveres¹⁴, C. García¹⁶⁶, J.E. García Navarro¹⁶⁶, R.W. Gardner³⁰, N. Garelli²⁹,
 H. Garitaonandia¹⁰⁴, V. Garonne²⁹, J. Garvey¹⁷, C. Gatti⁴⁷, G. Gaudio^{118a}, B. Gaur¹⁴⁰,
 L. Gauthier¹³⁵, P. Gauzzi^{131a,131b}, I.L. Gavrilenko⁹³, C. Gay¹⁶⁷, G. Gaycken²⁰, J-
 C. Gayde²⁹, E.N. Gazis⁹, P. Ge^{32d}, C.N.P. Gee¹²⁸, D.A.A. Geerts¹⁰⁴, Ch. Geich-Gimbel²⁰,
 K. Gellerstedt^{145a,145b}, C. Gemme^{50a}, A. Gemmell⁵³, M.H. Genest⁵⁵, S. Gentile^{131a,131b},
 M. George⁵⁴, S. George⁷⁵, P. Gerlach¹⁷³, A. Gershon¹⁵², C. Geweniger^{58a}, H. Ghazlane^{134b},
 N. Ghodbane³³, B. Giacobbe^{19a}, S. Giagu^{131a,131b}, V. Giakoumopoulou⁸, V. Giangiobbe¹¹,
 F. Gianotti²⁹, B. Gibbard²⁴, A. Gibson¹⁵⁷, S.M. Gibson²⁹, L.M. Gilbert¹¹⁷, V. Gilewsky⁹⁰,
 D. Gillberg²⁸, A.R. Gillman¹²⁸, D.M. Gingrich^{2,d}, J. Ginzburg¹⁵², N. Giokaris⁸,
 M.P. Giordani^{163c}, R. Giordano^{101a,101b}, F.M. Giorgi¹⁵, P. Giovannini⁹⁸, P.F. Giraud¹³⁵,
 D. Giugni^{88a}, M. Giunta⁹², P. Giusti^{19a}, B.K. Gjelsten¹¹⁶, L.K. Gladilin⁹⁶, C. Glasman⁷⁹,
 J. Glatzer⁴⁸, A. Glazov⁴¹, K.W. Glitza¹⁷³, G.L. Glonti⁶⁴, J.R. Goddard⁷⁴, J. Godfrey¹⁴¹,
 J. Godlewski²⁹, M. Goebel⁴¹, T. Göpfert⁴³, C. Goeringer⁸⁰, C. Gössling⁴², T. Göttfert⁹⁸,
 S. Goldfarb⁸⁶, T. Golling¹⁷⁴, A. Gomes^{123a,b}, L.S. Gomez Fajardo⁴¹, R. Gonçalves⁷⁵,
 J. Goncalves Pinto Firmino Da Costa⁴¹, L. Gonella²⁰, A. Gonidec²⁹, S. Gonzalez¹⁷¹,
 S. González de la Hoz¹⁶⁶, G. Gonzalez Parra¹¹, M.L. Gonzalez Silva²⁶, S. Gonzalez-
 Sevilla⁴⁹, J.J. Goodson¹⁴⁷, L. Goossens²⁹, P.A. Gorbounov⁹⁴, H.A. Gordon²⁴, I. Gorelov¹⁰²,
 G. Gorfine¹⁷³, B. Gorini²⁹, E. Gorini^{71a,71b}, A. Gorišek⁷³, E. Gornicki³⁸, S.A. Gorokhov¹²⁷,
 V.N. Goryachev¹²⁷, B. Gosdzik⁴¹, M. Gosselink¹⁰⁴, M.I. Gostkin⁶⁴, I. Gough Eschrich¹⁶²,
 M. Gouighri^{134a}, D. Goujdami^{134c}, M.P. Goulette⁴⁹, A.G. Goussiou¹³⁷, C. Goy⁴,
 S. Gozpinar²², I. Grabowska-Bold³⁷, P. Grafström²⁹, K-J. Grahm⁴¹, F. Grancagnolo^{71a},
 S. Grancagnolo¹⁵, V. Grassi¹⁴⁷, V. Gratchev¹²⁰, N. Grau³⁴, H.M. Gray²⁹, J.A. Gray¹⁴⁷,
 E. Graziani^{133a}, O.G. Grebenyuk¹²⁰, T. Greenshaw⁷², Z.D. Greenwood^{24,l}, K. Gregersen³⁵,
 I.M. Gregor⁴¹, P. Grenier¹⁴², J. Griffiths¹³⁷, N. Grigalashvili⁶⁴, A.A. Grillo¹³⁶,
 S. Grinstein¹¹, Y.V. Grishkevich⁹⁶, J.-F. Grivaz¹¹⁴, M. Groh⁹⁸, E. Gross¹⁷⁰, J. Grosse-
 Knetter⁵⁴, J. Groth-Jensen¹⁷⁰, K. Grybel¹⁴⁰, V.J. Guarino⁵, D. Guest¹⁷⁴, C. Guicheney³³,
 A. Guida^{71a,71b}, S. Guindon⁵⁴, H. Guler^{84,n}, J. Gunther¹²⁴, B. Guo¹⁵⁷, J. Guo³⁴,
 A. Gupta³⁰, Y. Gusakov⁶⁴, V.N. Gushchin¹²⁷, P. Gutierrez¹¹⁰, N. Guttman¹⁵²,
 O. Gutzwiller¹⁷¹, C. Guyot¹³⁵, C. Gwenlan¹¹⁷, C.B. Gwilliam⁷², A. Haas¹⁴², S. Haas²⁹,
 C. Haber¹⁴, H.K. Hadavand³⁹, D.R. Hadley¹⁷, P. Haefner⁹⁸, F. Hahn²⁹, S. Haider²⁹,
 Z. Hajduk³⁸, H. Hakobyan¹⁷⁵, D. Hall¹¹⁷, J. Haller⁵⁴, K. Hamacher¹⁷³, P. Hamal¹¹²,
 M. Hamer⁵⁴, A. Hamilton^{144b,o}, S. Hamilton¹⁶⁰, H. Han^{32a}, L. Han^{32b}, K. Hanagaki¹¹⁵,
 K. Hanawa¹⁵⁹, M. Hance¹⁴, C. Handel⁸⁰, P. Hanke^{58a}, J.R. Hansen³⁵, J.B. Hansen³⁵,
 J.D. Hansen³⁵, P.H. Hansen³⁵, P. Hansson¹⁴², K. Hara¹⁵⁹, G.A. Hare¹³⁶, T. Harenberg¹⁷³,
 S. Harkusha⁸⁹, D. Harper⁸⁶, R.D. Harrington⁴⁵, O.M. Harris¹³⁷, K. Harrison¹⁷,
 J. Hartert⁴⁸, F. Hartjes¹⁰⁴, T. Haruyama⁶⁵, A. Harvey⁵⁶, S. Hasegawa¹⁰⁰, Y. Hasegawa¹³⁹,
 S. Hassani¹³⁵, M. Hatch²⁹, D. Hauff⁹⁸, S. Haug¹⁶, M. Hauschild²⁹, R. Hauser⁸⁷,
 M. Havranek²⁰, B.M. Hawes¹¹⁷, C.M. Hawkes¹⁷, R.J. Hawkings²⁹, A.D. Hawkins⁷⁸,
 D. Hawkins¹⁶², T. Hayakawa⁶⁶, T. Hayashi¹⁵⁹, D. Hayden⁷⁵, H.S. Hayward⁷²,
 S.J. Haywood¹²⁸, E. Hazen²¹, M. He^{32d}, S.J. Head¹⁷, V. Hedberg⁷⁸, L. Heelan⁷,
 S. Heim⁸⁷, B. Heinemann¹⁴, S. Heisterkamp³⁵, L. Helary⁴, C. Heller⁹⁷, M. Heller²⁹,
 S. Hellman^{145a,145b}, D. Hellmich²⁰, C. Helsens¹¹, R.C.W. Henderson⁷⁰, M. Henke^{58a},

A. Henrichs⁵⁴, A.M. Henriques Correia²⁹, S. Henrot-Versille¹¹⁴, F. Henry-Couannier⁸²,
 C. Hensel⁵⁴, T. Henß¹⁷³, C.M. Hernandez⁷, Y. Hernández Jiménez¹⁶⁶, R. Herrberg¹⁵,
 A.D. Hershenhorn¹⁵¹, G. Herten⁴⁸, R. Hertenberger⁹⁷, L. Hervas²⁹, G.G. Hesketh⁷⁶,
 N.P. Hesse¹⁰⁴, E. Higón-Rodríguez¹⁶⁶, D. Hill^{5,*}, J.C. Hill²⁷, N. Hill⁵, K.H. Hiller⁴¹,
 S. Hillert²⁰, S.J. Hillier¹⁷, I. Hinchliffe¹⁴, E. Hines¹¹⁹, M. Hirose¹¹⁵, F. Hirsch⁴²,
 D. Hirschbuehl¹⁷³, J. Hobbs¹⁴⁷, N. Hod¹⁵², M.C. Hodgkinson¹³⁸, P. Hodgson¹³⁸,
 A. Hoecker²⁹, M.R. Hoferkamp¹⁰², J. Hoffman³⁹, D. Hoffmann⁸², M. Hohlfeld⁸⁰,
 M. Holder¹⁴⁰, S.O. Holmgren^{145a}, T. Holy¹²⁶, J.L. Holzbauer⁸⁷, Y. Homma⁶⁶,
 T.M. Hong¹¹⁹, L. Hooft van Huysduynen¹⁰⁷, T. Horazdovsky¹²⁶, C. Horn¹⁴², S. Horner⁴⁸,
 J.-Y. Hostachy⁵⁵, S. Hou¹⁵⁰, M.A. Houlden⁷², A. Hoummada^{134a}, J. Howarth⁸¹,
 D.F. Howell¹¹⁷, I. Hristova¹⁵, J. Hrivnac¹¹⁴, I. Hruska¹²⁴, T. Hryn'ova⁴, P.J. Hsu⁸⁰,
 S.-C. Hsu¹⁴, G.S. Huang¹¹⁰, Z. Hubacek¹²⁶, F. Hubaut⁸², F. Huegging²⁰, A. Huettmann⁴¹,
 T.B. Huffman¹¹⁷, E.W. Hughes³⁴, G. Hughes⁷⁰, R.E. Hughes-Jones⁸¹, M. Huhtinen²⁹,
 P. Hurst⁵⁷, M. Hurwitz¹⁴, U. Husemann⁴¹, N. Huseynov^{64,p}, J. Huston⁸⁷, J. Huth⁵⁷,
 G. Iacobucci⁴⁹, G. Iakovidis⁹, M. Ibbotson⁸¹, I. Ibragimov¹⁴⁰, R. Ichimiya⁶⁶, L. Iconomidou-
 Fayard¹¹⁴, J. Idarraga¹¹⁴, P. Iengo^{101a}, O. Igonkina¹⁰⁴, Y. Ikegami⁶⁵, M. Ikeno⁶⁵,
 Y. Ilchenko³⁹, D. Iliadis¹⁵³, N. Ilic¹⁵⁷, M. Imori¹⁵⁴, T. Ince²⁰, J. Inigo-Golfin²⁹, P. Ioannou⁸,
 M. Iodice^{133a}, V. Ippolito^{131a,131b}, A. Irls Quiles¹⁶⁶, C. Isaksson¹⁶⁵, A. Ishikawa⁶⁶,
 M. Ishino⁶⁷, R. Ishmukhametov³⁹, C. Issever¹¹⁷, S. Istin^{18a}, A.V. Ivashin¹²⁷, W. Iwanski³⁸,
 H. Iwasaki⁶⁵, J.M. Izen⁴⁰, V. Izzo^{101a}, B. Jackson¹¹⁹, J.N. Jackson⁷², P. Jackson¹⁴²,
 M.R. Jaekel²⁹, V. Jain⁶⁰, K. Jakobs⁴⁸, S. Jakobsen³⁵, J. Jakubek¹²⁶, D.K. Jana¹¹⁰,
 E. Jankowski¹⁵⁷, E. Jansen⁷⁶, H. Jansen²⁹, A. Jantsch⁹⁸, M. Janus⁴⁸, G. Jarlskog⁷⁸,
 L. Jeanty⁵⁷, K. Jelen³⁷, I. Jen-La Plante³⁰, P. Jenni²⁹, A. Jeremie⁴, P. Jez³⁵, S. Jézéquel⁴,
 M.K. Jha^{19a}, H. Ji¹⁷¹, W. Ji⁸⁰, J. Jia¹⁴⁷, Y. Jiang^{32b}, M. Jimenez Belenguer⁴¹,
 G. Jin^{32b}, S. Jin^{32a}, O. Jinnouchi¹⁵⁶, M.D. Joergensen³⁵, D. Joffe³⁹, L.G. Johansen¹³,
 M. Johansen^{145a,145b}, K.E. Johansson^{145a}, P. Johansson¹³⁸, S. Johnert⁴¹, K.A. Johns⁶,
 K. Jon-And^{145a,145b}, G. Jones¹¹⁷, R.W.L. Jones⁷⁰, T.W. Jones⁷⁶, T.J. Jones⁷²,
 O. Jonsson²⁹, C. Joram²⁹, P.M. Jorge^{123a}, J. Joseph¹⁴, J. Jovicevic¹⁴⁶, T. Jovin^{12b},
 X. Ju¹⁷¹, C.A. Jung⁴², R.M. Jungst²⁹, V. Juranek¹²⁴, P. Jussel⁶¹, A. Juste Rozas¹¹,
 V.V. Kabachenko¹²⁷, S. Kabana¹⁶, M. Kaci¹⁶⁶, A. Kaczmarska³⁸, P. Kadlecik³⁵,
 M. Kado¹¹⁴, H. Kagan¹⁰⁸, M. Kagan⁵⁷, S. Kaiser⁹⁸, E. Kajomovitz¹⁵¹, S. Kalinin¹⁷³,
 L.V. Kalinovskaya⁶⁴, S. Kama³⁹, N. Kanaya¹⁵⁴, M. Kaneda²⁹, S. Kaneti²⁷, T. Kanno¹⁵⁶,
 V.A. Kantserov⁹⁵, J. Kanzaki⁶⁵, B. Kaplan¹⁷⁴, A. Kapliy³⁰, J. Kaplon²⁹, D. Kar⁴³,
 M. Karagounis²⁰, M. Karagoz¹¹⁷, M. Karnevskiy⁴¹, K. Karr⁵, V. Kartvelishvili⁷⁰,
 A.N. Karyukhin¹²⁷, L. Kashif¹⁷¹, G. Kasieczka^{58b}, R.D. Kass¹⁰⁸, A. Kastanas¹³,
 M. Kataoka⁴, Y. Kataoka¹⁵⁴, E. Katsoufis⁹, J. Katzy⁴¹, V. Kaushik⁶, K. Kawagoe⁶⁶,
 T. Kawamoto¹⁵⁴, G. Kawamura⁸⁰, M.S. Kayl¹⁰⁴, V.A. Kazanin¹⁰⁶, M.Y. Kazarinov⁶⁴,
 R. Keeler¹⁶⁸, R. Kehoe³⁹, M. Keil⁵⁴, G.D. Kekelidze⁶⁴, J.S. Keller¹³⁷, J. Kennedy⁹⁷,
 M. Kenyon⁵³, O. Kepka¹²⁴, N. Kerschen²⁹, B.P. Kerševan⁷³, S. Kersten¹⁷³, K. Kessoku¹⁵⁴,
 J. Keung¹⁵⁷, F. Khalil-zada¹⁰, H. Khandanyan¹⁶⁴, A. Khanov¹¹¹, D. Kharchenko⁶⁴,
 A. Khodinov⁹⁵, A.G. Kholodenko¹²⁷, A. Khomich^{58a}, T.J. Khoo²⁷, G. Khoriauli²⁰,
 A. Khoroshilov¹⁷³, N. Khovanskiy⁶⁴, V. Khovanskiy⁹⁴, E. Khramov⁶⁴, J. Khubua^{51b},
 H. Kim^{145a,145b}, M.S. Kim², S.H. Kim¹⁵⁹, N. Kimura¹⁶⁹, O. Kind¹⁵, B.T. King⁷²,
 M. King⁶⁶, R.S.B. King¹¹⁷, J. Kirk¹²⁸, L.E. Kirsch²², A.E. Kiryunin⁹⁸, T. Kishimoto⁶⁶,
 D. Kisielewska³⁷, T. Kittelmann¹²², A.M. Kiver¹²⁷, E. Kladiva^{143b}, J. Klaiber-Lodewigs⁴²,
 M. Klein⁷², U. Klein⁷², K. Kleinknecht⁸⁰, M. Klemetti⁸⁴, A. Klier¹⁷⁰, P. Klimek^{145a,145b},
 A. Klimentov²⁴, R. Klingenberg⁴², J.A. Klinger⁸¹, E.B. Klinkby³⁵, T. Klioutchnikova²⁹,
 P.F. Klok¹⁰³, S. Klous¹⁰⁴, E.-E. Kluge^{58a}, T. Kluge⁷², P. Kluit¹⁰⁴, S. Kluth⁹⁸,
 N.S. Knecht¹⁵⁷, E. Kneringer⁶¹, J. Knobloch²⁹, E.B.F.G. Knoops⁸², A. Knue⁵⁴,
 B.R. Ko⁴⁴, T. Kobayashi¹⁵⁴, M. Kobel⁴³, M. Kocian¹⁴², P. Kodys¹²⁵, K. Köneke²⁹,
 A.C. König¹⁰³, S. Koenig⁸⁰, L. Köpke⁸⁰, F. Koetsveld¹⁰³, P. Koevesarki²⁰, T. Koffas²⁸,
 E. Koffeman¹⁰⁴, L.A. Kogan¹¹⁷, F. Kohn⁵⁴, Z. Kohout¹²⁶, T. Kohriki⁶⁵, T. Koi¹⁴²,

T. Kokott²⁰, G.M. Kolachev¹⁰⁶, H. Kolanoski¹⁵, V. Kolesnikov⁶⁴, I. Koletsou^{88a}, J. Koll⁸⁷, M. Kollfrath⁴⁸, S.D. Kolya⁸¹, A.A. Komar⁹³, Y. Komori¹⁵⁴, T. Kondo⁶⁵, T. Kono^{41,q}, A.I. Kononov⁴⁸, R. Konoplich^{107,r}, N. Konstantinidis⁷⁶, A. Kootz¹⁷³, S. Koperny³⁷, K. Korcyl³⁸, K. Kordas¹⁵³, V. Koreshev¹²⁷, A. Korn¹¹⁷, A. Korol¹⁰⁶, I. Korolkov¹¹, E.V. Korolkova¹³⁸, V.A. Korotkov¹²⁷, O. Kortner⁹⁸, S. Kortner⁹⁸, V.V. Kostyukhin²⁰, M.J. Kotamäki²⁹, S. Kotov⁹⁸, V.M. Kotov⁶⁴, A. Kotwal⁴⁴, C. Kourkoumelis⁸, V. Kouskoura¹⁵³, A. Koutsman^{158a}, R. Kowalewski¹⁶⁸, T.Z. Kowalski³⁷, W. Kozanecki¹³⁵, A.S. Kozhin¹²⁷, V. Kral¹²⁶, V.A. Kramarenko⁹⁶, G. Kramberger⁷³, M.W. Krasny⁷⁷, A. Krasznahorkay¹⁰⁷, J. Kraus⁸⁷, J.K. Kraus²⁰, A. Kreisel¹⁵², F. Krejci¹²⁶, J. Kretzschmar⁷², N. Krieger⁵⁴, P. Krieger¹⁵⁷, K. Kroeninger⁵⁴, H. Kroha⁹⁸, J. Kroll¹¹⁹, J. Kroseberg²⁰, J. Krstic^{12a}, U. Kruchonak⁶⁴, H. Krüger²⁰, T. Kruker¹⁶, N. Krumnack⁶³, Z.V. Krumshteyn⁶⁴, A. Kruth²⁰, T. Kubota⁸⁵, S. Kuday^{3a}, S. Kuehn⁴⁸, A. Kugel^{58c}, T. Kuhl⁴¹, D. Kuhn⁶¹, V. Kukhtin⁶⁴, Y. Kulchitsky⁸⁹, S. Kuleshov^{31b}, C. Kummer⁹⁷, M. Kuna⁷⁷, N. Kundu¹¹⁷, J. Kunkle¹¹⁹, A. Kupco¹²⁴, H. Kurashige⁶⁶, M. Kurata¹⁵⁹, Y.A. Kurochkin⁸⁹, V. Kus¹²⁴, E.S. Kuwertz¹⁴⁶, M. Kuze¹⁵⁶, J. Kvita¹⁴¹, R. Kwee¹⁵, A. La Rosa⁴⁹, L. La Rotonda^{36a,36b}, L. Labarga⁷⁹, J. Labbe⁴, S. Lablak^{134a}, C. Lacasta¹⁶⁶, F. Lacava^{131a,131b}, H. Lacker¹⁵, D. Lacour⁷⁷, V.R. Lacuesta¹⁶⁶, E. Ladygin⁶⁴, R. Lafaye⁴, B. Laforge⁷⁷, T. Lagouri⁷⁹, S. Lai⁴⁸, E. Laisne⁵⁵, M. Lamanna²⁹, L. Lambourne⁷⁶, C.L. Lampen⁶, W. Lampl⁶, E. Lancon¹³⁵, U. Landgraf⁴⁸, M.P.J. Landon⁷⁴, J.L. Lane⁸¹, C. Lange⁴¹, A.J. Lankford¹⁶², F. Lanni²⁴, K. Lantzsche¹⁷³, S. Laplace⁷⁷, C. Lapoire²⁰, J.F. Laporte¹³⁵, T. Lari^{88a}, A.V. Larionov¹²⁷, A. Larner¹¹⁷, C. Lasseur²⁹, M. Lassnig²⁹, P. Laurelli⁴⁷, V. Lavorini^{36a,36b}, W. Lavrijsen¹⁴, P. Laycock⁷², A.B. Lazarev⁶⁴, O. Le Dortz⁷⁷, E. Le Guirriec⁸², C. Le Maner¹⁵⁷, E. Le Menedeu⁹, C. Lebel⁹², T. LeCompte⁵, F. Ledroit-Guillon⁵⁵, H. Lee¹⁰⁴, J.S.H. Lee¹¹⁵, S.C. Lee¹⁵⁰, L. Lee¹⁷⁴, M. Lefebvre¹⁶⁸, M. Legendre¹³⁵, A. Leger⁴⁹, B.C. LeGeyt¹¹⁹, F. Legger⁹⁷, C. Leggett¹⁴, M. Lehmacher²⁰, G. Lehmann Miotto²⁹, X. Lei⁶, M.A.L. Leite^{23d}, R. Leitner¹²⁵, D. Lellouch¹⁷⁰, M. Leltchouk³⁴, B. Lemmer⁵⁴, V. Lendermann^{58a}, K.J.C. Leney^{144b}, T. Lenz¹⁰⁴, G. Lenzen¹⁷³, B. Lenzi²⁹, K. Leonhardt⁴³, S. Leontsinis⁹, C. Leroy⁹², J-R. Lessard¹⁶⁸, J. Lesser^{145a}, C.G. Lester²⁷, A. Leung Fook Cheong¹⁷¹, J. Levêque⁴, D. Levin⁸⁶, L.J. Levinson¹⁷⁰, M.S. Levitski¹²⁷, A. Lewis¹¹⁷, G.H. Lewis¹⁰⁷, A.M. Leyko²⁰, M. Leyton¹⁵, B. Li⁸², H. Li^{171,s}, S. Li^{32b,t}, X. Li⁸⁶, Z. Liang^{117,u}, H. Liao³³, B. Liberti^{132a}, P. Lichard²⁹, M. Lichtnecker⁹⁷, K. Lie¹⁶⁴, W. Liebig¹³, R. Lifshitz¹⁵¹, C. Limbach²⁰, A. Limosani⁸⁵, M. Limper⁶², S.C. Lin^{150,v}, F. Linde¹⁰⁴, J.T. Linnemann⁸⁷, E. Lipeles¹¹⁹, L. Lipinsky¹²⁴, A. Lipniacka¹³, T.M. Liss¹⁶⁴, D. Lissauer²⁴, A. Lister⁴⁹, A.M. Litke¹³⁶, C. Liu²⁸, D. Liu¹⁵⁰, H. Liu⁸⁶, J.B. Liu⁸⁶, M. Liu^{32b}, Y. Liu^{32b}, M. Livan^{118a,118b}, S.S.A. Livermore¹¹⁷, A. Lleres⁵⁵, J. Llorente Merino⁷⁹, S.L. Lloyd⁷⁴, E. Lobodzinska⁴¹, P. Loch⁶, W.S. Lockman¹³⁶, T. Loddenkoetter²⁰, F.K. Loebinger⁸¹, A. Loginov¹⁷⁴, C.W. Loh¹⁶⁷, T. Lohse¹⁵, K. Lohwasser⁴⁸, M. Lokajicek¹²⁴, J. Loken¹¹⁷, V.P. Lombardo⁴, R.E. Long⁷⁰, L. Lopes^{123a}, D. Lopez Mateos⁵⁷, J. Lorenz⁹⁷, N. Lorenzo Martinez¹¹⁴, M. Losada¹⁶¹, P. Loscutoff¹⁴, F. Lo Sterzo^{131a,131b}, M.J. Losty^{158a}, X. Lou⁴⁰, A. Lounis¹¹⁴, K.F. Loureiro¹⁶¹, J. Love²¹, P.A. Love⁷⁰, A.J. Lowe^{142,e}, F. Lu^{32a}, H.J. Lubatti¹³⁷, C. Luci^{131a,131b}, A. Lucotte⁵⁵, A. Ludwig⁴³, D. Ludwig⁴¹, I. Ludwig⁴⁸, J. Ludwig⁴⁸, F. Luehring⁶⁰, G. Luijkx¹⁰⁴, W. Lukas⁶¹, D. Lumb⁴⁸, L. Luminari^{131a}, E. Lund¹¹⁶, B. Lund-Jensen¹⁴⁶, B. Lundberg⁷⁸, J. Lundberg^{145a,145b}, J. Lundquist³⁵, M. Lungwitz⁸⁰, G. Lutz⁹⁸, D. Lynn²⁴, J. Lys¹⁴, E. Lytken⁷⁸, H. Ma²⁴, L.L. Ma¹⁷¹, J.A. Macana Goia⁹², G. Maccarrone⁴⁷, A. Macchiolo⁹⁸, B. Maček⁷³, J. Machado Miguens^{123a}, R. Mackeprang³⁵, R.J. Madaras¹⁴, W.F. Mader⁴³, R. Maenner^{58c}, T. Maeno²⁴, P. Mättig¹⁷³, S. Mättig⁴¹, L. Magnoni²⁹, E. Magradze⁵⁴, Y. Mahalalel¹⁵², K. Mahboubi⁴⁸, S. Mahmoud⁷², G. Mahout¹⁷, C. Maiani^{131a,131b}, C. Maidantchik^{23a}, A. Maio^{123a,b}, S. Majewski²⁴, Y. Makida⁶⁵, N. Makovec¹¹⁴, P. Mal¹³⁵, B. Malaescu²⁹, Pa. Malecki³⁸, P. Malecki³⁸, V.P. Maleev¹²⁰, F. Malek⁵⁵, U. Mallik⁶², D. Malon⁵, C. Malone¹⁴², S. Maltezos⁹, V. Malyshev¹⁰⁶, S. Malyukov²⁹, R. Mameghani⁹⁷, J. Mamuzic^{12b}, A. Manabe⁶⁵,

L. Mandelli^{88a}, I. Mandić⁷³, R. Mandrysch¹⁵, J. Maneira^{123a}, P.S. Mangeard⁸⁷,
 L. Manhaes de Andrade Filho^{23a}, I.D. Manjavidze⁶⁴, A. Mann⁵⁴, P.M. Manning¹³⁶,
 A. Manousakis-Katsikakis⁸, B. Mansoulie¹³⁵, A. Manz⁹⁸, A. Mapelli²⁹, L. Mapelli²⁹,
 L. March⁷⁹, J.F. Marchand²⁸, F. Marchese^{132a,132b}, G. Marchiori⁷⁷, M. Marcisovsky¹²⁴,
 C.P. Marino¹⁶⁸, F. Marroquim^{23a}, R. Marshall⁸¹, Z. Marshall²⁹, F.K. Martens¹⁵⁷,
 S. Marti-Garcia¹⁶⁶, A.J. Martin¹⁷⁴, B. Martin²⁹, B. Martin⁸⁷, F.F. Martin¹¹⁹,
 J.P. Martin⁹², Ph. Martin⁵⁵, T.A. Martin¹⁷, V.J. Martin⁴⁵, B. Martin dit Latour⁴⁹,
 S. Martin-Haugh¹⁴⁸, M. Martinez¹¹, V. Martinez Outschoorn⁵⁷, A.C. Martyniuk¹⁶⁸,
 M. Marx⁸¹, F. Marzano^{131a}, A. Marzin¹¹⁰, L. Masetti⁸⁰, T. Mashimo¹⁵⁴, R. Mashinistov⁹³,
 J. Masik⁸¹, A.L. Maslennikov¹⁰⁶, I. Massa^{19a,19b}, G. Massaro¹⁰⁴, N. Massol⁴,
 P. Mastrandrea^{131a,131b}, A. Mastroberardino^{36a,36b}, T. Masubuchi¹⁵⁴, P. Matricon¹¹⁴,
 H. Matsumoto¹⁵⁴, H. Matsunaga¹⁵⁴, T. Matsushita⁶⁶, C. Mattravers^{117,c}, J.M. Maugain²⁹,
 J. Maurer⁸², S.J. Maxfield⁷², D.A. Maximov^{106,f}, E.N. May⁵, A. Mayne¹³⁸, R. Mazini¹⁵⁰,
 M. Mazur²⁰, M. Mazzanti^{88a}, S.P. Mc Kee⁸⁶, A. McCarn¹⁶⁴, R.L. McCarthy¹⁴⁷,
 T.G. McCarthy²⁸, N.A. McCubbin¹²⁸, K.W. McFarlane⁵⁶, J.A. McFayden¹³⁸,
 H. McGlone⁵³, G. Mchedlize^{51b}, R.A. McLaren²⁹, T. Mclaughlan¹⁷, S.J. McMahon¹²⁸,
 R.A. McPherson^{168,j}, A. Meade⁸³, J. Mechnich¹⁰⁴, M. Mechtel¹⁷³, M. Medinnis⁴¹,
 R. Meera-Lebbai¹¹⁰, T. Meguro¹¹⁵, R. Mehdiyev⁹², S. Mehlhase³⁵, A. Mehta⁷²,
 K. Meier^{58a}, B. Meirose⁷⁸, C. Melachrinou³⁰, B.R. Mellado Garcia¹⁷¹, L. Mendoza Navas¹⁶¹,
 Z. Meng^{150,s}, A. Mengarelli^{19a,19b}, S. Menke⁹⁸, C. Menot²⁹, E. Meoni¹¹, K.M. Mercurio⁵⁷,
 P. Mermod⁴⁹, L. Merola^{101a,101b}, C. Meroni^{88a}, F.S. Merritt³⁰, H. Merritt¹⁰⁸, A. Messina²⁹,
 J. Metcalfe¹⁰², A.S. Mete⁶³, C. Meyer⁸⁰, C. Meyer³⁰, J-P. Meyer¹³⁵, J. Meyer¹⁷², J. Meyer⁵⁴,
 T.C. Meyer²⁹, W.T. Meyer⁶³, J. Miao^{32d}, S. Michal²⁹, L. Micu^{25a}, R.P. Middleton¹²⁸,
 S. Migas⁷², L. Mijović⁴¹, G. Mikenberg¹⁷⁰, M. Mikestikova¹²⁴, M. Mikuž⁷³, D.W. Miller³⁰,
 R.J. Miller⁸⁷, W.J. Mills¹⁶⁷, C. Mills⁵⁷, A. Milov¹⁷⁰, D.A. Milstead^{145a,145b}, D. Milstein¹⁷⁰,
 A.A. Minaenko¹²⁷, M. Miñano Moya¹⁶⁶, I.A. Minashvili⁶⁴, A.I. Mincer¹⁰⁷, B. Mindur³⁷,
 M. Mineev⁶⁴, Y. Ming¹⁷¹, L.M. Mir¹¹, G. Mirabelli^{131a}, L. Miralles Verge¹¹, A. Misiejuk⁷⁵,
 J. Mitrevski¹³⁶, G.Y. Mitrofanov¹²⁷, V.A. Mitsou¹⁶⁶, S. Mitsui⁶⁵, P.S. Miyagawa¹³⁸,
 K. Miyazaki⁶⁶, J.U. Mjörnmark⁷⁸, T. Moa^{145a,145b}, P. Mockett¹³⁷, S. Moed⁵⁷,
 V. Moeller²⁷, K. Mönig⁴¹, N. Möser²⁰, S. Mohapatra¹⁴⁷, W. Mohr⁴⁸, S. Mohrdieck-
 Möck⁹⁸, A.M. Moisseev^{127,*}, R. Moles-Valls¹⁶⁶, J. Molina-Perez²⁹, J. Monk⁷⁶,
 E. Monnier⁸², S. Montesano^{88a,88b}, F. Monticelli⁶⁹, S. Monzani^{19a,19b}, R.W. Moore²,
 G.F. Moorhead⁸⁵, C. Mora Herrera⁴⁹, A. Moraes⁵³, N. Morange¹³⁵, J. Morel⁵⁴,
 G. Morello^{36a,36b}, D. Moreno⁸⁰, M. Moreno Llácer¹⁶⁶, P. Morettini^{50a}, M. Morgenstern⁴³,
 M. Morii⁵⁷, J. Morin⁷⁴, A.K. Morley²⁹, G. Mornacchi²⁹, S.V. Morozov⁹⁵, J.D. Morris⁷⁴,
 L. Morvaj¹⁰⁰, H.G. Moser⁹⁸, M. Mosidze^{51b}, J. Moss¹⁰⁸, R. Mount¹⁴², E. Mountricha^{9,w},
 S.V. Mouraviev⁹³, E.J.W. Moyse⁸³, M. Mudrinic^{12b}, F. Mueller^{58a}, J. Mueller¹²²,
 K. Mueller²⁰, T.A. Müller⁹⁷, T. Mueller⁸⁰, D. Muenstermann²⁹, A. Muir¹⁶⁷, Y. Munwes¹⁵²,
 W.J. Murray¹²⁸, I. Mussche¹⁰⁴, E. Musto^{101a,101b}, A.G. Myagkov¹²⁷, M. Myska¹²⁴,
 J. Nadal¹¹, K. Nagai¹⁵⁹, K. Nagano⁶⁵, A. Nagarkar¹⁰⁸, Y. Nagasaka⁵⁹, M. Nagel⁹⁸,
 A.M. Nairz²⁹, Y. Nakahama²⁹, K. Nakamura¹⁵⁴, T. Nakamura¹⁵⁴, I. Nakano¹⁰⁹,
 G. Nanava²⁰, A. Napier¹⁶⁰, R. Narayan^{58b}, M. Nash^{76,c}, N.R. Nation²¹, T. Nattermann²⁰,
 T. Naumann⁴¹, G. Navarro¹⁶¹, H.A. Neal⁸⁶, E. Nebot⁷⁹, P.Yu. Nechaeva⁹³, T.J. Neep⁸¹,
 A. Negri^{118a,118b}, G. Negri²⁹, S. Nektarijevic⁴⁹, A. Nelson¹⁶², T.K. Nelson¹⁴²,
 S. Nemecek¹²⁴, P. Nemethy¹⁰⁷, A.A. Nepomuceno^{23a}, M. Nessi^{29,x}, M.S. Neubauer¹⁶⁴,
 A. Neusiedl⁸⁰, R.M. Neves¹⁰⁷, P. Nevski²⁴, P.R. Newman¹⁷, V. Nguyen Thi Hong¹³⁵,
 R.B. Nickerson¹¹⁷, R. Nicolaidou¹³⁵, L. Nicolas¹³⁸, B. Nicquevert²⁹, F. Niedercorn¹¹⁴,
 J. Nielsen¹³⁶, T. Niinikoski²⁹, N. Nikiforou³⁴, A. Nikiforov¹⁵, V. Nikolaenko¹²⁷,
 K. Nikolaev⁶⁴, I. Nikolic-Audit⁷⁷, K. Nikolics⁴⁹, K. Nikolopoulos²⁴, H. Nilsen⁴⁸, P. Nilsson⁷,
 Y. Ninomiya¹⁵⁴, A. Nisati^{131a}, T. Nishiyama⁶⁶, R. Nisius⁹⁸, L. Nodulman⁵, M. Nomachi¹¹⁵,
 I. Nomidis¹⁵³, M. Nordberg²⁹, B. Nordkvist^{145a,145b}, P.R. Norton¹²⁸, J. Novakova¹²⁵,
 M. Nozaki⁶⁵, L. Nozka¹¹², I.M. Nugent^{158a}, A.-E. Nuncio-Quiroz²⁰, G. Nunes Hanninger⁸⁵,

T. Nunnemann⁹⁷, E. Nurse⁷⁶, B.J. O'Brien⁴⁵, S.W. O'Neale^{17,*}, D.C. O'Neil¹⁴¹, V. O'Shea⁵³, L.B. Oakes⁹⁷, F.G. Oakham^{28,d}, H. Oberlack⁹⁸, J. Ocariz⁷⁷, A. Ochi⁶⁶, S. Oda¹⁵⁴, S. Odaka⁶⁵, J. Odier⁸², H. Ogren⁶⁰, A. Oh⁸¹, S.H. Oh⁴⁴, C.C. Ohm^{145a,145b}, T. Ohshima¹⁰⁰, H. Ohshita¹³⁹, S. Okada⁶⁶, H. Okawa¹⁶², Y. Okumura¹⁰⁰, T. Okuyama¹⁵⁴, A. Olariu^{25a}, M. Olcese^{50a}, A.G. Olchevski⁶⁴, S.A. Olivares Pino^{31a}, M. Oliveira^{123a,h}, D. Oliveira Damazio²⁴, E. Oliver Garcia¹⁶⁶, D. Olivito¹¹⁹, A. Olszewski³⁸, J. Olszowska³⁸, C. Omachi⁶⁶, A. Onofre^{123a,y}, P.U.E. Onyisi³⁰, C.J. Oram^{158a}, M.J. Oreglia³⁰, Y. Oren¹⁵², D. Orestano^{133a,133b}, N. Orlando^{71a,71b}, I. Orlov¹⁰⁶, C. Oropeza Barrera⁵³, R.S. Orr¹⁵⁷, B. Osculati^{50a,50b}, R. Ospanov¹¹⁹, C. Osuna¹¹, G. Otero y Garzon²⁶, J.P. Ottersbach¹⁰⁴, M. Ouchrif^{134d}, E.A. Ouellette¹⁶⁸, F. Ould-Saada¹¹⁶, A. Ouraou¹³⁵, Q. Ouyang^{32a}, A. Ovcharova¹⁴, M. Owen⁸¹, S. Owen¹³⁸, V.E. Ozcan^{18a}, N. Ozturk⁷, A. Pacheco Pages¹¹, C. Padilla Aranda¹¹, S. Pagan Griso¹⁴, E. Paganis¹³⁸, F. Paige²⁴, P. Pais⁸³, K. Pajchel¹¹⁶, G. Palacino^{158b}, C.P. Paleari⁶, S. Palestini²⁹, D. Pallin³³, A. Palma^{123a}, J.D. Palmer¹⁷, Y.B. Pan¹⁷¹, E. Panagiotopoulou⁹, B. Panes^{31a}, N. Panikashvili⁸⁶, S. Panitkin²⁴, D. Pantea^{25a}, M. Panuskova¹²⁴, V. Paolone¹²², A. Papadelis^{145a}, Th.D. Papadopoulou⁹, A. Paramonov⁵, D. Paredes Hernandez³³, W. Park^{24,z}, M.A. Parker²⁷, F. Parodi^{50a,50b}, J.A. Parsons³⁴, U. Parzefall⁴⁸, S. Pashapour⁵⁴, E. Pasqualucci^{131a}, S. Passaggio^{50a}, A. Passeri^{133a}, F. Pastore^{133a,133b}, Fr. Pastore⁷⁵, G. Pásztor^{49,aa}, S. Patarai a¹⁷³, N. Patel¹⁴⁹, J.R. Pater⁸¹, S. Patricelli^{101a,101b}, T. Pauly²⁹, M. Pecsny^{143a}, M.I. Pedraza Morales¹⁷¹, S.V. Peleganchuk¹⁰⁶, H. Peng^{32b}, R. Pengo²⁹, B. Penning³⁰, A. Penson³⁴, J. Penwell⁶⁰, M. Perantoni^{23a}, K. Perez^{34,ab}, T. Perez Cavalcanti⁴¹, E. Perez Codina¹¹, M.T. P erez Garc ıa-Esta n¹⁶⁶, V. Perez Reale³⁴, L. Perini^{88a,88b}, H. Pernegger²⁹, R. Perrino^{71a}, P. Perrodo⁴, S. Persema^{3a}, V.D. Peshekhonov⁶⁴, K. Peters²⁹, B.A. Petersen²⁹, J. Petersen²⁹, T.C. Petersen³⁵, E. Petit⁴, A. Petridis¹⁵³, C. Petridou¹⁵³, E. Petrolu^{131a}, F. Petrucci^{133a,133b}, D. Petschull⁴¹, M. Petteni¹⁴¹, R. Pezoa^{31b}, A. Phan⁸⁵, P.W. Phillips¹²⁸, G. Piacquadio²⁹, A. Picazio⁴⁹, E. Piccaro⁷⁴, M. Piccinini^{19a,19b}, S.M. Piec⁴¹, R. Piegai²⁶, D.T. Pignotti¹⁰⁸, J.E. Pilcher³⁰, A.D. Pilkington⁸¹, J. Pina^{123a,b}, M. Pinamonti^{163a,163c}, A. Pinder¹¹⁷, J.L. Pinfold², J. Ping^{32c}, B. Pinto^{123a}, O. Pirotte²⁹, C. Pizio^{88a,88b}, M. Plamondon¹⁶⁸, M.-A. Pleier²⁴, A.V. Pleskach¹²⁷, E. Plotnikova⁶⁴, A. Poblaguev²⁴, S. Poddar^{58a}, F. Podlyski³³, L. Poggioli¹¹⁴, T. Poghosyan²⁰, M. Pohl⁴⁹, F. Polci⁵⁵, G. Polesello^{118a}, A. Policicchio^{36a,36b}, A. Polini^{19a}, J. Poll⁷⁴, V. Polychronakos²⁴, D.M. Pomarede¹³⁵, D. Pomeroy²², K. Pomm es²⁹, L. Pontecorvo^{131a}, B.G. Pope⁸⁷, G.A. Popeneciu^{25a}, D.S. Popovic^{12a}, A. Poppleton²⁹, X. Portell Bueso²⁹, C. Posch²¹, G.E. Pospelov⁹⁸, S. Pospisil¹²⁶, I.N. Potrap⁹⁸, C.J. Potter¹⁴⁸, C.T. Potter¹¹³, G. Poulard²⁹, J. Poveda¹⁷¹, V. Pozdnyakov⁶⁴, R. Prabhu⁷⁶, P. Pralavorio⁸², A. Pranko¹⁴, S. Prasad²⁹, R. Pravahan⁷, S. Prell⁶³, K. Pretzl¹⁶, L. Pribyl²⁹, D. Price⁶⁰, J. Price⁷², L.E. Price⁵, M.J. Price²⁹, D. Prieur¹²², M. Primavera^{71a}, K. Prokofiev¹⁰⁷, F. Prokoshin^{31b}, S. Protopopescu²⁴, J. Proudfoot⁵, X. Prudent⁴³, M. Przybycien³⁷, H. Przysiezniak⁴, S. Psoroulas²⁰, E. Ptacek¹¹³, E. Pueschel⁸³, J. Purdham⁸⁶, M. Purohit^{24,z}, P. Puzo¹¹⁴, Y. Pylypchenko⁶², J. Qian⁸⁶, Z. Qian⁸², Z. Qin⁴¹, A. Quadt⁵⁴, D.R. Quarrie¹⁴, W.B. Quayle¹⁷¹, F. Quinonez^{31a}, M. Raas¹⁰³, V. Radescu⁴¹, B. Radics²⁰, P. Radloff¹¹³, T. Rador^{18a}, F. Ragusa^{88a,88b}, G. Rahal¹⁷⁶, A.M. Rahimi¹⁰⁸, D. Rahm²⁴, S. Rajagopalan²⁴, M. Rammensee⁴⁸, M. Rammes¹⁴⁰, A.S. Randle-Conde³⁹, K. Randrianarivony²⁸, P.N. Ratoff⁷⁰, F. Rauscher⁹⁷, T.C. Rave⁴⁸, M. Raymond²⁹, A.L. Read¹¹⁶, D.M. Rebuzzi^{118a,118b}, A. Redelbach¹⁷², G. Redlinger²⁴, R. Reece¹¹⁹, K. Reeves⁴⁰, A. Reichold¹⁰⁴, E. Reinherz-Aronis¹⁵², A. Reinsch¹¹³, I. Reisinger⁴², C. Rembser²⁹, Z.L. Ren¹⁵⁰, A. Renaud¹¹⁴, M. Rescigno^{131a}, S. Resconi^{88a}, B. Resende¹³⁵, P. Reznicek⁹⁷, R. Rezvani¹⁵⁷, A. Richards⁷⁶, R. Richter⁹⁸, E. Richter-Was^{4,ac}, M. Ridel⁷⁷, M. Rijpstra¹⁰⁴, M. Rijssenbeek¹⁴⁷, A. Rimoldi^{118a,118b}, L. Rinaldi^{19a}, R.R. Rios³⁹, I. Riu¹¹, G. Rivoltella^{88a,88b}, F. Rizatdinova¹¹¹, E. Rizvi⁷⁴, S.H. Robertson^{84,j}, A. Robichaud-Veronneau¹¹⁷, D. Robinson²⁷, J.E.M. Robinson⁷⁶, A. Robson⁵³, J.G. Rocha de Lima¹⁰⁵, C. Roda^{121a,121b}, D. Roda Dos Santos²⁹,

D. Rodriguez¹⁶¹, A. Roe⁵⁴, S. Roe²⁹, O. Røhne¹¹⁶, V. Rojo¹, S. Rolli¹⁶⁰, A. Romaniouk⁹⁵,
 M. Romano^{19a,19b}, V.M. Romanov⁶⁴, G. Romeo²⁶, E. Romero Adam¹⁶⁶, L. Roos⁷⁷,
 E. Ros¹⁶⁶, S. Rosati^{131a}, K. Rosbach⁴⁹, A. Rose¹⁴⁸, M. Rose⁷⁵, G.A. Rosenbaum¹⁵⁷,
 E.I. Rosenberg⁶³, P.L. Rosendahl¹³, O. Rosenthal¹⁴⁰, L. Rosselet⁴⁹, V. Rossetti¹¹,
 E. Rossi^{131a,131b}, L.P. Rossi^{50a}, M. Rotaru^{25a}, I. Roth¹⁷⁰, J. Rothberg¹³⁷, D. Rousseau¹¹⁴,
 C.R. Royon¹³⁵, A. Rozanov⁸², Y. Rozen¹⁵¹, X. Ruan^{32a,ad}, I. Rubinskiy⁴¹, B. Ruckert⁹⁷,
 N. Ruckstuhl¹⁰⁴, V.I. Rud⁹⁶, C. Rudolph⁴³, G. Rudolph⁶¹, F. Rühr⁶, F. Ruggieri^{133a,133b},
 A. Ruiz-Martinez⁶³, V. Rumiantsev^{90,*}, L. Rummyantsev⁶⁴, K. Runge⁴⁸, Z. Rurikova⁴⁸,
 N.A. Rusakovich⁶⁴, J.P. Rutherford⁶, C. Ruwiedel¹⁴, P. Ruzicka¹²⁴, Y.F. Ryabov¹²⁰,
 V. Ryadovikov¹²⁷, P. Ryan⁸⁷, M. Rybar¹²⁵, G. Rybkin¹¹⁴, N.C. Ryder¹¹⁷, S. Rzaeva¹⁰,
 A.F. Saavedra¹⁴⁹, I. Sadeh¹⁵², H.F.-W. Sadrozinski¹³⁶, R. Sadykov⁶⁴, F. Safai Tehrani^{131a},
 H. Sakamoto¹⁵⁴, G. Salamanna⁷⁴, A. Salamon^{132a}, M. Saleem¹¹⁰, D. Salihagic⁹⁸,
 A. Salnikov¹⁴², J. Salt¹⁶⁶, B.M. Salvachua Ferrando⁵, D. Salvatore^{36a,36b}, F. Salvatore¹⁴⁸,
 A. Salvucci¹⁰³, A. Salzburger²⁹, D. Sampsonidis¹⁵³, B.H. Samset¹¹⁶, A. Sanchez^{101a,101b},
 V. Sanchez Martinez¹⁶⁶, H. Sandaker¹³, H.G. Sander⁸⁰, M.P. Sanders⁹⁷, M. Sandhoff¹⁷³,
 T. Sandoval²⁷, C. Sandoval¹⁶¹, R. Sandstroem⁹⁸, S. Sandvoss¹⁷³, D.P.C. Sankey¹²⁸,
 A. Sansoni⁴⁷, C. Santamarina Rios⁸⁴, C. Santoni³³, R. Santonico^{132a,132b}, H. Santos^{123a},
 J.G. Saraiva^{123a}, T. Sarangi¹⁷¹, E. Sarkisyan-Grinbaum⁷, F. Sarri^{121a,121b}, G. Sartisohn¹⁷³,
 O. Sasaki⁶⁵, N. Sasao⁶⁷, I. Satsounkevitch⁸⁹, G. Sauvage⁴, E. Sauvan⁴, J.B. Sauvan¹¹⁴,
 P. Savard^{157,d}, V. Savinov¹²², D.O. Savu²⁹, L. Sawyer^{24,l}, D.H. Saxon⁵³, J. Saxon¹¹⁹,
 L.P. SAYS³³, C. Sbarra^{19a}, A. Sbrizzi^{19a,19b}, O. Scallan⁹², D.A. Scannicchio¹⁶²,
 M. Scarcella¹⁴⁹, J. Schaarschmidt¹¹⁴, P. Schacht⁹⁸, D. Schaefer¹¹⁹, U. Schäfer⁸⁰,
 S. Schaepe²⁰, S. Schaetzel^{58b}, A.C. Schaffer¹¹⁴, D. Schaile⁹⁷, R.D. Schamberger¹⁴⁷,
 A.G. Schamov¹⁰⁶, V. Scharf^{58a}, V.A. Schegelsky¹²⁰, D. Scheirich⁸⁶, M. Schernau¹⁶²,
 M.I. Scherzer³⁴, C. Schiavi^{50a,50b}, J. Schieck⁹⁷, M. Schioppa^{36a,36b}, S. Schlenker²⁹,
 J.L. Schlereth⁵, E. Schmidt⁴⁸, K. Schmieden²⁰, C. Schmitt⁸⁰, S. Schmitt^{58b}, M. Schmitz²⁰,
 A. Schöning^{58b}, M. Schott²⁹, D. Schouten^{158a}, J. Schovancova¹²⁴, M. Schram⁸⁴,
 C. Schroeder⁸⁰, N. Schroer^{58c}, G. Schuler²⁹, M.J. Schultens²⁰, J. Schultes¹⁷³, H.-C. Schultz-
 Coulon^{58a}, H. Schulz¹⁵, J.W. Schumacher²⁰, M. Schumacher⁴⁸, B.A. Schumm¹³⁶,
 Ph. Schune¹³⁵, C. Schwanenberger⁸¹, A. Schwartzman¹⁴², Ph. Schwemling⁷⁷,
 R. Schwienhorst⁸⁷, R. Schwierz⁴³, J. Schwindling¹³⁵, T. Schwindt²⁰, M. Schwoerer⁴,
 G. Sciolla²², W.G. Scott¹²⁸, J. Searcy¹¹³, G. Sedov⁴¹, E. Sedykh¹²⁰, E. Segura¹¹,
 S.C. Seidel¹⁰², A. Seiden¹³⁶, F. Seifert⁴³, J.M. Seixas^{23a}, G. Sekhniaidze^{101a},
 S.J. Sekula³⁹, K.E. Selbach⁴⁵, D.M. Seliverstov¹²⁰, B. Sellden^{145a}, G. Sellers⁷²,
 M. Seman^{143b}, N. Semprini-Cesari^{19a,19b}, C. Serfon⁹⁷, L. Serin¹¹⁴, L. Serkin⁵⁴,
 R. Seuster⁹⁸, H. Severini¹¹⁰, M.E. Sevier⁸⁵, A. Sfyra²⁹, E. Shabalina⁵⁴, M. Shamim¹¹³,
 L.Y. Shan^{32a}, J.T. Shank²¹, Q.T. Shao⁸⁵, M. Shapiro¹⁴, P.B. Shatalov⁹⁴, L. Shaver⁶,
 K. Shaw^{163a,163c}, D. Sherman¹⁷⁴, P. Sherwood⁷⁶, A. Shibata¹⁰⁷, H. Shichi¹⁰⁰, S. Shimizu²⁹,
 M. Shimojima⁹⁹, T. Shin⁵⁶, M. Shiyakova⁶⁴, A. Shmeleva⁹³, M.J. Shochet³⁰, D. Short¹¹⁷,
 S. Shrestha⁶³, E. Shulga⁹⁵, M.A. Shupe⁶, P. Sicho¹²⁴, A. Sidoti^{131a}, F. Siegert⁴⁸,
 Dj. Sijacki^{12a}, O. Silbert¹⁷⁰, J. Silva^{123a}, Y. Silver¹⁵², D. Silverstein¹⁴², S.B. Silverstein^{145a},
 V. Simak¹²⁶, O. Simard¹³⁵, Lj. Simic^{12a}, S. Simion¹¹⁴, B. Simmons⁷⁶, R. Simoniello^{88a,88b},
 M. Simonyan³⁵, P. Sinervo¹⁵⁷, N.B. Sinev¹¹³, V. Sipica¹⁴⁰, G. Siragusa¹⁷², A. Sircar²⁴,
 A.N. Sisakyan⁶⁴, S.Yu. Sivoklov⁹⁶, J. Sjölin^{145a,145b}, T.B. Sjursen¹³, L.A. Skinnari¹⁴,
 H.P. Skottowe⁵⁷, K. Skovpen¹⁰⁶, P. Skubic¹¹⁰, N. Skvorodnev²², M. Slater¹⁷,
 T. Slavicek¹²⁶, K. Sliwa¹⁶⁰, J. Sloper²⁹, V. Smakhtin¹⁷⁰, B.H. Smart⁴⁵, S.Yu. Smirnov⁹⁵,
 Y. Smirnov⁹⁵, L.N. Smirnova⁹⁶, O. Smirnova⁷⁸, B.C. Smith⁵⁷, D. Smith¹⁴², K.M. Smith⁵³,
 M. Smizanska⁷⁰, K. Smolek¹²⁶, A.A. Snesev⁹³, S.W. Snow⁸¹, J. Snow¹¹⁰, J. Snuverink¹⁰⁴,
 S. Snyder²⁴, M. Soares^{123a}, R. Sobie^{168,j}, J. Sodomka¹²⁶, A. Soffer¹⁵², C.A. Solans¹⁶⁶,
 M. Solar¹²⁶, J. Solc¹²⁶, E. Soldatov⁹⁵, U. Soldevila¹⁶⁶, E. Solfaroli Camillocci^{131a,131b},
 A.A. Solodkov¹²⁷, O.V. Solovyanov¹²⁷, N. Soni², V. Sopko¹²⁶, B. Sopko¹²⁶, M. Sosebee⁷,
 R. Soualah^{163a,163c}, A. Soukharev¹⁰⁶, S. Spagnolo^{71a,71b}, F. Spanò⁷⁵, R. Spighi^{19a},

G. Spigo²⁹, F. Spila^{131a,131b}, R. Spiwoks²⁹, M. Spousta¹²⁵, T. Spreitzer¹⁵⁷, B. Spurlock⁷, R.D. St. Denis⁵³, J. Stahlman¹¹⁹, R. Stamen^{58a}, E. Stanecka³⁸, R.W. Stanek⁵, C. Stanescu^{133a}, M. Stanescu-Bellu⁴¹, S. Stapnes¹¹⁶, E.A. Starchenko¹²⁷, J. Stark⁵⁵, P. Staroba¹²⁴, P. Starovoitov⁹⁰, A. Stauder⁹⁷, P. Stavina^{143a}, G. Steele⁵³, P. Steinbach⁴³, P. Steinberg²⁴, I. Stekl¹²⁶, B. Stelzer¹⁴¹, H.J. Stelzer⁸⁷, O. Stelzer-Chilton^{158a}, H. Stenzel⁵², S. Stern⁹⁸, K. Stevenson⁷⁴, G.A. Stewart²⁹, J.A. Stillings²⁰, M.C. Stockton⁸⁴, K. Stoerig⁴⁸, G. Stoicea^{25a}, S. Stonjek⁹⁸, P. Strachota¹²⁵, A.R. Stradling⁷, A. Straessner⁴³, J. Strandberg¹⁴⁶, S. Strandberg^{145a,145b}, A. Strandlie¹¹⁶, M. Strang¹⁰⁸, E. Strauss¹⁴², M. Strauss¹¹⁰, P. Strizenec^{143b}, R. Ströhmer¹⁷², D.M. Strom¹¹³, J.A. Strong^{75,*}, R. Stroynowski³⁹, J. Strube¹²⁸, B. Stugu¹³, I. Stumer^{24,*}, J. Stupak¹⁴⁷, P. Sturm¹⁷³, N.A. Styles⁴¹, D.A. Soh^{150,u}, D. Su¹⁴², H.S. Subramania², A. Succurro¹¹, Y. Sugaya¹¹⁵, T. Sugimoto¹⁰⁰, C. Suhr¹⁰⁵, K. Suita⁶⁶, M. Suk¹²⁵, V.V. Sulin⁹³, S. Sultansoy^{3d}, T. Sumida⁶⁷, X. Sun⁵⁵, J.E. Sundermann⁴⁸, K. Suruliz¹³⁸, S. Sushkov¹¹, G. Susinno^{36a,36b}, M.R. Sutton¹⁴⁸, Y. Suzuki⁶⁵, Y. Suzuki⁶⁶, M. Svatos¹²⁴, Yu.M. Sviridov¹²⁷, S. Swedish¹⁶⁷, I. Sykora^{143a}, T. Sykora¹²⁵, B. Szeless²⁹, J. Sánchez¹⁶⁶, D. Ta¹⁰⁴, K. Tackmann⁴¹, A. Taffard¹⁶², R. Tafirout^{158a}, N. Taiblum¹⁵², Y. Takahashi¹⁰⁰, H. Takai²⁴, R. Takashima⁶⁸, H. Takeda⁶⁶, T. Takeshita¹³⁹, Y. Takubo⁶⁵, M. Talby⁸², A. Talyshev^{106,f}, M.C. Tamssett²⁴, J. Tanaka¹⁵⁴, R. Tanaka¹¹⁴, S. Tanaka¹³⁰, S. Tanaka⁶⁵, Y. Tanaka⁹⁹, A.J. Tanasijczuk¹⁴¹, K. Tani⁶⁶, N. Tannoury⁸², G.P. Tappern²⁹, S. Tapprogge⁸⁰, D. Tardif¹⁵⁷, S. Tarem¹⁵¹, F. Tarrade²⁸, G.F. Tartarelli^{88a}, P. Tas¹²⁵, M. Tasevsky¹²⁴, E. Tassi^{36a,36b}, M. Tatarkhanov¹⁴, Y. Tayalati^{134d}, C. Taylor⁷⁶, F.E. Taylor⁹¹, G.N. Taylor⁸⁵, W. Taylor^{158b}, M. Teinturier¹¹⁴, M. Teixeira Dias Castanheira⁷⁴, P. Teixeira-Dias⁷⁵, K.K. Temming⁴⁸, H. Ten Kate²⁹, P.K. Teng¹⁵⁰, S. Terada⁶⁵, K. Terashi¹⁵⁴, J. Terron⁷⁹, M. Testa⁴⁷, R.J. Teuscher^{157,j}, J. Thadome¹⁷³, J. Therhaag²⁰, T. Theveneaux-Pelzer⁷⁷, M. Thioye¹⁷⁴, S. Thoma⁴⁸, J.P. Thomas¹⁷, E.N. Thompson³⁴, P.D. Thompson¹⁷, P.D. Thompson¹⁵⁷, A.S. Thompson⁵³, L.A. Thomsen³⁵, E. Thomson¹¹⁹, M. Thomson²⁷, R.P. Thun⁸⁶, F. Tian³⁴, M.J. Tibbetts¹⁴, T. Tic¹²⁴, V.O. Tikhomirov⁹³, Y.A. Tikhonov^{106,f}, S. Timoshenko⁹⁵, P. Tipton¹⁷⁴, F.J. Tique Aires Viegas²⁹, S. Tisserant⁸², B. Toczek³⁷, T. Todorov⁴, S. Todorova-Nova¹⁶⁰, B. Toggerson¹⁶², J. Tojo⁶⁵, S. Tokár^{143a}, K. Tokunaga⁶⁶, K. Tokushuku⁶⁵, K. Tollefson⁸⁷, M. Tomoto¹⁰⁰, L. Tompkins³⁰, K. Toms¹⁰², G. Tong^{32a}, A. Tonoyan¹³, C. Topfel¹⁶, N.D. Topilin⁶⁴, I. Torchiani²⁹, E. Torrence¹¹³, H. Torres⁷⁷, E. Torró Pastor¹⁶⁶, J. Toth^{82,aa}, F. Touchard⁸², D.R. Tovey¹³⁸, T. Trefzger¹⁷², L. Tremblet²⁹, A. Tricoli²⁹, I.M. Trigger^{158a}, S. Trincaz-Duvoid⁷⁷, T.N. Trinh⁷⁷, M.F. Tripiana⁶⁹, W. Trischuk¹⁵⁷, A. Trivedi^{24,z}, B. Trocme⁵⁵, C. Troncon^{88a}, M. Trottier-McDonald¹⁴¹, M. Trzebinski³⁸, A. Trzupek³⁸, C. Tsarouchas²⁹, J.C-L. Tseng¹¹⁷, M. Tsiakiris¹⁰⁴, P.V. Tsiareshka⁸⁹, D. Tsionou^{4,ae}, G. Tsipolitis⁹, V. Tsiskaridze⁴⁸, E.G. Tskhadadze^{51a}, I.I. Tsukerman⁹⁴, V. Tsulaia¹⁴, J.-W. Tsung²⁰, S. Tsuno⁶⁵, D. Tsybychev¹⁴⁷, A. Tua¹³⁸, A. Tudorache^{25a}, V. Tudorache^{25a}, J.M. Tuggle³⁰, M. Turala³⁸, D. Turecek¹²⁶, I. Turk Cakir^{3e}, E. Turlay¹⁰⁴, R. Turra^{88a,88b}, P.M. Tuts³⁴, A. Tykhonov⁷³, M. Tylmad^{145a,145b}, M. Tyndel¹²⁸, G. Tzanakos⁸, K. Uchida²⁰, I. Ueda¹⁵⁴, R. Ueno²⁸, M. Ugland¹³, M. Uhlenbrock²⁰, M. Uhrmacher⁵⁴, F. Ukegawa¹⁵⁹, G. Unal²⁹, D.G. Underwood⁵, A. Undrus²⁴, G. Unel¹⁶², Y. Unno⁶⁵, D. Urbaniec³⁴, G. Usai⁷, M. Uslenghi^{118a,118b}, L. Vacavant⁸², V. Vacek¹²⁶, B. Vachon⁸⁴, S. Vahsen¹⁴, J. Valenta¹²⁴, P. Valente^{131a}, S. Valentinetti^{19a,19b}, S. Valkar¹²⁵, E. Valladolid Gallego¹⁶⁶, S. Vallecorsa¹⁵¹, J.A. Valls Ferrer¹⁶⁶, H. van der Graaf¹⁰⁴, E. van der Kraaij¹⁰⁴, R. Van Der Leeuw¹⁰⁴, E. van der Poel¹⁰⁴, D. van der Ster²⁹, N. van Eldik⁸³, P. van Gemmeren⁵, Z. van Kesteren¹⁰⁴, I. van Vulpen¹⁰⁴, M. Vanadia⁹⁸, W. Vandelli²⁹, G. Vandoni²⁹, A. Vaniachine⁵, P. Vankov⁴¹, F. Vannucci⁷⁷, F. Varela Rodriguez²⁹, R. Vari^{131a}, E.W. Varnes⁶, T. Varol⁸³, D. Varouchas¹⁴, A. Vartapetian⁷, K.E. Varvell¹⁴⁹, V.I. Vassilikopoulos⁵⁶, F. Vazeille³³, T. Vazquez Schroeder⁵⁴, G. Vegni^{88a,88b}, J.J. Veillet¹¹⁴, C. Vellidis⁸, F. Veloso^{123a}, R. Veness²⁹, S. Veneziano^{131a}, A. Ventura^{71a,71b}, D. Ventura¹³⁷, M. Venturi⁴⁸, N. Venturi¹⁵⁷, V. Vercesi^{118a}, M. Verducci¹³⁷,

W. Verkerke¹⁰⁴, J.C. Vermeulen¹⁰⁴, A. Vest⁴³, M.C. Vetterli^{141,d}, I. Vichou¹⁶⁴, T. Vickey^{144b,af}, O.E. Vickey Boeriu^{144b}, G.H.A. Viehhauser¹¹⁷, S. Viel¹⁶⁷, M. Villa^{19a,19b}, M. Villaplana Perez¹⁶⁶, E. Vilucchi⁴⁷, M.G. Vincter²⁸, E. Vinek²⁹, V.B. Vinogradov⁶⁴, M. Virchaux^{135,*}, J. Virzi¹⁴, O. Vitells¹⁷⁰, M. Viti⁴¹, I. Vivarelli⁴⁸, F. Vives Vaque², S. Vlachos⁹, D. Vladoiu⁹⁷, M. Vlasak¹²⁶, N. Vlasov²⁰, A. Vogel²⁰, P. Vokac¹²⁶, G. Volpi⁴⁷, M. Volpi⁸⁵, G. Volpini^{88a}, H. von der Schmitt⁹⁸, J. von Loeben⁹⁸, H. von Radziewski⁴⁸, E. von Toerne²⁰, V. Vorobel¹²⁵, A.P. Vorobiev¹²⁷, V. Vorwerk¹¹, M. Vos¹⁶⁶, R. Voss²⁹, T.T. Voss¹⁷³, J.H. Vosseveld⁷², N. Vranjes¹³⁵, M. Vranjes Milosavljevic¹⁰⁴, V. Vrba¹²⁴, M. Vreeswijk¹⁰⁴, T. Vu Anh⁴⁸, R. Vuillermet²⁹, I. Vukotic¹¹⁴, W. Wagner¹⁷³, P. Wagner¹¹⁹, H. Wahlen¹⁷³, J. Wakabayashi¹⁰⁰, S. Walch⁸⁶, J. Walder⁷⁰, R. Walker⁹⁷, W. Walkowiak¹⁴⁰, R. Wall¹⁷⁴, P. Waller⁷², C. Wang⁴⁴, H. Wang¹⁷¹, H. Wang^{32b,ag}, J. Wang¹⁵⁰, J. Wang⁵⁵, J.C. Wang¹³⁷, R. Wang¹⁰², S.M. Wang¹⁵⁰, T. Wang²⁰, A. Warburton⁸⁴, C.P. Ward¹²⁷, M. Warsinsky⁴⁸, C. Wasicki⁴¹, P.M. Watkins¹⁷, A.T. Watson¹⁷, I.J. Watson¹⁴⁹, M.F. Watson¹⁷, G. Watts¹³⁷, S. Watts⁸¹, A.T. Waugh¹⁴⁹, B.M. Waugh⁷⁶, M. Weber¹²⁸, M.S. Weber¹⁶, P. Weber⁵⁴, A.R. Weidberg¹¹⁷, P. Weigell⁹⁸, J. Weingarten⁵⁴, C. Weiser⁴⁸, H. Wellenstein²², P.S. Wells²⁹, T. Wenaus²⁴, D. Wendland¹⁵, S. Wendler¹²², Z. Weng^{150,u}, T. Wengler²⁹, S. Wenig²⁹, N. Vermes²⁰, M. Werner⁴⁸, P. Werner²⁹, M. Werth¹⁶², M. Wessels^{58a}, J. Wetter¹⁶⁰, C. Weydert⁵⁵, K. Whalen²⁸, S.J. Wheeler-Ellis¹⁶², S.P. Whitaker²¹, A. White⁷, M.J. White⁸⁵, S.R. Whitehead¹¹⁷, D. Whiteson¹⁶², D. Whittington⁶⁰, F. Wicek¹¹⁴, D. Wicke¹⁷³, F.J. Wickens¹²⁸, W. Wiedenmann¹⁷¹, M. Wielers¹²⁸, P. Wienemann²⁰, C. Wiglesworth⁷⁴, L.A.M. Wiik-Fuchs⁴⁸, P.A. Wijeratne⁷⁶, A. Wildauer¹⁶⁶, M.A. Wildt^{41,q}, I. Wilhelm¹²⁵, H.G. Wilkens²⁹, J.Z. Will⁹⁷, E. Williams³⁴, H.H. Williams¹¹⁹, W. Willis³⁴, S. Willocq⁸³, J.A. Wilson¹⁷, M.G. Wilson¹⁴², A. Wilson⁸⁶, I. Wingerter-Seetz⁴, S. Winkelmann⁴⁸, F. Winklmeier²⁹, M. Wittgen¹⁴², M.W. Wolter³⁸, H. Wolters^{123a,h}, W.C. Wong⁴⁰, G. Wooden⁸⁶, B.K. Wosiek³⁸, J. Wotschack²⁹, M.J. Woudstra⁸³, K.W. Wozniak³⁸, K. Wraight⁵³, C. Wright⁵³, M. Wright⁵³, B. Wrona⁷², S.L. Wu¹⁷¹, X. Wu⁴⁹, Y. Wu^{32b,ah}, E. Wulf³⁴, R. Wunstorff⁴², B.M. Wynne⁴⁵, S. Xella³⁵, M. Xiao¹³⁵, S. Xie⁴⁸, Y. Xie^{32a}, C. Xu^{32b,w}, D. Xu¹³⁸, G. Xu^{32a}, B. Yabsley¹⁴⁹, S. Yacoob^{144b}, M. Yamada⁶⁵, H. Yamaguchi¹⁵⁴, A. Yamamoto⁶⁵, K. Yamamoto⁶³, S. Yamamoto¹⁵⁴, T. Yamamura¹⁵⁴, T. Yamanaka¹⁵⁴, J. Yamaoka⁴⁴, T. Yamazaki¹⁵⁴, Y. Yamazaki⁶⁶, Z. Yan²¹, H. Yang⁸⁶, U.K. Yang⁸¹, Y. Yang⁶⁰, Y. Yang^{32a}, Z. Yang^{145a,145b}, S. Yanush⁹⁰, Y. Yao¹⁴, Y. Yasu⁶⁵, G.V. Ybeles Smit¹²⁹, J. Ye³⁹, S. Ye²⁴, M. Yilmaz^{3c}, R. Yoosoofmiya¹²², K. Yorita¹⁶⁹, R. Yoshida⁵, C. Young¹⁴², S. Youssef²¹, D. Yu²⁴, J. Yu⁷, J. Yu¹¹¹, L. Yuan^{32a,ai}, A. Yurkewicz¹⁰⁵, B. Zabinski³⁸, V.G. Zaets¹²⁷, R. Zaidan⁶², A.M. Zaitsev¹²⁷, Z. Zajacova²⁹, L. Zanello^{131a,131b}, A. Zaytsev¹⁰⁶, C. Zeitnitz¹⁷³, M. Zeller¹⁷⁴, M. Zeman¹²⁴, A. Zemla³⁸, C. Zender²⁰, O. Zenin¹²⁷, T. Ženiš^{143a}, Z. Zinonos^{121a,121b}, S. Zenz¹⁴, D. Zerwas¹¹⁴, G. Zevi della Porta⁵⁷, Z. Zhan^{32d}, D. Zhang^{32b,ag}, H. Zhang⁸⁷, J. Zhang⁵, X. Zhang^{32d}, Z. Zhang¹¹⁴, L. Zhao¹⁰⁷, T. Zhao¹³⁷, Z. Zhao^{32b}, A. Zhemchugov⁶⁴, S. Zheng^{32a}, J. Zhong¹¹⁷, B. Zhou⁸⁶, N. Zhou¹⁶², Y. Zhou¹⁵⁰, C.G. Zhu^{32d}, H. Zhu⁴¹, J. Zhu⁸⁶, Y. Zhu^{32b}, X. Zhuang⁹⁷, V. Zhuravlov⁹⁸, D. Ziemska⁶⁰, R. Zimmermann²⁰, S. Zimmermann²⁰, S. Zimmermann⁴⁸, M. Ziolkowski¹⁴⁰, R. Zitoun⁴, L. Živković³⁴, V.V. Zmouchko^{127,*}, G. Zobernig¹⁷¹, A. Zoccoli^{19a,19b}, Y. Zolnierowski⁴, A. Zsenei²⁹, M. zur Nedden¹⁵, V. Zutshi¹⁰⁵, L. Zwalinski²⁹.

¹ University at Albany, Albany NY, United States of America

² Department of Physics, University of Alberta, Edmonton AB, Canada

³ ^(a)Department of Physics, Ankara University, Ankara; ^(b)Department of Physics, Dumlupinar University, Kutahya; ^(c)Department of Physics, Gazi University, Ankara; ^(d)Division of Physics, TOBB University of Economics and Technology, Ankara; ^(e)Turkish Atomic Energy Authority, Ankara, Turkey

⁴ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

⁵ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America

⁶ Department of Physics, University of Arizona, Tucson AZ, United States of America

⁷ Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America

- ⁸ Physics Department, University of Athens, Athens, Greece
- ⁹ Physics Department, National Technical University of Athens, Zografou, Greece
- ¹⁰ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ¹¹ Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain
- ¹² ^(a)Institute of Physics, University of Belgrade, Belgrade; ^(b)Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia
- ¹³ Department for Physics and Technology, University of Bergen, Bergen, Norway
- ¹⁴ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America
- ¹⁵ Department of Physics, Humboldt University, Berlin, Germany
- ¹⁶ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland
- ¹⁷ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
- ¹⁸ ^(a)Department of Physics, Bogazici University, Istanbul; ^(b)Division of Physics, Dogus University, Istanbul; ^(c)Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d)Department of Physics, Istanbul Technical University, Istanbul, Turkey
- ¹⁹ ^(a)INFN Sezione di Bologna; ^(b)Dipartimento di Fisica, Università di Bologna, Bologna, Italy
- ²⁰ Physikalisches Institut, University of Bonn, Bonn, Germany
- ²¹ Department of Physics, Boston University, Boston MA, United States of America
- ²² Department of Physics, Brandeis University, Waltham MA, United States of America
- ²³ ^(a)Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b)Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c)Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d)Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil
- ²⁴ Physics Department, Brookhaven National Laboratory, Upton NY, United States of America
- ²⁵ ^(a)National Institute of Physics and Nuclear Engineering, Bucharest; ^(b)University Politehnica Bucharest, Bucharest; ^(c)West University in Timisoara, Timisoara, Romania
- ²⁶ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
- ²⁷ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
- ²⁸ Department of Physics, Carleton University, Ottawa ON, Canada
- ²⁹ CERN, Geneva, Switzerland
- ³⁰ Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America
- ³¹ ^(a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
- ³² ^(a)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b)Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c)Department of Physics, Nanjing University, Jiangsu; ^(d)School of Physics, Shandong University, Shandong, China
- ³³ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Aubiere Cedex, France
- ³⁴ Nevis Laboratory, Columbia University, Irvington NY, United States of America
- ³⁵ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark
- ³⁶ ^(a)INFN Gruppo Collegato di Cosenza; ^(b)Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy
- ³⁷ AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland
- ³⁸ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland
- ³⁹ Physics Department, Southern Methodist University, Dallas TX, United States of America
- ⁴⁰ Physics Department, University of Texas at Dallas, Richardson TX, United States of America
- ⁴¹ DESY, Hamburg and Zeuthen, Germany
- ⁴² Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- ⁴³ Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany
- ⁴⁴ Department of Physics, Duke University, Durham NC, United States of America

- 45 SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- 46 Fachhochschule Wiener Neustadt, Johannes Gutenbergstrasse 3 2700 Wiener Neustadt, Austria
- 47 INFN Laboratori Nazionali di Frascati, Frascati, Italy
- 48 Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg i.Br., Germany
- 49 Section de Physique, Université de Genève, Geneva, Switzerland
- 50 ^(a)INFN Sezione di Genova; ^(b)Dipartimento di Fisica, Università di Genova, Genova, Italy
- 51 ^(a)E.Andronikashvili Institute of Physics, Tbilisi State University, Tbilisi; ^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- 52 II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- 53 SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- 54 II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- 55 Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
- 56 Department of Physics, Hampton University, Hampton VA, United States of America
- 57 Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America
- 58 ^(a)Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c)ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- 59 Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- 60 Department of Physics, Indiana University, Bloomington IN, United States of America
- 61 Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- 62 University of Iowa, Iowa City IA, United States of America
- 63 Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America
- 64 Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- 65 KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- 66 Graduate School of Science, Kobe University, Kobe, Japan
- 67 Faculty of Science, Kyoto University, Kyoto, Japan
- 68 Kyoto University of Education, Kyoto, Japan
- 69 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- 70 Physics Department, Lancaster University, Lancaster, United Kingdom
- 71 ^(a)INFN Sezione di Lecce; ^(b)Dipartimento di Fisica, Università del Salento, Lecce, Italy
- 72 Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- 73 Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- 74 School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- 75 Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- 76 Department of Physics and Astronomy, University College London, London, United Kingdom
- 77 Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- 78 Fysiska institutionen, Lunds universitet, Lund, Sweden
- 79 Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- 80 Institut für Physik, Universität Mainz, Mainz, Germany
- 81 School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- 82 CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- 83 Department of Physics, University of Massachusetts, Amherst MA, United States of America
- 84 Department of Physics, McGill University, Montreal QC, Canada
- 85 School of Physics, University of Melbourne, Victoria, Australia
- 86 Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- 87 Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
- 88 ^(a)INFN Sezione di Milano; ^(b)Dipartimento di Fisica, Università di Milano, Milano, Italy
- 89 B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus

- ⁹⁰ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus
- ⁹¹ Department of Physics, Massachusetts Institute of Technology, Cambridge MA, United States of America
- ⁹² Group of Particle Physics, University of Montreal, Montreal QC, Canada
- ⁹³ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
- ⁹⁴ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- ⁹⁵ Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
- ⁹⁶ Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
- ⁹⁷ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- ⁹⁸ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- ⁹⁹ Nagasaki Institute of Applied Science, Nagasaki, Japan
- ¹⁰⁰ Graduate School of Science, Nagoya University, Nagoya, Japan
- ¹⁰¹ ^(a)INFN Sezione di Napoli; ^(b)Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
- ¹⁰² Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America
- ¹⁰³ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ¹⁰⁴ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- ¹⁰⁵ Department of Physics, Northern Illinois University, DeKalb IL, United States of America
- ¹⁰⁶ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- ¹⁰⁷ Department of Physics, New York University, New York NY, United States of America
- ¹⁰⁸ Ohio State University, Columbus OH, United States of America
- ¹⁰⁹ Faculty of Science, Okayama University, Okayama, Japan
- ¹¹⁰ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America
- ¹¹¹ Department of Physics, Oklahoma State University, Stillwater OK, United States of America
- ¹¹² Palacký University, RCPTM, Olomouc, Czech Republic
- ¹¹³ Center for High Energy Physics, University of Oregon, Eugene OR, United States of America
- ¹¹⁴ LAL, Univ. Paris-Sud and CNRS/IN2P3, Orsay, France
- ¹¹⁵ Graduate School of Science, Osaka University, Osaka, Japan
- ¹¹⁶ Department of Physics, University of Oslo, Oslo, Norway
- ¹¹⁷ Department of Physics, Oxford University, Oxford, United Kingdom
- ¹¹⁸ ^(a)INFN Sezione di Pavia; ^(b)Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- ¹¹⁹ Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America
- ¹²⁰ Petersburg Nuclear Physics Institute, Gatchina, Russia
- ¹²¹ ^(a)INFN Sezione di Pisa; ^(b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- ¹²² Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America
- ¹²³ ^(a)Laboratorio de Instrumentacao e Fisica Experimental de Particulas - LIP, Lisboa, Portugal; ^(b)Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
- ¹²⁴ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- ¹²⁵ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
- ¹²⁶ Czech Technical University in Prague, Praha, Czech Republic
- ¹²⁷ State Research Center Institute for High Energy Physics, Protvino, Russia
- ¹²⁸ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ¹²⁹ Physics Department, University of Regina, Regina SK, Canada
- ¹³⁰ Ritsumeikan University, Kusatsu, Shiga, Japan
- ¹³¹ ^(a)INFN Sezione di Roma I; ^(b)Dipartimento di Fisica, Università La Sapienza, Roma, Italy
- ¹³² ^(a)INFN Sezione di Roma Tor Vergata; ^(b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- ¹³³ ^(a)INFN Sezione di Roma Tre; ^(b)Dipartimento di Fisica, Università Roma Tre, Roma, Italy
- ¹³⁴ ^(a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université

Hassan II, Casablanca; ^(b)Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat; ^(c)Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d)Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e)Faculté des Sciences, Université Mohammed V- Agdal, Rabat, Morocco

¹³⁵ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat a l'Energie Atomique), Gif-sur-Yvette, France

¹³⁶ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America

¹³⁷ Department of Physics, University of Washington, Seattle WA, United States of America

¹³⁸ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom

¹³⁹ Department of Physics, Shinshu University, Nagano, Japan

¹⁴⁰ Fachbereich Physik, Universität Siegen, Siegen, Germany

¹⁴¹ Department of Physics, Simon Fraser University, Burnaby BC, Canada

¹⁴² SLAC National Accelerator Laboratory, Stanford CA, United States of America

¹⁴³ ^(a)Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

¹⁴⁴ ^(a)Department of Physics, University of Johannesburg, Johannesburg; ^(b)School of Physics, University of the Witwatersrand, Johannesburg, South Africa

¹⁴⁵ ^(a)Department of Physics, Stockholm University; ^(b)The Oskar Klein Centre, Stockholm, Sweden

¹⁴⁶ Physics Department, Royal Institute of Technology, Stockholm, Sweden

¹⁴⁷ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America

¹⁴⁸ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom

¹⁴⁹ School of Physics, University of Sydney, Sydney, Australia

¹⁵⁰ Institute of Physics, Academia Sinica, Taipei, Taiwan

¹⁵¹ Department of Physics, Technion: Israel Inst. of Technology, Haifa, Israel

¹⁵² Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel

¹⁵³ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece

¹⁵⁴ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan

¹⁵⁵ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan

¹⁵⁶ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan

¹⁵⁷ Department of Physics, University of Toronto, Toronto ON, Canada

¹⁵⁸ ^(a)TRIUMF, Vancouver BC; ^(b)Department of Physics and Astronomy, York University, Toronto ON, Canada

¹⁵⁹ Institute of Pure and Applied Sciences, University of Tsukuba,1-1-1 Tennodai,Tsukuba, Ibaraki 305-8571, Japan

¹⁶⁰ Science and Technology Center, Tufts University, Medford MA, United States of America

¹⁶¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia

¹⁶² Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America

¹⁶³ ^(a)INFN Gruppo Collegato di Udine; ^(b)ICTP, Trieste; ^(c)Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy

¹⁶⁴ Department of Physics, University of Illinois, Urbana IL, United States of America

¹⁶⁵ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden

¹⁶⁶ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain

¹⁶⁷ Department of Physics, University of British Columbia, Vancouver BC, Canada

¹⁶⁸ Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada

¹⁶⁹ Waseda University, Tokyo, Japan

- ¹⁷⁰ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- ¹⁷¹ Department of Physics, University of Wisconsin, Madison WI, United States of America
- ¹⁷² Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- ¹⁷³ Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- ¹⁷⁴ Department of Physics, Yale University, New Haven CT, United States of America
- ¹⁷⁵ Yerevan Physics Institute, Yerevan, Armenia
- ¹⁷⁶ Domaine scientifique de la Doua, Centre de Calcul CNRS/IN2P3, Villeurbanne Cedex, France
- ^a Also at Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa, Portugal
- ^b Also at Faculdade de Ciências and CFNUL, Universidade de Lisboa, Lisboa, Portugal
- ^c Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ^d Also at TRIUMF, Vancouver BC, Canada
- ^e Also at Department of Physics, California State University, Fresno CA, United States of America
- ^f Also at Novosibirsk State University, Novosibirsk, Russia
- ^g Also at Fermilab, Batavia IL, United States of America
- ^h Also at Department of Physics, University of Coimbra, Coimbra, Portugal
- ⁱ Also at Università di Napoli Parthenope, Napoli, Italy
- ^j Also at Institute of Particle Physics (IPP), Canada
- ^k Also at Department of Physics, Middle East Technical University, Ankara, Turkey
- ^l Also at Louisiana Tech University, Ruston LA, United States of America
- ^m Also at Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁿ Also at Group of Particle Physics, University of Montreal, Montreal QC, Canada
- ^o Also at Department of Physics, University of Cape Town, Cape Town, South Africa
- ^p Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ^q Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany
- ^r Also at Manhattan College, New York NY, United States of America
- ^s Also at School of Physics, Shandong University, Shandong, China
- ^t Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ^u Also at School of Physics and Engineering, Sun Yat-sen University, Guanzhou, China
- ^v Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan
- ^w Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France
- ^x Also at Section de Physique, Université de Genève, Geneva, Switzerland
- ^y Also at Departamento de Física, Universidade de Minho, Braga, Portugal
- ^z Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America
- ^{aa} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary
- ^{ab} Also at California Institute of Technology, Pasadena CA, United States of America
- ^{ac} Also at Institute of Physics, Jagiellonian University, Krakow, Poland
- ^{ad} Also at LAL, Univ. Paris-Sud and CNRS/IN2P3, Orsay, France
- ^{ae} Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- ^{af} Also at Department of Physics, Oxford University, Oxford, United Kingdom
- ^{ag} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan
- ^{ah} Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- ^{ai} Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- * Deceased