

**7 LITERATURVERZEICHNIS**

- Arai, Y., F. Hosoda, K. Nakayama, and M. Ohki. 1996. A yeast artificial chromosome contig and NotI restriction map that spans the tumor suppressor gene(s) locus, 11q22.2-q23.3. *Genomics* **35**: 196-206.
- Aral, B., C. Benelli, G. Ait-Ghezala, M. Amessou, F. Fouque, C. Maunoury, N. Creau, P. Kamoun, and C. Marsac. 1997. Mutations in PDX1, the human lipoyl-containing component X of the pyruvate dehydrogenase-complex gene on chromosome 11p1, in congenital lactic acidosis. *Am J Hum Genet* **61**: 1318-1326.
- Arber, S., G. Halder, and P. Caroni. 1994. Muscle LIM protein, a novel essential regulator of myogenesis, promotes myogenic differentiation. *Cell* **79**: 221-231.
- Archer, V. E., J. Breton, I. Sanchez-Garcia, H. Osada, A. Forster, A. J. Thomson, and T. H. Rabbitts. 1994. Cysteine-rich LIM domains of LIM-homeodomain and LIM-only proteins contain zinc but not iron. *Proc Natl Acad Sci U S A* **91**: 316-320.
- Arufo, A., I. Stamenkovic, M. Melnick, C. B. Underhill, and B. Seed. 1990. CD44 is the principal cell surface receptor for hyaluronate. *Cell* **61**: 1303-1313.
- Bairoch, A. 1991. PROSITE: a dictionary of sites and patterns in proteins. *Nucleic Acids Res* **19 Suppl**: 2241-2245.
- Baysal, B. E., E. M. van Schothorst, J. E. Farr, M. R. James, P. Devilee, and C. W. Richard, 3rd. 1997. A high-resolution STS, EST, and gene-based physical map of the hereditary paraganglioma region on chromosome 11q23. *Genomics* **44**: 214-221.
- Bemark, M., A. Martensson, D. Liberg, and T. Leanderson. 1999. Spi-C, a novel ets protein that is temporally regulated during B lymphocyte development [In Process Citation]. *J Biol Chem* **274**: 10259-10267.
- Bickmore, W. A., D. Longbottom, K. Oghene, J. M. Fletcher, and V. van Heyningen. 1993. Colocalization of the human CD59 gene to 11p13 with the MIC11 cell surface antigen. *Genomics* **17**: 129-135.
- Birnboim, H. C. 1983. A rapid alkaline extraction method for the isolation of plasmid DNA. *Methods Enzymol* **100**: 243-255.
- Burn, T. C., T. D. Connors, K. W. Klinger, and G. M. Landes. 1995. Increased exon-trapping efficiency through modifications to the pSPL3 splicing vector. *Gene* **161**: 183-187.
- Call, K. M., T. Glaser, C. Y. Ito, A. J. Buckler, J. Pelletier, D. A. Haber, E. A. Rose, A. Kral, H. Yeger, W. H. Lewis, and et al. 1990. Isolation and characterization of a zinc finger polypeptide gene at the human chromosome 11 Wilms' tumor locus. *Cell* **60**: 509-520.
- Chomczynski, P., and N. Sacchi. 1987. Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal Biochem* **162**: 156-159.
- Church, D. M., C. J. Stotler, J. L. Rutter, J. R. Murrell, J. A. Trofatter, and A. J. Buckler. 1994. Isolation of genes from complex sources of mammalian genomic DNA using exon amplification. *Nat Genet* **6**: 98-105.
- Church, G. M., and W. Gilbert. 1984. Genomic sequencing. *Proc Natl Acad Sci U S A* **81**: 1991-1995.

- Cianfriglia, M., M. Viora, M. Tombesi, N. Merendino, G. Esposito, P. Samoggia, U. H. Forsberg, and J. Schroder. 1992. The gene encoding for MC56 determinant (drug-sensitivity marker) is located on the short arm of human chromosome 11. *Int J Cancer* **52**: 585-587.
- Compton, D. A., M. M. Weil, C. Jones, V. M. Riccardi, L. C. Strong, and G. F. Saunders. 1988. Long range physical map of the Wilms' tumor-aniridia region on human chromosome 11. *Cell* **55**: 827-836.
- Courseaux, A., P. Szepetowski, M. Fernandes, C. Serizet, Y. Kawaguchi, J. Grosgeorge, D. Perucca-Lostanlen, T. B. Shows, J. A. Todd, N. J. Nowak, and P. Gaudray. 1997. Framework YAC contig anchored into a 3.2-Mb high-resolution physical map in proximal 11q13. *Genomics* **40**: 13-23.
- Davies, J. L., Y. Kawaguchi, S. T. Bennett, J. B. Copeman, H. J. Cordell, L. E. Pritchard, P. W. Reed, S. C. Gough, S. C. Jenkins, S. M. Palmer, and et al. 1994. A genome-wide search for human type 1 diabetes susceptibility genes [see comments]. *Nature* **371**: 130-136.
- Difilippantonio, M. J., C. J. McMahan, Q. M. Eastman, E. Spanopoulou, and D. G. Schatz. 1996. RAG1 mediates signal sequence recognition and recruitment of RAG2 in V(D)J recombination. *Cell* **87**: 253-262.
- Ellis, J. A., and J. P. Luzio. 1995. Identification and characterization of a novel protein (p137) which transcytoses bidirectionally in Caco-2 cells. *J Biol Chem* **270**: 20717-20723.
- El-Naggar, A. K., K. Hurr, V. Huff, M. A. Luna, H. Goepfert, and J. G. Batsakis. 1996. Allelic loss and replication errors at microsatellite loci on chromosome 11p in head and neck squamous carcinoma: association with aggressive biological features. *Clin Cancer Res* **2**: 903-907.
- Evans, G. A., and G. M. Wahl. 1987. Cosmid vectors for genomic walking and rapid restriction mapping. *Methods Enzymol* **152**: 604-610.
- Fain, P. R., E. N. Kort, C. Yousry, M. R. James, and M. Litt. 1996. A high resolution CEPH crossover mapping panel and integrated map of chromosome 11. *Hum Mol Genet* **5**: 1631-1636.
- Fantes, J., B. Redeker, M. Breen, S. Boyle, J. Brown, J. Fletcher, S. Jones, W. Bickmore, Y. Fukushima, M. Mannens, and et al. 1995. Aniridia-associated cytogenetic rearrangements suggest that a position effect may cause the mutant phenotype. *Hum Mol Genet* **4**: 415-422.
- Fantes, J. A., W. A. Bickmore, J. M. Fletcher, F. Ballesta, I. M. Hanson, and V. van Heyningen. 1992. Submicroscopic deletions at the WAGR locus, revealed by nonradioactive in situ hybridization. *Am J Hum Genet* **51**: 1286-1294.
- Feinberg, A. P., and B. Vogelstein. 1984. "A technique for radiolabeling DNA restriction endonuclease fragments to high specific activity". Addendum. *Anal Biochem* **137**: 266-267.
- Fisch, P., T. Boehm, I. Lavenir, T. Larson, J. Arno, A. Forster, and T. H. Rabbitts. 1992. T-cell acute lymphoblastic lymphoma induced in transgenic mice by the RBTN1 and RBTN2 LIM-domain genes. *Oncogene* **7**: 2389-2397.
- Francke, U., L. B. Holmes, L. Atkins, and V. M. Riccardi. 1979. Aniridia-Wilms' tumor association: evidence for specific deletion of 11p13. *Cytogenet Cell Genet* **24**: 185-192.
- Garcia, I., D. Brandt, J. Weintraub, W. G. Zhou, and M. Aapro. 1991. Loss of heterozygosity for the short arm of chromosome 11 (11p15) in human milk epithelial cells immortalized by microinjection of SV40 DNA. *Cancer Res* **51**: 294-300.

- Gawin, B., B. Klamt, A. Konig, C. Thate, D. Le Paslier, I. Chumakov, R. Bhogal, G. Zehetner, G. Bruns, and M. Gessler. 1995. An integrated YAC clone contig for the WAGR region on human chromosome 11p13-p14.1. *Genomics* **30**: 37-45.
- Gessler, M., and G. A. Bruns. 1989. A physical map around the WAGR complex on the short arm of chromosome 11. *Genomics* **5**: 43-55.
- Gessler, M., B. Klamt, S. Tsaoussidou, J. A. Ellis, and J. P. Luzio. 1996. The gene encoding the GPI-anchored membrane protein p137GPI (M11S1) maps to human chromosome 11p13 and is highly conserved in the mouse. *Genomics* **32**: 169-170.
- Gessler, M., A. Konig, and G. A. Bruns. 1992. The genomic organization and expression of the WT1 gene. *Genomics* **12**: 807-813.
- Gessler, M., A. Poustka, W. Cavenee, R. L. Neve, S. H. Orkin, and G. A. Bruns. 1990. Homozygous deletion in Wilms tumours of a zinc-finger gene identified by chromosome jumping. *Nature* **343**: 774-778.
- Gessler, M., G. H. Thomas, P. Couillin, C. Junien, B. C. McGillivray, M. Hayden, G. Jaschek, and G. A. Bruns. 1989. A deletion map of the WAGR region on chromosome 11. *Am J Hum Genet* **44**: 486-495.
- Gibas, Z., G. R. Prout, J. E. Pontes, J. G. Connolly, and A. A. Sandberg. 1986. A possible specific chromosome change in transitional cell carcinoma of the bladder. *Cancer Genet Cytogenet* **19**: 229-238.
- Glaser, T., L. Jepeal, J. G. Edwards, S. R. Young, J. Favor, and R. L. Maas. 1994. PAX6 gene dosage effect in a family with congenital cataracts, aniridia, anophthalmia and central nervous system defects [published erratum appears in Nat Genet 1994 Oct;8(2):203]. *Nat Genet* **7**: 463-471.
- Glaser, T., J. Lane, and D. Housman. 1990. A mouse model of the aniridia-Wilms tumor deletion syndrome. *Science* **250**: 823-827.
- Glaser, T., W. H. Lewis, G. A. Bruns, P. C. Watkins, C. E. Rogler, T. B. Shows, V. E. Powers, H. F. Willard, J. M. Goguen, K. O. Simola, and et al. 1986. The beta-subunit of follicle-stimulating hormone is deleted in patients with aniridia and Wilms' tumour, allowing a further definition of the WAGR locus. *Nature* **321**: 882-887.
- Guru, S. C., S. E. Olufemi, P. Manickam, C. Cummings, L. M. Gieser, B. L. Pike, M. L. Bittner, Y. Jiang, A. C. Chinault, N. J. Nowak, A. Brzozowska, J. S. Crabtree, Y. Wang, B. A. Roe, J. M. Weisemann, M. S. Boguski, S. K. Agarwal, A. L. Burns, A. M. Spiegel, S. J. Marx, W. L. Flejter, P. J. de Jong, F. S. Collins, and S. C. Chandrasekharappa. 1997. A 2.8-Mb clone contig of the multiple endocrine neoplasia type 1 (MEN1) region at 11q13. *Genomics* **42**: 436-445.
- Haber, D. A., R. L. Sohn, A. J. Buckler, J. Pelletier, K. M. Call, and D. E. Housman. 1991. Alternative splicing and genomic structure of the Wilms' tumour gene WT1. *Proc Natl Acad Sci U S A* **88**: 9618-9622
- Hayashi, Y., M. Ichinose, H. Yuasa, M. Tatematsu, and M. Ishibashi. 1997a. Cca3, the mRNA level of which transiently decreases before initiation of DNA synthesis in regenerating rat liver cells. *FEBS Lett* **406**: 147-150.

- Hayashi, Y., T. Kiyono, M. Fujita, and M. Ishibashi. 1997b. Isolation of a novel cDNA whose corresponding mRNA is accumulated in growth-arrested confluent but not in growing sub-confluent rat 3Y1 cells. *Biochim Biophys Acta* **1352**: 145-150.
- Henrique, D., J. Adam, A. Myat, A. Chitnis, J. Lewis, and D. Ish-Horowicz. 1995. Expression of a Delta homologue in prospective neurons in the chick [see comments]. *Nature* **375**: 787-790.
- Hosoda, F., Y. Arai, E. Kitamura, J. Inazawa, M. Fukushima, T. Tokino, Y. Nakamura, C. Jones, N. Kakazu, T. Abe, and M. Ohki. 1997. A complete NotI restriction map covering the entire long arm of human chromosome 11. *Genes Cells* **2**: 345-357.
- Ioannou, P. A., C. T. Amemiya, J. Garnes, P. M. Kroisel, H. Shizuya, C. Chen, M. A. Batzer, and P. J. de Jong. 1994. A new bacteriophage P1-derived vector for the propagation of large human DNA fragments. *Nat Genet* **6**: 84-89.
- James, M. R., C. W. Richard, 3rd, J. J. Schott, C. Yousry, K. Clark, J. Bell, J. D. Terwilliger, J. Hazan, C. Dubay, A. Vignal, and et al. 1994. A radiation hybrid map of 506 STS markers spanning human chromosome 11. *Nat Genet* **8**: 70-76.
- Jameson, J. L., C. B. Becker, C. M. Lindell, and J. F. Habener. 1988. Human follicle-stimulating hormone beta-subunit gene encodes multiple messenger ribonucleic acids. *Mol Endocrinol* **2**: 806-815.
- Janknecht, R., and A. Nordheim. 1993. Gene regulation by Ets proteins. *Biochim Biophys Acta* **1155**: 346-356.
- Junien, C., C. Turleau, J. de Grouchy, R. Said, M. O. I Rethore, R. Tenconi, and J. L. Dufier. 1980. Regional assignment of catalase (CAT) gene to band 11p13. Association with the aniridia-Wilms' tumor-Gonadoblastoma (WAGR) complex. *Ann Genet* **23**: 165-168.
- Kent, J., M. Lee, A. Schedl, S. Boyle, J. Fantes, M. Powell, N. Rushmere, C. Abbott, V. van Heyningen, and W. A. Bickmore. 1997. The reticulocalbin gene maps to the WAGR region in human and to the Small eye Harwell deletion in mouse. *Genomics* **42**: 260-267.
- Kere, J., R. Nagaraja, S. Mumm, A. Ciccociola, M. D'Urso, and D. Schlessinger. 1992. Mapping human chromosomes by walking with sequence-tagged sites from end fragments of yeast artificial chromosome inserts. *Genomics* **14**: 241-248.
- Kiechle-Schwarz, M., T. Bauknecht, U. Karck, F. Kommos, A. du Bois, and A. Pfeleiderer. 1994. Recurrent cytogenetic aberrations and loss of constitutional heterozygosity in ovarian carcinomas. *Gynecol Oncol* **55**: 198-205.
- Kirschner, M. A., N. G. Copeland, D. J. Gilbert, N. A. Jenkins, and S. G. Amara. 1994. Mouse excitatory amino acid transporter EAAT2: isolation, characterization, and proximity to neuroexcitability loci on mouse chromosome 2. *Genomics* **24**: 218-224.
- Kitamura, E., F. Hosoda, M. Fukushima, S. Asakawa, N. Shimizu, T. Imai, E. Soeda, and M. Ohki. 1997. A 3-Mb sequence-ready contig map encompassing the multiple disease gene cluster on chromosome 11q13.1-q13.3. *DNA Res* **4**: 281-289.
- Kodandapani, R., F. Pio, C. Z. Ni, G. Piccialli, M. Klemsz, S. McKercher, R. A. Maki, and K. R. Ely. 1996. A new pattern for helix-turn-helix recognition revealed by the PU.1 ETS- domain-DNA complex [published erratum appears in Nature 1998 Apr 9;392(6676):630]. *Nature* **380**: 456-460.

- Kosa, J. L., J. W. Michelsen, H. A. Louis, J. I. Olsen, D. R. Davis, M. C. Beckerle, and D. R. Winge. 1994. Common metal ion coordination in LIM domain proteins. *Biochemistry* **33**: 468-477.
- Koufos, A., P. Grundy, K. Morgan, K. A. Aleck, T. Hadro, B. C. Lampkin, A. Kalbakji, and W. K. Cavenee. 1989. Familial Wiedemann-Beckwith syndrome and a second Wilms tumor locus both map to 11p15.5. *Am J Hum Genet* **44**: 711-719.
- Kovalic, D., J. H. Kwak, and B. Weisblum. 1991. General method for direct cloning of DNA fragments generated by the polymerase chain reaction. *Nucleic Acids Res* **19**: 4560.
- Krauss, S., T. Johansen, V. Korzh, U. Moens, J. U. Ericson, and A. Fjose. 1991. Zebrafish pax[zf-a]: a paired box-containing gene expressed in the neural tube. *Embo J* **10**: 3609-3619.
- Kreidberg, J. A., H. Sariola, J. M. Loring, M. Maeda, J. Pelletier, D. Housman, and R. Jaenisch. 1993. WT-1 is required for early kidney development. *Cell* **74**: 679-691.
- Layman, L. C., E. J. Lee, D. B. Peak, A. B. Namnoum, K. V. Vu, B. L. van Lingen, M. R. Gray, P. G. McDonough, R. H. Reindollar, and J. L. Jameson. 1997. Delayed puberty and hypogonadism caused by mutations in the follicle-stimulating hormone beta-subunit gene. *N Engl J Med* **337**: 607-611.
- Lennon, G., C. Auffray, M. Polymeropoulos, and M. B. Soares. 1996. The I.M.A.G.E. Consortium: an integrated molecular analysis of genomes and their expression. *Genomics* **33**: 151-152.
- Li, H. S., J. M. Yang, R. D. Jacobson, D. Pasko, and O. Sundin. 1994. Pax-6 is first expressed in a region of ectoderm anterior to the early neural plate: implications for stepwise determination of the lens. *Dev Biol* **162**: 181-194.
- Ling, M., G. McEachern, A. Seyda, N. MacKay, S. W. Scherer, S. Bratinova, B. Beatty, M. L. Giovannucci-Uzielli, and B. H. Robinson. 1998. Detection of a homozygous four base pair deletion in the protein X gene in a case of pyruvate dehydrogenase complex deficiency. *Hum Mol Genet* **7**: 501-505.
- Ludwig, C. U., G. Raefle, P. Dalquen, P. Stulz, R. Stahel, and J. P. Obrecht. 1991. Allelic loss on the short arm of chromosome 11 in non-small-cell lung cancer. *Int J Cancer* **49**: 661-665.
- Luro, F., and F. Laigret. 1995. Preparation of high molecular weight genomic DNA from nuclei of woody plants. *Biotechniques* **19**: 388-392.
- Macleod, K., D. Leprince, and D. Stehelin. 1992. The ets gene family. *Trends Biochem Sci* **17**: 251-256.
- Madden, S. L., D. M. Cook, and F. J. d Rauscher. 1993. A structure-function analysis of transcriptional repression mediated by the WT1, Wilms' tumor suppressor protein. *Oncogene* **8**: 1713-1720.
- Mahoney, J. F., M. Urakaze, S. Hall, R. DeGasperi, H. M. Chang, E. Sugiyama, C. D. Warren, M. Borowitz, A. Nicholson-Weller, W. F. Rosse, and et al. 1992. Defective glycosylphosphatidylinositol anchor synthesis in paroxysmal nocturnal hemoglobinuria granulocytes. *Blood* **79**: 1400-1403.
- Mallet, L., F. Bussereau, and M. Jacquet. 1995. A 43.5 kb segment of yeast chromosome XIV, which contains MFA2, MEP2, CAP/SRV2, NAM9, FKB1/FPR1/RBP1, MOM22 and CPT1, predicts an adenosine deaminase gene and 14 new open reading frames. *Yeast* **11**: 1195-1209.

- Marsac, C., D. Stansbie, G. Bonne, J. Cousin, P. Jehenson, C. Benelli, J. P. Leroux, and G. Lindsay. 1993. Defect in the lipoyl-bearing protein X subunit of the pyruvate dehydrogenase complex in two patients with encephalomyelopathy. *J Pediatr* **123**: 915-920.
- Matsumura, Y., and D. Tarin. 1992. Significance of CD44 gene products for cancer diagnosis and disease evaluation [see comments]. *Lancet* **340**: 1053-1058.
- Matsuo, T., N. Osumi-Yamashita, S. Noji, H. Ohuchi, E. Koyama, F. Myokai, N. Matsuo, S. Taniguchi, H. Doi, S. Iseki, and et al. 1993. A mutation in the Pax-6 gene in rat small eye is associated with impaired migration of midbrain crest cells. *Nat Genet* **3**: 299-304.
- Matthews, C. H., S. Borgato, P. Beck-Peccoz, M. Adams, Y. Tone, G. Gambino, S. Casagrande, G. Tedeschini, A. Benedetti, and V. K. Chatterjee. 1993. Primary amenorrhoea and infertility due to a mutation in the beta- subunit of follicle-stimulating hormone. *Nat Genet* **5**: 83-86.
- Mazarakis, N. D., D. Nelki, M. F. Lyon, S. Ruddy, E. P. Evans, P. Freemont, and K. Dudley. 1991. Isolation and characterisation of a testis-expressed developmentally regulated gene from the distal inversion of the mouse t-complex. *Development* **111**: 561-571.
- McBlane, J. F., D. C. van Gent, D. A. Ramsden, C. Romeo, C. A. Cuomo, M. Gellert, and M. A. Oettinger. 1995. Cleavage at a V(D)J recombination signal requires only RAG1 and RAG2 proteins and occurs in two steps. *Cell* **83**: 387-395.
- Meri, S., H. Waldmann, and P. J. Lachmann. 1991. Distribution of protectin (CD59), a complement membrane attack inhibitor, in normal human tissues. *Lab Invest* **65**: 532-537.
- Miller, R., Fraumeni, J. F. Jr., Manning, M. D. 1964. Association of Wilms' tumor with aniridia, hemihypertrophy and other congenital malformations. *New Eng. J. Med.* **270**: 922-927.
- Niikawa, N., Y. Fukushima, N. Taniguchi, S. Iizuka, and T. Kajii. 1982. Chromosome abnormalities involving 11p13 and low erythrocyte catalase activity. *Hum Genet* **60**: 373-375.
- Nose, M., M. Katoh, N. Okada, M. Kyogoku, and H. Okada. 1990. Tissue distribution of HRF20, a novel factor preventing the membrane attack of homologous complement, and its predominant expression on endothelial cells in vivo. *Immunology* **70**: 145-149.
- Oettinger, M. A., B. Stanger, D. G. Schatz, T. Glaser, K. Call, D. Housman, and D. Baltimore. 1992. The recombination activating genes, RAG 1 and RAG 2, are on chromosome 11p in humans and chromosome 2p in mice. *Immunogenetics* **35**: 97-101.
- Ozawa, M. 1995. Cloning of a human homologue of mouse reticulocalbin reveals conservation of structural domains in the novel endoplasmic reticulum resident Ca(2+)-binding protein with multiple EF-hand motifs. *J Biochem (Tokyo)* **117**: 1113-1119.
- Ozawa, M., and T. Muramatsu. 1993. Reticulocalbin, a novel endoplasmic reticulum resident Ca(2+)-binding protein with multiple EF-hand motifs and a carboxyl-terminal HDEL sequence. *J Biol Chem* **268**: 699-705.
- Palmer, A. M., A. W. Procter, G. C. Stratmann, and D. M. Bowen. 1986. Excitatory amino acid-releasing and cholinergic neurones in Alzheimer's disease. *Neurosci Lett* **66**: 199-204.
- Park, S., A. Bernard, K. E. Bove, D. A. Sens, D. J. Hazen-Martin, A. J. Garvin, and D. A. Haber. 1993. Inactivation of WT1 in nephrogenic rests, genetic precursors to Wilms' tumour. *Nat Genet* **5**: 363-367.

- Portera-Cailliau, C., J. C. Hedreen, D. L. Price, and V. E. Koliatsos. 1995. Evidence for apoptotic cell death in Huntington disease and excitotoxic animal models. *J Neurosci* **15**: 3775-3787.
- Pritchard-Jones, K., S. Fleming, D. Davidson, W. Bickmore, D. Porteous, C. Gosden, J. Bard, A. Buckler, J. Pelletier, D. Housman, and et al. 1990. The candidate Wilms' tumour gene is involved in genitourinary development. *Nature* **346**: 194-197.
- Prosser, J., and V. van Heyningen. 1998. PAX6 mutations reviewed. *Hum Mutat* **11**: 93-108.
- Quan, T. J., K. R. Tsuchiya, and L. G. Carter. 1986. Recovery and identification of *Pasteurella multocida* from mammals and fleas collected during plague investigations. *J Wildl Dis* **22**: 7-12.
- Quiring, R., U. Walldorf, U. Kloter, and W. J. Gehring. 1994. Homology of the eyeless gene of *Drosophila* to the Small eye gene in mice and Aniridia in humans [see comments]. *Science* **265**: 785-789.
- Reddy, J. C., J. C. Morris, J. Wang, M. A. English, D. A. Haber, Y. Shi, and J. D. Licht. 1995. WT1-mediated transcriptional activation is inhibited by dominant negative mutant proteins. *J Biol Chem* **270**: 10878-10884.
- Robinson, B. H., N. MacKay, R. Petrova-Benedict, I. Ozalp, T. Coskun, and P. W. Stacpoole. 1990. Defects in the E2 lipoyl transacetylase and the X-lipoyl containing component of the pyruvate dehydrogenase complex in patients with lactic acidemia. *J Clin Invest* **85**: 1821-1824.
- Rosier, M. F., A. F. Goguel, A. Martin, D. Le Paslier, P. Couillin, R. Houlgatte, A. Bernheim, C. Auffray, and M. D. Devignes. 1994. A 1.7-Mb YAC contig around the human BDNF gene (11p13): integration of the physical, genetic, and cytogenetic maps in relation to WAGR syndrome. *Genomics* **24**: 69-77.
- Rothstein, J. D., M. Van Kammen, A. I. Levey, L. J. Martin, and R. W. Kuncl. 1995. Selective loss of glial glutamate transporter GLT-1 in amyotrophic lateral sclerosis. *Ann Neurol* **38**: 73-84.
- Russel, L. J., and Weisskopf, B. 1986. Cognition in aniridia - Wilms' tumor association: Analysis of karyotypic associations. *Am. J. Hum. Genet.* **39**: A78.
- Sanal, O., S. Wei, T. Foroud, U. Malhotra, P. Concannon, P. Charmley, W. Salser, K. Lange, and R. A. Gatti. 1990. Further mapping of an ataxia-telangiectasia locus to the chromosome 11q23 region. *Am J Hum Genet* **47**: 860-866.
- Savitsky, K., A. Bar-Shira, S. Gilad, G. Rotman, Y. Ziv, L. Vanagaite, D. A. Tagle, S. Smith, T. Uziel, S. Sfez, and et al. 1995. A single ataxia telangiectasia gene with a product similar to PI-3 kinase [see comments]. *Science* **268**: 1749-1753.
- Schmeichel, K. L., and M. C. Beckerle. 1994. The LIM domain is a modular protein-binding interface. *Cell* **79**: 211-219.
- Schwalter, D. B., D. O. Toft, and S. S. Sommer. 1990. A method of sequencing without subcloning and its application to the identification of a novel ORF with a sequence suggestive of a transcriptional regulator in the water mold *Achlya ambisexualis*. *Genomics* **6**: 23-32.
- Schuler, G. D., M. S. Boguski, E. A. Stewart, L. D. Stein, G. Gyapay, K. Rice, R. E. White, P. Rodriguez-Tome, A. Aggarwal, E. Bajorek, S. Bentolila, B. B. Birren, A. Butler, A. B. Castle, N. Chiannikulchai, A. Chu, C. Clee, S. Cowles, P. J. Day, T. Dibling, N. Drouot, I. Dunham, S.

- Duprat, C. East, T. J. Hudson, and et al. 1996. A gene map of the human genome. *Science* **274**: 540-546.
- Schultz, J., F. Milpetz, P. Bork, and C. P. Ponting. 1998. SMART, a simple modular architecture research tool: identification of signaling domains. *Proc Natl Acad Sci U S A* **95**: 5857-5864.
- Schwarz, K., G. H. Gauss, L. Ludwig, U. Pannicke, Z. Li, D. Lindner, W. Friedrich, R. A. Seger, T. E. Hansen-Hagge, S. Desiderio, M. R. Lieber, and C. R. Bartram. 1996. RAG mutations in human B cell-negative SCID. *Science* **274**: 97-99.
- Screaton, G. R., M. V. Bell, D. G. Jackson, F. B. Cornelis, U. Gerth, and J. I. Bell. 1992. Genomic structure of DNA encoding the lymphocyte homing receptor CD44 reveals at least 12 alternatively spliced exons. *Proc Natl Acad Sci U S A* **89**: 12160-12164.
- Segovia, L. 1998. Getting closer to efficient gene discovery, in silico [news]. *Nat Biotechnol* **16**: 25.
- Sherman, L., D. Wainwright, H. Ponta, and P. Herrlich. 1998. A splice variant of CD44 expressed in the apical ectodermal ridge presents fibroblast growth factors to limb mesenchyme and is required for limb outgrowth. *Genes Dev* **12**: 1058-1071.
- Sherrington, P. D., A. Forster, A. Seawright, V. van Heyningen, and T. H. Rabbitts. 1992. Human RAG2, like RAG1, is on chromosome 11 band p13 and therefore not linked to ataxia telangiectasia complementation groups. *Genes Chromosomes Cancer* **5**: 404-406.
- Shipman, R., P. Schraml, M. Colombi, G. Raefle, and C. U. Ludwig. 1993. Loss of heterozygosity on chromosome 11p13 in primary bladder carcinoma. *Hum Genet* **91**: 455-458.
- Shizuya, H., B. Birren, U. J. Kim, V. Mancino, T. Slepak, Y. Tachiiri, and M. Simon. 1992. Cloning and stable maintenance of 300-kilobase-pair fragments of human DNA in *Escherichia coli* using an F-factor-based vector. *Proc Natl Acad Sci U S A* **89**: 8794-8797.
- Showe, L. C., and C. M. Croce. 1986. Chromosome translocations in B and T cell neoplasias. *Semin Hematol* **23**: 237-244.
- Smith, M. W., S. P. Clark, J. S. Hutchinson, Y. H. Wei, A. C. Churukian, L. B. Daniels, K. L. Diggie, M. W. Gen, A. J. Romo, Y. Lin, and et al. 1993. A sequence-tagged site map of human chromosome 11. *Genomics* **17**: 699-725.
- Soderlund, C., and I. Dunham. 1995. SAM: a system for iteratively building marker maps. *Comput Appl Biosci* **11**: 645-655.
- Soderlund, C., I. Longden, and R. Mott. 1997. FPC: a system for building contigs from restriction fingerprinted clones. *Comput Appl Biosci* **13**: 523-535.
- Southern, E. M. 1975. Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J Mol Biol* **98**: 503-517.
- Stankovic, T., P. J. Byrd, P. R. Cooper, C. M. McConville, D. J. Munroe, J. H. Riley, G. D. Watts, H. Ambrose, G. McGuire, A. D. Smith, A. Sutcliffe, T. Mills, and A. M. Taylor. 1997. Construction of a transcription map around the gene for ataxia telangiectasia: identification of at least four novel genes. *Genomics* **40**: 267-276.
- Stuhmer, W., J. P. Ruppersberg, K. H. Schroter, B. Sakmann, M. Stocker, K. P. Giese, A. Perschke, A. Baumann, and O. Pongs. 1989. Molecular basis of functional diversity of voltage-gated potassium channels in mammalian brain. *Embo J* **8**: 3235-3244.



- Sugita, Y., T. Tobe, E. Oda, M. Tomita, K. Yasukawa, N. Yamaji, T. Takemoto, K. Furuichi, M. Takayama, and S. Yano. 1989. Molecular cloning and characterization of MACIF, an inhibitor of membrane channel formation of complement. *J Biochem (Tokyo)* **106**: 555-557.
- Szatkowski, M., and D. Attwell. 1994. Triggering and execution of neuronal death in brain ischaemia: two phases of glutamate release by different mechanisms. *Trends Neurosci* **17**: 359-365.
- Takahara, S., Miyamoto, H. 1948. Three cases of progressive gangrene due to lack of catalase in the blood. *Nippon Jibi-Inkoka Gakkai Kaiho* **51**: 163.
- Takahara, S. 1952. Progressive oral gangrenes probably due to lack of catalase in the blood (acatalasemia). *Lancet* **II**: 1101-1114.
- Takai, S., H. Kawakami, T. Nakayama, K. Yamada, and S. Nakamura. 1996. Localization of the gene encoding the human L-glutamate transporter (GLT-1) to 11p11.2-p13 by fluorescence in situ hybridization. *Hum Genet* **97**: 387-389.
- Tamkun, M. M., K. M. Knoth, J. A. Walbridge, H. Kroemer, D. M. Roden, and D. M. Glover. 1991. Molecular cloning and characterization of two voltage-gated K<sup>+</sup> channel cDNAs from human ventricle. *Faseb J* **5**: 331-337.
- Tanaka, K., K. Watase, T. Manabe, K. Yamada, M. Watanabe, K. Takahashi, H. Iwama, T. Nishikawa, N. Ichihara, T. Kikuchi, S. Okuyama, N. Kawashima, S. Hori, M. Takimoto, and K. Wada. 1997. Epilepsy and exacerbation of brain injury in mice lacking the glutamate transporter GLT-1. *Science* **276**: 1699-1702.
- Tanaka, M., K. Adzuma, M. Iwami, K. Yoshimoto, Y. Monden, and M. Itakura. 1995. Human calgizzarin; one colorectal cancer-related gene selected by a large scale random cDNA sequencing and northern blot analysis. *Cancer Lett* **89**: 195-200.
- Ton, C. C., H. Hirvonen, H. Miwa, M. M. Weil, P. Monaghan, T. Jordan, V. van Heyningen, N. D. Hastie, H. Meijers-Heijboer, M. Drechsler, and et al. 1991. Positional cloning and characterization of a paired box- and homeobox- containing gene from the aniridia region. *Cell* **67**: 1059-1074.
- Ton, C. C., H. Miwa, and G. F. Saunders. 1992. Small eye (Sey): cloning and characterization of the murine homolog of the human aniridia gene. *Genomics* **13**: 251-256.
- Treisman, J., E. Harris, and C. Desplan. 1991. The paired box encodes a second DNA-binding domain in the paired homeo domain protein. *Genes Dev* **5**: 594-604.
- Tunnacliffe, A., C. Jones, D. Le Paslier, R. Todd, D. Cherif, M. Birdsall, L. Devenish, C. Yousry, F. E. Cotter, and M. R. James. 1999. Localization of jacobson syndrome breakpoints on a 40-Mb physical map of distal chromosome 11q [In Process Citation]. *Genome Res* **9**: 44-52.
- Vandamme, B., W. Lissens, K. Amfo, P. De Sutter, C. Bourgain, E. Vamos, and J. De Greve. 1992. Deletion of chromosome 11p13-11p15.5 sequences in invasive human ovarian cancer is a subclonal progression factor. *Cancer Res* **52**: 6646-6652.
- Wadman, M. 1999. Human Genome Project aims to finish 'working draft' next year [news]. *Nature* **398**: 177.
- Wang, Z. Y., Q. Q. Qiu, J. Huang, M. Gurrieri, and T. F. Deuel. 1995. Products of alternatively spliced transcripts of the Wilms' tumor suppressor gene, wt1, have altered DNA binding specificity and regulate transcription in different ways. *Oncogene* **10**: 415-422.

- Warren, A. J., W. H. Colledge, M. B. Carlton, M. J. Evans, A. J. Smith, and T. H. Rabbitts. 1994. The oncogenic cysteine-rich LIM domain protein *rbtn2* is essential for erythroid development. *Cell* **78**: 45-57.
- Wasylyk, B., S. L. Hahn, and A. Giovane. 1993. The Ets family of transcription factors [published erratum appears in *Eur J Biochem* 1993 Aug 1;215(3):907]. *Eur J Biochem* **211**: 7-18.
- Weber, G. F., S. Ashkar, M. J. Glimcher, and H. Cantor. 1996. Receptor-ligand interaction between CD44 and osteopontin (*Eta-1*). *Science* **271**: 509-512.
- Wen, J. K., T. Osumi, T. Hashimoto, and M. Ogata. 1990. Molecular analysis of human acatalasemia. Identification of a splicing mutation. *J Mol Biol* **211**: 383-393.
- Werner, M. H., M. Clore, C. L. Fisher, R. J. Fisher, L. Trinh, J. Shiloach, and A. M. Gronenborn. 1995. The solution structure of the human ETS1-DNA complex reveals a novel mode of binding and true side chain intercalation [published erratum appears in *Cell* 1996 Oct 18;87(2):following 355]. *Cell* **83**: 761-771.
- Weston, A., J. C. Willey, R. Modali, H. Sugimura, E. M. McDowell, J. Resau, B. Light, A. Haugen, D. L. Mann, B. F. Trump, and et al. 1989. Differential DNA sequence deletions from chromosomes 3, 11, 13, and 17 in squamous-cell carcinoma, large-cell carcinoma, and adenocarcinoma of the human lung. *Proc Natl Acad Sci U S A* **86**: 5099-5103.
- Wilgenbus, K. K., Mincheva, A., Korn, B., Lichter, P., and Poustka, A. 1995. IRS-long range (LR) PCR: A simple method for efficient amplification of human genomic DNA from complex sources. *Methods Mol. Cell. Biol.* **5**: 214-221.
- Wilson, R., R. Ainscough, K. Anderson, C. Baynes, M. Berks, J. Bonfield, J. Burton, M. Connell, T. Copsey, J. Cooper, and et al. 1994. 2.2 Mb of contiguous nucleotide sequence from chromosome III of *C. elegans* [see comments]. *Nature* **368**: 32-38.
- Wu, C., S. Zhu, S. Simpson, and P. J. de Jong. 1996. DOP-vector PCR: a method for rapid isolation and sequencing of insert termini from PAC clones. *Nucleic Acids Res* **24**: 2614-2615.
- Zhou, J., A. Y. Ng, M. J. Tymms, L. S. Jermini, A. K. Seth, R. S. Thomas, and I. Kola. 1998. A novel transcription factor, ELF5, belongs to the ELF subfamily of ETS genes and maps to human chromosome 11p13-15, a region subject to LOH and rearrangement in human carcinoma cell lines  
*Oncogene* **17**: 2719-2732.