

Literaturverzeichnis

- Arriza, J.L., Eliasof, S., Kavanaugh, M.P. & Amara, S.G. (1997) Excitatory amino acid transporter 5, a retinal glutamate transporter coupled to a chloride conductance. *Proc. Natl. Acad. Sci. USA*, **94**(8), 4155-4160.
- Asan, E. (1998) The catecholaminergic innervation of the rat amygdala. *Adv. Anat. Embryol. Cell Biol.*, **142**, 1-121.
- Asan, E. & Kugler, P. (1995) Qualitative und quantitative detection of alkaline phosphatase coupled to an oligonucleotide probe for somatostatin mRNA after in situ hybridization using unfixed rat brain tissue. *Histochemistry*, **103**, 463-471.
- Berger, U.V. & Hediger, M.A. (1998) Comparative analysis of glutamate transporter expression in rat brain using differential double in situ hybridization. *Anat. Embryol. (Berl.)*, **198**(1), 13-30.
- Bergles, D.E. & Jahr, C.F. (1997) Synaptic activation of glutamate transporters in hippocampal astrocytes. *Neuron*, **19**, 1297-1308.
- Bignami, A. & Dahl, D. (1976) The astroglial response to stabbing. Immunofluorescence studies with antibiotics to astrocyte-specific protein (GFA) in mammalian and submammalian vertebrate. *Neuropath. Appl. Neurobiol.*, **2**, 99-100.
- Chaudhry, F.A., Lehre, K.P., Van Lookeren-Campagne, M., Ottersen, O.P., Danbolt, N.C. & Storm-Mathisen, J. (1995) Glutamate transporters in glial plasma membranes: highly differentiated localizations revealed by quantitative ultrastructure immunocytochemistry. *Neuron*, **15**, 711-720.
- Dågerlind, A., Friberg, K., Bean, A.J. & Hökfelt, T. (1992) Sensitive mRNA detection using unfixed tissue: combined radioactive and non-radioactive in situ hybridization histochemistry. *Histochemistry*, **98**, 39-49.
- Danbolt, N.C., Storm-Mathisen, J. & Kanner, B.I. (1992) An $[Na^+ + K^+]$ coupled L-glutamate transporter purified from rat brain is located in glial cell processes. *Neuroscience*, **51**, 295-310.
- Dehnes, Y., Chaudry, FA., Ullensvang, K., Lehre, K.P., Storm-Mathisen, J. & Danbolt, N.C. (1998) The glutamate transporter EAAT4 in rat cerebellar Purkinje cells: a

- glutamate-gated chloride channel concentrated near the synapse in parts of the dendritic membrane facing astroglia. *J. Neurosci.*, **18**(10), 3606-3619.
- Duan, S., Anderson, C.M., Stein, B.A. & Swanson, R.A. (1999) Glutamate induces rapid upregulation of astrocyte glutamate transport and cell-surface expression of GLAST. *J. Neurosci.*, **19**, 10193-10200.
- Fairman, W.A., Vandenberg, R.J., Arriza, J.L., Kavanaugh, M.P. & Amara, S.G. (1995) An excitatory amino-acid transporter with properties of a ligand-gated chloride channel. *Nature*, **375**, 599-603.
- Furuta, A., Martin, L.J., Lin, C.-L.G., Dykes-Hoberg, M. & Rothstein, J.D. (1997) Cellular and synaptic localization of the neuronal glutamate transporters excitatory amino acid transporter 3 and 4. *Neurosci.*, **81** (4), 1031-1042.
- Gage, F.H., Olejniczak, P. & Armstrong, D.M. (1988) Astrocytes are important for sprouting in the septohippocampal circuit. *Exp. Neurol.*, **102**, 2-13.
- Gegelashvili, G., Danbolt, N.C. & Schousboe, A. (1997) Neuronal soluble factors differentially regulate the expression of the GLT1 and GLAST glutamate transporters in cultured astroglial. *J. Neurochem.*, **69**, 2612-2615.
- Ginsberg, S.D., Martin, L.J. & Rothstein, J.D. (1995) Regional deafferentation down-regulates subtypes of glutamate transporter proteins. *J. Neurochem.*, **65**, 2800-2803.
- Ginsberg, S.D., Rothstein, J.D., Price, D.L. & Martin L.J. (1996) Fimbria-fornix transections selectively down-regulate subtypes of glutamate transporters and glutamate receptor proteins in septum and hippocampus. *J. Neurochem.*, **67**, 1208-1216.
- Hailer, N.P., Grampp, A. & Nitsch, R. (1999) Proliferation of microglia and astrocytes in the dentate gyrus following entorhinal cortex lesion: a quantitative bromodeoxyuridine-labelling study. *Eur. J. Neurosci.*, **11**, 3359-3364.
- Hjorth-Simonsen, A. & Jeune, B. (1972) Origin and termination of the hippocampal perforant path in the rat studied by silver impregnation. *J. Comp. Neurol.*, **144**, 215-232.
- Jucker, M., Mondadori, C., Mohajeri, H., Bartsch, U. & Schachner, M. (1995) Transient upregulation of NCAM mRNA in astrocytes in response to entorhinal cortex lesions and ischemia. *Brain Res. Mol. Brain Res.*, **28**, 149-156.

- Kanai, Y., Smith, C.P. & Hediger, M.A. (1993) A new family of neurotransmitter transporters: the high-affinity glutamate transporters. *FASEB J.*, **8**, 1450-1459.
- Kanai, Y. & Hediger, M.A. (1992) Primary structure and functional characterization of a high-affinity glutamate transporter. *Nature*, **360**, 467-471.
- Kugler, P. (1987) Improvement of the method of Karnovsky and Roots for histochemical demonstration of acetylcholinesterase. *Histochemistry*, **86**, 531-532.
- Kugler, P. (1988) Quantitative enzyme histochemistry in the brain. *Histochemistry*, **90**, 99-107.
- Kugler, P. (1993) Enzymes involved in glutamatergic and GABAergic neurotransmission. *Int. Rev. Cytol.*, **147**, 285-336.
- Kugler, P., Schleicher, A., Zilles, K. & Horváth, E. (1993) Acetylcholinesterase activity and post-lesional plasticity in the hippocampus of young and aged rats. *Neuroscience*, **55**, 91-103.
- Kugler, P. & Schmitt, A. (1999) Glutamate transporter EAAC1 is expressed in neurons and glial cells in the rat nervous system. *Glia*, **27**, 129-142.
- Kugler, P., Vogel, S. & Gehm, M. (1988) Quantitative succinate dehydrogenase histochemistry in the hippocampus of aged rats. *Histochemistry*, **88**, 299-307.
- Kugler, P., Weeger, T. & Horváth, E. (1995) Glutamate dehydrogenase in astrocytes of the rat dentate gyrus following lesion of the entorhinal cortex. *Neuroscience*, **64**, 173-182.
- Laping, N.J., Nichols, N.R., Day, J.R. & Finch, C.E. (1991) Corticosterone differentially regulates the bilateral response of astrocyte mRNAs in the hippocampus to entorhinal cortex lesion in male rats. *Mol. Brain Res.*, **10**, 291-297.
- Lee, K.S., Stanford, E.J., Cotman, C.W. & Lynch, G.S. (1977) Ultrastructural evidence for bouton proliferation in the partially deafferented dentate gyrus of the adult rat. *Exp. Brain Res.*, **29**, 475-485.
- Lehre, K.P., Levy, L.M., Ottersen, O.P., Storm-Mathisen, J. & Danbolt, N.C. (1995) Differential expression of two glial glutamate transporters in the rat brain: quantitative and immunocytochemical observations. *J. Neurosci.*, **15**, 1835-1853.

- Levy, L.M., Lehre, K.P., Rolstad, B. & Danbolt, N.C. (1993) A monoclonal antibody raised against an $[Na^+ + K^+]$ coupled L-glutamate transporter purified from rat brain confirms glial cell localization. *FEBS*, **317**, 79-84.
- Levy, L.M., Lehre, K.P., Walaas, S.I., Storm-Mathisen, J. & Danbolt, N.C. (1995) Down-regulation of glial glutamate transporters after glutamatergic denervation in the rat brain. *Eur. J. Neurosci.*, **7**, 2036-2041.
- Lievens, J.C., Salin, P., Had-Aïssouni, L., Mahy, N. & Kerkerian-Le Goff, L. (2000) Differential effects of corticostriatal and thalamostriatal deafferentation on expression of the glutamate transporter GLT1 in the rat striatum. *J. Neurochem.*, **74**, 909-919.
- Lopez-Redondo, F., Nakajima, K., Honda, S. & Kohsaka, S. (2000) Glutamate transporter GLT1 is highly expressed in activated microglia following facial nerve axotomy. *Brain Res. Mol. Brain Res.*, **76**, 429-435.
- Lynch, G., Matthews, D.A., Mosko, S., Parks, T. & Cotman, C.W. (1972) Induced acetylcholinesterase-rich layer in rat dentate gyrus following entorhinal lesion. *Brain Res.*, **42**, 311-318.
- Milton, I.D., Banner, S.J., Ince, P.G., Piggott, N.H., Fray, A.E., Thatcher, N., Horne, C.H.W. & Shaw, P.J. (1997) Expression of the glial transporter EAAT2 in the human CNS: an immunohistochemical study. *Molec. Brain Res.*, **52**, 17-31.
- Nadler, J.V. & Smith, E.M. (1981) Perforant path lesion depletes glutamate content of fascia dentata synaptosomes. *Neurosci. Lett.*, **25**, 275-280.
- Nafstad, P.H.J. (1967) An electron microscope study of the termination of the perforant path fibres in the hippocampus and the fascia dentata. *Z. Zellforsch. Mikroskop. Anat.*, **76**, 532-542.
- Nathaniel, E.H.J. & Nathaniel, D.R. (1981) The reactive astrocyte. In Fedoroff, S., Hertz, L. (eds), *Advanced Cellular Neurobiology* Vol. 2. Academic Press, New York, NY, pp. 249-301.
- Ottersen, O.P. & Storm-Mathisen, J. (1989) Excitatory and inhibitory amino acids in the hippocampus. In Chan-Palay, V., Köhler, C. (eds), *The Hippocampus-New Vistas. Neurology and Neurobiology*, Vol. 52. Alan R. Liss, New York, NY, pp. 97-117.

- Paxinos, G. & Watson, C. (1986) *The Rat Brain in Stereotaxis Coordinates*, 2nd edn. Academic Press, Inc., San Diego, CA.
- Pines, G., Danbolt, N.C., Bjørås, M., Zhang, Y., Bendahan, A., Eide, L., Koepsell, H., Storm-Mathisen, J., Seeberg, E. & Kanner, B.I. (1992) Cloning and expression of a rat brain L-glutamate transporter. *Nature*, **360**, 464-467.
- Poirier, J. & Hess, M., May, P.C. & Finch, C.E. (1991) Astrocytic apolipoprotein E mRNA and GFAP mRNA in hippocampus after entorhinal cortex lesioning. *Brain Res. Mol. Brain Res.*, **11**, 97-106.
- Raisman, G., Cowen, W.M. & Powell, T.P.S. (1965) The extrinsic, commissural and association fibres of the hippocampus. *Brain*, **88**, 963-996.
- Rose, G., Lynch, G. & Cotman, C. W. (1976) Hypertrophy and redistribution of astrocytes in the deafferented dentate gyrus. *Brain Res. Bull.*, **1**, 87-92.
- Rothstein, J.D., Dykes-Hoberg, M., Pardo, C.A., Bristol, L.A., Jin, L., Kuncl, R.W., Kanai, Y., Hediger, M.A., Wang, Y., Schielke, J.P. & Welty, D.F. (1996) Knockout of glutamate transporters reveals a major role for astroglial transport in excitotoxicity and clearance of glutamate. *Neuron*, **16**, 675-686.
- Rothstein, J.D., Martin, L., Levey, A.I., Dykes-Hoberg, M., Jin, L., Wu, D., Nash, N. & Kuncl, R.W. (1994) Localization of neuronal and glial glutamate transporters. *Neuron*, **13**, 713-725.
- Sambrook, J., Fritsch, E.F. & Maniatis, T. (1989) *Molecular Cloning. A Laboratory Manual*, 2nd edn. Cold Spring Harbor Laboratory Press, Cold Spring Harbor.
- Scheff, S.W. (1989) Synaptic reorganization after injury: the hippocampus as a model system. In Seil, F.S. (ed.), *Neural Regeneration and Transplantation*. Alan R. Liss, New York, NY, pp. 137-156.
- Scheff, S.W., Benardo, L.S. & Cotman, C.W. (1980) Decline in the reactive fibre growth in the dentate gyrus of aged rats compared to young adult rats following entorhinal cortex removal. *Brain Res.*, **199**, 21-38.
- Schmidbauer, J.M., Kugler, P. & Horváth, E. (1990) Glutamate producing aspartate aminotransferase in glutameric perforant path terminals of the rat hippocampus. *Histochemistry*, **94**, 427-433.

- Schmitt, A., Asan, E., Püschel, B., Jöns, T. & Kugler, P. (1996) Expression of the glutamate transporter GLT1 in neural cells of the rat central nervous system: non-radioactive in situ hybridization and comparative immunocytochemistry. *Neuroscience*, **71**, 989-1004.
- Schmitt, A., Asan, E., Püschel, B. & Kugler, P. (1997) Cellular and regional distribution of the glutamate transporter GLAST in the CNS of rats: non-radioactive in situ hybridization and comparative immunocytochemistry. *J. Neurosci.*, **17**, 1-10.
- Schmitt, A. & Kugler, P. (1999) Cellular and regional expression of glutamate dehydrogenase in the rat nervous system: non-radioactive in situ hybridization and comparative immunocytochemistry. *Neuroscience*, **92**, 293-308.
- Steward, O., Kelley, M.S. & Torre, E.R. (1993) The process of reinnervation in the dentate gyrus of adult rats: temporal relationship between changes in the level of glial fibrillary acidic protein (GFAP) and GFAP mRNA in reactive astrocytes. *Exp. Neurol.*, **124**, 167-183.
- Steward, O., Torre, E.R., Phillips, E.L. & Trimmer, P.A. (1990) The process of reinnervation in the dentate gyrus of adult rats: Time course of increases in mRNA of glial fibrillary acidic protein. *J. Neurosci.*, **10**, 2373-2384.
- Steward, O. & Vinsant, S.L. (1983) The process of reinnervation in the dentate gyrus of the adult rat: a quantitative electron microscopic analysis of terminal proliferation and reactive synaptogenesis. *J. Comp. Neurol.*, **214**, 370-386.
- Storck, T., Schulte, S., Hofmann, K. & Stoffel, W. (1992) Structure, expression, and functional analysis of a Na^+ -dependent glutamate/aspartate transporter from rat brain. *Proc. Natl. Acad. Sci. USA*, **89**, 10955-10959.
- Tanaka, K., Watase, K., Manabe, T., Yamada, K., Watanabe, M., Takahashi, K., Iwama, H., Nishikawa, T., Ichihara, N., Kikuchi, T., Okuyama, S., Kawashima, N., Hori, S., Takimoto, M. & Wada, K. (1997) Epilepsy and exacerbation in brain injury in mice lacking the glutamate transporter GLT1. *Science*, **276**, 1699-1702.
- Tetzlaff, W., Graeber, M.B., Bisby, M.A. & Kreutzberg, G.W. (1988) Increased glial fibrillary acidic protein synthesis in astrocytes during retrograde reaction of the rat facial nucleus. *Glia*, **1**, 90-95.

- Torp, R., Danbolt, N.C., Babaie, E., Bjoras, M., Seeberg, E., Storm-Mathisen, J. & Ottersen, O.P. (1994) Differential expression of two glial glutamate transporters in the rat brain: an in situ hybridization study. *Eur. J. Neurosci.*, **6**, 936-942.
- Torp, R., Hoover, F., Danbolt, N.C., Storm-Mathisen, J. & Ottersen, O.P. (1997) Differential distribution of the glutamate transporters GLT1 und rEAAC1. *Anat. Embryol. Berl.*, **195(4)**, 317-326
- Van Noorden, C.J.F., Tas, J. & Vogels, I.M. (1983) Cytophotometry of glucose-6-phosphate dehydrogenase activity in individual cells. *Histochem. J.*, **15**, 583-599.
- Velaz-Faircloth, M., McGraw, T.S., Malandro, M.S., Fremeau, R.T., Kilberg, M.S. & Anderson, K.J. (1996) Characterization and distribution of the neuronal glutamate transporter EAAC1 in rat brain. *Am. J. Physiol.*, **270** (*Cell Physiol.*, **39**), C67-C75.
- Vijayan, V.K. & Cotman, C.W. (1987) Hydrocortisone administration alters glial reaction to entorhinal lesion in the rat dentate gyrus. *Exp. Neurol.*, **96**, 307-320.
- Wagner, G.P., Oertel, W.H. & Wolff, J.R. (1983) Entorhinal lesion result in shrinkage of the outer molecular layer of rat dentate gyrus leading subsequently to an apparent increase of glutamate decarboxylase and cytochrome oxidase activities. *Neurosci. Lett.*, **39**, 255-260.