

## 6. Literaturverzeichnis

- **Aballay A, Ausubel FM.** *Caenorhabditis elegans* as a host for the study of host-pathogen interactions. Curr Opin Microbiol. **2002** 5(1):97-101
- **Abu Kwaik Y, Engleberg NC.** Cloning and molecular characterization of a *Legionella pneumophila* gene induced by intracellular infection and by various in vitro stress conditions. Mol Microbiol. **1994** 13(2):243-51.
- **Abu Kwaik Y, Fields BS, Engleberg NC.** Protein expression by the protozoan *Hartmannella vermiformis* upon contact with its bacterial parasite *Legionella pneumophila*. Infect Immun. **1994** b) (5):1860-6.
- **Abu Kwaik Y, Gao LY, Harb OS, Stone BJ.** Transcriptional regulation of the macrophage-induced gene (gspA) of *Legionella pneumophila* and phenotypic characterization of a null mutant. Mol Microbiol. **1997** (3):629-42.
- **Abu Kwaik Y, Gao LY, Stone BJ, Venkataraman C, Harb OS.** Invasion of protozoa by *Legionella pneumophila* and its role in bacterial ecology and pathogenesis. Appl Environ Microbiol. **1998** a 64(9):3127-33.
- **Abu Kwaik Y, Venkataraman C, Harb OS, Gao LY.** Signal transduction in the protozoan host *Hartmannella vermiformis* upon attachment and invasion by *Legionella micdadei*. Appl Environ Microbiol. **1998** b 64(9):3134-9.
- **Abu Kwaik Y.** Induced expression of the *Legionella pneumophila* gene encoding a 20-kilodalton protein during intracellular infection. Infect Immun. **1998** c 66(1):203-12
- **Adeleke A, Pruckler J, Benson R, Rowbotham T, Halablab M, Fields B.** *Legionella*-like amebal pathogens--phylogenetic status and possible role in respiratory disease. Emerg Infect Dis. **1996** 2(3):225-30
- **Aragon V, Kurtz S, Cianciotto NP.** *Legionella pneumophila* major acid phosphatase and its role in intracellular infection. Infect Immun. **2001** 69(1):177-85.
- **Atlas R. M.: Legionella:** from environmental habitats to disease pathology, detection and control. **1999** Environ. Micobiol. 1:283-293
- **Baca OG, Li YP, Kumar H.** Survival of the Q fever agent *Coxiella burnetii* in the phagolysosome. Trends Microbiol. **1994** 2(12):476-80
- **Bachman MA, Swanson MS.** RpoS co-operates with other factors to induce *Legionella pneumophila* virulence in the stationary phase. Mol Microbiol. **2001** 40(5):1201-14.
- **Baldeon ME, Ceresa BP, Casanova JE.** Expression of constitutively active Rab5 uncouples maturation of the *Salmonella*-containing vacuole from intracellular replication. Cell Microbiol. **2001** (7):473-86.
- **Baskerville A, Fitzgeorge RB, Broster M, Hambleton P.** Histopathology of experimental Legionnaires' disease in guinea pigs, rhesus monkeys and marmosets. J Pathol. **1983** 139(3):349-62.
- **Berendt RF, Young HW, Allen RG, Knutsen GL.** Dose-response of guinea pigs experimentally infected with aerosols of *Legionella pneumophila*. J Infect Dis. **1980** 141(2):186-92.
- **Berk SG, Ting RS, Turner GW, Ashburn RJ.** Production of respirable vesicles containing live *Legionella pneumophila* cells by two *Acanthamoeba* spp. Appl Environ Microbiol. **1998** 64(1):279-86.

- **Birtles RJ, Rowbotham TJ, Raoult D, Harrison TG.**, Phylogenetic diversity of intra-amoebal legionellae as revealed by 16S rRNA gene sequence comparison. *Microbiology*. **1996** 142 ( Pt 12):3525-30.
- **Bonner JT**, A descriptive study of the development of the slime mold *Dictyostelium discoideum*. **1944** Am. J. Bot. 31:175-782
- **Brieland JK, Fantone JC, Remick DG, LeGendre M, McClain M, Engleberg NC**. The role of *Legionella pneumophila*-infected *Hartmannella vermiformis* as an infectious particle in a murine model of Legionnaire's disease. *Infect Immun*. **1997** 65(12):5330-3
- **Brown, M. R. W., and Barker J.**, Unexplored reservoirs of pathogenic bacteria: protozoa and biofilms. *Trends Microbiol*. **1999** 46:46-50
- **Byrd TF, Horwitz MA**. Aberrantly low transferrin receptor expression on human monocytes is associated with nonpermissiveness for *Legionella pneumophila* growth. *J Infect Dis*. **2000** 181(4):1394-400.
- **Byrne B, Swanson MS**. Expression of *Legionella pneumophila* virulence traits in response to growth conditions. *Infect Immun*. **1998** 66(7):3029-34.
- **Cardelli J**. Phagocytosis and macropinocytosis in *Dictyostelium*: phosphoinositide-based processes, biochemically distinct. *Traffic*. **2001** 2(5):311-20.
- **Chadwick CM, Ellison JE, Garrod DR**. Dual role for *Dictyostelium* contact site B in phagocytosis and developmental size regulation. *Nature*. **1984** 16-22;307(5952):646-7.
- **Chia CP, Luna EJ**. Phagocytosis in *Dictyostelium discoideum* is inhibited by antibodies directed primarily against common carbohydrate epitopes of a major cell-surface plasma membrane glycoprotein. *Exp Cell Res*. **1989** 181(1):11-26.
- **Cirillo JD, Falkow S, Tompkins LS**. Growth of *Legionella pneumophila* in *Acanthamoeba castellanii* enhances invasion. *Infect Immun*. **1994** 62(8):3254-61.
- **Cirillo SL, Bermudez LE, El-Etr SH, Duhamel GE, Cirillo JD**. *Legionella pneumophila* entry gene rtxA is involved in virulence. *Infect Immun*. **2001** 69(1):508-17.
- **Cirillo SL, Yan L, Littman M, Samrakandi MM, Cirillo JD**. Role of the *Legionella pneumophila* rtxA gene in amoebae. *Microbiology*. **2002** 148(Pt 6):1667-77.
- **Coers J, Kagan JC, Matthews M, Nagai H, Zuckman DM, Roy CR**. Identification of Icm protein complexes that play distinct roles in the biogenesis of an organelle permissive for *Legionella pneumophila* intracellular growth. *Mol Microbiol*. **2000** 38(4):719-36.
- **Comerci DJ, Martinez-Lorenzo MJ, Sieira R, Gorvel JP, Ugalde RA**. Essential role of the VirB machinery in the maturation of the *Brucella abortus*-containing vacuole. *Cell Microbiol*. **2001** 3(3):159-68.
- **Cornillon S, Pech E, Benghezal M, Ravanel K, Gaynor E, Letourneur F, Bruckert F, Cosson P**. Phg1p is a nine-transmembrane protein superfamily member involved in *Dictyostelium* adhesion and phagocytosis. *J Biol Chem*. **2000** 275(44):34287-92.
- **Cosson P, Zulianello L, Join-Lambert O, Faurisson F, Gebbie L, Benghezal M, Van Delden C, Curty LK, Kohler T**. *Pseudomonas aeruginosa* virulence analyzed in a *Dictyostelium discoideum* host system. *J Bacteriol*. **2002** 184(11):3027-33
- **Cox D., Lee D. J., Dale B. M., Calafat J., Greenberg S.**, A Rab 11-containing rapidly recycling compartment in macrophages that promotes phagocytosis. *Proc Natl Acad Sci USA* **2000**, 97:680-685

- **Cox D., Wessels D., Soll D. R., Hartwig J., Condeelis J.** Re-expression of ABP-120 rescues cytoskeletal, motility and phagocytosis defects in ABP-120-*Dictyostelium* mutants. *Mol Biol Cell* **1996**, 7: 803-823
- **Coxon PY, Summersgill JT, Ramirez JA, Miller RD.** Signal transduction during *Legionella pneumophila* entry into human monocytes. *Infect Immun.* **1998** 66(6):2905-13.
- **Desjardins M, Celis JE, van Meer G, Dieplinger H, Jahraus A, Griffiths G, Huber LA.** Molecular characterization of phagosomes. *J Biol Chem.* **1994** 269(51):32194-200.
- **Desjardins M, Filion LG, Robertson S, Cameron DW.** Inducible immunity with a pilus preparation booster vaccination in an animal model of *Haemophilus ducreyi* infection and disease. *Infect Immun.* **1995** 63(5):2012-20.
- **Dietrich C, Heuner K, Brand BC, Hacker J, Steinert M.** Flagellum of *Legionella pneumophila* positively affects the early phase of infection of eukaryotic host cells. *Infect Immun.* **2001** 69(4):2116-22.
- **Diez E, Yaraghi Z, MacKenzie A, Gros P.** The neuronal apoptosis inhibitory protein (Naip) is expressed in macrophages and is modulated after phagocytosis and during intracellular infection with *Legionella pneumophila*. *J Immunol.* **2000** 164(3):1470-7.
- **Doyle RM, Cianciotto NP, Banvi S, Manning PA, Heuzenroeder MW.** Comparison of virulence of *Legionella longbeachae* strains in guinea pigs and U937 macrophage-like cells. *Infect Immun.* **2001** 69(9):5335-44.
- **Duclos S, Desjardins M.** Subversion of a young phagosome: the survival strategies of intracellular pathogens. *Cell Microbiol.* **2000** Oct;2(5):365-77
- **Dumenil G, Isberg RR.** The *Legionella pneumophila* IcmR protein exhibits chaperone activity for IcmQ by preventing its participation in high-molecular-weight complexes. *Mol Microbiol.* **2001** 40(5):1113-27.
- **Edelstein PH, Higa F, Edelstein MA.** In vitro activity of ABT-773 against *Legionella pneumophila*, its pharmacokinetics in guinea pigs, and its use to treat guinea pigs with *L. pneumophila* pneumonia. *Antimicrob Agents Chemother.* **2001** a 45(10):2685-90.
- **Edelstein PH, Shiznato T, Edelstein MA.** BMS-284756 (T-3811ME) a new fluoroquinolone: in vitro activity against *Legionella*, efficacy in a guinea pig model of *L. pneumophila* pneumonia and pharmacokinetics in guinea pigs. *J Antimicrob Chemother.* **2001** b 48(5):667-75.
- **Elliott JA, Winn WC Jr.** Treatment of alveolar macrophages with cytochalasin D inhibits uptake and subsequent growth of *Legionella pneumophila*. *Infect Immun.* **1986** 51(1):31-6.
- **Ferrari G, Langen H, Naito M, Pieters,** A coat protein on phagosomes involved in the intracellular survival of *mycobacteria*. *Cell.* **1999** 97(4):435-47.
- **Fettes PS, Susa M, Hacker J, Marre R.** Characterization of the *Legionella pneumophila* gene ligA. *Int J Med Microbiol.* **2000** 290(3):239-50.
- **Fields BS, Barbaree JM, Sanden GN, Morrill WE.** Virulence of a *Legionella anisa* strain associated with Pontiac fever: an evaluation using protozoan, cell culture, and guinea pig models. *Infect Immun.* **1990** a 58(9):3139-42.
- **Fields BS, Nerad TA, Sawyer TK, King CH, Barbaree JM, Martin WT, Morrill WE, Sanden GN.** Characterization of an axenic strain of *Hartmannella vermiformis* obtained from an investigation of nosocomial legionellosis. *J Protozool.* **1990** b 37(6):581-3.

- **Fields BS.** The molecular ecology of legionellae. Trends Microbiol. **1996** *a* 4(7):286-90.
- **Flieger A, Gong S, Faigle M, Deeg M, Bartmann P, Neumeister B.** Novel phospholipase A activity secreted by *Legionella* species. J Bacteriol. **2000** *a* 182(5):1321-7.
- **Flieger A, Gong S, Faigle M, Northoff H, Neumeister B.** In vitro secretion kinetics of proteins from *Legionella pneumophila* in comparison to proteins from non-pneumophila species. Microbiology. **2001** *a* 147(Pt 11):3127-34.
- **Flieger A, Gong S, Faigle M, Stevanovic S, Cianciotto NP, Neumeister B.** Novel lysophospholipase A secreted by *Legionella pneumophila*. J Bacteriol. **2001** *b* 183(6):2121-4.
- **Flieger A, Gongab S, Faigle M, Mayer HA, Kehrer U, Mussotter J, Bartmann P, Neumeister B.** Phospholipase A secreted by *Legionella pneumophila* destroys alveolar surfactant phospholipids. FEMS Microbiol Lett. **2000** *b* 188(2):129-33.
- **Forbes JR, Gros P.** Divalent-metal transport by NRAMP proteins at the interface of host-pathogen interactions. Trends Microbiol. **2001** Aug;9(8):397-403
- **Gao LY, Abu Kwaik Y.** Activation of caspase 3 during *Legionella pneumophila*-induced apoptosis. Infect Immun. **1999** *a* 67(9):4886-94.
- **Gao LY, Harb OS, Kwaik YA.** Identification of macrophage-specific infectivity loci (mil) of *Legionella pneumophila* that are not required for infectivity of protozoa. Infect Immun. **1998** *a* 66(3):883-92.
- **Gao LY, Kwaik YA.** The mechanism of killing and exiting the protozoan host Acanthamoeba polyphaga by *Legionella pneumophila*. Environ Microbiol. **2000** *a* 2(1):79-90.
- **Gao LY, Stone BJ, Brieland JK, Abu Kwaik Y.** Different fates of *Legionella pneumophila* pmi and mil mutants within macrophages and alveolar epithelial cells. Microb Pathog. **1998** *b* 25(6):291-306.
- **Gao LY, Susa M, Ticac B, Abu Kwaik Y.** Heterogeneity in intracellular replication and cytopathogenicity of *Legionella pneumophila* and *Legionella micdadei* in mammalian and protozoan cells. Microb Pathog. **1999** *b* 27(5):273-87.
- **Garduno RA, Faulkner G, Trevors MA, Vats N, Hoffman PS.** Immunolocalization of Hsp60 in *Legionella pneumophila*. J Bacteriol. **1998** *a* 180(3):505-13.
- **Garduno RA, Garduno E, Hoffman PS.** Surface-associated hsp60 chaperonin of *Legionella pneumophila* mediates invasion in a HeLa cell model. Infect Immun. **1998** *b* 66(10):4602-10.
- **Garduno RA, Quinn FD, Hoffman PS.** HeLa cells as a model to study the invasiveness and biology of *Legionella pneumophila*. Can J Microbiol. **1998** *c* 44(5):430-40.
- **Garin J, Diez R, Kieffer S, Dermine JF, Duclos S, Gagnon E, Sadoul R, Rondeau C, Desjardins M.** The phagosome proteome: insight into phagosome functions. J Cell Biol. **2001** *a* 152(1):165-80.
- **Grimm D, Ludwig WF, Brandt BC, Michel R, Schleifer KH, Hacker J, Steinert M.** Development of 18S rRNA-targeted oligonucleotide probes for specific detection of *Hartmannella* and *Naegleria* in *Legionella*-positive environmental samples. Syst Appl Microbiol. **2001** *a* 24(1):76-82.

- **Grimm, 2000**, Entwicklung von neuen Nachweismethoden für Legionellen und Amöben und ihre Anwendung in ökologischen Studien, Dissertation an der Universität Würzburg
- **Gustafsson K.** Growth and survival of four strains of *Francisella tularensis* in a rich medium preconditioned with *Acanthamoeba palestinensis*. *Can J Microbiol.* **1989** 35(12):1100-4.
- **Hägele S, Hacker J, Brand BC.**, *Legionella pneumophila* kills human phagocytes but not protozoan host cells by inducing apoptotic cell death. *FEMS Microbiol Lett.* **1998** 169(1):51-8.
- **Hägele S, Köhler R, Merkert H, Schleicher M, Hacker J, Steinert M.**, *Dictyostelium discoideum*: a new host model system for intracellular pathogens of the genus *Legionella*. *Cell Microbiol.* **2000** 2(2):165-71.
- **Hales LM, Shuman HA.** *Legionella pneumophila* contains a type II general secretion pathway required for growth in amoebae as well as for secretion of the Msp protease. *Infect Immun.* **1999** a 67(7):3662-6.
- **Hales LM, Shuman HA.** The *Legionella pneumophila* rpoS gene is required for growth within *Acanthamoeba castellanii*. *J Bacteriol.* **1999** b 181(16):4879-89.
- **Hammer BK, Swanson MS.** Co-ordination of *legionella pneumophila* virulence with entry into stationary phase by ppGpp. *Mol Microbiol.* **1999** 33(4):721-31.
- **Harb OS, Venkataraman C, Haack BJ, Gao LY, Kwaik YA.** Heterogeneity in the attachment and uptake mechanisms of the Legionnaires' disease bacterium, *Legionella pneumophila*, by protozoan hosts. *Appl Environ Microbiol.* **1998** 64(1):126-32.
- **Helbig JH, Kurtz JB, Pastoris MC, Pelaz C, Luck PC.** Antigenic lipopolysaccharide components of *Legionella pneumophila* recognized by monoclonal antibodies: possibilities and limitations for division of the species into serogroups. *J Clin Microbiol.* **1997** 35(11):2841-5.
- **Helbig JH, Luck PC, Knirel YA, Witzleb W, Zahringer U.** Molecular characterization of a virulence-associated epitope on the lipopolysaccharide of *Legionella pneumophila* serogroup 1. *Epidemiol Infect.* **1995** 115(1):71-8.
- **Helbig JH, Luck PC, Steinert M, Jacobs E, Witt M.** Immunolocalization of the Mip protein of intracellularly and extracellularly grown *Legionella pneumophila*. *Lett Appl Microbiol.* **2001** Feb;32(2):83-8
- **Heuner K, Bender-Beck L, Brand BC, Luck PC, Mann KH, Marre R, Ott M, Hacker J.** Cloning and genetic characterization of the flagellum subunit gene (flaA) of *Legionella pneumophila* serogroup 1. *Infect Immun.* **1995** 63(7):2499-507.
- **Heuner K, Brand BC, Hacker J.** The expression of the flagellum of *Legionella pneumophila* is modulated by different environmental factors. *FEMS Microbiol Lett.* **1999** 175(1):69-77.
- **Hickey EK, Cianciotto NP.** An iron- and fur-repressed *Legionella pneumophila* gene that promotes intracellular infection and encodes a protein with similarity to the *Escherichia coli* aerobactin synthetases. *Infect Immun.* **1997** 65(1):133-43.
- **Higa F, Edelstein PH.** Potential virulence role of the *Legionella pneumophila* ptsP ortholog. *Infect Immun.* **2001** 69(8):4782-9.
- **High N, Mounier J, Prevost MC, Sansonetti PJ.** IpaB of *Shigella flexneri* causes entry into epithelial cells and escape from the phagocytic vacuole. *EMBO J.* **1992** 11(5):1991-9.

- **Horwitz MA, Maxfield FR.** *Legionella pneumophila* inhibits acidification of its phagosome in human monocytes. *J Cell Biol.* **1984 a** 99(6):1936-43.
- **Horwitz MA.** Phagocytosis of the Legionnaires' disease bacterium (*Legionella pneumophila*) occurs by a novel mechanism: engulfment within a pseudopod coil. *Cell.* **1984 b** 36(1):27-33.
- **Husmann LK, Johnson W.** Adherence of *Legionella pneumophila* to guinea pig peritoneal macrophages, J774 mouse macrophages, and undifferentiated U937 human monocytes: role of Fc and complement receptors. *Infect Immun.* **1992** 60(12):5212-8.
- **Husmann LK, Johnson W.** Cytotoxicity of extracellular *Legionella pneumophila*. *Infect Immun.* **1994** 62(5):2111-4.
- **Jabado N, Jankowski A, Dougaparsad S, Picard V, Grinstein S, Gros P.** Natural resistance to intracellular infections: natural resistance-associated macrophage protein 1 (Nramp1) functions as a pH-dependent manganese transporter at the phagosomal membrane. *J Exp Med.* **2000** N192(9):1237-48.
- **Jepras RI, Fitzgeorge RB, Baskerville A.** A comparison of virulence of two strains of *Legionella pneumophila* based on experimental aerosol infection of guinea-pigs. *J Hyg (Lond).* **1985** 95(1):29-38
- **Joshi AD, Sturgill-Koszycki S, Swanson MS.** Evidence that Dot-dependent and -independent factors isolate the *Legionella pneumophila* phagosome from the endocytic network in mouse macrophages. *Cell Microbiol.* **2001** 3(2):99-114.
- **Jung G, Wu X, Hammer JA** *Dictyostelium* mutants lacking multiple classic myosin I isoforms reveal combinations of shared and distinct functions. *J Cell Biol.* **1996** 133(2):305-23.
- **Karakesisoglou I, Janssen KP, Eichinger L, Noegel AA, Schleicher M.** Identification of a suppressor of the *Dictyostelium* profilin-minus phenotype as a CD36/LIMP-II homologue. *J Cell Biol.* **1999** 145(1):167-81.
- **Kawashima A, Sato A, Kawashima M, Nitta K, Yumura W, Sugino N, Nihei H, Natori Y.** A simple procedure for the isolation of rat kidney lysosomes. *Kidney Int.* **1998** 54(1):275-8.
- **Kay RR, Williams JG.** The *Dictyostelium* genome project: an invitation to species hopping. *Trends Genet.* **1999** 15(8):294-7. Review.
- **Khelef N, Shuman HA, Maxfield FR.** Phagocytosis of wild-type *Legionella pneumophila* occurs through a wortmannin-insensitive pathway. *Infect Immun.* **2001** 69(8):5157-61.
- **Kikuhara H, Ogawa M, Miyamoto H, Nikaido Y, Yoshida S.** Intracellular multiplication of *Legionella pneumophila* in *Tetrahymena thermophila*. *J UOEH.* **1994** 16(4):263-75.
- **Kilvington S, Price J.** Survival of *Legionella pneumophila* within cysts of *Acanthamoeba polyphaga* following chlorine exposure. *J Appl Bacteriol.* **1990** 68(5):519-25.
- **King CH, Fields BS, Shotts EB Jr, White EH.** Effects of cytochalasin D and methylamine on intracellular growth of *Legionella pneumophila* in amoebae and human monocyte-like cells. *Infect Immun.* **1991** 59(3):758-63
- **Kirby JE, Isberg RR.** Legionnaires' disease: the pore macrophage and the legion of terror within. *Trends Microbiol.* **1998 a** 6(7):256-8

- Kirby JE, Vogel JP, Andrews HL, Isberg RR. Evidence for pore-forming ability by *Legionella pneumophila*. Mol Microbiol. 1998 b 27(2):323-36.
- Knirel YA, Rietschel ET, Marre R, Zahringer U. The structure of the O-specific chain of *Legionella pneumophila* serogroup 1 lipopolysaccharide. Eur J Biochem. 1994 221(1):239-45.
- Köhler R, Bubert A, Goebel W, Steinert M, Hacker J, Bubert B., Expression and use of the green fluorescent protein as a reporter system in *Legionella pneumophila*. Mol Gen Genet. 2000 a 262(6):1060-9.
- Köhler, 2000 b, Entwicklung eines GFP-Reportersystems in *Legionella* und molekularbiologische Funktionsanalyse des *Legionella* Mip-Proteins
- Kuehnel MP, Goethe R, Habermann A, Mueller E, Rohde M, Griffiths G, Valentini-Weigand P., Characterization of the intracellular survival of *Mycobacterium avium* ssp. paratuber-culosis: phagosomal pH and fusogenicity in J774 macrophages compared with other *mycobacteria*. Cell Microbiol. 2001 3(8):551-66.
- Kuserk F. T., The relationship between cellular slime molds and bacteria in forest soils, Ecology 1980 61(6): 1474-1485
- La Scola B, Mezi L, Weiller PJ, Raoult D. Isolation of *Legionella anisa* using an amoebic coculture procedure. J Clin Microbiol. 2001 39(1):365-6.
- Liles MR, Edelstein PH, Cianciotto NP. The prepilin peptidase is required for protein secretion by and the virulence of the intracellular pathogen *Legionella pneumophila*. Mol Microbiol. 1999 31(3):959-70
- Liles MR, Scheel TA, Cianciotto NP. Discovery of a nonclassical siderophore, legiobactin, produced by strains of *Legionella pneumophila*. J Bacteriol. 2000 182(3):749-57.
- Lührmann A, Haas A. A method to purify bacteria-containing phagosomes from infected macrophages. Methods Cell Sci. 2000;22(4):329-41.
- Lüneberg E, Mayer B, Daryab N, Kooistra O, Zahringer U, Rohde M, Swanson J, Frosch M. Chromosomal insertion and excision of a 30 kb unstable genetic element is responsible for phase variation of lipopolysaccharide and other virulence determinants in *Legionella pneumophila*. Mol Microbiol. 2001 39(5):1259-71.
- Ly TM, Muller HE. Ingested *Listeria monocytogenes* survive and multiply in protozoa. J Med Microbiol. 1990 33(1):51-4.
- Maicher MT, Tiedtke A. Biochemical analysis of membrane proteins from an early maturation stage of phagosomes. Electrophoresis. 1999 20(4-5):1011-6.
- Malchow D, Mutzel R, Schlatterer C. On the role of calcium during chemotactic signalling and differentiation of the cellular slime mould *Dictyostelium discoideum*. Int J Dev Biol. 1996 40(1):135-9.
- Maniak M. Fluid-phase uptake and transit in axenic *Dictyostelium* cells. Biochim Biophys Acta. 2001 1525(3):197-204
- Manstein DJ, Schuster HP, Morandini P, Hunt DM. Cloning vectors for the production of proteins in *Dictyostelium discoideum*. Gene. 1995 162(1):129-34.
- Manz W, Amann R, Szewzyk R, Szewzyk U, Stenstrom TA, Hutzler P, Schleifer KH., In situ identification of *Legionellaceae* using 16S rRNA-targeted oligonucleotide probes and confocal laser scanning microscopy. Microbiology. 1995 141 ( Pt 1):29-39.

- **Matthews M, Roy CR.** Identification and subcellular localization of the *Legionella pneumophila* IcmX protein: a factor essential for establishment of a replicative organelle in eukaryotic host cells. *Infect Immun.* **2000** 68(7):3971-82.
- **McCaul TF, Williams JC.** Developmental cycle of *Coxiella burnetii*: structure and morphogenesis of vegetative and sporogenic differentiations. *J Bacteriol.* **1981** 147(3):1063-76.
- **McDade, J. E., Shepard, C. C., Fraser D. W., Tsai T. R., Redus M. A., Dowdle W.R.,** Legionnaires' disease: isolation of a bacterium and demonstration of its role in other respiratory disease. *N. Engl. J. Med.* **1977** 297: 1197-1203
- **Michel R, Burghardt H, Bergmann H.** *Acanthamoeba*, naturally intracellularly infected with *Pseudomonas aeruginosa*, after their isolation from a microbiologically contaminated drinking water system in a hospital *Zentralbl Hyg Umweltmed.* **1995** 196(6):532-44.
- **Michel T, Reichhart JM, Hoffmann JA, Royet J.** *Drosophila* Toll is activated by Gram-positive bacteria through a circulating peptidoglycan recognition protein. *Nature.* **2001** 414(6865):756-9.
- **Moffat JF, Black WJ, Tompkins LS.** Further molecular characterization of the cloned *Legionella pneumophila* zinc metalloprotease. *Infect Immun.* **1994** 62(2):751-3.
- **Moffat JF, Edelstein PH, Regula DP Jr, Cirillo JD, Tompkins LS.** Effects of an isogenic Zn-metalloprotease-deficient mutant of *Legionella pneumophila* in a guinea-pig pneumonia model. *Mol Microbiol.* **1994** 12(5):693-705.
- **Molmeret M, Alli OA, Radulic M, Susa M, Doric M, Kwaik YA.** The C-terminus of IcmT is essential for pore formation and for intracellular trafficking of *Legionella pneumophila* within *Acanthamoeba polyphaga*. *Mol Microbiol.* **2002** 43(5):1139-50.
- **Mordue DG, Desai N, Dustin M, Sibley LD.** Invasion by *Toxoplasma gondii* establishes a moving junction that selectively excludes host cell plasma membrane proteins on the basis of their membrane anchoring. *J Exp Med.* **1999** 190(12):1783-92.
- **Müller A, Hacker J, Brand BC.** Evidence for apoptosis of human macrophage-like HL-60 cells by *Legionella pneumophila* infection. *Infect Immun.* **1996** 64(12):4900-6.
- **Mullins RD, Machesky LM.** Actin assembly mediated by Arp2/3 complex and WASP family proteins. *Methods Enzymol.* **2000**;325:214-37.
- **Murga R, Forster TS, Brown E, Pruckler JM, Fields BS, Donlan RM.** Role of biofilms in the survival of *Legionella pneumophila* in a model potable-water system. *Microbiology.* **2001** 147(Pt 11):3121-6.
- **Mutzel R.,** Molecular biology, growth and development of the cellular slime mold *Dictyostelium discoideum*, *Experientia* **1995** 51:1103-1109
- **Nagai H, Kagan JC, Zhu X, Kahn RA, Roy CR.** A bacterial guanine nucleotide exchange factor activates ARF on *Legionella* phagosomes. *Science.* **2002** 295(5555):679-82.
- **Nellen W, Firtel RA.** High-copy-number transformants and co-transformation in *Dictyostelium*. *Gene.* **1985**;39(2-3):155-63
- **Niewohner J, Weber I, Maniak M, Muller-Taubenberger A, Gerisch G.** Talin-null cells of *Dictyostelium* are strongly defective in adhesion to particle and substrate surfaces and slightly impaired in cytokinesis. *J Cell Biol.* **1997** 138(2):349-61.

- **Noegel AA, Luna JE.** The *Dictyostelium* cytoskeleton. *Experientia*. **1995** 51(12):1135-43.
- **Oh YK, Straubinger RM.,** Intracellular fate of *Mycobacterium avium*: use of dual-label spectrofluorometry to investigate the influence of bacterial viability and opsonization on phagosomal pH and phagosome-lysosome interaction. *Infect Immun*. **1996** 64(1):319-25.
- **Olie RA, Durrieu F, Cornillon S, Loughran G, Gross J, Earnshaw WC, Golstein P.** Apparent caspase independence of programmed cell death in *Dictyostelium*. *Curr Biol*. **1998** 8(17):955-8.
- **Park DR, Skerrett SJ.** IL-10 enhances the growth of *Legionella pneumophila* in human mononuclear phagocytes and reverses the protective effect of IFN-gamma: differential responses of blood monocytes and alveolar macrophages. *J Immunol*. **1996** 157(6):2528-38.
- **Payne NR, Horwitz MA.** Phagocytosis of *Legionella pneumophila* is mediated by human monocyte complement receptors. *J Exp Med*. **1987** 166(5):1377-89.
- **Pizarro-Cerdá J, Jonquieres R, Gouin E, Vandekerckhove J, Garin J, Cossart P.,** Distinct protein patterns associated with *Listeria monocytogenes* InlA- or InlB-phagosomes, *Cellular Microbiology* **2002**, 4(2), 101-115
- **Pukatzki S, Kessin RH, Mekalanos JJ.** The human pathogen *Pseudomonas aeruginosa* utilizes conserved virulence pathways to infect the social amoeba *Dictyostelium discoideum*. *Proc Natl Acad Sci U S A*. **2002** 99(5):3159-64.
- **Rechnitzer C, Blom J.** Engulfment of the Philadelphia strain of *Legionella pneumophila* within pseudopod coils in human phagocytes. Comparison with other *Legionella* strains and species. *APMIS*. **1989** 97(2):105-14.
- **Rezabek BL, Rodriguez-Paris JM, Cardelli JA, Chia CP.** Phagosomal proteins of *Dictyostelium discoideum*. *J Eukaryot Microbiol*. **1997** 44(4):284-92.
- **Riffard S, Douglass S, Brooks T, Springthorpe S, Filion LG, Sattar SA.** Occurrence of *Legionella* in groundwater: an ecological study. *Water Sci Technol*. **2001**;43(12):99-102
- **Rodriguez-Paris JM, Nolta KV, Steck TL.,** Characterization of lysosomes isolated from *Dictyostelium discoideum* by magnetic fractionation. *J Biol Chem*. **1993** 268(12):9110-6.
- **Rossier O, Cianciotto NP.** Type II protein secretion is a subset of the PilD-dependent processes that facilitate intracellular infection by *Legionella pneumophila*. *Infect Immun*. **2001** 69(4):2092-8.
- **Rowbotham TJ.** Current views on the relationships between amoebae, legionellae and man. *Isr J Med Sci*. **1986** 22(9):678-89.
- **Rowbotham TJ.,** Preliminary report on the pathogenicity of *Legionella pneumophila* for freshwater and soil amoebae. *J Clin Pathol* **1980** Dec;33(12):1179-83
- **Roy CR, Berger KH, Isberg RR.** *Legionella pneumophila* DotA protein is required for early phagosome trafficking decisions that occur within minutes of bacterial uptake. *Mol Microbiol*. **1998** 28(3):663-74.
- **Roy CR, Isberg RR.** Topology of *Legionella pneumophila* DotA: an inner membrane protein required for replication in macrophages. *Infect Immun*. **1997** 65(2):571-8.
- **Rupper A, Cardelli J.** Regulation of phagocytosis and endo-phagosomal trafficking pathways in *Dictyostelium discoideum*. *Biochim Biophys Acta*. **2001** 1525(3):205-16

- **Russell DG.** *Mycobacterium tuberculosis*: here today, and here tomorrow. Nat Rev Mol Cell Biol. **2001** 2(8):569-77
- **Schwarz EC, Neuhaus EM, Kistler C, Henkel AW, Soldati T.** *Dictyostelium* myosin IK is involved in the maintenance of cortical tension and affects motility and phagocytosis. J Cell Sci. **2000** 113 ( Pt 4):621-33.
- **Segal G, Shuman HA.** Intracellular multiplication and human macrophage killing by *Legionella pneumophila* are inhibited by conjugal components of IncQ plasmid RSF1010. Mol Microbiol. **1998** 30(1):197-208.
- **Shuman HA, Purcell M, Segal G, Hales L, Wiater LA.** Intracellular multiplication of *Legionella pneumophila*: human pathogen or accidental tourist? Curr Top Microbiol Immunol. **1998**;225:99-112
- **Skerrett SJ, Bagby GJ, Schmidt RA, Nelson S.** Antibody-mediated depletion of tumor necrosis factor-alpha impairs pulmonary host defenses to *Legionella pneumophila*. J Infect Dis. **1997** 176(4):1019-28.
- **Skriwan C, Fajardo M, Hägele S, Horn M, Wagner M, Michel R, Krohne G, Schleicher M, Hacker J, Steinert M.**, Various bacterial pathogens and symbionts infect the amoeba *Dictyostelium discoideum*. Int J Med Microbiol. **2002** 291(8):615-24.
- **Smith GA, Marquis H, Jones S, Johnston NC, Portnoy DA, Goldfine H.** The two distinct phospholipases C of *Listeria monocytogenes* have overlapping roles in escape from a vacuole and cell-to-cell spread. Infect Immun. **1995** 63(11):4231-7.
- **Smith-Somerville HE, Huryn VB, Walker C, Winters AL.** Survival of *Legionella pneumophila* in the cold-water ciliate *Tetrahymena vorax*. Appl Environ Microbiol. **1991** 57(9):2742-9.
- **Solomon JM, Rupper A, Cardelli JA, Isberg RR.** Intracellular growth of *Legionella pneumophila* in *Dictyostelium discoideum*, a system for genetic analysis of host-pathogen interactions. Infect Immun. **2000** 68(5):2939-47.
- **Souza GM, Mehta DP, Lammertz M, Rodriguez-Paris J, Wu R, Cardelli JA, Freeze HH.** *Dictyostelium* lysosomal proteins with different sugar modifications sort to functionally distinct compartments. J Cell Sci. **1997** 110 ( Pt 18):2239-48.
- **Steele-Mortimer O, Meresse S, Gorvel JP, Toh BH, Finlay BB.** Biogenesis of *Salmonella typhimurium*-containing vacuoles in epithelial cells involves interactions with the early endocytic pathway. Cell Microbiol. **1999** 1(1):33-49.
- **Steinert M, Birkness K, White E, Fields B, Quinn F.** *Mycobacterium avium* bacilli grow saprozoically in coculture with *Acanthamoeba polyphaga* and survive within cyst walls. Appl Environ Microbiol. **1998** 64(6):2256-61.
- **Steinert M, Emody L, Amann R, Hacker J.** Resuscitation of viable but nonculturable *Legionella pneumophila* Philadelphia JR32 by *Acanthamoeba castellanii*. Appl Environ Microbiol. **1997** 63(5):2047-53.
- **Steudel, C,** Molekulare und antigene Charakterisierung von Proteinen aus *Legionella pneumophila*, Dissertation an der TU-Dresden, **2001**
- **Stone BJ, Kwaik YA.** Natural competence for DNA transformation by *Legionella pneumophila* and its association with expression of type IV pili. J Bacteriol. **1999** 181(5):1395-402.
- **Sturgill-Koszycki S, Swanson MS.** *Legionella pneumophila* replication vacuoles mature into acidic, endocytic organelles. J Exp Med. **2000** 192(9):1261-72.

- **Susa M, Hacker J, Marre R.** De novo synthesis of *Legionella pneumophila* antigens during intracellular growth in phagocytic cells. *Infect Immun.* **1996** 64(5):1679-84.
- **Susa M, Ticac B, Rukavina T, Doric M, Marre R.** *Legionella pneumophila* infection in intratracheally inoculated T cell-depleted or -nondepleted A/J mice. *J Immunol.* **1998** 160(1):316-21.
- **Sutoh K.** A transformation vector for *Dictyostelium discoideum* with a new selectable marker bsr. *Plasmid.* **1993** 30(2):150-4.
- **Swanson MS, Hammer BK.** *Legionella pneumophila* pathogenesis: a fateful journey from amoebae to macrophages. *Annu Rev Microbiol.* **2000**;54:567-613
- **Swanson MS, Isberg RR.** Analysis of the intracellular fate of *Legionella pneumophila* mutants. *Ann N Y Acad Sci.* **1996** a 797:8-18.
- **Swanson MS, Isberg RR.** Association of *Legionella pneumophila* with the macrophage endoplasmic reticulum. *Infect Immun.* **1995** 63(9):3609-20.
- **Swanson MS, Isberg RR.** Identification of *Legionella pneumophila* mutants that have aberrant intracellular fates. *Infect Immun.* **1996** b 64(7):2585-94.
- **Szeto L, Shuman HA.** The *Legionella pneumophila* major secretory protein, a protease, is not required for intracellular growth or cell killing. *Infect Immun.* **1990** 58(8):2585-92.
- **Tateda K, Moore TA, Newstead MW, Tsai WC, Zeng X, Deng JC, Chen G, Reddy R, Yamaguchi K, Standiford TJ.** Chemokine-dependent neutrophil recruitment in a murine model of *Legionella pneumonia*: potential role of neutrophils as immunoregulatory cells. *Infect Immun.* **2001** 69(4):2017-24.
- **Thom S, Warhurst D, Drasar BS.** Association of *Vibrio cholerae* with fresh water amoebae. *J Med Microbiol.* **1992** 36(5):303-6.
- **Tilney LG, Harb OS, Connelly PS, Robinson CG, Roy CR.** How the parasitic bacterium *Legionella pneumophila* modifies its phagosome and transforms it into rough ER: implications for conversion of plasma membrane to the ER membrane. *J Cell Sci.* **2001** 114(Pt 24):4637-50.
- **Tsukano H, Kura F, Inoue S, Sato S, Izumiya H, Yasuda T, Watanabe H.** *Yersinia pseudotuberculosis* blocks the phagosomal acidification of B10.A mouse macrophages through the inhibition of vacuolar H(+)-ATPase activity. *Microb Pathog.* **1999** 27(4):253-63.
- **Tyndall RL, Domingue EL.** Cocultivation of *Legionella pneumophila* and free-living amoebae. *Appl Environ Microbiol.* **1982** 44(4):954-9.
- **Venkataraman C, Haack BJ, Bondada S, Abu Kwaik Y.** Identification of a Gal/GalNAc lectin in the protozoan *Hartmannella vermiformis* as a potential receptor for attachment and invasion by the Legionnaires' disease bacterium. *J Exp Med.* **1997** 186(4):537-47.
- **Viswanathan VK, Edelstein PH, Pope CD, Cianciotto NP.** The *Legionella pneumophila* iraAB locus is required for iron assimilation, intracellular infection, and virulence. *Infect Immun.* **2000** 68(3):1069-79.
- **Viswanathan VK, Kurtz S, Pedersen LL, Abu-Kwaik Y, Krcmarik K, Mody S, Cianciotto NP.** The cytochrome c maturation locus of *Legionella pneumophila* promotes iron assimilation and intracellular infection and contains a strain-specific insertion sequence element. *Infect Immun.* **2002** 70(4):1842-52.

- **Vogel G, Thilo L, Schwarz H, Steinhart R.** Mechanism of phagocytosis in *Dictyostelium discoideum*: phagocytosis is mediated by different recognition sites as disclosed by mutants with altered phagocytotic properties. *J Cell Biol.* **1980** 86(2):456-65
- **Vogel JP, Andrews HL, Wong SK, Isberg RR.** Conjugative transfer by the virulence system of *Legionella pneumophila*. *Science.* **1998** 279(5352):873-6.
- **Vogel JP, Isberg RR.** Cell biology of *Legionella pneumophila*. *Curr Opin Microbiol.* **1999** 2(1):30-4.
- **Watarai M, Andrews HL, Isberg RR.** Formation of a fibrous structure on the surface of *Legionella pneumophila* associated with exposure of DotH and DotO proteins after intracellular growth. *Mol Microbiol.* **2001** a 39(2):313-29.
- **Watarai M, Derre I, Kirby J, Growney JD, Dietrich WF, Isberg RR.** *Legionella pneumophila* is internalized by a macropinocytotic uptake pathway controlled by the Dot/Icm system and the mouse Lgn1 locus. *J Exp Med.* **2001** b 194(8):1081-96.
- **Weinbaum DL, Benner RR, Dowling JN, Alpern A, Pasculle AW, Donowitz GR.** Interaction of *Legionella micdadei* with human monocytes. *Infect Immun.* **1984** 46(1):68-73.
- **Wiebe ME, Burton PR, Shankel DM.** Isolation and characterization of two cell types of *Coxiella burnetii* phase I. *J Bacteriol.* **1972** 110(1):368-77
- **Winiecka-Krusnell J, Linder E.** Free-living amoebae protecting *Legionella* in water: the tip of an iceberg? *Scand J Infect Dis.* **1999**;31(4):383-5.
- **Winiecka-Krusnell J, Wreiber K, von Euler A, Engstrand L, Linder E.** Free-living amoebae promote growth and survival of *Helicobacter pylori*. *Scand J Infect Dis.* **2002**;34(4):253-6.
- **Winn WC.: Legionella.** In: Murray, P. R., Baron E. J., Pfaffer M. A., Tenover F. C., Yolken R. H. (eds.): *Manual of clinical microbiology*. **1999** ASM, Washington DC: 572-585
- **Zähringer U, Knirel YA, Lindner B, Helbig JH, Sonesson A, Marre R, Rietschel ET.** The lipopolysaccharide of *Legionella pneumophila* serogroup 1 (strain Philadelphia 1): chemical structure and biological significance. *Prog Clin Biol Res.* **1995**;392:113-39
- **Zink SD, Pedersen L, Cianciotto NP, Abu-Kwaik Y.** The Dot/Icm type IV secretion system of *Legionella pneumophila* is essential for the induction of apoptosis in human macrophages. *Infect Immun.* **2002** 70(3):1657-63.
- **Zusman T, Gal-Mor O, Segal G.** Characterization of a *Legionella pneumophila* relA insertion mutant and roles of RelA and RpoS in virulence gene expression. *J Bacteriol.* **2002** 184(1):67-75.