

5. REFERENCES

- Ackerman MR, NF Cheville, BL Deyoe.** 1988. Bovine ileal dome lymphoepithelial cells: endocytosis and transport of *Brucella abortus* strain 19. *Vet. Pathol.* **25:** 28-35
- Allen A, G Flemstrom, A Garner, E Kivilaakso.** 1993. Gastroduodenal mucosal protection. *Physiol. Rev.* **73:** 823-857
- Alvarez-Dominguez C, E Carrasco-Marin, F Leyva-Cobian.** 1993. Role of complement component C1q in phagocytosis of *Listeria monocytogenes* by murine macrophage-like cell lines. *Infect. Immun.* **61:** 3664-72
- Alvarez-Dominguez C, JA Vazquez-Boland, E Carrasco-Marin, P Lopez-Mato, F Leyva-Cobian.** 1997. Host cell heparan sulfate proteoglycans mediate attachment and entry of *Listeria monocytogenes*, and the listerial surface protein ActA is involved in heparan sulfate receptor recognition. *Infect. Immun.* **65:** 78-88
- Amerongen HM, R Weltzin, CM Farnet, P Michetti, WA Haseltine, MR Neutra.** 1991. Transepithelial transport of HIV-1 by intestinal M cells: a mechanism for transmission of AIDS. *J. Acquired Immune Defic. Syndr.* **4:** 760-765
- Autenrieth IB, R Firsching.** 1996. Penetration of M cells and destruction of Peyer's patches by *Yersinia enterocolitica*: an ultrastructural and histological study. *J. Med. Microbiol.* **44:** 285-94
- Bäumler AJ, F Heffron.** 1995. Identification and sequence analysis of *lpfABCDE*, a putative fimbrial operon of *Salmonella typhimurium*. *J. Bacteriol.* **177:** 2087-2097
- Bäumler AJ, JG Kusters, I Stojiljkovic, F Heffron.** 1994. *Salmonella typhimurium* loci involved in survival within macrophages. *Infect. Immun.* **62:** 1623-1630
- Bäumler AJ, RM Tsolis, F Heffron.** 1996. The *lpf* fimbrial operon mediates adhesion of *Salmonella* typhimurium to murine Peyer's patches. *Proc. Natl. Acad. Sci. USA.* **93:** 279-283
- Berche P.** 1995. Bacteremia is required for invasion of the murine central nervous system by *Listeria monocytogenes*. *Microb. Pathog.* **18:** 323-336
- Bockman DE, MD Cooper.** 1973. Pinocytosis by epithelium associated with lymphoid follicles in the bursa of Fabricius, appendix, and Peyer's patches. An electron microscopic study. *Am. J. Anat.* **136:** 455-477
- Braun L, H Ohayon, P Cossart.** 1998. The InlB protein of *Listeria monocytogenes* is sufficient to promote entry into mammalian cells. *Mol. Microbiol.* **27:** 1077-1087
- Braun L, S Dramsi, P Dehoux, H Bierne, G Lindahl, P Cossart.** 1997. InlB: an invasion protein of *Listeria monocytogenes* with a novel type of surface association. *Mol. Microbiol.* **25:** 285-294
- Buchmeier N, S Bossie, C-Y Chen, FC Fang, DG Guiney, SJ Libby.** 1997. SlyA, a transcriptional regulator of *Salmonella typhimurium*, is required for resistance to oxidative stress and is expressed in the intracellular environment of macrophages. *Infect. Immun.* **65:** 3725-3730
- Carter PB, FM Collins.** 1974. The route of enteric infection in normal mice. *J. Exp. Med.* **139:** 1189-1203
- Castillo (del) I, JE González Pastor, JL San Millán, F Moreno.** 1991. Nucleotide sequence of the *Escherichia coli* regulatory gene *mprA* and construction and characterization of *mprA*-deficient mutants. *J. Bacteriol.* **173:** 3924-3929
- Castillo (del) I, JM Gómez, F Moreno.** 1990. *mprA*, an *Escherichia coli* gene that reduces growth-phase-dependent synthesis of microcins B17 and C7 and blocks osmoinduction of *proU* when cloned on a high-copy-number plasmid. *J. Bacteriol.* **172:** 437-445

- Chen LM, K Kaniga, JE Galán.** 1996a. *Salmonella* spp. are cytotoxic for cultured macrophages. *Mol. Microbiol.* **21:** 1101-1115
- Chen LM, S Hobbie, JE Galán.** 1996b. Requirement of CDC42 for *Salmonella*-induced cytoskeletal and nuclear responses. *Science.* **274:** 2115-2118
- Claeys S, C Cuvelier, J Quatacker, P van Cauwenberge.** 1996a. Ultrastructural investigation of M cells and lymphoepithelial contacts in naso-pharyngeal associated lymphoid tissue (NALT). *Acta. Otolaryngol. Suppl* **523:** 40-42
- Claeys S, C Cuvelier, P van Cauwenberge.** 1996b. Immunohistochemical analyses of the lymphoepithelium in human nasopharyngeal associated lymphoid tissue (NALT). *Acta. Otolaryngol. Suppl* **523:** 38-39
- Clark MA, MA Jepson, NL Simmons, BH Hirst.** 1994. Preferential interaction of *Salmonella typhimurium* with mouse Peyer's patch M cells. *Res. Microbiol.* **145:** 543-552
- Clark MA, MA Jepson, NL Simmons, TA Booth, BH Hirst.** 1993. Differential expression of lectin-binding sites defines mouse intestinal M-cells. *J. Histochem. Cytochem.* **41:** 1679-1687
- Coconnier MH, MF Bernet, S Kernéis, G Chauvière, J Fourniat, L Servin.** 1993. Inhibition of adhesion of enteroinvasive pathogens to human intestinal Caco-2 cells by *Lactobacillus acidophilus* strain LB decreases bacterial invasion. *FEMS Microbiol. Lett.* **110:** 299-306
- Dalton CB, CC Austin, J Sobel, PS Hayes, WF Bibb, LM Graves, B Swaminathan, ME Proctor, PM Griffin.** 1997. An outbreak of gastroenteritis and fever due to *Listeria monocytogenes* in milk. *N. Engl. J. Med.* **336:** 100-105
- Daniels JJD, IB Autenrieth, A Ludwig, W Goebel.** 1996. The gene *slyA* of *Salmonella typhimurium* is required for destruction of M cells and intracellular survival but not for invasion or colonization of the murine small intestine. *Infect. Immun.* **64:** 5075-5084
- Dehoux P, P Cossart.** 1995. Homologies between salmolysin and some bacterial regulatory proteins. *Mol. Microbiol.* **15:** 591-591
- Dramsi S, I Biswas, E Maguin, L Braun, P Mastroeni, P Cossart.** 1995. Entry of *Listeria monocytogenes* into hepatocytes requires expression of InlB, a surface protein of the internalin multigene family. *Mol. Microbiol.* **16:** 251-261
- Dramsi S, M Lebrun, P Cossart.** 1996. Molecular and genetic determinants involved in invasion of mammalian cells by *Listeria monocytogenes*. *Curr. Top. Microbiol. Immunol.* **209:** 61-77
- Dramsi S, P Dehoux, M Lebrun, PL Goossens, P Cossart.** 1997. Identification of four new members of the internalin multigene family of *Listeria monocytogenes* EGD. *Infect. Immun.* **65:** 1615-1625
- Drevets DA, PA Campbell.** 1991. Roles of complement and complement receptor type 3 in phagocytosis of *Listeria monocytogenes* by inflammatory mouse peritoneal macrophages. *Infect. Immun.* **59:** 2645-2652
- Dunne DW, D Resnick, J Greenberg, M Krieger, KA Joiner.** 1994. The type I macrophage scavenger receptor binds to gram-positive bacteria and recognizes lipoteichoic acid. *Proc. Natl. Acad. Sci. U S A.* **91:** 1863-1867
- Engelbrecht F, G Dominguez-Bernal, J Hess, C Dickneite, L Greiffenberg, R Lampidis, D Raffelsbauer, JJD Daniels, J Keft, SHE Kaufmann, J-A Vázquez-Boland, W Goebel.** 1998. A novel PrfA-regulated chromosomal locus, which is specific for *Listeria ivanovii*, encodes two small, secreted internalins and contributes to virulence in mice. *Mol. Microbiol.* **30:** 405-417
- Engelbrecht F, S Chun, C Ochs, J Hess, F Lottspeich, W Goebel, Z Sokolovic.** 1996. A new PrfA-regulated gene of *Listeria monocytogenes* encoding a small, secreted protein which belongs to the family of internalins. *Mol. Microbiol.* **21:** 823-837

- Farber JM, PI Peterkin.** 1991. *Listeria monocytogenes*, a food-borne pathogen. *Microbiol. Rev.* **55:** 476-511
- Finlay BB, S Falkow.** 1997. Common themes in microbial pathogenicity revisited. *Microbiol. Mol. Biol. Rev.* **61:** 136-169
- Finlay BB, S Ruschkowski, S Dedhar.** 1991. Cytoskeletal rearrangements accompanying *Salmonella* entry into epithelial cells. *J. Cell Sci.* **99:** 283-296
- Francis CL, TA Ryan, BD Jones, SJ Smith, S Falkow.** 1993. Ruffles induced by *Salmonella* and other stimuli direct macropinocytosis of bacteria. *Nature.* **364:** 639-642
- Fujimura Y.** 1986. Functional morphology of microfold cells (M cells) in Peyer's patches: phagocytosis and transport of BCG by M cells into rabbit Peyer's patches. *Gastroenterol. Jpn.* **21:** 325-335
- Fujimura Y, K Ohtani, R Kamoi, T Kato, K Kozuka, N Miyashima, J Uchida, T Kihara, H Mine.** 1989. An ultrastructural study of the ileal invasion process of *Yersinia pseudotuberculosis* in rabbits. *J. Clin. Electron Microsc.* **22:** 5-6
- Gaillard J-L, P Berche, C Frehel, E Gouin, P Cossart.** 1991. Entry of *L. monocytogenes* into cells is mediated by internalin, a repeat protein reminiscent of surface antigens from gram-positive cocci. *Cell.* **65:** 1127-1141
- Gaillard J-L, F Jaubert, P Berche.** 1996. The *inlAB* locus mediates the entry of *Listeria monocytogenes* into hepatocytes in vivo. *J. Exp. Med.* **183:** 359-69
- Galán JE.** 1996a. Molecular and cellular bases of *Salmonella* entry into host cells. *Curr. Top. Microbiol. Immunol.* **209:** 43-60
- Galán JE.** 1996b. Molecular genetic basis of *Salmonella* entry into host cells. *Mol. Microbiol.* **20:** 263-271
- Galán JE, J Pace, MJ Hayman.** 1992. Involvement of the epidermal growth factor receptor in the invasion of cultured mammalian cells by *Salmonella typhimurium*. *Nature.* **357:** 588-589
- Galán JE, R Curtiss III.** 1990. Expression of *Salmonella typhimurium* genes required for invasion is regulated by changes in DNA supercoiling. *Infect. Immun.* **58:** 1879-1885
- Galán JE, R Curtiss III.** 1989. Cloning and molecular characterization of genes whose products allow *Salmonella typhimurium* to penetrate tissue culture cells. *Proc. Natl. Acad. Sci. USA.* **86:** 6383-6387
- Gebert A, HJ Rothkötter, R Pabst.** 1994. Cytokeratin 18 is an M-cell marker in porcine Peyer's patches. *Cell Tissue Res.* **276:** 213-221
- Gebert A, HJ Rothkötter, R Pabst.** 1996. M cells in Peyer's patches of the intestine. *Int. Rev. Cytol.* **167:** 91-159
- Ginocchio CC, SB Olmstead, CL Wells, JE Galán.** 1994. Contact with epithelial cells induces the formation of surface appendages on *Salmonella typhimurium*. *Cell.* **76:** 717-724
- Goebel W, F Engelbrecht, A Bubert, M Kuhn, D Raffelsbauer, JJD Daniels, N Hauf, M Lalic, J Kreft, G Geginat.** 1998. Virulence factors of *Listeria monocytogenes* and their impact on the immune response of the infected host. *Nova Acta Leopoldina. NF* **78:** 3-13
- Gregory SH, LK Barczynski, EJ Wing.** 1992. Effector function of hepatocytes and Kupffer cells in the resolution of systemic bacterial infections. *J. Leukoc. Biol.* **51:** 421-424
- Greiffenberg L, W Goebel, KS Kim, I Weiglein, A Bubert, F Engelbrecht, M Stins, M Kuhn.** 1998. Interaction of *Listeria monocytogenes* with human brain microvascular endothelial cells: InlB-dependent invasion, long term intracellular growth, and spread from macrophages to endothelial cells. *Infect. Immun.* **66:** 5260-5267
- Groisman EA, H Ochman.** 1993. Cognate gene

- clusters govern invasion of host epithelial cells by *Salmonella typhimurium* and *Shigella flexneri*. *E.M.B.O. J.* **12**: 3779-3787
- Guzman CA, E Domann, M Rohde, D Bruder, A Darji, S Weiss, J Wehland, T Chakraborty, KN Timmis.** 1996. Apoptosis of mouse dendritic cells is triggered by listeriolysin, the major virulence determinant of *Listeria monocytogenes*. *Mol. Microbiol.* **20**: 119-126
- Hancock REW.** 1997. Peptide antibiotics. *Lancet.* **349**: 418-422
- Hanski C, U Kutschka, HP Schmoranzer, M Naumann, A Stallmach, H Hahn, H Menge, EO Riecken.** 1989. Immunohistochemical and electron microscopic study of interaction of *Yersinia enterocolitica* serotype O8 with intestinal mucosa during experimental enteritis. *Infect. Immun.* **57**: 673-678
- Hensel M, JE Shea, B Raupach, D Monack, S Falkow, C Gleeson, T Kubo, DW Holden.** 1997. Functional analysis of *ssaJ* and the *ssaK/U* operon, 13 genes encoding components of the type III secretion apparatus of *Salmonella* pathogenicity island 2. *Mol. Microbiol.* **24**: 155-167
- Hensel M, JE Shea, C Gleeson, MD Jones, E Dalton, DW Holden.** 1995. Simultaneous identification of bacterial virulence genes by negative selection. *Science.* **269**: 400-403
- Hueck CJ.** 1998. Type III protein secretion systems in bacterial pathogens of animals and plants. *Microbiol. Mol. Biol. Rev.* **62**: 379-433
- Husband AJ, JL Gowans.** 1978. The origin and antigen-dependent distribution of IgA-containing cells in the intestine. *J. Exp. Med.* **148**: 1146-1160
- Inman LR, JR Cantey.** 1983. Specific adherence of *Escherichia coli* (strain RDEC-1) to membranous (M) cells of the Peyer's patch in *Escherichia coli* diarrhoea in the rabbit. *J. Clin. Invest.* **71**: 1-8
- Ireton K, B Payrastre, H Chap, W Ogawa, H Sakaue, M Kasuga, P Cossart.** 1996. A role for phosphoinositide 3-kinase in bacterial invasion. *Science.* **274**: 780-782
- Isberg RR, JM Leong.** 1990. Multiple beta 1 chain integrins are receptors for invasin, a protein that promotes bacterial penetration into mammalian cells. *Cell.* **60**: 861-871
- Jensen VB, JT Harty, BD Jones.** 1998. Interactions of the invasive pathogens *Salmonella typhimurium*, *Listeria monocytogenes*, and *Shigella flexneri* with M cells and murine Peyer's patches. *Infect. Immun.* **66**: 3758-3766
- Jones BD, HF Paterson, A Hall, S Falkow.** 1993. *Salmonella typhimurium* induces membrane ruffling by a growth factor-receptor-independent mechanism. *Proc. Natl. Acad. Sci. USA.* **90**: 10390-10394
- Jones BD, N Ghori, S Falkow.** 1994. *Salmonella typhimurium* initiates murine infection by penetrating & destroying the specialised epithelial M cells of the Peyer's patches. *J. Exp. Med.* **180**: 15-23
- Jones BD, S Falkow.** 1996. Salmonellosis: host immune responses and bacterial virulence determinants. *Ann. Rev. Immunol.* **14**: 533-61
- Jones TC.** 1996. The effect of granulocyte-macrophage colony stimulating factor (rGM-CSF) on macrophage function in microbial disease. *Med. Oncol.* **13**: 141-147
- Jonquieres R, H Bierne, J Mengaud, P Cossart.** 1998. The *inlA* gene of *Listeria monocytogenes* LO28 harbors a nonsense mutation resulting in release of internalin. *Infect. Immun.* **66**: 3420-3422
- Jung HC, L Eckmann, S Yang, A Panja, J Fierer, E Morzycka-Wroblewska, MF Kagnoff.** 1995. A distinct array of proinflammatory cytokines is expressed in human colon epithelial cells in response to bacterial invasion. *J. Clin. Invest.* **95**: 55-65
- Karem K, JW Foster.** 1993. The influence of DNA

- topology on the environmental regulation of a pH-regulated locus in *Salmonella typhimurium*. Mol. Microbiol. **10**: 75-86
- Karunasagar I, B Senghaas, G Krohne, W Goebel.** 1994. Ultrastructural study of *Listeria monocytogenes* entry into cultured human colonic epithelial cells. Infect. Immun. **62**: 3554-3558
- Kaufmann SHE.** 1993. Immunity to intracellular bacteria. Ann. Rev. Immunol. **11**: 129-163
- Kernéis S, A Bogdanova, JP Kraehenbuhl, E Pringault.** 1997. Conversion by Peyer's patch lymphocytes of human enterocytes into M cells that transport bacteria. Science. **277**: 949-952
- Klaasen HL, JP Koopman, FG Poelma, AC Beynen.** 1992. Intestinal, segmented, filamentous bacteria. FEMS Microbiol. Rev. **8**: 165-180
- Kobe B, J Deisenhofer.** 1995. A structural basis of the interactions between leucine-rich repeats and protein ligands. Nature. **374**: 183-186
- Kohbata S, H Yokoyama, E Yabuuchi.** 1986. Cytopathic effect of *Salmonella typhi* GIFU 10007 on M cells of murine Peyer's patches in ligated ileal loops: an ultrastructural study. Microbiol. Immunol. **30**: 1225-1237
- Köhne G, T Schneider, M Zeitz.** 1996. Special features of the intestinal lymphocytic system. Baillière's Clin. Gastroenterology. **10**: 427-443
- Kuhn M, W Goebel.** 1995. Molecular studies on the virulence of *Listeria monocytogenes*. Genet. Eng. **17**: 31-51
- Kuhn M, W Goebel.** 1994. Induction of cytokines in phagocytic mammalian cells infected with virulent and avirulent *Listeria* strains. Infect. Immun. **62**: 348-356
- Kuhn M, W Goebel.** 1989. Identification of an extracellular protein of *Listeria monocytogenes* possibly involved in intracellular uptake by mammalian cells. Infect. Immun. **57**: 55-61
- Laemmli UK.** 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. Nature. **227**: 680-685
- Levine MM, JB Kaper, D Herrington, J Ketley, G Losonsky, CO Tacket, B Tall, S Cryz.** 1988. Safety, immunogenicity, and efficacy of recombinant live oral cholera vaccines, CVD 103 and CVD 103-HgR. Lancet. **2**: 467-470
- Libby SJ, W Goebel, A Ludwig, N Buchmeier, F Bowe, FC Fang, DG Guiney, JG Songer, F Heffron.** 1994. A cytolysin encoded by *Salmonella* is required for survival within macrophages. Proc. Natl. Acad. Sci. USA. **91**: 489-493
- Lingnau A, T Chakraborty, K Niebuhr, E Domann, J Wehland.** 1996. Identification and purification of novel internalin-related proteins in *Listeria monocytogenes* and *Listeria ivanovii*. Infect. Immun. **64**: 1002-1006
- Lößner I.** 1998. Charakterisierung des SlyA-Virulenz-Regulons von *Salmonella typhimurium* durch vergleichende zweidimensionale Proteingelektrophorese. Diplomarbeit, Universität Würzburg, pp36-59
- Ludwig A, C Tengel, S Bauer, A Bubert, R Benz, HJ Mollenkopf, W Goebel.** 1995. SlyA, a regulatory protein from *Salmonella typhimurium*, induces a haemolytic and pore-forming protein in *Escherichia coli*. Mol. Gen. Genet. **249**: 477-486
- MacDonald TT, PB Carter.** 1980. Cell-mediated immunity to intestinal infection. Infect. Immun. **28**: 516-523
- MacDonald TT, PB Carter.** 1982. Isolation and functional characteristics of adherent phagocytic cells from mouse Peyer's patches. Immunology. **45**: 769-774
- Mackaness GB.** 1964. Cellular resistance to infection. J. Exp. Med. **116**: 381-406
- Mandal BK.** 1994. *Salmonella typhi* and other salmonellas. Gut. **35**: 726-728
- Marcial MA, JL Madara.** 1986. Cryptosporidium: cellular localization, structural analysis of

- absorptive cell-parasite membrane interaction in guinea pigs, and suggestion of protozoan transport by M cells. *Gastroenterology*. **90**: 583-594
- Marco AJ, J Altimira, N Prats, S López, L Dominguez, M Domingo, V Briones.** 1998. Penetration of *Listeria monocytogenes* in mice infected by the oral route. *Microb. Pathog.* **23**: 255-263
- McClugage SG, FN Low, ML Zimny.** 1986. Porosity of the basement membrane overlying Peyer's patches in rats and monkeys. *Gastroenterology*. **91**: 1128-1133
- McCormick BA, SI Miller, D Carnes, JL Madara.** 1995. Transepithelial signalling to neutrophils by salmonellae: a novel virulence mechanism for gastroenteritis. *Infect. Immun.* **63**: 2302-2309
- McCormick BA, SP Colgan, CD Archer, SI Miller, JL Madara.** 1993. *Salmonella typhimurium* attachment to human intestinal epithelial monolayers: transcellular signalling to subepithelial neutrophils. *J. Cell Biol.* **123**: 895-907
- McLauchlin J.** 1993. Listeriosis and *Listeria monocytogenes*. *Environ. Pol. Pract.* **3**: 201-214
- McNeil A, SJ Dunstan, S Clark, RA Strugnell.** 1995. *Salmonella typhimurium* displays normal invasion of mice with defective epidermal growth factor receptors. *Infect. Immun.* **63**: 2770-2772
- Mengaud J, H Ohayon, P Gounon, R-M Mege, P Cossart.** 1996a. E-cadherin is the receptor for internalin, a surface protein required for entry of *L. monocytogenes* into epithelial cells. *Cell*. **84**: 923-932
- Mengaud J, M Lecuit, M Lebrun, F Nato, JC Mazie, P Cossart.** 1996b. Antibodies to the leucine-rich repeat region of internalin block entry of *Listeria monocytogenes* into cells expressing E-cadherin. *Infect. Immun.* **64**: 5430-5433
- Miller SI.** 1991. PhoP/PhoQ: macrophage-specific modulators of salmonella virulence. *Mol. Microbiol.* **5**: 2073-2078
- Momotani E, DL Whipple, AB Thiermann, NF Cheville.** 1988. Role of M cells and macrophages in the entrance of *Mycobacterium paratuberculosis* into domes of ileal Peyer's patches in calves. *Vet. Pathol.* **25**: 131-137
- Monack DM, B Raupach, AE Hromockyj, S Falkow.** 1996. *Salmonella typhimurium* invasion induces apoptosis in infected macrophages. *Proc. Natl. Acad. Sci. USA*. **93**: 9833-9838
- Müller S, T Hain, P Pashalidis, A Lingnau, E Domann, T Chakraborty, J Wehland.** 1998. Purification of the *inlB* gene product of *Listeria monocytogenes* and demonstration of its biological activity. *Infect. Immun.* **66**: 3128-3133
- Neutra MR, A Frey, JP Kraehenbuhl.** 1996. Epithelial M cells: gateways for mucosal infection and immunization. *Cell*. **86**: 345-348
- Neutra MR, JP Kraehenbuhl.** 1992. Transepithelial transport and mucosal defence I: the role of M cells. *Trends Cell Biol.* **2**: 134-138
- Neutra MR, TL Phillips, EL Mayer, DJ Fishkind.** 1987. Transport of membrane-bound macromolecules by M cells in follicle-associated epithelium of rabbit Peyer's patch. *Cell Tissue Res.* **247**: 537-546
- Nobes CD, A Hall.** 1995. Rho, Rac, and CDC42 GTPases regulate the assembly of multimolecular focal complexes associated with actin stress fibers, lamellipodia, and filopodia. *Cell*. **81**: 53-62
- Ojcius DM, F Niedergang, A Subtil, R Hellio, A Dautry-Varsat.** 1996. Immunology and the confocal microscope. *Res. Immunol.* **147**: 175-188
- Oscarsson J, Y Mizunoe, BE Uhlin, DJ Haydon.** 1996. Induction of haemolytic activity in *Escherichia coli* by the *slyA* gene product. *Mol. Microbiol.* **20**: 191-199
- Owen RL.** 1977. Sequential uptake of horseradish

- peroxidase by lymphoid follicle epithelium of Peyer's patches in the normal unobstructed mouse intestine: an ultrastructural study. *Gastroenterology.* **72:** 440-451
- Owen RL, PC Nemanic, DP Stevens.** 1979. Ultrastructural observations on giardiasis in a murine model. I. Intestinal distribution, attachment, and relationship to the immune system of *Giardia muris*. *Gastroenterology.* **76:** 757-769
- Owen RL, NF Pierce, RT Apple, WC Cray.** 1986a. M cell transport of *Vibrio cholerae* from the intestinal lumen into Peyer's patches: a mechanism for antigen sampling and for microbial transepithelial migration. *J. Infect. Dis.* **153:** 1108-1118
- Owen RL, RT Apple, DK Bhalla.** 1986b. Morphometric and cytochemical analysis of lysosomes in rat Peyer's patch follicle epithelium: their reduction in volume fraction and acid phosphatase content in M cells compared to adjacent enterocytes. *Anat. Rec.* **216:** 521-527
- Pabst R.** 1987. The anatomical basis for the immune function of the gut. *Anat. Embryol.* **176:** 135-144
- Pace J, MJ Hayman, JE Galán.** 1993. Signal transduction and invasion of epithelial cells by *Salmonella typhimurium*. *Cell.* **72:** 505-514
- Pan Z-K, G Ikonomidis, D Pardoll, Y Paterson.** 1996. Regression of established tumors in mice mediated by the oral administration of a recombinant *Listeria monocytogenes* vaccine. *Cancer Res.* **55:** 4776-4779
- Papp-Szabo E, CL Sutherland, PD Josephy.** 1993. Superoxide dismutase and the resistance of *Escherichia coli* to phagocytic killing by human neutrophils. *Infect. Immun.* **61:** 1442-1446
- Perdomo OJJ, JM Cavaillon, M Huerre, H Ohayon, P Gounon, PJ Sansonetti.** 1994. Acute inflammation causes epithelial invasion and mucosal destruction in experimental shigellosis. *J. Exp. Med.* **180:** 1307-1319
- Peterson MD, MS Mooseker.** 1992. Characterization of the enterocyte-like brush border cytoskeleton of the C2BBe clones of the human cell line, Caco-2. *J. Cell Sci.* **102:** 581-600
- Pron B, C Boumaila, F Jaubert, S Sarnacki, J-P Monnet, P Berche, J-L Gaillard.** 1998. Comprehensive study of the intestinal stage of Listeriosis in a rat ligated ileal loop system. *Infect. Immun.* **66:** 747-755
- Rácz P, K Tenner, E Mérö.** 1972. An electron microscopic study of the epithelial phase in experimental listeria infection. *Lab. Invest.* **26:** 694-700
- Raffelsbauer D, A Bubert, F Engelbrecht, J Scheinpflug, A Simm, J Hess, SHE Kaufmann, W Goebel.** 1998. The gene cluster *inLGHE* of *Listeria monocytogenes* contains additional new internalin genes and is important for virulence in mice. *Mol. Gen. Genet.* **260:** 144-158
- Raghupathy R.** 1997. Th1-type immunity is incompatible with successfull pregnancy. *Immunol. Today.* **18:** 478-482
- Reed KA, MA Clark, TA Booth, CJ Hueck, SI Miller, BH Hirst, MA Jepson.** 1998. Cell-contact-stimulated formation of filamentous appendages by *Salmonella typhimurium* does not depend on the Type III secretion system encoded by *Salmonella* pathogenicity island 1. *Infect. Immun.* **66:** 2007-2017
- Regoli M, C Borghesi, E Bertelli, C Nicoletti.** 1995. Uptake of a Gram positive bacterium (*Streptococcus pneumoniae* R36a) by M cells of rabbit Peyer's patches. *Ann. Anat.* **177:** 119-124
- Richter-Dahlfors A, AMJ Buchan, BB Finlay.** 1997. Murine salmonellosis studied by confocal microscopy: *Salmonella typhimurium* resides intracellularly inside macrophages and exerts a cytotoxic effect on phagocytes in vivo. *J. Exp. Med.* **186:** 569-580
- Ridley AJ.** 1994. Membrane ruffling and signal transduction. *BioEssays.* **16:** 321-327

- Rogers HW, MP Callery, B Deck, ER Unanue.** 1996. *Listeria monocytogenes* induces apoptosis of infected hepatocytes. *J. Immunol.* **156:** 679-684
- Rosenshine I, S Ruschkowski, V Foubister, BB Finlay.** 1994. *Salmonella typhimurium* invasion of epithelial cells: role of induced host cell tyrosine protein phosphorylation. *Infect. Immun.* **62:** 4969-4974
- Rostand KS, JD Esko.** 1997. Microbial adherence to and invasion through proteoglycans. *Infect. Immun.* **65:** 1-8
- Ruschkowski S, I Rosenshine, BB Finlay.** 1992. *Salmonella typhimurium* induces an inositol phosphate flux in infected epithelial cells. *FEMS Microbiol. Lett.* **74:** 121-126
- Savidge TC.** 1996. The life and times of an intestinal M cell. *Trends Microbiol.* **4:** 301-306
- Savidge TC, MW Smith, PS James, P Aldred.** 1991. *Salmonella*-induced M-cell formation in germ-free mouse Peyer's patch tissue. *Am. J. Pathol.* **139:** 177-184
- Sawyer RT, DA Drevets, PA Campbell, TA Potter.** 1996. Internalin A can mediate phagocytosis of *Listeria monocytogenes* by mouse macrophage cell lines. *J. Leukoc. Biol.* **60:** 603-610
- Sharon N, H Lis.** 1995. Lectins- proteins with a sweet tooth: functions in cell recognition. *Essays Biochem.* **30:** 59-75
- Sicinski P, J Rowinski, JB Warchol, Z Jarzbek, W Gut, B Szczygiel, K Bielecki, G Koch.** 1991. Poliovirus type 1 enters the human host through M cells. *Gastroenterology.* **98:** 56-58
- Siebers A, BB Finlay.** 1996. M cells and the pathogenesis of mucosal and systemic infections. *Trends Microbiol.* **4:** 22-29
- Smith MW, MA Peacock.** 1980. M-cell distribution in follicle-associated epithelium of mouse Peyer's patch. *Am. J. Anat.* **159:** 167-175
- Towbin H, T Staehelin, J Gordon.** 1979.
- Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications.** *Proc. Natl. Acad. Sci. USA.* **76:** 4350-4354
- Travis J.** 1994. Reviving the antibiotic miracle?. *Science.* **264:** 360-362
- Walker RI, EA Schauder-Chock, JL Parker.** 1988. Selective association and transport of *Campylobacter jejuni* through M cells of rabbit Peyer's patches. *Can. J. Microbiol.* **34:** 1142-1147
- Wassef JS, DF Keren, JL Mailloux.** 1989. Role of M cells in initial antigen uptake and ulcer formation in the rabbit intestinal loop model of shigellosis. *Infect. Immun.* **7:** 858-863
- Westerlund B, TK Korhonen.** 1993. Bacterial proteins binding to the mammalian extracellular matrix. *Mol. Microbiol.* **9:** 687-694
- Wilson M, R Seymour, B Henderson.** 1998. Bacterial perturbation of cytokine networks. *Infect. Immun.* **66:** 2401-2409
- Wolf JL, DH Rubin, R Finberg, RS Kaufman, AH Sharpe, JS Trier, BN Fields.** 1981. Intestinal M cells: a pathway for entry of reovirus into the host. *Science.* **212:** 471-472
- Wuenscher MD, S Kohler, A Bubert, U Gerike, W Goebel.** 1993. The *iap* gene of *Listeria monocytogenes* is essential for cell viability, and its gene product, p60, has bacteriolysin activity. *J. Bacteriol.* **175:** 3491-501
- Zopf D, P Simon, R Barthelson, D Cundell, I Idanpaan-Heikkila, E Tuomanen.** 1996. Development of anti-adhesion carbohydrate drugs for clinical use. *Adv. Exp. Med. Biol.* **408:** 35-38