

## 6. Literaturverzeichnis

- Abu Kwaik, Y., Eisenstein, B. I. & Engleberg, N. C. (1993).** Phenotypic modulation by *Legionella pneumophila* upon infection of macrophages. *Infect Immun* **61**, 1320-9.
- Abu Kwaik, Y. & Engleberg, N. C. (1994).** Cloning and molecular characterization of a *Legionella pneumophila* gene induced by intracellular infection and by various *in vitro* stress conditions. *Mol Microbiol* **13**, 243-51.
- Abu Kwaik, Y., Fields, B. S. & Engleberg, N. C. (1994).** Protein expression by the protozoan *Hartmannella vermiformis* upon contact with its bacterial parasite *Legionella pneumophila*. *Infect Immun* **62**, 1860-6.
- Abu Kwaik, Y. (1996).** The phagosome containing *Legionella pneumophila* within the protozoan *Hartmannella vermiformis* is surrounded by the rough endoplasmic reticulum. *Appl Environ Microbiol* **62**, 2022-8.
- Abu Kwaik, Y. & Pederson, L. L. (1996).** The use of differential display-PCR to isolate and characterize a *Legionella pneumophila* locus induced during the intracellular infection of macrophages. *Mol Microbiol* **21**, 543-56.
- Abu Kwaik, Y., Gao, L. Y., Harb, O. S. & Stone, B. J. (1997).** Transcriptional regulation of the macrophage-induced gene (*gspA*) of *Legionella pneumophila* and phenotypic characterization of a null mutant. *Mol Microbiol* **24**, 629-42.
- Abu Kwaik, Y., Gao, L. Y., Stone, B. J., Venkataraman, C. & Harb, O. S. (1998a).** Invasion of protozoa by *Legionella pneumophila* and its role in bacterial ecology and pathogenesis. *Appl Environ Microbiol* **64**, 3127-33.
- Abu Kwaik, Y. (1998b).** Fatal attraction of mammalian cells to *Legionella pneumophila*. *Mol Microbiol* **30**, 689-95.
- Abu Kwaik, Y., Venkataraman, C., Harb, O. S. & Gao, L. Y. (1998c).** Signal transduction in the protozoan host *Hartmannella vermiformis* upon attachment and invasion by *Legionella micdadei*. *Appl Environ Microbiol* **64**, 3134-9.
- Abu Kwaik, Y. (1998d).** Induced expression of the *Legionella pneumophila* gene encoding a 20-kilodalton protein during intracellular infection. *Infect Immun* **66**, 203-12.
- Abu Kwaik, Y. (2000).** Invasion of Mammalian and Protozoan Cells by *Legionella pneumophila*. In *Bacterial Invasion into Eukaryotic Cells*. Edited by T. A. O. a. J. Hacker. New York, Boston, Dordrecht, London, Moscow: Kluwer Academic / Plenum Publishers.:383-410.
- Alarcon, C. M. & Heitman, J. (1997).** FKBP12 physically and functionally interacts with aspartokinase in *Saccharomyces cerevisiae*. *Mol Cell Biol* **17**, 5968-75.
- Andersen, J. B., Sternberg, C., Poulsen, L. K., Bjorn, S. P., Givskov, M. & Molin, S. (1998).** New unstable variants of green fluorescent protein for studies of transient gene expression in bacteria. *Appl Environ Microbiol* **64**, 2240-6.
- Aragon, V., Kurtz, S., Flieger, A., Neumeister, B. & Cianciotto, N. P. (2000).** Secreted enzymatic activities of wild-type and *pilD*-deficient *Legionella pneumophila*. *Infect Immun* **68**, 1855-63.

- Arroyo, J., Hurley, M. C., Wolf, M., McClain, M. S., Eisenstein, B. I. & Engleberg, N. C. (1994).** Shuttle mutagenesis of *Legionella pneumophila*: identification of a gene associated with host cell cytopathicity. *Infect Immun* **62**, 4075-80.
- Atlas, R. M. (1999).** *Legionella*: from environmental habitats to disease pathology, detection and control. *Environmental Microbiology* **1**, 283-93.
- Baca, O. G. & Paretsky, D. (1983).** Q fever and *Coxiella burnetii*: a model for host-parasite interactions. *Microbiol Rev* **47**, 127-49.
- Baker, E. K., Colley, N. J. & Zuker, C. S. (1994).** The cyclophilin homolog NinaA functions as a chaperone, forming a stable complex in vivo with its protein target rhodopsin. *Embo* **13**, 4886-95.
- Bassing, C. H., Shou, W., Muir, S., Heitman, J., Matzuk, M. M. & Wang, X. F. (1998).** FKBP12 is not required for the modulation of transforming growth factor beta receptor I signaling activity in embryonic fibroblasts and thymocytes. *Cell Growth Differ* **9**, 223-8.
- Bellinger-Kawahara, C. & Horwitz, M. A. (1990).** Complement component C3 fixes selectively to the major outer membrane protein (MOMP) of *Legionella pneumophila* and mediates phagocytosis of liposome-MOMP complexes by human monocytes. *J Exp Med* **172**, 1201-10.
- Berger, K. H. & Isberg, R. R. (1993).** Two distinct defects in intracellular growth complemented by a single genetic locus in *Legionella pneumophila*. *Mol Microbiol* **7**, 7-19.
- Berger, K. H. & Isberg, R. R. (1994).** Intracellular survival by *Legionella*. *Methods Cell Biol* **45**, 247-59.
- Berk, S. G., Ting, R. S., Turner, G. W. & Ashburn, R. J. (1998).** Production of respirable vesicles containing live *Legionella pneumophila* cells by two *Acanthamoeba* spp. *Appl Environ Microbiol* **64**, 279-86.
- Birkeland, S., Johnsen, H. & Christiansen, G. (1994).** *Chlamydia trachomatis* serovar L2 induces protein tyrosine phosphorylation during uptake by HeLa cells. *Infect Immun* **62**, 4900-8.
- Black, D. S. & Bliska, J. B. (1997).** Identification of p130Cas as a substrate of *Yersinia* YopH (Yop51), a bacterial protein tyrosine phosphatase that translocates into mammalian cells and targets focal adhesions. *Embo* **16**, 2730-44.
- Borchert, T. V., Zeelen, J. P., Schliebs, W., Callens, M., Minke, W., Jaenicke, R. & Wierenga, R. K. (1995).** An interface point-mutation variant of triosephosphate isomerase is compactly folded and monomeric at low protein concentrations. *FEBS Lett* **367**, 315-8.
- Bose, S., Weikl, T., Bugl, H. & Buchner, J. (1996).** Chaperone function of Hsp90-associated proteins . *Science* **274**, 1715-7.
- Bothmann, H. & Plückthun, A. (2000).** The periplasmic *Escherichia coli* peptidylprolyl *cis,trans*-isomerase FkpA. I. Increased functional expression of antibody fragments with and without cis-prolines. *J Biol Chem* **275**, 17100-5.
- Bozue, J. A. & Johnson, W. (1996).** Interaction of *Legionella pneumophila* with *Acanthamoeba castellanii*: uptake by coiling phagocytosis and inhibition of phagosome-lysosome fusion. *Infect Immun* **64**, 668-73.
- Brand, B. C. & J. Hacker (1997).** The Biology of *Legionella* Infection. In *Host Response to Intracellular Pathogens*, pp. 291-311. Edited by S. H. E. Kaufman: R.G. Landes Company.

**Brieland, J., McClain, M., Heath, L., Chrisp, C., Huffnagle, G., LeGendre, M., Hurley, M., Fantone, J. & Engleberg, C. (1996).** Coinoculation with *Hartmannella vermiformis* enhances replicative *Legionella pneumophila* lung infection in a murine model of Legionnaires' disease. *Infect Immun* **64**, 2449-56.

**Brieland, J., McClain, M., LeGendre, M. & Engleberg, C. (1997a).** Intrapulmonary *Hartmannella vermiformis*: a potential niche for *Legionella pneumophila* replication in a murine model of legionellosis. *Infect Immun* **65**, 4892-6.

**Brieland, J. K., Fantone, J. C., Remick, D. G., LeGendre, M., McClain, M. & Engleberg, N. C. (1997b).** The role of *Legionella pneumophila*-infected *Hartmannella vermiformis* as an infectious particle in a murine model of Legionnaire's disease. *Infect Immun* **65**, 5330-3.

**Brillantes, A. B., Ondrias, K., Scott, A., Koprinsky, E., Ondriasova, E., Moschella, M. C., Jayaraman, T., Landers, M., Ehrlich, B. E. & Marks, A. R. (1994).** Stabilization of calcium release channel (ryanodine receptor) function by FK506-binding protein. *Cell* **77**, 513-23.

**Bubert, A., Sokolovic, Z., Chun, S. K., Papatheodorou, L., Simm, A. & Goebel, W. (1999).** Differential expression of *Listeria monocytogenes* virulence genes in mammalian host cells. *Mol Gen Genet* **261**, 323-36.

**Byrd, T. F. & Horwitz, M. A. (1989).** Interferon gamma-activated human monocytes downregulate transferrin receptors and inhibit the intracellular multiplication of *Legionella pneumophila* by limiting the availability of iron. *J Clin Invest* **83**, 1457-65.

**Byrd, T. F. & Horwitz, M. A. (2000).** Aberrantly low transferrin receptor expression on human monocytes is associated with nonpermissiveness for *Legionella pneumophila* growth. *J Infect Dis* **181**, 1394-400.

**Byrne, B. & Swanson, M. S. (1998).** Expression of *Legionella pneumophila* virulence traits in response to growth conditions. *Infect Immun* **66**, 3029-34.

**Cameron, A. M., Steiner, J. P., Roskams, A. J., Ali, S. M., Ronnett, G. V. & Snyder, S. H. (1995).** Calcineurin associated with the inositol 1,4,5-trisphosphate receptor-FKBP12 complex modulates Ca<sup>2+</sup> flux. *Cell* **83**, 463-72.

**Cardenas, M. E., Hemenway, C., Muir, R. S., Ye, R., Fiorentino, D. & Heitman, J. (1994).** Immunophilins interact with calcineurin in the absence of exogenous immunosuppressive ligands. *Embo J* **13**, 5944-57.

**Chalfie, M., Tu, Y., Euskirchen, G., Ward, W. W. & Prasher, D. C. (1994).** Green fluorescent protein as a marker for gene expression. *Science* **263**, 802-5.

**Christie, P. J. & Vogel, J. P. (2000).** Bacterial type IV secretion: conjugation systems adapted to deliver effector molecules to host cells. *Trends Microbiol* **8**, 354-60.

**Cianciotto, N. P., Eisenstein, B. I., Mody, C. H., Toews, G. B. & Engleberg, N. C. (1989).** A *Legionella pneumophila* gene encoding a species-specific surface protein potentiates initiation of intracellular infection. *Infect Immun* **57**, 1255-62.

**Cianciotto, N. P., Eisenstein, B. I., Mody, C. H. & Engleberg, N. C. (1990a).** A mutation in the *mip* gene results in an attenuation of *Legionella pneumophila* virulence. *J Infect Dis* **162**, 121-6.

**Cianciotto, N. P., Bangsborg, J. M., Eisenstein, B. I. & Engleberg, N. C. (1990b).** Identification of *mip*-like genes in the genus *Legionella*. *Infect Immun* **58**, 2912-8.

- Cianciotto, N. P. & Fields, B. S. (1992).** *Legionella pneumophila mip* gene potentiates intracellular infection of protozoa and human macrophages. *Proc Natl Acad Sci U S A* **89**, 5188-91.
- Cianciotto, N. P., O'Connell, W., Dasch, G. A. & Mallavia, L. P. (1995a).** Detection of *mip*-like sequences and Mip-related proteins within the family *Rickettsiaceae*. *Curr Microbiol* **30**, 1149-53.
- Cianciotto, N. P., Stamos, J. K. & Kamp, D. W. (1995b).** Infectivity of *Legionella pneumophila* *mip* mutant for alveolar epithelial cells. *Curr Microbiol* **30**, 247-50.
- Cirillo, J. D., Falkow, S. & Tompkins, L. S. (1994).** Growth of *Legionella pneumophila* in *Acanthamoeba castellanii* enhances invasion. *Infect Immun* **62**, 3254-61.
- Cirillo, J. D., Cirillo, S. L., Yan, L., Bermudez, L. E., Falkow, S. & Tompkins, L. S. (1999).** Intracellular growth in *Acanthamoeba castellanii* affects monocyte entry mechanisms and enhances virulence of *Legionella pneumophila*. *Infect Immun* **67**, 4427-34.
- Cirillo, S. L., Lum, J. & Cirillo, J. D. (2000).** Identification of novel loci involved in entry by *Legionella pneumophila*. *Microbiology* **146**, 1345-59.
- Clemens, D. L. & Horwitz, M. A. (1992).** Membrane sorting during phagocytosis: selective exclusion of major histocompatibility complex molecules but not complement receptor CR3 during conventional and coiling phagocytosis. *J Exp Med* **175**, 1317-26.
- Clemens, D. L. & Horwitz, M. A. (1993).** Hypoexpression of major histocompatibility complex molecules on *Legionella pneumophila* phagosomes and phagolysosomes. *Infect Immun* **61**, 2803-12.
- Coers, J., Monahan, C. & Roy, C. R. (1999).** Modulation of phagosome biogenesis by *Legionella pneumophila* creates an organelle permissive for intracellular growth. *Nat Cell Biol* **1**, 451-3.
- Cormack, B. P., Valdivia, R. H. & Falkow, S. (1996).** FACS-optimized mutants of the green fluorescent protein (GFP). *Gene* **173**, 33-8.
- Coxon, P. Y., Summersgill, J. T., Ramirez, J. A. & Miller, R. D. (1998).** Signal transduction during *Legionella pneumophila* entry into human monocytes. *Infect Immun* **66**, 2905-13.
- Dartigalongue, C. & Raina, S. (1998).** A new heat-shock gene, *ppiD*, encodes a peptidyl-prolyl isomerase required for folding of outer membrane proteins in *Escherichia coli*. *Embo* **17**, 3968-80.
- Dehio, C., Prevost, M. C. & Sansonetti, P. J. (1995).** Invasion of epithelial cells by *Shigella flexneri* induces tyrosine phosphorylation of cortactin by a pp60c-src-mediated signalling pathway. *Embo* **14**, 2471-82.
- Dehio, M., Knorre, A., Lanz, C. & Dehio, C. (1998).** Construction of versatile high-level expression vectors for *Bartonella henselae* and the use of green fluorescent protein as a new expression marker. *Gene* **215**, 223-9.
- Deuerling, E., Schulze-Specking, A., Tomoyasu, T., Mogk, A. & Bukau, B. (1999).** Trigger factor and DnaK cooperate in folding of newly synthesized proteins. *Nature* **400**, 693-6.
- Dhandayuthapani, S., Via, L. E., Thomas, C. A., Horowitz, P. M., Deretic, D. & Deretic, V. (1995).** Green fluorescent protein as a marker for gene expression and cell biology of mycobacterial interactions with macrophages. *Mol Microbiol* **17**, 901-12.
- Dhandayuthapani, S., Rasmussen, W. G. & Baseman, J. B. (1998).** Identification of mycoplasmal promoters in *Escherichia coli* using a promoter probe vector with Green Fluorescent Protein as reporter system. *Gene* **215**, 213-22.

**Dietrich, C., Heuner, K., Brand, B. C., Steinert, M. & Hacker, J. (2000).** The flagellum of *Legionella pneumophila* positively affects the early phase of infection of eukaryotic host cells. *Infect Immun submitted.*

**Dolinski, K., Muir, S., Cardenas, M. & Heitman, J. (1997).** All cyclophilins and FK506 binding proteins are, individually and collectively, dispensable for viability in *Saccharomyces cerevisiae*. *Proc Natl Acad Sci U S A* **94**, 13093-8.

**Dolinski, K. J. & Heitman, J. (1999).** Hmo1p, a high mobility group 1/2 homolog, genetically and physically interacts with the yeast FKBP12 prolyl isomerase. *Genetics* **151**, 935-44.

**Dowling, J. N., Saha, A. K. & Glew, R. H. (1992).** Virulence factors of the family *Legionellaceae*. *Microbiol Rev* **56**, 32-60.

**Doyle, R. M., Steele, T. W., McLennan, A. M., Parkinson, I. H., Manning, P. A. & Heuzenroeder, M. W. (1998).** Sequence analysis of the *mip* gene of the soilborne pathogen *Legionella longbeachae*. *Infect Immun* **66**, 1492-9.

**Dreyfus, L. A. & Iglewsky, B. H. (1986).** Purification and characterization of an extracellular protease of *Legionella pneumophila*. *Infect. Immun.* **51**, 736-743.

**Dumais-Pope, C., O'Connel, W. & Ciacciotti, N. P. (1993).** Distribution and regulation of the *Legionella* *mip* gene. In *Legionella: current status and emerging perspectives*, pp. 70-72. Edited by J. M. Barbaree, R. F. Breiman & A. P. Dufour. Washington DC: ASM.

**Edelstein, P. H., Edelstein, M. A., Higa, F. & Falkow, S. (1999).** Discovery of virulence genes of *Legionella pneumophila* by using signature tagged mutagenesis in a guinea pig pneumonia model. *Proc Natl Acad Sci U S A* **96**, 8190-5.

**Engleberg, N. C., Carter, C., Weber, D. R., Ciacciotti, N. P. & Eisenstein, B. I. (1989).** DNA sequence of *mip*, a *Legionella pneumophila* gene associated with macrophage infectivity. *Infect Immun* **57**, 1263-70.

**Fan Yang, Moss, L. G. & Phillips, G. N. (1996).** The molecular structure of the green fluorescent protein. *Nat. Biotechnology* **14**, 1246-51.

**Fanghänel, J. (1998).** Untersuchungen zu Peptidy-Prolyl-*cis/trans*-Isomerasen aus *Legionella pneumophila*. Diplomarbeit Martin-Luther-Universität Halle-Wittenberg.

**Fernandez, R. C., Logan, S. M., Lee, S. H. & Hoffman, P. S. (1996).** Elevated levels of *Legionella pneumophila* stress protein Hsp60 early in infection of human monocytes and L929 cells correlate with virulence. *Infect Immun* **64**, 1968-76.

**Fettes, P. S., Susa, M., Hacker, J. & Marre, R. (2000).** Characterization of the *Legionella pneumophila* gene *ligA*. *Int J Med Microbiol* **290**, 239-50.

**Fields, B. S. (1996).** The molecular ecology of legionellae. *Trends Microbiol* **4**, 286-90.

**Finlay, B. B. & Cossart, P. (1997).** Exploitation of mammalian host cell functions by bacterial pathogens. *Science* **276**, 718-25.

**Finlay, B. B. & Falkow, S. (1997).** Common themes in microbial pathogenicity revisited. *Microbiol Mol Biol Rev* **61**, 136-69.

**Fischer, G., Bang, H. & Mech, C. (1984).** Nachweis einer Enzymkatalyse für die *cis-trans*-Isomerisierung der Peptidbindung in prolinhaltigen Peptiden. *Biomed Biochem Acta* **43**, 1101-11.

- Fischer, G. (1994).** Über Peptidyl-Prolyl-*cis/trans*-Isomerasen und ihre Effektoren. In *Angew. Chem.*, pp. 1479-1501. Weinheim: VCH Verlagsgesellschaft mbH.
- Fischer, G., Bang, H., Ludwig, B., Mann, K. & Hacker, J. (1992).** Mip protein of *Legionella pneumophila* exhibits peptidyl-prolyl-*cis/trans* isomerase (PPlase) activity. *Mol Microbiol* **6**, 1375-83.
- Fischer, G. (1996).** Peptidyl-Prolyl-*cis/trans*-Isomerasen: Proline-specific Bindeproteine oder Faltungskatalysatoren? *Biospektrum* **4**.
- Flieger, A., Gong, S., Faigle, M., Deeg, M., Bartmann, P. & Neumeister, B. (2000a).** Novel phospholipase A activity secreted by *Legionella* species. *J Bacteriol* **182**, 1321-7.
- Flieger, A., Gongabc, S., Faiglea, M., Mayerd, H. A., Kehrerd, U., Mussottere, J., Bartmannf, P. & Neumeistera, B. (2000b).** Phospholipase A secreted by *Legionella pneumophila* destroys alveolar surfactant phospholipids. *FEMS Microbiol Lett* **188**, 129-33.
- Flügel, M. (1999).** Molekularbiologische Studien zur Pathogenität und Ökologie von *Legionella pneumophila*. : Dissertation, Universität Würzburg.
- Franke, E. K., Yuan, H. E. & Luban, J. (1994).** Specific incorporation of cyclophilin A into HIV-1 virions. *Nature* **372**, 359-62.
- Freeman, K. & Livi, G. P. (1996).** Missense mutations at the FKBP12-rapamycin-binding site of TOR1. *Gene* **172**, 143-7.
- Gajiwala, K. S. & Burley, S. K. (2000).** HDEA, a periplasmic protein that supports acid resistance in pathogenic enteric bacteria. *J Mol Biol* **295**, 605-12.
- Galat, A. & Metcalfe, S. M. (1995).** Peptidylproline *cis/trans* isomerasen. *Prog Biophys Mol Biol* **63**, 67-118.
- Galat, A. (2000).** Sequence diversification of the FK506-binding proteins in several different genomes. *Eur J Biochem* **267**, 4945-59.
- Gao, L. Y., Harb, O. S. & Abu Kwaik, Y. (1997).** Utilization of similar mechanisms by *Legionella pneumophila* to parasitize two evolutionarily distant host cells, mammalian macrophages and protozoa. *Infect Immun* **65**, 4738-46.
- Gao, L. Y., Harb, O. S. & Kwaik, Y. A. (1998a).** Identification of macrophage-specific infectivity loci (mil) of *Legionella pneumophila* that are not required for infectivity of protozoa. *Infect Immun* **66**, 883-92.
- Gao, L. Y., Stone, B. J., Brieland, J. K. & Abu Kwaik, Y. (1998b).** Different fates of *Legionella pneumophila pmi* and *mil* mutants within macrophages and alveolar epithelial cells. *Microb Pathog* **25**, 291-306.
- Gao, L. Y. & Abu Kwaik, Y. (1999a).** Activation of caspase 3 during *Legionella pneumophila*-induced apoptosis. *Infect Immun* **67**, 4886-94.
- Gao, L. Y. & Abu Kwaik, Y. (1999b).** Apoptosis in macrophages and alveolar epithelial cells during early stages of infection by *Legionella pneumophila* and its role in cytopathogenicity. *Infect Immun* **67**, 862-70.
- Gao, L.-Y. & Abu Kwaik, Y. (2000).** The mechanism of killing and exciting the protozoen host *Acanthamoeba polyphaga* by *Legionella pneumophila*. *Environmental Microbiology* **2**, 79-90.

- Garduno, R. A., Garduno, E. & Hoffman, P. S. (1998a).** Surface-associated hsp60 chaperonin of *Legionella pneumophila* mediates invasion in a HeLa cell model. *Infect Immun* **66**, 4602-10.
- Garduno, R. A., Faulkner, G., Trevors, M. A., Vats, N. & Hoffman, P. S. (1998b).** Immunolocalization of Hsp60 in *Legionella pneumophila*. *J Bacteriol* **180**, 505-13.
- Garduno, R. A., Quinn, F. D. & Hoffman, P. S. (1998c).** HeLa cells as a model to study the invasiveness and biology of *Legionella pneumophila*. *Can J Microbiol* **44**, 430-40.
- Göthel, S. F. & Marahiel, M. A. (1999).** Peptidyl-prolyl *cis-trans* isomerasen, a superfamily of ubiquitous folding catalysts. *Cell Mol Life Sci* **55**, 423-36.
- Grimm, D., Merkert, H., Ludwig, W., Schleifer, K. H., Hacker, J. & Brand, B. C. (1998).** Specific detection of *Legionella pneumophila*: construction of a new 16S rRNA-targeted oligonucleotide probe. *Appl Environ Microbiol* **64**, 2686-90.
- Hacker, J. & Fischer, G. (1993).** Immunophilins: structure-function relationship and possible role in microbial pathogenicity. *Mol Microbiol* **10**, 445-56.
- Hacker, J. & Heeseman, J. (2000).** Infektionsmodelle. In *Molekulare Infektionsbiologie*. Heidelberg, Berlin: Spektrum Akademischer Verlag.
- Hägele, S., Hacker, J. & Brand, B. C. (1998).** *Legionella pneumophila* kills human phagocytes but not protozoan host cells by inducing apoptotic cell death. *FEMS Microbiol Lett* **169**, 51-8.
- Hägele, S., Köhler, R., Merkert, H., Schleicher, M., Hacker, J. & Steinert, M. (2000).** Dictyostelium discoideum: a new host model system for intracellular pathogens of the genus *Legionella*. *Cell Microbiology* **2**, 165-71.
- Hale, C. A. & de Boer, P. A. (1997).** Direct binding of FtsZ to ZipA, an essential component of the septal ring structure that mediates cell division in *E. coli*. *Cell* **88**, 175-85.
- Hale, C. A. & de Boer, P. A. (1999).** Recruitment of ZipA to the septal ring of *Escherichia coli* is dependent on FtsZ and independent of FtsA. *J Bacteriol* **181**, 167-76.
- Hales, L. M. & Shuman, H. A. (1999a).** The *Legionella pneumophila rpoS* gene is required for growth within *Acanthamoeba castellanii*. *J Bacteriol* **181**, 4879-89.
- Hales, L. M. & Shuman, H. A. (1999b).** *Legionella pneumophila* contains a type II general secretion pathway required for growth in amoebae as well as for secretion of the Msp protease. *Infect Immun* **67**, 3662-6.
- Hall, R. A., Khromykh, A. A., Mackenzie, J. M., Scherret, J. H., Khromykh, T. I. & Mackenzie, J. S. (1999).** Loss of dimerisation of the nonstructural protein NS1 of Kunjin virus delays viral replication and reduces virulence in mice, but still allows secretion of NS1. *Virology* **264**, 66-75.
- Hammer, B. K. & Swanson, M. S. (1999).** Co-ordination of *legionella pneumophila* virulence with entry into stationary phase by ppGpp. *Mol Microbiol* **33**, 721-31.
- Hanes, S. D., Shank, P. R. & Bostian, K. A. (1989).** Sequence and mutational analysis of ESS1, a gene essential for growth in *Saccharomyces cerevisiae*. *Yeast* **5**, 55-72.
- Harb, O. S., Venkataraman, C., Haack, B. J., Gao, L. Y. & Kwaik, Y. A. (1998).** Heterogeneity in the attachment and uptake mechanisms of the Legionnaires' disease bacterium, *Legionella pneumophila*, by protozoan hosts. *Appl Environ Microbiol* **64**, 126-32.

- Harb, O. S. & Abu Kwaik, Y. (2000).** Characterization of a macrophage-specific infectivity locus (*milA*) of *Legionella pneumophila*. *Infect Immun* **68**, 368-76.
- Helbig, J. H., Ludwig, B., Luck, P. C., Groh, A., Witzleb, W. & Hacker, J. (1995).** Monoclonal antibodies to *Legionella* Mip proteins recognize genus- and species-specific epitopes. *Clin Diagn Lab Immunol* **2**, 160-5.
- Heuner, K. (1994).** Herstellung und Screening einer Expressionsgenbank von *Legionella pneumophila* Corby. : Diplomarbeit, Universität Würzburg.
- Heuner, K., Bender-Beck, L., Brand, B. C., Luck, P. C., Mann, K. H., Marre, R., Ott, M. & Hacker, J. (1995).** Cloning and genetic characterization of the flagellum subunit gene (*flaA*) of *Legionella pneumophila* serogroup 1. *Infect Immun* **63**, 2499-507.
- Heuner, K. (1997).** Molekularbiologische Untersuchungen zur Funktion und Expression der Flagelle von *Legionella pneumophila*. : Dissertation, Universität Würzburg.
- Heuner, K., Hacker, J. & Brand, B. C. (1997).** The alternative sigma factor sigma28 of *Legionella pneumophila* restores flagellation and motility to an *Escherichia coli fliA* mutant. *J Bacteriol* **179**, 17-23.
- Heuner, K., Brand, B. C. & Hacker, J. (1999).** The expression of the flagellum of *Legionella pneumophila* is modulated by different environmental factors. *FEMS Microbiol Lett* **175**, 69-77.
- Hickey, E. K. & Cianciotto, N. P. (1997).** An iron- and fur-repressed *Legionella pneumophila* gene that promotes intracellular infection and encodes a protein with similarity to the *Escherichia coli* aerobactin synthetases. *Infect Immun* **65**, 133-43.
- Ho, S. N., Biggar, S. R., Spencer, D. M., Schreiber, S. L. & Crabtree, G. R. (1996).** Dimeric ligands define a role for transcriptional activation domains in reinitiation. *Nature* **382**, 822-6.
- Hoffman, P. S., Ripley, M. & Weeratna, R. (1992a).** Cloning and nucleotide sequence of a gene (*ompS*) encoding the major outer membrane protein of *Legionella pneumophila*. *J Bacteriol* **174**, 914-20.
- Hoffman, P. S., Seyer, J. H. & Butler, C. A. (1992b).** Molecular characterization of the 28- and 31-kilodalton subunits of the *Legionella pneumophila* major outer membrane protein. *J Bacteriol* **174**, 908-13.
- Hoffman, P. S. & Garduno, R. A. (1999).** Surface-associated heat shock proteins of *Legionella pneumophila* and *Helicobacter pylori*: roles in pathogenesis and immunity. *Infect Dis Obstet Gynecol* **7**, 58-63.
- Horne, S. M. & Young, K. D. (1995).** *Escherichia coli* and other species of the *Enterobacteriaceae* encode a protein similar to the family of Mip-like FK506-binding proteins. *Arch Microbiol* **163**, 357-65.
- Horne, S. M., Kottom, T. J., Nolan, L. K. & Young, K. D. (1997).** Decreased intracellular survival of an *fkpA* mutant of *Salmonella typhimurium* Copenhagen. *Infect Immun* **65**, 806-10.
- Horwitz, M. A. (1983).** The Legionnaires' disease bacterium (*Legionella pneumophila*) inhibits phagosome-lysosome fusion in human monocytes. *J Exp Med* **158**, 2108-26.
- Horwitz, M. A. (1984).** Phagocytosis of the Legionnaires' disease bacterium (*Legionella pneumophila*) occurs by a novel mechanism: engulfment within a pseudopod coil. *Cell* **36**, 27-33.
- Horwitz, M. A. & Maxfield, F. R. (1984).** *Legionella pneumophila* inhibits acidification of its phagosome in human monocytes. *J Cell Biol* **99**, 1936-43.

- Horwitz, M. A. (1988).** Phagocytosis and intracellular biology of *Legionella pneumophila*. In *NATO ASI Series, Bacteria, Complement and the Phagocytic Cell*. Edited by F. C. Cabello & C. Pruzzo. Heidelberg: Springer Verlag Berlin.
- Husmann, L. K. & Johnson, W. (1992).** Adherence of *Legionella pneumophila* to guinea pig peritoneal macrophages, J774 mouse macrophages, and undifferentiated U937 human monocytes: role of Fc and complement receptors. *Infect Immun* **60**, 5212-8.
- Ireton, K. & Cossart, P. (1998).** Interaction of invasive bacteria with host signaling pathways. *Curr Opin Cell Biol* **10**, 276-83.
- Isberg, R. R. (1996).** Uptake of enteropathogenic *Yersinia* by mammalian cells. *Curr Top Microbiol Immunol* **209**, 1-24.
- Jacobi, C. A., Roggenkamp, A., Rakin, A., Zumbihl, R., Leitritz, L. & Heesemann, J. (1998).** In vitro and in vivo expression studies of yopE from *Yersinia enterocolitica* using the gfp reporter gene. *Mol Microbiol* **30**, 865-82.
- Jayaraman, T., Brillantes, A. M., Timerman, A. P., Fleischer, S., Erdjument-Bromage, H., Tempst, P. & Marks, A. R. (1992).** FK506 binding protein associated with the calcium release channel (ryanodine receptor). *J Biol Chem* **267**, 9474-7.
- Josenhans, C., Friedrich, S. & Suerbaum, S. (1998).** Green fluorescent protein as a novel marker and reporter system in *Helicobacter* sp. *FEMS Microbiol Lett* **161**, 263-73.
- Ju, J., Luo, T. & Haldenwang, W. G. (1997).** *Bacillus subtilis* Pro-sigmaE fusion protein localizes to the forespore septum and fails to be processed when synthesized in the forespore. *J Bacteriol* **179**, 4888-93.
- King, C. H., Fields, B. S., Shotts, E. B., Jr. & White, E. H. (1991).** Effects of cytochalasin D and methylamine on intracellular growth of *Legionella pneumophila* in amoebae and human monocyte-like cells. *Infect Immun* **59**, 758-63.
- Kirby, J. E. & Isberg, R. R. (1998).** Legionnaires' disease: the pore macrophage and the legion of terror within. *Trends Microbiol* **6**, 256-8.
- Kirby, J. E., Vogel, J. P., Andrews, H. L. & Isberg, R. R. (1998).** Evidence for pore-forming ability by *Legionella pneumophila*. *Mol Microbiol* **27**, 323-36.
- Kleerebezem, M., Heutink, M. & Tommassen, J. (1995).** Characterization of an *Escherichia coli* rotA mutant, affected in periplasmic peptidyl-prolyl cis/trans isomerase. *Mol Microbiol* **18**, 313-20.
- Klemm, J. D., Schreiber, S. L. & Crabtree, G. R. (1998).** Dimerization as a regulatory mechanism in signal transduction. *Annu Rev Immunol* **16**, 569-92.
- Köhler, R., Bubert, A., Goebel, W., Steinert, M., Hacker, J. & Bubert, B. (2000).** Expression and use of the green fluorescent protein as a reporter system in *Legionella pneumophila*. *Mol Gen Genet* **262**, 1060-9.
- Kremer, L., Baulard, A., Estaquier, J., Poulain-Godefroy, O. & Locht, C. (1995).** Green fluorescent protein as a new expression marker in mycobacteria. *Mol Microbiol* **17**, 913-22.
- Lazar, S. W. & Kolter, R. (1996).** SurA assists the folding of *Escherichia coli* outer membrane proteins. *J Bacteriol* **178**, 1770-3.

- Lazar, S. W., Almiron, M., Tormo, A. & Kolter, R. (1998).** Role of the *Escherichia coli* SurA protein in stationary-phase survival. *J Bacteriol* **180**, 5704-11.
- Lee, A. K. & Falkow, S. (1998).** Constitutive and inducible green fluorescent protein expression in *Bartonella henselae*. *Infect Immun* **66**, 3964-7.
- Lee, J. P., Palfrey, H. C., Bindokas, V. P., Ghadge, G. D., Ma, L., Miller, R. J. & Roos, R. P. (1999).** The role of immunophilins in mutant superoxide dismutase-1linked familial amyotrophic lateral sclerosis. *Proc Natl Acad Sci U S A* **96**, 3251-6.
- Lewis, P. J. & Errington, J. (1996).** Use of green fluorescent protein for detection of cell-specific gene expression and subcellular protein localization during sporulation in *Bacillus subtilis*. *Microbiology* **142**, 733-40.
- Liles, M. R., Viswanathan, V. K. & Cianciotto, N. P. (1998).** Identification and temperature regulation of *Legionella pneumophila* genes involved in type IV pilus biogenesis and type II protein secretion. *Infect Immun* **66**, 1776-82.
- Liles, M. R., Edelstein, P. H. & Cianciotto, N. P. (1999).** The prepilin peptidase is required for protein secretion by and the virulence of the intracellular pathogen *Legionella pneumophila*. *Mol Microbiol* **31**, 959-70.
- Liles, M. R., Scheel, T. A. & Cianciotto, N. P. (2000).** Discovery of a nonclassical siderophore, legiobactin, produced by strains of *Legionella pneumophila*. *J Bacteriol* **182**, 749-57.
- Liu, J., Chen, C. M. & Walsh, C. T. (1991).** Human and *Escherichia coli* cyclophilins: sensitivity to inhibition by the immunosuppressant cyclosporin A correlates with a specific tryptophan residue. *Biochemistry* **30**, 2306-10.
- Lu, K. P., Hanes, S. D. & Hunter, T. (1996).** A human peptidyl-prolyl isomerase essential for regulation of mitosis. *Nature* **380**, 544-7.
- Lu, P. J., Wulf, G., Zhou, X. Z., Davies, P. & Lu, K. P. (1999).** The prolyl isomerase Pin1 restores the function of Alzheimer-associated phosphorylated tau protein. *Nature* **399**, 784-8.
- Lück & Helbig (1997).** *Legionellaceae* (Legionellose). *Blackwell Wissenschafts-Verlag* **46**, 1-12.
- Ludwig, B., Rahfeld, J., Schmidt, B., Mann, K., Wintermeyer, E., Fischer, G. & Hacker, J. (1994).** Characterization of Mip proteins of *Legionella pneumophila*. *FEMS Microbiol Lett* **118**, 23-30.
- Lundemose, A. G., Birkelund, S., Fey, S. J., Larsen, P. M. & Christiansen, G. (1991).** *Chlamydia trachomatis* contains a protein similar to the *Legionella pneumophila* mip gene product. *Mol Microbiol* **5**, 109-15.
- Lundemose, A. G., Rouch, D. A., Birkelund, S., Christiansen, G. & Pearce, J. H. (1992).** *Chlamydia trachomatis* Mip-like protein. *Mol Microbiol* **6**, 2539-48.
- Lundemose, A. G., Rouch, D. A., Penn, C. W. & Pearce, J. H. (1993a).** The *Chlamydia trachomatis* Mip-like protein is a lipoprotein. *J Bacteriol* **175**, 3669-71.
- Lundemose, A. G., Kay, J. E. & Pearce, J. H. (1993b).** *Chlamydia trachomatis* Mip-like protein has peptidyl-prolyl *cis/trans* isomerase activity that is inhibited by FK506 and rapamycin and is implicated in initiation of chlamydial infection. *Mol Microbiol* **7**, 777-83.

- Lüneberg, E., Zahringer, U., Knirel, Y. A., Steinmann, D., Hartmann, M., Steinmetz, I., Rohde, M., Kohl, J. & Frosch, M. (1998).** Phase-variable expression of lipopolysaccharide contributes to the virulence of *legionella pneumophila*. *J Exp Med* **188**, 49-60.
- Lüneberg, E., Zetzmann, N., Alber, D., Knirel, Y. A., Kooistra, O., Zähringer, U. & Frosch, M. (2000).** Cloning and functional characterization of a 30 kb gene locus required for lipopolysaccharide biosynthesis in *Legionella pneumophila*. *Int. J. Med. Microbiol.* **290**, 37-49.
- Ma, X., Ehrhardt, D. W. & Margolin, W. (1996).** Colocalization of cell division proteins FtsZ and FtsA to cytoskeletal structures in living *Escherichia coli* cells by using green fluorescent protein. *Proc Natl Acad Sci U S A* **93**, 12998-3003.
- Margolin, W. (2000).** Green fluorescent protein as a reporter for macromolecular localization in bacterial cells. *Methods* **20**, 62-72.
- Marks, A. R. (1996).** Cellular functions of immunophilins. *Physiol Rev* **76**, 631-49.
- Marra, A., Blander, S. J., Horwitz, M. A. & Shuman, H. A. (1992).** Identification of a *Legionella pneumophila* locus required for intracellular multiplication in human macrophages. *Proc Natl Acad Sci U S A* **89**, 9607-11.
- Maruta, K., Miyamoto, H., Hamada, T., Ogawa, M., Taniguchi, H. & Yoshida, S. (1998).** Entry and intracellular growth of *Legionella dumoffii* in alveolar epithelial cells. *Am J Respir Crit Care Med* **157**, 1967-74.
- Matthews, M. & Roy, C. R. (2000).** Identification and subcellular localization of the *Legionella pneumophila* IcmX protein: a factor essential for establishment of a replicative organelle in eukaryotic host cells. *Infect Immun* **68**, 3971-82.
- McClain, M. S., Hurley, M. C., Brieland, J. K. & Engleberg, N. C. (1996).** The *Legionella pneumophila* hel locus encodes intracellularly induced homologs of heavy-metal ion transporters of Alcaligenes spp. *Infect Immun* **64**, 1532-40.
- McDade, J. E., Shepard, C. C., Fraser, D. W., Tsai, T. R., Redus, M. A. & Dowdle, W. R. (1977).** Legionnaires' disease: isolation of a bacterium and demonstration of its role in other respiratory disease. *N Engl J Med* **297**, 1197-203.
- Michnik, S. W., Rosen, M. K., Wandless, T. J., Karplus, M. & Schreiber, S. L. (1991).** Solution structure of FKBP, a rotamase enzyme and receptor of FK506 and rapamycin. *Science* **252**, 836-9.
- Missiakas, D., Betton, J. M. & Raina, S. (1996).** New components of protein folding in extracytoplasmic compartments of *Escherichia coli* SurA, FkpA and Skp/OmpH. *Mol Microbiol* **21**, 871-84.
- Missiakas, D. & Raina, S. (1997a).** Protein folding in the bacterial periplasm. *J Bacteriol* **179**, 2465-71.
- Missiakas, D. & Raina, S. (1997b).** Protein misfolding in the cell envelope of *Escherichia coli*: new signaling pathways. *Trends Biochem Sci* **22**, 59-63.
- Misteli, T. & Spector, D. L. (1997).** Applications of the green fluorescent protein in cell biology and biotechnology. *Nat Biotechnol* **15**, 961-4.
- Mo, Y. Y., Cianciotto, N. P. & Mallavia, L. P. (1995).** Molecular cloning of a *Coxiella burnetii* gene encoding a macrophage infectivity potentiator (Mip) analogue. *Microbiology* **141**, 2861-71.

- Moffat, J. F., Edelstein, P. H., Regula, D. P., Jr., Cirillo, J. D. & Tompkins, L. S. (1994).** Effects of an isogenic Zn-metalloprotease-deficient mutant of *Legionella pneumophila* in a guinea-pig pneumonia model. *Mol Microbiol* **12**, 693-705.
- Moro, A., Ruiz-Cabello, F., Fernandez-Cano, A., Stock, R. P. & Gonzalez, A. (1995).** Secretion by *Trypanosoma cruzi* of a peptidyl-prolyl *cis-trans* isomerase involved in cell infection. *Embo* **14**, 2483-90.
- Müller, A., Hacker, J. & Brand, B. C. (1996).** Evidence for apoptosis of human macrophage-like HL-60 cells by *Legionella pneumophila* infection. *Infect Immun* **64**, 4900-6.
- O'Connell, W. A., Bangsborg, J. M. & Cianciotto, N. P. (1995).** Characterization of a *Legionella micdadei* mip mutant. *Infect Immun* **63**, 2840-5.
- Onogi, T., Niki, H., Yamazoe, M. & Hiraga, S. (1999).** The assembly and migration of SeqA-Gfp fusion in living cells of *Escherichia coli*. *Mol Microbiol* **31**, 1775-82.
- Ormö, M., Cubitt, A. B., Kallio, K., Gross, L. A., Tsien, R. Y. & Remington, S. J. (1996).** Crystal structure of the *Aequorea victoria* green fluorescent protein. *Science* **273**, 1392-5.
- Ottemann, K. M. & Mekalanos, J. J. (1996).** The ToxR protein of *Vibrio cholerae* forms homodimers and heterodimers. *J Bacteriol* **178**, 156-62.
- Payne, N. R. & Horwitz, M. A. (1987).** Phagocytosis of *Legionella pneumophila* is mediated by human monocyte complement receptors. *J Exp Med* **166**, 1377-89.
- Persson, C., Carballeira, N., Wolf-Watz, H. & Fallman, M. (1997).** The PTPase YopH inhibits uptake of *Yersinia*, tyrosine phosphorylation of p130Cas and FAK, and the associated accumulation of these proteins in peripheral focal adhesions. *Embo* **16**, 2307-18.
- Pfanner, N. (2000).** Protein sorting: recognizing mitochondrial presequences. *Curr Biol* **10**, R412-5.
- Pope, C. D., Dhand, L. & Cianciotto, N. P. (1994).** Random mutagenesis of *Legionella pneumophila* with mini-Tn10. *FEMS Microbiol Lett* **124**, 107-11.
- Quinn, M. T., Parkos, C. A. & Jesaitis, A. J. (1989).** The lateral organization of components of the membrane skeleton and superoxide generation in the plasma membrane of stimulated human neutrophils. *Biochim Biophys Acta* **987**, 83-94.
- Rahfeld, J. U., Rucknagel, K. P., Stoller, G., Horne, S. M., Schierhorn, A., Young, K. D. & Fischer, G. (1996).** Isolation and amino acid sequence of a new 22-kDa FKBP-like peptidyl-prolyl *cis/trans*-isomerase of *Escherichia coli*. Similarity to Mip-like proteins of pathogenic bacteria. *J Biol Chem* **271**, 22130-8.
- Ramm, K. & Plückthun, A. (2000).** The periplasmic *Escherichia coli* peptidylprolyl *cis,trans*-isomerase FkpA. II. Isomerase-independent chaperone activity in vitro. *J Biol Chem* **275**, 17106-13.
- Raskin, D. M. & de Boer, P. A. (1999).** Rapid pole-to-pole oscillation of a protein required for directing division to the middle of *Escherichia coli*. *Proc Natl Acad Sci U S A* **96**, 4971-6.
- Ratcliff, R. M., Donnellan, S. C., Lanser, J. A., Manning, P. A. & Heuzenroeder, M. W. (1997).** Interspecies sequence differences in the Mip protein from the genus *Legionella*: implications for function and evolutionary relatedness. *Mol Microbiol* **25**, 1149-58.
- Ratcliff, R. M., Lanser, J. A., Manning, P. A. & Heuzenroeder, M. W. (1998).** Sequence-based classification scheme for the genus *Legionella* targeting the *mip* gene. *J Clin Microbiol* **36**, 1560-7.

- Reid, B. G. & Flynn, G. C. (1997).** Chromophore formation in green fluorescent protein. *Biochemistry* **36**, 6786-91.
- Riboldi-Tunnicliffe, A., König, B., Jessen, S., Rahfeld, J., Hacker, J., Fischer, G. & Hilgenfeld, R. (2000).** Crystal structure of the macrophage infectivity potentiator (Mip) protein, a major virulence factor of *Legionella pneumophila*. *submitted*.
- Rockey, D. D., Chesebro, B. B., Heinzen, R. A. & Hackstadt, T. (1996).** A 28 kDa major immunogen of *Chlamydia psittaci* shares identity with Mip proteins of *Legionella* spp. and *Chlamydia trachomatis*-cloning and characterization of the *C. psittaci* mip-like gene. *Microbiology* **142**, 945-53.
- Rosenshine, I., Ruschkowski, S., Foubister, V. & Finlay, B. B. (1994).** *Salmonella typhimurium* invasion of epithelial cells: role of induced host cell tyrosine protein phosphorylation. *Infect Immun* **62**, 4969-74.
- Rowbotham, T. (1986).** Current views on the relationships between amoebae, legionellae and man. *Isr J Med Sci* **22**, 678-89.
- Roy, C. R. & Isberg, R. R. (1997).** Topology of *Legionella pneumophila* DotA: an inner membrane protein required for replication in macrophages. *Infect Immun* **65**, 571-8.
- Roy, C. R., Berger, K. H. & Isberg, R. R. (1998).** *Legionella pneumophila* DotA protein is required for early phagosome trafficking decisions that occur within minutes of bacterial uptake. *Mol Microbiol* **28**, 663-74.
- Roy, C. R. (1999).** Trafficking of the *Legionella pneumophila* Phagosome. *ASM News* **65**, 416-21.
- Roy, C. R. & Coers, I. (2000).** Exploitation of macrophages as a replication niche by *Legionella pneumophila*: response [comment]. *Trends Microbiol* **8**, 49-50.
- Sadosky, A. B., Wilson, J. W., Steinman, H. M. & Shuman, H. A. (1994).** The iron superoxide dismutase of *Legionella pneumophila* is essential for viability. *J Bacteriol* **176**, 3790-9.
- Sambrook, J., Fritsch, E. F. & Maniatis, T. (1989).** *Molecular cloning: A laboratory manual*. 2nd edition. New York: Cold Spring Harbor Laboratory Press.
- Sanger, F., Nicklen, S. & Coulson, A. R. (1977).** DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* **74**, 5463-7.
- Schiene, C. & Fischer, G. (2000).** Enzymes that catalyse the restructuring of proteins. *Curr Opin Struct Biol* **10**, 40-5.
- Schmid, F. X. (1993).** Prolyl isomerase - Enzymatic catalysis of slow protein-folding reactions. *Annu Rev Biophys Biomol Struc* **22**, 123-43.
- Schmidt, B., Rahfeld, J., Schierhorn, A., Ludwig, B., Hacker, J. & Fischer, G. (1994).** A homodimer represents an active species of the peptidyl-prolyl *cis/trans* isomerase FKBP25mem from *Legionella pneumophila*. *FEBS Lett* **352**, 185-90.
- Schmidt, B., Konig, S., Svergun, D., Volkov, V., Fischer, G. & Koch, M. H. (1995).** Small-angle X-ray solution scattering study on the dimerization of the FKBP25mem from *Legionella pneumophila*. *FEBS Lett* **372**, 169-72.

- Schmidt, B., Tradler, T., Rahfeld, J. U., Ludwig, B., Jain, B., Mann, K., Rucknagel, K. P., Janowski, B., Schierhorn, A., Kullertz, G., Hacker, J. & Fischer, G. (1996).** A cyclophilin-like peptidyl-prolyl *cis/trans* isomerase from *Legionella pneumophila*--characterization, molecular cloning and overexpression. *Mol Microbiol* **21**, 1147-60.
- Schmidt, B. (1998).** Peptidyl-Prolyl-*cis/trans*-Isomerasen aus *Legionella pneumophila*. Dissertation Martin-Luther-Universität Halle Wittenberg.
- Schreiber, S. L. & Crabtree, G. R. (1992).** The mechanism of action of cyclosporin A and FK506. *Immunol Today* **13**, 136-42.
- Segal, G., Purcell, M. & Shuman, H. A. (1998).** Host cell killing and bacterial conjugation require overlapping sets of genes within a 22-kb region of the *Legionella pneumophila* genome. *Proc Natl Acad Sci U S A* **95**, 1669-74.
- Segal, G. & Shuman, H. A. (1998a).** How is the intracellular fate of the *Legionella pneumophila* phagosome determined? *Trends Microbiol* **6**, 253-5.
- Segal, G. & Shuman, H. A. (1998b).** Intracellular multiplication and human macrophage killing by *Legionella pneumophila* are inhibited by conjugal components of IncQ plasmid RSF1010. *Mol Microbiol* **30**, 197-208.
- Segal, G., Russo, J. J. & Shuman, H. A. (1999).** Relationships between a new type IV secretion system and the *icm/dot* virulence system of *Legionella pneumophila*. *Mol Microbiol* **34**, 799-809
- Segal, G. & Shuman, H. A. (1999a).** *Legionella pneumophila* utilizes the same genes to multiply within *Acanthamoeba castellanii* and human macrophages. *Infect Immun* **67**, 2117-24.
- Segal, G. & Shuman, H. A. (1999b).** Possible origin of the *Legionella pneumophila* virulence genes and their relation to *Coxiella burnetii* [letter]. *Mol Microbiol* **33**, 669-70.
- Shuman, H. A., Purcell, M., Segal, G., Hales, L. & Wiater, L. A. (1998).** Intracellular multiplication of *Legionella pneumophila*: human pathogen or accidental tourist? *Curr Top Microbiol Immunol* **225**, 99-112.
- Snijder, H. J., Ubarretxena-Belandia, I., Blaauw, M., Kalk, K. H., Verheij, H. M., Egmond, M. R., Dekker, N. & Dijkstra, B. W. (1999).** Structural evidence for dimerization-regulated activation of an integral membrane phospholipase. *Nature* **401**, 717-21.
- Solomon, J. M., Rupper, A., Cardelli, J. A. & Isberg, R. R. (2000).** Intracellular growth of *Legionella pneumophila* in *Dictyostelium discoideum*, a system for genetic analysis of host-pathogen interactions. *Infect Immun* **68**, 2939-47.
- Steinert, M., Engelhard, H., Flugel, M., Wintermeyer, E. & Hacker, J. (1995).** The Lly protein protects *Legionella pneumophila* from light but does not directly influence its intracellular survival in *Hartmannella vermiciformis*. *Appl Environ Microbiol* **61**, 2428-30.
- Steinert, M., Emody, L., Amann, R. & Hacker, J. (1997).** Resuscitation of viable but nonculturable *Legionella pneumophila* Philadelphia JR32 by *Acanthamoeba castellanii*. *Appl Environ Microbiol* **63**, 2047-53.
- Stone, B. J. & Abu Kwaik, Y. (1998).** Expression of multiple pili by *Legionella pneumophila*: identification and characterization of a type IV pilin gene and its role in adherence to mammalian and protozoan cells. *Infect Immun* **66**, 1768-75.

- Stone, B. J. & Kwaik, Y. A. (1999).** Natural competence for DNA transformation by *Legionella pneumophila* and its association with expression of type IV pili. *J Bacteriol* **181**, 1395-402.
- Susa, M., Hacker, J. & Marre, R. (1996).** De novo synthesis of *Legionella pneumophila* antigens during intracellular growth in phagocytic cells. *Infect Immun* **64**, 1679-84.
- Susa, M., Hacker, J., Fettes, P. & Marre, R. (1997).** *Legionella pneumophila*: Pathogenese und Pathogenität. *Hygiene und Mikrobiologie* **4/97**, 53-57.
- Susa, M. & Marre, R. (1999).** *Legionella pneumophila* invasion of MRC-5 cells induces tyrosine protein phosphorylation. *Infect Immun* **67**, 4490-8.
- Swanson, J. A. & S.C., B. (1995).** Phagocytosis by zippers and triggers. *Trends in cell biology* **5**, 89-91.
- Swanson, M. S. & Isberg, R. R. (1995).** Association of *Legionella pneumophila* with the macrophage endoplasmic reticulum. *Infect Immun* **63**, 3609-20.
- Sydenham, M., Douce, G., Bowe, F., Ahmed, S., Chatfield, S. & Dougan, G. (2000).** *Salmonella enterica* serovar typhimurium surA mutants are attenuated and effective live oral vaccines. *Infect Immun* **68**, 1109-15.
- Szeto, L. & Shuman, H. A. (1990).** The *Legionella pneumophila* major secretory protein, a protease, is not required for intracellular growth or cell killing. *Infect Immun* **58**, 2585-92.
- Thali, M., Bukovsky, A., Kondo, E., Rosenwirth, B., Walsh, C. T., Sodroski, J. & Gottlinger, H. G. (1994).** Functional association of cyclophilin A with HIV-1 virions. *Nature* **372**, 363-5.
- Timerman, A. P., Onoue, H., Xin, H. B., Barg, S., Copello, J., Wiederrecht, G. & Fleischer, S. (1996).** Selective binding of FKBP12.6 by the cardiac ryanodine receptor. *J Biol Chem* **271**, 20385-91.
- Valdivia, R. H., Hromockyj, A. E., Monack, D., Ramakrishnan, L. & Falkow, S. (1996).** Applications for green fluorescent protein (GFP) in the study of host-pathogen interactions. *Gene* **173**, 47-52.
- Valdivia, R. H. & Falkow, S. (1996).** Bacterial genetics by flow cytometry: rapid isolation of *Salmonella typhimurium* acid-inducible promoters by differential fluorescence induction. *Mol Microbiol* **22**, 367-78.
- Valdivia, R. H. & Falkow, S. (1997a).** Probing bacterial gene expression within host cells. *Trends Microbiol* **5**, 360-3.
- Valdivia, R. H. & Falkow, S. (1997b).** Fluorescence-based isolation of bacterial genes expressed within host cells. *Science* **277**, 2007-11.
- Valdivia, R. H. & Falkow, S. (1998).** Flow cytometry and bacterial pathogenesis. *Curr Opin Microbiol* **1**, 359-63.
- Venkataraman, C., Haack, B. J., Bondada, S. & Abu Kwaik, Y. (1997).** Identification of a Gal/GalNAc lectin in the protozoan *Hartmannella vermiformis* as a potential receptor for attachment and invasion by the Legionnaires' disease bacterium. *J Exp Med* **186**, 537-47.
- Venkataraman, C., Gao, L. Y., Bondada, S. & Kwaik, Y. A. (1998).** Identification of putative cytoskeletal protein homologues in the protozoan host *Hartmannella vermiformis* as substrates for induced tyrosine phosphatase activity upon attachment to the Legionnaires' disease bacterium, *Legionella pneumophila*. *J Exp Med* **188**, 505-14.

- Viswanathan, V. K., Edelstein, P. H., Pope, C. D. & Cianciotto, N. P. (2000).** The *Legionella pneumophila* *iraAB* locus is required for iron assimilation, intracellular infection, and virulence. *Infect Immun* **68**, 1069-79.
- Vogel, J. P., Roy, C. & Isberg, R. R. (1996).** Use of salt to isolate *Legionella pneumophila* mutants unable to replicate in macrophages. *Ann N Y Acad Sci* **797**, 271-2.
- Vogel, J. P., Andrews, H. L., Wong, S. K. & Isberg, R. R. (1998).** Conjugative transfer by the virulence system of *Legionella pneumophila*. *Science* **279**, 873-6.
- Vogel, J. P. & Isberg, R. R. (1999).** Cell biology of *Legionella pneumophila*. *Curr Opin Microbiol* **2**, 30-4.
- Wang, T., Donahoe, P. K. & Zervos, A. S. (1994).** Specific interaction of type I receptors of the TGF-beta family with the immunophilin FKBP-12. *Science* **265**, 674-6.
- Wang, T., Li, B. Y., Danielson, P. D., Shah, P. C., Rockwell, S., Lechleider, R. J., Martin, J., Manganaro, T. & Donahoe, P. K. (1996).** The immunophilin FKBP12 functions as a common inhibitor of the TGF beta family type I receptors. *Cell* **86**, 435-44.
- Webb, C. D., Decatur, A., Teleman, A. & Losick, R. (1995).** Use of green fluorescent protein for visualization of cell-specific gene expression and subcellular protein localization during sporulation in *Bacillus subtilis*. *J Bacteriol* **177**, 5906-11.
- Weeratna, R., Stamler, D. A., Edelstein, P. H., Ripley, M., Marrie, T., Hoskin, D. & Hoffman, P. S. (1994).** Human and guinea pig immune responses to *Legionella pneumophila* protein antigens OmpS and Hsp60. *Infect Immun* **62**, 3454-62.
- Wiater, L. A., Sadosky, A. B. & Shuman, H. A. (1994).** Mutagenesis of *Legionella pneumophila* using Tn903 d<sub>4</sub>lacZ: identification of a growth-phase-regulated pigmentation gene. *Mol Microbiol* **11**, 641-53.
- Wiater, L. A., Dunn, K., Maxfield, F. R. & Shuman, H. A. (1998).** Early events in phagosome establishment are required for intracellular survival of *Legionella pneumophila*. *Infect Immun* **66**, 4450-60.
- Wintermeyer, E., Rdest, U., Ludwig, B., Debes, A. & Hacker, J. (1991).** Characterization of legiolysin (lly), responsible for haemolytic activity, colour production and fluorescence of *Legionella pneumophila*. *Mol Microbiol* **5**, 1135-43.
- Wintermeyer, E., Flugel, M., Ott, M., Steinert, M., Rdest, U., Mann, K. H. & Hacker, J. (1994).** Sequence determination and mutational analysis of the lly locus of *Legionella pneumophila*. *Infect Immun* **62**, 1109-17.
- Wintermeyer, E., Ludwig, B., Steinert, M., Schmidt, B., Fischer, G. & Hacker, J. (1995).** Influence of site specifically altered Mip proteins on intracellular survival of *Legionella pneumophila* in eukaryotic cells. *Infect Immun* **63**, 4576-83.
- Wong, C. Y., Heuzenroeder, M. W., Quinn, D. M. & Flower, R. L. (1997).** Cloning and characterization of two immunophilin-like genes, *ilpA* and *fkpA*, on a single 3.9-kilobase fragment of *Aeromonas hydrophila* genomic DNA. *J Bacteriol* **179**, 3397-403.
- Yu, X. C., Tran, A. H., Sun, Q. & Margolin, W. (1998).** Localization of cell division protein FtsK to the *Escherichia coli* septum and identification of a potential N-terminal targeting domain. *J Bacteriol* **180**, 1296-304.

- Zähringer, U., Knirel, Y. A., Lindner, B., Helbig, J. H., Sonesson, A., Marre, R. & Rietschel, E. T. (1995).** The lipopolysaccharide of *Legionella pneumophila* serogroup 1 (strain Philadelphia 1): chemical structure and biological significance. *Prog Clin Biol Res* **392**, 113-39.
- Zhao, Y., Chen, Y., Schutkowski, M., Fischer, G. & Ke, H. (1997).** Cyclophilin A complexed with a fragment of HIV-1 gag protein: insights into HIV-1 infectious activity. *Structure* **5**, 139-46.
- Zhao, H., Thompson, R. B., Lockatell, V., Johnson, D. E. & Mobley, H. L. (1998).** Use of green fluorescent protein to assess urease gene expression by uropathogenic *Proteus mirabilis* during experimental ascending urinary tract infection. *Infect Immun* **66**, 330-5.
- Zhou, X. Z., Lu, P.-J. & Lu, W. a. K. P. (1999).** Phosphorylation-dependent prolyl isomerization: a novel signaling regulatory mechanism. *Cell Mol Life Sci* **56**, 788-806.
- Zou, C. H., Knirel, Y. A., Helbig, J. H., Zähringer, U. & Mintz, C. S. (1999).** Molecular cloning and characterization of a locus responsible for O acetylation of the O polysaccharide of *Legionella pneumophila* serogroup 1 lipopolysaccharide. *J Bacteriol* **181**, 4137-41.
- Zuckman, D. M., Hung, J. B. & Roy, C. R. (1999).** Pore-forming activity is not sufficient for *Legionella pneumophila* phagosome trafficking and intracellular growth. *Mol Microbiol* **32**, 990-1001.