

6. REFERENCES

- Abe, H., T. Obinata, L. S. Minamide, and J. R. Bamburg. 1996.** *Xenopus laevis* actin-depolymerizing factor/cofilin: A phosphorylation-regulated protein essential for development. *J. Cell Biol.* 132:871-885.
- Aderem, A. 1992.** Signal transduction and the actin cytoskeleton: the roles of MARCKS and profilin. *Trends Biochem. Sci.* 17:438-443.
- Agnew, B. J., L. S. Minamide, and J. R. Bamburg. 1995.** Reactivation of phosphorylated actin depolymerizing factor and identification of the regulatory site. *J. Biol. Chem.* 270:17582-17587.
- Aizawa, H., K. Sutoh, S. Tsubuki, S. Kawashima, A. Ishii, and I. Yahara. 1995.** Identification, characterization, and intracellular distribution of cofilin in Dictyostelium discoideum. *J Biol. Chem.* 270:10923-10932.
- Allen, R. D., J. D. Marshall, J. B. Roths, and C. L. Sidman, 1990.** Differences defined by bone marrow transplantation suggest that lpr and gld are mutations of genes encoding an interacting pair of molecules. *J. Exp. Med.* 172:1367
- Amos, L.A. 1991.** Molecules of the cytoskeleton. New York: *Guilford Press*.
- Arber, S., F. A. Barbayannis, H. Hanser, C. Schneider, C. A. Stanyon, O. Bernard, and P. Caroni. 1998.** Regulation of actin dynamics through phosphorylation of cofilin by LIM-kinase. *Nature* 393:805-809.
- Atluru, S. and D. Atluru. 1991.** Evidence that genistein, a protein-tyrosine kinase inhibitor, inhibits CD28 monoclonal-antibody-stimulated human T cell proliferation. *Transplantation*. 51:448-450.
- Bachmann, M. F., K. Mckall-Faienza, R. Schmits, D. Bouchard, J. Beach, D. E. Speiser, T. W. Mak, and P. S. Ohashi. 1997.** Distinct roles for LFA-1 and CD28 during activation of naive T cells: adhesion versus costimulation. *Immunity* 7:549-557

- Bamburg, J. R. and D. Bray.** 1987. Distribution and cellular localization of actin depolymerizing factor. *J Cell Biol.* 105:2817-2825.
- Barry, S. T. and D. R. Critchley.** 1994. The RhoA-dependent assembly of focal adhesions in Swiss 3T3 cells is associated with increased tyrosine phosphorylation and the recruitment of both pp125FAK and protein kinase C-delta to focal adhesions. *J Cell Sci.* 107:2033-2045.
- Basham, T. Y., B. J. Nickoloff, T. C. Merigan, and V. B. Morhenn.** 1984. Recombinant gamma interferon induces HLA-DR expression on cultured human keratinocytes. *J. Invest. Dermatol.* 83(2):88-90.
- Beyers, A. D., L. L. Spruyt, and A. F. Williams.** 1992. Molecular associations between the T-lymphocyte antigen receptor complex and the surface antigens CD2, CD4, or CD8 and CD5. *Proc. Natl. Acad. Sci. USA* 89:2945-2949.
- Bluestone, J. A.** 1995. New perspectives of CD28-B7-mediated T cell costimulation. *Immunity* 2:555-559.
- Bockenstedt, L. K., M. A. Goldsmith, M. Dustin, D. Olive, T. A. Springer, and A. Weiss.** 1988. The CD2 ligand LFA-3 activates T cells but depends on the expression and function of the antigen receptor. *J Immunol* 141:1904-1911.
- Bretscher, M. S.** 1996. Getting membrane flow and the cytoskeleton to cooperate in moving cells. *Cell* 87:601-606.
- Brown, M. H., D. A. Cantrell, G. Brattsand, M. J. Crumpton, and M. Gullberg.** 1989. The CD2 antigen associates with the T-cell antigen receptor CD3 antigen complex on the surface of human T lymphocytes. *Nature* 339:551-553.
- Brunner, T., R. Mogil, D. LaFace, N. J. Yoo, A. Mahboubi, F. Echeverri, S. j. Marin, W. R. Force, D. H. Lynch, C. F. Ware, and D. R. Green.** 1995. Cell-autonomous Fas (CD95)/Fas-ligand interaction mediated activation-induced apoptosis in T cell hybridomas. *Nature* 373:441-444.
- Cantrell, D.** 1996. T cell antigen receptor signal transduction pathways. *Annu. Rev. Immunol.* 14:259-274.

- Carlier, M. F. and D. Pantaloni.** 1997. Control of actin dynamics in cell motility. *J Mol. Biol.* 269:459-467.
- Caplan, S. and M. Baniyash.** 1996. Normal T cells express two T cell antigen receptor populations, one of which is linked to the cytoskeleton via zeta chain and displays a unique activation-dependent phosphorylation pattern. *J Biol. Chem.* 271:20705-20712.
- Chan, A. C., and A. S. Shaw,** 1996. Regulation of antigen receptor signal transduction by protein tyrosine kinases. *Curr. Opin. Immunol.* 8, 394-401.
- Clark, S. J., D. A. Law, D. J. Paterson, M. Puklavec, and A. F. Williams.** 1988. Activation of rat T lymphocytes by anti-CD2 monoclonal antibodies. *J Exp. Med.* 167:1861-1872.
- Collins, T. L., M. Deckert, and A. Altman.** 1997. Views on Vav. *Immunol Today.* 18:221-225.
- Cooper, J. A.** 1991. The role of actin polymerization in cell motility. *Annu. Rev. Physiol.* 53:585-605.
- Crespo, P., K. E. Schuebel, A. A. Ostrom, J. S. Gutkind, and X. R. Bustelo.** 1997. Phosphotyrosine-dependent activation of Rac-1 GDP/GTP exchange by the vav proto-oncogene product. *Nature* 385:169-172.
- Crews, C. M., and R. L. Erikson.** 1993. Extracellular signals and reversible protein phosphorylation: What to Mek of it all. *Cell* 74:215-217.
- Darnell J., H. Lodish, and D. Baltimore.** 1986. Molecular Cell Biology. pp 771-815. Scientific American Books, New York.
- Derossi, D., A. H. Joliot, G. Chassaing, and A. Prochiantz.** 1994. The third helix of the Antennapedia homeodomain translocates through biological membranes. *J. Biol. Chem.* 269:10444-10450.
- De Petris, S.** 1974. Inhibition and reversal of capping by cytochalasin B, vinblastine and colchicine. *Nature* 250:54-56.

- den Hartigh, J. C., P. M. van Bergen, Henegouwen, A. J. Verkleij, and J. Boonstra. 1992.** The EGF receptor is an actin-binding protein. *J Cell Biol.* 119:349-355.
- Dhein, J., H. C. Walczac, K. M. Baumler, Debatin, and P. H. Krammer. 1995.** Autocrine T cell suicide mediated by APO-1/(Fas/CD95). *Nature* 373:438-441.
- Dustin, M. L., M. W. Olszowy, A. D. Holdorf, J. Li, S. Bromley, N. Desai, P. Widder, F. Rosenberger, P. A. van der Merwe, P. M. Allen, and A. S. Shaw. 1998.** A novel adaptor protein orchestrates receptor patterning and cytoskeletal polarity in T-cell contacts. *Cell* 94:667-677.
- Fantl, W. J., D. E. Johnson, and L. T. Williams. 1993.** Signalling by receptor tyrosine kinases. *Annu. Rev. Biochem.* 62:453-481.
- Fischer, K. D., Y. Y. Kong, H. Nishina, K. Tedford, L. E. Marengere, I. Kozieradzki, T. Sasaki, M. Starr, G. Chan, S. Gardener, M. P. Nghiem, D. Bouchard, M. Barbacid, A. Bernstein, and J. M. Penninger. 1998.** Vav is a regulator of cytoskeletal reorganization mediated by the T- cell receptor. *Curr. Biol.* 8:554-562.
- Fishkind, D. J. and Y. L. Wang. 1995.** New horizons for cytokinesis. *Curr. Opin. Cell Biol.* 7:23-31.
- Garcia, K. C., C. A. Scott, A. Brunmark, F. R. Carbone, P. A. Peterson, I. A. Wilson, and L. Teyton. 1996.** CD8 enhances formation of stable T-cell receptor/MHC class I molecule complexes [see comments] [published erratum appears in *Nature* 1997 Jun 5;387(6633):634]. *Nature* 384:577-581.
- Gauen, L. K., Y. Zhu, F. Letourneur, Q. Hu, J. B. Bolen, L. A. Matis, R. D. Klausner, and A. S. Shaw. 1994.** Interactions of p59fyn and ZAP-70 with T-cell receptor activation motifs: defining the nature of a signalling motif. *Mol. Cell Biol.* 14:3729-3741.
- Geiger, B., D. Rosen, and G. Berke. 1982.** Spatial relationships of microtubule-organizing centers and the contact area of cytotoxic T lymphocytes and target cells. *J Cell Biol.* 95:137-143.
- Geppert, T. D. and P. E. Lipsky. 1990.** Regulatory role of microfilaments in the induction of T4 cell proliferation and interleukin 2 production. *Cell Immunol.* 131:205-218.

- Gips, S. J., D. E. Kandzari, and P. J. Goldschmidt-Clermont.** 1994. Growth factor receptors, phospholipases, phospholipid kinases and actin reorganization. *Semin. Cell Biol.* 5:201-208.
- Goldschmidt-Clermont, P. J., L. M. Machesky, J. J. Baldassare, and T. D. Pollard.** 1990. The actin-binding protein profilin binds to PIP2 and inhibits its hydrolysis by phospholipase C. *Science* 247:1575-1578.
- Grakoui, A., S. K. Bromley, C. Sumen, M. M. Davis, A. S. Shaw, P. M. Allen, and M. L. Dustin.** 1999. The immunological synapse: A molecular machine controlling T cell activation. *Science* 285:221-227
- Gregorio, C. C., R. T. Kubo, R. B. Bankert, and E. A. Repasky.** 1992. Translocation of spectrin and protein kinase C to a cytoplasmic aggregate upon lymphocyte activation. *Proc. Natl. Acad. Sci. U. S. A* 89:4947-4951.
- Gronowski, A. M. and P. J. Bertics.** 1993. Evidence for the potentiation of epidermal growth factor receptor tyrosine kinase activity by association with the detergent-insoluble cellular cytoskeleton: analysis of intact and carboxy-terminally truncated receptors. *Endocrinology* 133:2838-2846.
- Gunsalus, K. C., S. Bonaccorsi, E. Williams, F. Verni, M. Gatti, and M. L. Goldberg.** 1995. Mutations in twinstar, a Drosophila gene encoding a cofilin/ADF homologue, result in defects in centrosome migration and cytokinesis. *J Cell Biol.* 131:1243-1259.
- Hahn, W. C., Y. Rosenstein, V. Calvo, S. J. Burakoff, and B. E. Bierer.** 1992. A distinct cytoplasmic domain of CD2 regulates ligand avidity and T-cell responsiveness to antigen. *Proc. Natl. Acad. Sci. U. S. A* 89:7179-7183.
- Hall, A.** 1992. Ras-related GTPases and the cytoskeleton. *Mol. Biol. Cell* 3:475-479.
- Hall, A.** 1994. Small GTP-binding Proteins and the Regulation of the Actin Cytoskeleton. *Ann. Rev. Cell Biol.* 10:31-54.
- Han, J., K. Luby Phelps, B. Das, X. Shu, Y. Xia, R. D. Mosteller, U. M. Krishna, J. R. Falck, M. A. White, and D. Broek.** 1998. Role of substrates and products of PI 3-kinase

in regulating activation of Rac-related guanosine triphosphatases by Vav. *Science* 279:558-560.

Harder, T. and K. Simons. 1997. Caveolae, DIGs, and the dynamics of sphingolipid-cholesterol microdomains. *Curr. Opin. Cell Biol.* 9:534-542.

Hartwig, J. H., G. M. Bokoch, C. L. Carpenter, P. A. Janmey, L. A. Taylor, A. Toker, and T. P. Stossel. 1995. Thrombin receptor ligation and activated Rac uncap actin filament barbed ends through phosphoinositide synthesis in permeabilized human platelets. *Cell* 82:643-653.

Hawkins, M., Pope, B., Maciver, S., and Weeds, A. G., 1993. Human actin depolymerizing factor mediates a pH-sensitive destruction of actin filaments. *Biochemistry* 32: 9985-9993.

Hayden, S. M., Miller, P. S., Brauweiler, A., and Bamburg. J. R. 1993. Analysis of the interactions of actin depolymerizing factor (ADF) with G- adn F-actin. *Biochemistry*. 32: 9994-10004.

Heldman, A. W., D. E. Kandzari, R. W. Tucker, L. E. Crawford, E. R. Fearon, K. S. Koblan, and P. J. Goldschmidt Clermont. 1996. EJ-Ras inhibits phospholipase C gamma 1 but not actin polymerization induced by platelet-derived growth factor-BB via phosphatidylinositol 3-kinase. *Circ. Res.* 78:312-321.

Hobart, M., V. Ramassar, N. Goes, J. Urmson, and P. F. Halloran. 1997. IFN regulatory factor-1 plays a central role in the regulation of the expression of class I and II MHC genes in vivo. *J. Immunol.* 158:4260-4269

Holsinger, L. J., I. A. Graef, W. Swat, T. Chi, D. M. Bautista, L. Davidson, R. S. Lewis, F. W. Alt, and G. R. Crabtree. 1998. Defects in actin-cap formation in Vav-deficient mice implicate an actin requirement for lymphocyte signal transduction. *Curr. Biol.* 8:563-572.

Hopp, T.P., K. S. Prickett, V. Price, R. T. Libby, C. J. March, P. Cerretti, D. L. Urdal, and P. J. Conlon. 1988. A short polypeptide marker sequence useful for recombinant protein identification and prification. *Biotechnology* 6:1205-1210.

- Iida, K., K. Moriyama, S. Matsumoto, H. Kawasaki, E. Nishida, and I. Yahara. 1993.** Isolation of a yeast essential gene, COF1, that encodes a homologue of mammalian cofilin, a low-Mr actin-binding and depolymerizing protein. *Gene* 124:115-120.
- Iwashima, M., B. A. Irving, N. S. van Oers, A. C. Chan, and A. Weiss. 1994.** Sequential interactions of the TCR with two distinct cytoplasmic tyrosine kinases. *Science* 263:1136-1139.
- Janmey, P. A. and T. P. Stossel. 1989.** Gelsolin-polyphosphoinositide interaction. Full expression of gelsolin-inhibiting function by polyphosphoinositides in vesicular form and inactivation by dilution, aggregation, or masking of the inositol head group. *J Biol. Chem.* 264:4825-4831.
- Jelonek, M. T., B. J. Classon, P. J. Hudson, and D. H. Margulies. 1998.** Direct binding of the MHC class I molecule H-2Ld to CD8: interaction with the amino terminus of a mature cell surface protein. *J Immunol* 160:2809-2814.
- Jenkins, M. K. 1994.** The ups and downs of T cell costimulation. *Immunity*. 1:443-446.
- Jin, Y. J., D. R. Kaplan, M. White, G. C. Spagnoli, T. M. Roberts, and E. L. Reinherz. 1990.** Stimulation via CD3-Ti but not CD2 induces rapid tyrosine phosphorylation of a 68-kDa protein in the human Jurkat T cell line. *J Immunol* 144:647-652.
- Ju, S-T., D. J. Panka, H. Cui, R. Ettinger, M. El-Khatib, D. H. Sherr, B. Z. Stanger, and A. Marshak-Rothstein. 1995.** Fas (CD95)/FasL interactions required for programmed cell death after T cell activation. *Nature* 373:444-448.
- June, C. H., J. A. Ledbetter, M. M. Gillespie, T. Lindsten, and C. B. Thompson. 1987.** T-cell proliferation involving the CD28 pathway is associated with cyclosporine-resistant interleukin 2 gene expression. *Mol. Cell Biol.* 7:4472-4481.
- Kabelitz, D., T. Pohl, and K. Pechhold. 1993.** Activation-induced cell death (apoptosis) of mature peripheral T lymphocytes. *Immunol Today* 14:338.

- Kaga, S., S. Ragg, K. A. Rogers, and A. Ochi.** 1998. Stimulation of CD28 with B7-2 promotes focal adhesion-like cell contacts where Rho family small G proteins accumulate in T cells. *J Immunol* 160:24-27.
- Kato, K., M. Koyanagi, H. Okada, T. Takanashi, Y. W. Wong, A. F. Williams, K. Okumura, and H. Yagita.** 1992. CD48 is a counter-receptor for mouse CD2 and is involved in T cell activation. *J Exp. Med.* 176:1241-1249.
- Katzav, S., D. Martin Zanca, and M. Barbacid.** 1989. Vav, a novel human oncogene derived from a locus ubiquitously expressed in hematopoietic cells. *EMBO J* 8:2283-2290.
- Kayagaki, N., A. Kawasaki, T. Ebata, H. Ohmoto, S. Ikeda, S. Inoue, K. Yoshino, K. Okumura and H. Yagita.** 1995. Metalloproteinase-mediated release of human Fas ligand. *J. Exp. Med.* 182: 17777-1783
- Kinashi, T., J. A. Escobedo, L. T. Williams, K. Takatsu, and T. A. Springer.** 1995. Receptor tyrosine kinase stimulates cell-matrix adhesion by phosphatidylinositol 3 kinase and phospholipase C-gamma 1 pathways. *Blood*. 86:2086-2090.
- Kong Y., K. Fisher, M. F. Bachmann, S. Mariathasan, I. Kozieradzki, M. P. Nghiem, D. Bouchard, A. Bernstein, P. S. Ohashi, and J. M. Penniger.** 1998. Vav regulates peptide-specific apoptosis in thymocytes. *J. Exp. Med.* 188(11): 2099-2111
- Kotani, K., K. Yonezawa, K. Hara, H. Ueda, Y. Kitamura, H. Sakaue, A. Ando, A. Chavanieu, B. Calas, and F. Grogprescu.** 1994. Involvement of phosphoinositide 3-kinase in insulin- or IGF-1-induced membrane ruffling. *EMBO J.* 13:2313.
- L mml, U. K.** 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227:680-685.
- Lappalainen, P. and D. G. Drubin.** 1997. Cofilin promotes rapid actin filament turnover in vivo. *Nature* 388:78-82.
- Lappalainen, P., E. V. Fedorov, A. A. Fedorov, S. C. Almo, and D. G. Drubin.** 1997. Essential functions and actin-binding surfaces of yeast cofilin revealed by systematic mutagenesis. *EMBO J.* 16:5520-5530.

- Lemmon, M. A. and J. Schlessinger. 1994.** Regulation of signal transduction and signal diversity by receptor oligomerization. *Trends. Biochem. Sci.* 19:459-463.
- Ley, S. C., A. A. Davies, B. Druker, and M. J. Crumpton. 1991.** The T cell receptor/CD3 complex and CD2 stimulate the tyrosine phosphorylation of indistinguishable patterns of polypeptides in the human T leukemic cell line Jurkat. *Eur. J Immunol.* 21:2203-2209.
- Linsley, P. S., E. A. Clark, and J. A. Ledbetter. 1990.** T cell antigen CD28 mediates adhesion with B cells by interacting with activation antigen B7/BB-1. *Proc. Natl. Acad. sci. USA* 87:5031-5035.
- Linsley, P. S. and J. A. Ledbetter. 1993.** The role of the CD28 receptor during T cell responses to antigen. *Annu. Rev. Immunol.* 11:191-212.
- Lokeshwar, V. B. and L. Y. Bourguignon. 1992.** Tyrosine phosphatase activity of lymphoma CD45 (GP180) is regulated by a direct interaction with the cytoskeleton. *J Biol. Chem.* 267:21551-21557.
- Lowin Kropf, B., V. S. Shapiro, and A. Weiss. 1998.** Cytoskeletal polarization of T cells is regulated by an immunoreceptor tyrosine-based activation motif-dependent mechanism. *J Cell Biol.* 140:861-871.
- Luna, E. J. and A. L. Hitt. 1992.** Cytoskeleton--plasma membrane interactions. *Science* 258:955-964.
- Maness, P. F. and R. C. Walsh. 1982.** Dihydrocytochalasin B disorganizes actin cytoarchitecture and inhibits initiation of DNA synthesis in 3T3 cells. *Cell* 30:253-262.
- Marano, N., D. Holowka, and B. Baird. 1989.** Bivalent binding of an anti-CD3 antibody to Jurkat cells induces association of the T cell receptor complex with the cytoskeleton. *J Immunol* 143:931-938.
- Matsuyama, T., A. Yamada, K. Deuscher, J. Sleasman, J. F. Daley, Y. Torimoto, and T. Abe. 1991.** Cytochalasins enhance the proliferation of CD4 cells through the CD3-Ti antigen receptor complex or the CD2 molecule through an effect on early events of activation. *J Immunol* 146:3736-3741.

- McKim, K. S., C. Matheson, M. A. Marra, M. F. Wakarchuk, and D. L. Baillie. 1994.** The *Caenorhabditis elegans* unc-60 gene encodes proteins homologous to a family of actin-binding proteins. *Mol. Gen. Genet.* 242:346-357.
- McGough, A., B. Pope, W. Chiu, and A. Weeds. 1997.** Cofilin changes the twist of F-actin: implications for actin filament dynamics and cellular function. *J Cell Biol.* 138:771-781.
- Meuer, S. C., R. E. Hussey, M. Fabbi, D. Fox, O. Acuto, K. A. Fitzgerald, J. C. Hodgdon, J. P. Protentis, S. F. Schlossman, and E. L. Reinherz. 1984.** Alternative pathway of T cell activation: a functional role for the 50kD T11 sheep erythrocyte receptor protein. *Cell* 36:897-906.
- Miki, H., K. Miura, and T. Takenawa. 1996.** N-WASP, a novel actin-depolymerizing protein, regulates the cortical cytoskeletal rearrangement in a PIP2-dependent manner downstream of tyrosine kinases. *EMBO J* 15:5326-5335.
- Mogilner, A. and G. Oster. 1996.** Cell motility driven by actin polymerization. *Biophys. J* 71:3030-3045.
- Monks, C. R., B. A. Freiberg, H. Kupfer, N. Sciaky, and A. Kupfer. 1998.** Three-dimensional segregation of supramolecular activation clusters in T cells. *Nature* 395:82-86.
- Moon, A. L., P. A. Janmey, K. A. Louie, and D. G. Drubin. 1993.** Cofilin is an essential component of the yeast cortical cytoskeleton. *J Cell Biol.* 120:421-435.
- Moon, A. L., and D. G. Drubin. 1995.** The ADF/cofilin proteins: stimulus-responsive modulators of actin dynamics. *Mol Biol Cell.* 6: 1423-1431
- Moran, M. and Miceli, M. C. 1998.** Engagement of GPI-linked CD48 contributes to TCR signals and cytoskeletal reorganization: A role for lipid rafts in T cell activation. *Immunity* 9:787-796
- Morgan, T. E., R. O. Lockerbie, L. S. Minamide, M. D. Browning, and J. R. Bamburg. 1993.** Isolation and characterization of a regulated form of actin depolymerizing factor. *J Cell Biol.* 122:623-633.

- Moriyama, K., K. Iida, and I. Yahara. 1996.** Phosphorylation of Ser-3 of cofilin regulates its essential function on actin. *Genes. Cells.* 1:73-86.
- Moriyama, K., N. Yonezawa, H. Sakai, I. Yahara, and E. Nishida. 1992.** Mutational analysis of an actin-binding site of cofilin and characterization of chimeric proteins between cofilin and destin. *J Biol. Chem.* 267:7240-7244.
- Nagaoka, R., H. Abe, K. Kusano, and T. Obinata. 1995.** Concentration of cofilin, a small actin-binding protein, at the cleavage furrow during cytokinesis. *Cell Motil Cytoskeleton* 30:1-7.
- Nebl, G., S. C. Meuer, and Y. Samstag. 1996.** Dephosphorylation of serine 3 regulates nuclear translocation of cofilin. *J. Biol. Chem.* 271:26276-26280.
- Nishida, E., K. Iida, N. Yonezawa, S. Koyasu, I. Yahara, and H. Sakai. 1987.** Cofilin is a component of intranuclear and cytoplasmic actin rods induced in cultured cells. *Proc. Natl. Acad. Sci. USA* 84:5262-5266.
- Nishida, E., S. Maekawa, and H. Sakai. 1984.** Cofilin, a protein in porcine brain that binds to actin filaments and inhibits their interactions with myosin and tropomyosin. *Biochemistry* 23:5307-5313.
- O'Farrell, P. H. 1975.** High resolution two-dimensional polyacrylamide gel electrophoresis.
- Ogawa, K., M. Tashima, Y. Yumoto, T. Okuda, H. Sawada, M. Okuma, and Y. Maruyama. 1990.** Coding sequence of human placenta Cofilin cDNA. *Nucleic Acids Res.* 18:7169.
- Ohta, Y., E. Nishida, H. Sakai, and E. Miyamoto. 1989.** Dephosphorylation of cofilin accompanies heat shock-induced nuclear accumulation of cofilin. *J. Biol. Chem.* 264:16143-16148.
- Oyaizu, N., Y. Adachi, F. Hashimoto, T. W. McCloskey, N. Hosaka, N. Kayagaki, H. Yagita and S. Pahwa. 1997.** Monocytes express Fas ligand upon CD4 cross-linking and induce CD4+ T cell apoptosis. *J. Immunol.* 158:2456-2463

- Pages, F., M. Ragueneau, R. Rottapel, A. Truneh, J. Nunes, J. Imbert, and D. Olive.** **1994.** Binding of phosphatidylinositol-3-OH kinase to CD28 is required for T-cell signalling [published erratum appears in *Nature* 1994 Jul 14;370(6485):157]. *Nature* 369:327-329.
- Pardi, R., L. Inverardi, C. Rugarli, and J. R. Bender.** **1992.** Antigen-receptor complex stimulation triggers protein kinase C-dependent CD11a/CD18-cytoskeleton association in T lymphocytes. *J Cell Biol.* 116:1211-1220.
- Parsey, M. V. and G. K. Lewis.** **1993.** Actin polymerization and pseudopod reorganization accompany anti-CD3-induced growth arrest in Jurkat T cells. *J Immunol* 151:1881-1893.
- Perez, F., A. Joliot, E. Bloch Gallego, A. Zahraoui, A. Triller, and A. Prochiantz.** **1992.** Antennapedia homeobox as a signal for the cellular internalization and nuclear addressing of a small exogenous peptide. *J. Cell Sci.* 102:717-722.
- Perlmutter, R. M., S. D. Levin, M. W. Appleby, S. J. Anderson, and J. Alberola-Illa.** **1993.** Regulation of lymphocyte function by protein phosphorylation. *Annual reviews in immunology* 11:451-499.
- Preston, T. M., L. G. Cooper, and C. A. King.** **1990.** Amoeboid locomotion of Naegleria gruberi: the effects of cytochalasin B on cell-substratum interactions and motile behavior. *J Protozool.* 37:6S-11S.
- Rameh, L. E., C. S. Chen, and L. C. Cantley.** **1995.** Phosphatidylinositol (3,4,5)P₃ interacts with SH2 domains and modulates PI 3-kinase association with tyrosine-phosphorylated proteins. *Cell* 83:821-830.
- Reif, K. and D. A. Cantrell.** **1998.** Networking Rho family GTPase in lymphocytes. *Immunity* 8(4):395-401
- Rodriguez, V. P., P. H. Warne, A. Khwaja, B. M. Marte, D. Pappin, P. Das, M. D. Waterfield, A. Ridley, and J. Downward.** **1997.** Role of phosphoinositide 3-OH kinase in cell transformation and control of the actin cytoskeleton by Ras. *Cell* 89:457

- Rohatgi, R., L. Ma, H. Miki, M. Lopez, T. Kirchhausen, T. Takenawa, and M. W. Kirschner.** 1999. The interaction between N-WASP and the Arp2/3 complex links Cdc42-dependent signals to actin assembly. *Cell* 97:221-231.
- Rosenblatt, J., B. J. Agnew, H. Abe, J. R. Bamburg, and T. J. Mitchison.** 1997. Xenopus actin depolymerizing factor/cofilin (XAC) is responsible for the turnover of actin filaments in Listeria monocytogenes tails. *J Cell Biol.* 136:1323-1332.
- Rozdzial, M. M., B. Malissen, and T. H. Finkel.** 1995. Tyrosine-phosphorylated T cell receptor zeta chain associates with the actin cytoskeleton upon activation of mature T lymphocytes. *Immunity.* 3:623-633.
- Rozycki, M. D., J. C. Myslik, C. E. Schutt, and U. Lindberg.** 1994. Structural aspects of actin-binding proteins. *Curr. Opin. Cell Biol.* 6:87-95.
- Rudd, C. E.** 1996. Upstream-downstream: CD28 cosignaling pathways and T cell function. *Immunity.* 4:527-534.
- Ryser, J. E., E. Rungger Brandle, C. Chaponnier, G. Gabbiani, and P. Vassalli.** 1982. The area of attachment of cytotoxic T lymphocytes to their target cells shows high motility and polarization of actin, but not myosin. *J Immunol.* 128:1159-1162.
- Samelson, L. E. and R. D. Klausner.** 1992. Tyrosine kinases and tyrosine-based activation motifs. Current research on activation via the T cell antigen receptor. *J Biol. Chem.* 267:24913-24916.
- Samstag, Y., A. Bader, and S. C. Meuer.** 1991. A serine phosphatase is involved in CD2-mediated activation of human T lymphocytes and natural killer cells. *J. Immunol.* 147:788-794.
- Samstag, Y., S. W. Henning, A. Bader, and S. C. Meuer.** 1992. Dephosphorylation of pp19: a common second signal for human T cell activation mediated through different accessory molecules. *Int. Immunol.* 4:1255-1262.
- Samstag, Y., C. Eckerskorn, S. Wesselborg, S. Henning, R. Wallich, and S. C. Meuer.** 1994. Costimulatory signals for human T cell activation induce nuclear translocation of pp19/cofilin. *Proc. Natl. Acad. Sci. USA* 91:4494-4498.

- Samstag, Y., E. M. Dreizler, A. Ambach, G. Sczakiel, and S. C. Meuer. 1996.** Inhibition of constitutive serine phosphatase activity in T lymphoma cells results in phosphorylation of pp19/cofilin and induces apoptosis. *J. Immunol.* 156:4167-4173.
- Sargiacomo, M., M. Sudol, Z. Tang, and M. P. Lisanti. 1993.** Signal transducing molecules and glycosyl-phosphatidylinositol-linked proteins form a caveolin-rich insoluble complex in MDCK cells. *J Cell Biol.* 122:789-807.
- Schlessinger, J., and A. Ullrich. 1992.** Growth factor signaling by receptor tyrosine kinases. *Neuron.* 9:383-391.
- Schroeder, R., E. London, and D. Brown. 1994.** Interactions between saturated acyl chains confer detergent resistance on lipids and glycosylphosphatidylinositol (GPI)-anchored proteins: GPI-anchored proteins in liposomes and cells show similar behavior. *Proc. Natl. Acad. Sci. U. S. A* 91:12130-12134.
- Selvaraj, P., M. L. Plunkett, M. Dustin, M. E. Sanders, S. Shaw, and T. A. Springer. 1987.** The T lymphocyte glycoprotein CD2 binds the cell surface ligand LFA-3. *Nature* 326:400-403.
- Serve, H., N. S. Yee, G. Stella, L. Sepp Lorenzino, J. C. Tan, and P. Besmer. 1995.** Differential roles of PI3-kinase and Kit tyrosine 821 in Kit receptor-mediated proliferation, survival and cell adhesion in mast cells. *EMBO J* 14:473-483.
- Shaw, A. S. and M. L. Dustin. 1997.** Making the T cell receptor go the distance: a topological view of T cell activation. *Immunity.* 6:361-369.
- Shaw, S. and G. E. Luce. 1987.** The lymphocyte function-associated antigen (LFA)-1 and CD2/LFA-3 pathways of antigen-independent human T cell adhesion. *J Immunol* 139:1037-1045.
- Shaw, S. and G. E. Luce, R. Quinones, R. E. Gress, T. A. Springer, and M. E. Sanders. 1986.** Two antigen-independent adhesion pathways used by human cytotoxic T-cell clones. *Nature* 323:262-264.
- Shaw, S. and Y. Shimizu. 1988.** Two molecular pathways of human T cell adhesion: establishment of receptor-ligand relationship. *Curr. Opin. Immunol* 1:92-97.

- Sheets, E. D., R. Simson, and K. Jacobson. 1995.** New insights into membrane dynamics from the analysis of cell surface interactions by physical methods. *Curr. Opin. Cell Biol.* 7:707-714.
- Shibasaki, F., K. Fukami, Y. Fukui, and T. Takenawa. 1994.** Phosphatidylinositol 3-kinase binds to alpha-actinin through the p85 subunit. *Biochem. J* 302:551-557.
- Shimizu, Y., J. L. Mobley, L. D. Finkelstein, and A. S. Chan. 1995.** A role for phosphatidylinositol 3-kinase in the regulation of beta 1 integrin activity by the CD2 antigen. *J Cell Biol.* 131:1867-1880.
- Siliciano, R. F., J. C. Pratt, R. E. Schmidt, J. Ritz, and E. L. Reinherz. 1985.** Activation of cytolytic T lymphocyte and natural killer cell function through the T11 sheep erythrocyte binding protein. *Nature* 317:428-430.
- Skoskiewicz, M. J., R. B. Colvin, E. E. Schneeberger, and P. S. Russell, 1985.** Widespread and selective induction of major histocompatibility complex-determined antigens in vivo by gamma interferon. *J. Exp. Med.* 162:1645-1664.
- Snapper, S. B., F. S. Rosen, E. Mizoguchi, P. Cohen, W. Khan, C. H. Liu, T. L. Hagemann, S. P. Kwan, R. Ferrini, L. Davidson, A. K. Bhan, and F. W. Alt. 1998.** Wiskott-Aldrich syndrome protein-deficient mice reveal a role for WASP in T but not B cell activation. *Immunity.* 9:81-91.
- Stossel, T. P. 1994.** The machinery of cell crawling. *Sci. Am.* 271:54-5, 58.
- Tamura, G. S., M. O. Dailey, W. M. Gallatin, M. S. McGrath, I. L. Weissman, and E. A. Pillemer. 1984.** Isolation of molecules recognized by monoclonal antibodies and antisera: the solid phase immunoisolation technique. *Anal. Biochem.* 136:458-464.
- Theriot, J. A. 1997.** Accelerating on a treadmill: ADF/cofilin promotes rapid actin filament turnover in the dynamic cytoskeleton [comment]. *J Cell Biol.* 136:1165-1168.
- Theriot, J. A. and T. J. Mitchison. 1993.** The three faces of profilin. *Cell* 75:835-838.
- Thompson, C. B. 1995.** Distinct roles for the costimulatory ligands B7-1 and B7-2 in T helper cell differentiation? *Cell* 81:979-982.

- Tuosto, L., and O. Acuto.** 1998. CD28 affects the earliest signaling events generated by TCR engagement. *Eur. J Immunol* 28:2131-2142.
- Unanue, E. R., and J. C. Cerottini.** 1989. Antigen presentation. *FASEB. J* 3:2496-2502.
- Valitutti, S., M. Dessing, K. Aktories, H. Gallati, and A. Lanzavecchia.** 1995. Sustained signaling leading to T cell activation results from prolonged T cell receptor occupancy. Role of T cell actin cytoskeleton. *J Exp. Med.* 181:577-584.
- Viola, A., and A. Lanzavecchia.** 1996. T cell activation determined by T cell receptor number and tunable thresholds [see comments]. *Science* 273:104-106.
- Viola, A., Schroeder, S., Sakakibara, Y. and A. Lanzavecchia.** 1999. T lymphocyte costimulation mediated by reorganization of membrane microdomains. *Science* 283:680-682
- Wallach, D., M. Fellous, and M. Revel.** 1982. Preferential effect of gamma interferon on the synthesis of HLA antigens and their mRNAs in human cells. *Nature* 299: 833-836.
- Wange, R. L. and L. E. Samelson.** 1996. Complex complexes: Signaling at the TCR. *Immunity* 5:197-205.
- Ward, S. G.** 1996. CD28: a signalling perspective. *Biochem. J* 318:361-377.
- Wardenburg, J. B., Pappu, R. Bu, J-Y., Mayer, B., Chernnoff, J., Straus, D. Chan, A. C.** 1998. Regulation of PAK activation and the T cell cytoskeleton by the linker protein SLP-76. *Immunity* 9:607-616
- Weil, R., J. F. Cloutier, M. Fournel, and A. Veillette.** 1995. Regulation of Zap-70 by Src family tyrosine protein kinases in an antigen-specific T-cell line. *J Biol. Chem.* 270:2791-2799.
- Weiss, A.** 1993. T cell antigen receptor signal transduction: A tale of tails and cytoplasmic protein-tyrosine kinases. *Cell* 73:209-212.
- Weiss, A., J. B. Imboden, K. Hardy, B. Manger, C. Terhorst, and J. D. Stobo.** 1986. The role of the T3/antigen receptor complex in T cell activation. *Annual reviews in immunology* 4:593.

- Weiss, A. and D. R. Littman. 1994.** Signal transduction by lymphocyte antigen receptors. *Cell* 76:263-274.
- Wennstrom, S., P. Hawkins, F. Cooke, K. Hara, K. Yonezawa, M. Kasuga, T. Jackson, L. Claesson Welsh, and L. Stephens. 1994.** Activation of phosphoinositide 3-kinase is required for PDGF-stimulated membrane ruffling. *Curr. Biol.* 4:385-393.
- Wesselborg, S., O. Janssen, and D. Kabelitz. 1993.** Induction of activation-driven death (apoptosis) in activated but not resting peripheral blood T cells. *J Immunol* 150:4338-4345.
- Westendorp, M. O., Frank, R., Ochenbauer, C., Stricker, K., Dhein, J., Walczak, H., Debatin, K. M., and Krammer, P. H. 1995.** Sensitization of T cells to CD95-mediated apoptosis by HIV-1 Tat and gp 120. *Nature* 375:497
- Woscholski, R., T. Kodaki, M. McKinnon, M. D. Waterfield, and P. J. Parker. 1994.** A comparison of demethoxyviridin and wortmannin as inhibitors of phosphatidylinositol 3-kinase. *FEBS Lett.* 342:109-114.
- Wifling, C. and M. M. Davis. 1998.** A receptor/cytoskeletal movement triggered by costimulation during T cell activation. *Science* 282:2266-2269.
- Wymann, M. and A. Arcaro. 1994.** Platelet-derived growth factor-induced phosphatidylinositol 3-kinase activation mediates actin rearrangements in fibroblasts. *Biochem. J* 298 Pt 3:517-520.
- Yang, N., O. Higuchi, K. Ohashi, K. Nagata, A. Wada, K. Kangawa, E. Nishida, and K. Mizuno. 1998.** Cofilin phosphorylation by LIM-kinase 1 and its role in Rac-mediated actin reorganization. *Nature* 393:809-812.
- Yang, Y., M. Mercep, C. F. Ware, and J. D. Ashwell. 1995.** Fas and activation-induced Fas ligand mediate apoptosis of T cell hybridomas: inhibition of Fas ligand expression by retinoic acid and glucocorticoids. *J Exp Med.* 181:1673-1682.
- Yano, H., T. Agatsuma, S. Nakanishi, Y. Saitoh, Y. Fukui, Y. Nonomura, and Y. Matsuda. 1995.** Biochemical and pharmacological studies with KT7692 and LY294002 on

the role of phosphatidylinositol 3-kinase in Fc epsilon RI-mediated signal transduction. *Biochem. J.* 312:145-150.

Yonezawa, N., E. Nishida, K. Iida, I. Yahara, and H. Sakai. 1990. Inhibition of the interaction of cofilin, destinin, and deoxyribonuclease I with actin by phosphoinositides. *J. Biol. Chem.* 265:8382-8386.

Yonezawa, N., E. Nishida, S. Koyasu, S. Maekawa, Y. Ohta, I. Yahara, and H. Sakai. 1987. Distribution among tissues and intracellular localization of cofilin, a 21kDa actin-binding protein. *Cell struct. funct.* 12:443-452.

Yonezawa, N., E. Nishida, K. Iida, H. Kumagai, I. Yahara, and H. Sakai. 1991. Inhibition of actin polymerization by a synthetic dodecapeptide patterned on the sequence around the actin-binding site of cofilin. *J. Biol. Chem.* 266:10485-10489.

Yonezawa, N., E. Nishida, M. Ohba, M. Seki, H. Kumagai, and H. Sakai. 1989. An actin-interacting heptapeptide in the cofilin sequence. *Eur. J. Biochem.* 183:235-238.

Yonezawa, N., E. Nishida, and H. Sakai. 1985. pH control of actin polymerization by cofilin. *J Biol. Chem.* 260:14410-14412.

Zell, T., S. W. Hunt, J. L. Mobley, L. D. Finkelstein, and Y. Shimizu. 1996. CD28-mediated up-regulation of beta 1-integrin adhesion involves phosphatidylinositol 3-kinase. *J Immunol* 156:883-886.