

VI Literaturverzeichnis

1. Ackermann, H. W., S. S. Kasatiya, T. Kawata, T. Koga, J. V. Lee, A. Mbiquino, F. S. Newman, J. F. Vieu, and A. Zachary. 1984. Classification of *Vibrio* bacteriophages. *Intervirology*. **22**:61-71.
2. Ali, A., J. A. Johnson, A. A. Franco, D. J. Metzger, T. D. Connell, J. G. Morris Jr., and S. Sozhamannan. 2000. Mutations in the extracellular protein secretion pathway genes (*eps*) interfere with rugose polysaccharide production in and motility of *Vibrio cholerae*. *Infect. Immun.* **68**:1967-1974.
3. Altschul, S. F., T. L. Madden, A. A. Schaffer, Z. J., Z. Zhang, W. Miller, and D. J. Lipman. 1997. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* **25**:3389-3402.
4. Amor, K., D. Heinrichs, E. Frirdich, K. Ziebell, R. Johnson, and C. Whitfield. 2000. Distribution of core oligosaccharide types in lipopolysaccharides from *Escherichia coli*. *Infect. Immun.* **68**:1116-1124.
5. Andoh, A., Y. Fujiyama, H. Sakamoto, H. Uchihara, T. Kimura, S. Koyama, and T. Bamba. 1998. Detection of complement C3 and factor B gene expression in normal colorectal mucosa, adenomas and carcinomas. *Clin. Exp. Immunol.* **111**:477-83.
6. Angelichio, M. J., J. Spector, M. K. Waldor, and A. Camilli. 1999. *Vibrio cholerae* intestinal population dynamics in the suckling mouse model of infection. *Infect. Immun.* **67**:3733-3739.
7. Ansari, M. Q., and S. C. Pal. 1990. Phage typing of *Vibrio cholerae* O1 biotype El Tor strains. *J. Med. Res.* **91**:263-265.
8. Arrecubieta, C., E. Garcia, and R. Lopez. 1996. Demonstration of UDP-glucose dehydrogenase activity in cell extracts of *Escherichia coli* expressing the pneumococcal *cap3A* gene required for the synthesis of type 3 capsular polysaccharide. *J. Bacteriol.* **178**:2971-2974.
9. Attridge, S. R., P. A. Manning, J. Holmgren, and G. Jonson. 1996. Relative significance of mannose-sensitive hemagglutinin and toxin-coregulated pili in colonization of infant mice by *Vibrio cholerae* El Tor. *Infect. Immun.* **64**:3369-3373.
10. Bagchi, K., P. Echeverria, J. D. Arthur, O. Sethabutr, O. Serichantalergs, and C. W. Hoge. 1993. Epidemic of diarrhea caused by *Vibrio cholerae* non-O1 that produced heat-stable toxin among Khmers in a camp in Tahiland. *J. Clin. Microbiol.* **31**:1315-1317.
11. Bartowsky, E. J., S. R. Attridge, C. J. Thomas, G. Mayrhofer, and P. A. Manning. 1990. Role of the P plasmid in attenuation of *Vibrio cholerae* O1. *Infect. Immun.* **58**:3129-34.
12. Baselski, V. S., R. A. Medina, and C. D. Parker. 1979. In vivo and in vitro characterization of virulence deficient mutants of *Vibrio cholerae*. *Infect. Immun.* **24**:111-116.
13. Bauer, M. E., and R. A. Welch. 1997. Pleiotropic effects of a mutation in *rfaC* on *Escherichia coli* hemolysin. *Infect. Immun.* **65**:2218-2224.
14. Bengoechea, J. A., and M. Skurnik. 2000. Temperature-regulated efflux pump/potassium antiporter system mediates resistance to cationic antimicrobial peptides in *Yersinia*. *Mol. Microbiol.* **37**:67-80.
15. Benitez, J. A., R. G. Spelbrink, A. Silva, T. E. Phillips, C. M. Stanley, M. Boesman-Finkelstein, and R. A. Finkelstein. 1997. Adherence of *Vibrio cholerae* to cultured differentiated human intestinal cells: an in vitro colonization model. *Infect. Immun.* **65**:3474-3477.
16. Berche, P., C. Poyart, E. Abachin, H. Lelievre, J. Vandepitte, A. Dodin, and J. M. Fournier. 1994. The novel epidemic strain O139 is closely related to the pandemic strain O1 of *Vibrio cholerae*. *J. Infect. Dis.* **170**:701-704.
17. Beuzon, C. R., and J. Casadensus. 1997. Conserved structure of IS200 elements in *Salmonella*. *Nucleic Acids Res.* **25**:1355 - 1361.
18. Beuzon, C. R., S. Marques, and J. Casadesus. 1999. Repression of IS200 transposase synthesis by RNA secondary structures. *Nucleic Acids Res.* **27**:3690-3695.
19. Bik, E. M., A. E. Bunschoten, R. D. Gouw, and F. R. Mooi. 1995. Genesis of the novel epidemic *Vibrio cholerae* O139 strain: evidence for horizontal transfer of genes involved in polysaccharide synthesis. *EMBO J.* **14**:209-216.

20. **Bik, E. M., R. D. Gouw, and F. R. Mooi.** 1996. DNA fingerprinting of *Vibrio cholerae* strains with a novel insertion sequence element: a tool to identify epidemic strains. *J. Clin. Microbiol.* **34**:1453-1461.
21. **Birnboim, H. C., and J. Doly.** 1979. Rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res.* **7**:1513-1523.
22. **Blake, P. A.** 1994. Historical perspectives on pandemic cholera. Chapter 18 (p. 293-295). Coordinating eds., K. I. Wachsmuth, P. A. Blake, and O. Olsik. ASM Press, Washington, D.C.
23. **Böhringer, J., D. Fischer, G. Mosler, and R. Hengge-Aronis.** 1995. UDP-glucose is a potential intracellular signal molecule in the control of expression of σ^S -dependent genes in *Escherichia coli*. *J. Bacteriol.* **177**:413-422.
24. **Bouffard, G. G., K. E. Rudd, and S. L. Adhya.** 1994. Dependence of lactose metabolism upon mutarotase encoded in the *gal* operon in *Escherichia coli*. *J. Mol. Biol.* **244**:269-78.
25. **Boyce, J. D., J. Y. Chung, and B. Adler.** 2000. Genetic organisation of the capsule biosynthetic locus of *Pasteurella multocida* M1404 (B:2). *Vet. Microbiol.* **72**:121-134.
26. **Boyd, E. F., A. J. Heilpern, and M. K. Waldor.** 2000. Molecular analyses of a putative CTXphi precursor and evidence for independent acquisition of distinct CTXphis by toxigenic *Vibrio cholerae*. *J. Bacteriol.* **182**:5530-5538.
27. **Boyd, E. F., and M. K. Waldor.** 1999. Alternative mechanism of cholera toxin acquisition by *Vibrio cholerae*: generalized transduction of CTXphi by bacteriophage CP-T1. *Infect. Immun.* **67**:5898-5905.
28. **Bradley, D. E.** 1967. Ultrastructure of bacteriophage and bacteriocins. *Bacteriol. Rev.* **31**:230-314.
29. **Calendar, R.** 1988. The bacteriophages. Plenum Press, New York.
30. **Calvin, N. M., and P. C. Hanawalt.** 1988. High efficiency transformation of bacterial cells by electroporation. *J. Bacteriol.* **170**:2796-2801.
31. **Cash, R. A., S. I. Music, J. P. Libonati, M. J. Snyder, R. P. Wenzel, and R. B. Hornick.** 1974. Response of man to infection with *Vibrio cholerae*. I. Clinical, serologic, and bacteriologic responses to a known inoculum. *J. Infect. Dis.* **129**:45-52.
32. **Chiang, S. L., and J. J. Mekalanos.** 1999. *rfb* mutations in *Vibrio cholerae* do not affect surface production of toxin-coregulated pili but still inhibit intestinal colonization. *Infect. Immun.* **67**:976-980.
33. **Chiang, S. L., and J. J. Mekalanos.** 1998. Use of signature-tagged transposon mutagenesis to identify *Vibrio cholerae* genes critical for colonization. *Mol. Microbiol.* **27**:797-805.
34. **Chiang, S. L., R. K. Taylor, M. Koomey, and J. J. Mekalanos.** 1995. Single amino acid substitutions in the N-terminus of *Vibrio cholerae* TcpA affect colonization, autoagglutination, and serum resistance. *Mol. Microbiol.* **17**:1133-1142.
35. **Chitnis, D. S., K. D. Sharma, and R. S. Kamat.** 1982. Role of bacterial adhesion in the pathogenesis of cholera. *J. Med. Microbiol.* **15**:43-51.
36. **Colmer, J. A., J. A. Fralick, and A. N. Hamood.** 1998. Isolation and characterization of a putative multidrug resistance pump from *Vibrio cholerae*. *Mol. Microbiol.* **27**:63-72.
37. **Colwell, R. R.** 1996. Global climate and infectious disease: the cholera paradigm. *Science*. **274**:2025-2031.
38. **Comstock, L. E., J. A. Johnson, J. M. Michalski, J. G. Morris, and J. B. Kaper.** 1996. Cloning and sequence of a region encoding a surface polysaccharide of *Vibrio cholerae* O139 and characterization of the insertion site in the chromosome of *Vibrio cholerae* O1. *Mol. Microbiol.* **19**:815-826.
39. **Correa, N. E., C. M. Lauriano, R. McGee, and K. E. Klose.** 2000. Phosphorylation of the flagellar regulatory protein FlrC is necessary for *Vibrio cholerae* motility and enhanced colonization. *Mol. Microbiol.* **35**:743-755.
40. **Costerton, J. W., Z. Lewandowski, D. E. Caldwell, D. R. Korber, and H. M. Lappin-Scott.** 1995. Microbial biofilms. *Annu. Rev. Microbiol.* **49**:711-45.
41. **Csonka, L. N., and W. Epstein.** 1996. Osmoregulation, p. 1210-1223. In F. C. Neidhardt (ed.), *E. coli* and *Salmonella*. Cellular and Molecular Biology. ASM, Washington D.C.
42. **Cummings, J. H., E. W. Pomare, W. J. Branch, C. P. E. Naylor, and G. T. Macfarlane.** 1987. Short chain fatty acids in human large intestine, portal, hepatic and venous blood. *Gut*. **28**:1221-1227.

43. **Dalsgaard, A., A. Forslund, O. Serichantalergs, and D. Sandvang.** 2000. Distribution and content of class I integrons in different *Vibrio cholerae* O-Serotype strains isolated in Thailand. *Antimicrob. Agents Chemoth.* **44**:1315-1321.
44. **Davis, B. M., E. H. Lawson, M. Sandkvist, A. Ali, S. Sozhamannan, and M. Waldor.** 2000. Convergence of the secretory pathways for cholera toxin and the filamentous phage, CTXphi. *Science.* **288**:333-335.
45. **Davis, B. M., and M. K. Waldor.** 2000. CTXphi contains a hybrid genome derived from tandemly integrated elements. *Proc. Natl. Acad. Sci.* **97**:8572-8577.
46. **de Cock, H., and J. Tommassen.** 1996. Lipopolysaccharides and divalent cations are involved in the formation of an assembly-competent intermediate of outer-membrane protein PhoE of *E. coli*. *EMBO J.* **15**:5567-5573.
47. **DeShazer, D., P. J. Brett, and D. E. Woods.** 1998. The type II O-antigenic polysaccharide moiety of *Burkholderia pseudomallei* lipopolysaccharide is required for serum resistance and virulence. *Mol. Microbiol.* **30**:1081-1100.
48. **DiRita, V. J., and J. J. Mekalanos.** 1991. Periplasmic interaction between two membrane regulatory proteins, ToxR and ToxS, results in signal transduction and transcriptional activation. *Cell.* **64**:29-37.
49. **Donnenberg, M. S., and J. B. Kaper.** 1991. Construction of an *eae* deletion mutant of enteropathogenic *Escherichia coli* by using a positive-selection suicide vector. *Infect. Immun.* **59**:4310-4317.
50. **Dreiseikelmann, B.** 1994. Translocation of DNA across bacterial membranes. *Microbiol. Rev.* **58**:293-316.
51. **Dumontier, S., P. Trieu-Cuot, and P. Berche.** 1998. Structural and functional characterization of IS1358 from *Vibrio cholerae*. *J. Bacteriol.* **180**:6101-6106.
52. **Dziejman, M., and J. J. Mekalanos.** 1994. Analysis of membrane protein interaction: ToxR can dimerize the amino terminus of phage lambda repressor. *Mol. Microbiol.* **13**:485-494.
53. **Edwards, N. J., M. A. Monteiro, G. Faller, E. J. Walsh, A. P. Moran, I. S. Roberts, and N. High.** 2000. Lewis X structures in the O antigen side-chain promote adhesion of *Helicobacter pylori* to the gastric epithelium. *Mol. Microbiol.* **35**:1530-1539.
54. **Ernst, R. K., T. Guine, and S. I. Miller.** 1999. How intracellular bacteria survive: surface modifications that promote resistance to host innate immune responses. *J. Infect. Dis.* **179** (Suppl 2):S326-30.
55. **Fallarino, A., C. Mavrangelos, U. H. Stroehner, and P. A. Manning.** 1997. Identification of additional genes required for O-antigen biosynthesis in *Vibrio cholerae* O1. *J. Bacteriol.* **179**:2147-2153.
56. **Faruque, S. M., M. J. Albert, and J. J. Mekalanos.** 1998. Epidemiology, genetics, and ecology of toxigenic *Vibrio cholerae*. *Microbiol. and Mol. Biol. Rev.* **62**:1301-1314.
57. **Faruque, S. M., Asadulghani, M. N. Saha, A. R. M. A. Alim, M. J. Albert, K. M. N. Islam, and J. J. Mekalanos.** 1998. Analysis of clinical and environmental strains of nontoxigenic *Vibrio cholerae* for susceptibility to CTXphi: molecular basis for origination of new strains with epidemic potential. *Infect. Immun.* **66**:5819-5825.
58. **Faruque, S. M., A. M. M. Rahman, M. K. Waldor, and D. A. Sack.** 2000. Sunlight-induced propagation of the lysogenic phage encoding cholera toxin. *Infect. Immun.* **68**:4795-4801.
59. **Fasano, A., C. Fiorentini, G. Donelli, S. Uzzau, J. B. Kaper, K. Margaretten, X. Ding, S. Guandalini, L. Comstock, and S. E. Goldblum.** 1995. Zonula occludens toxin modulates tight junctions through protein kinase C-dependent actin reorganization, in vitro. *J. Clin. Invest.* **96**:710-720.
60. **Favre, D., S. J. Cryz Jr., and J.-F. Viret.** 1996. Development of *Shigella sonnei* live oral vaccines based on defined *rfaB* Inaba deletion mutants of *Vibrio cholerae* expressing the *Shigella* serotype D O-polysaccharide. *Infect. Immun.* **64**:576-584.
61. **Filiatrault, M. J., B. W. Gibson, B. Schilling, S. Sun, R. S. Mundson Jr, and A. A. Campagnari.** 2000. Construction and characterization of *Haemophilus ducreyi* lipooligosaccharide (LOS) mutants defective in expression of heptosyltransferase III and β 1,4-glucosyltransferase: identification of LOS glycoforms containing lactosamine repeats. *Infect. Immun.* **68**:3352-3361.
62. **Finkelstein, R. A., M. Boesman-Finkelstein, and P. Holt.** 1983. *Vibrio cholerae* hemagglutinin/lectin/protease hydrolyzes fibronectin and ovomucin: F.M. Burnet revisited. *Proc. Natl. Acad. Sci. USA.* **80**:1092-1095.

63. **Finkelstein, R. A., M. Boesman-Finkelstein, D. K. Sengupta, W. J. Page, C. M. Stanley, and T. E. Phillips.** 1997. Colonial opacity variations among the choleraic vibrios. *Microbiol.* **143**:23-34.
64. **Finlay, B. B., and S. Falkow.** 1997. Common themes in microbial pathogenicity revisited. *Microbiol. and Mol. Biol. Rev.* **61**:136-169.
65. **Fishmann, P. H.** 1990. Mechanism of action of cholera toxin., p. 127-137. In J. Moss, and M. Vaughan (ed.), ADP-ribosylating toxins and G proteins. ASM, Washington D.C.
66. **Foster, J. W.** 1999. When protons attack: microbial strategies of acid adaptation. *Curr. Opin. Microbiol.* **2**:170-174.
67. **Franzon, V. F., A. Baker, and P. A. Manning.** 1993. Nucleotide sequence and construction of a mutant in the mannose-fucose-resistant hemagglutinin (MFRHA) of *Vibrio cholerae* O1. *Infect. Immun.* **61**:3032-3037.
68. **Fuhrman, J. A.** 1999. Marine viruses and their biogeochemical and ecological effects. *Nature.* **399**:541-548.
69. **Fullner, K. J., and J. J. Mekalanos.** 1999. Genetic characterization of a new type IV-A pilus gene cluster found in both classical and El Tor Biotypes of *Vibrio cholerae*. *Infect. Immun.* **67**:1393-1404.
70. **Gabriel, S. E., K. N. Brigman, B. H. Koller, R. C. Boucher, and M. J. Stutts.** 1994. Cystic fibrosis heterozygote resistance to cholera toxin in the cystic fibrosis mouse model. *Science.* **266**:107-109.
71. **Galas, D. J., and H. Chandler.** 1989. Bacterial insertion sequences., p. 109-162. In D. E. Berg, and M. M. Howe (ed.), Mobile DNA. ASM, Washington, DC.
72. **Gardel, C. L., and J. J. Mekalanos.** 1994. Regulation of cholera toxin by temperature, pH, and osmolarity. *Meth. Enzymology.* **235**:517-526.
73. **Geerlof, A., A. Lewendon, and W. V. Shaw.** 1999. Purification and characterization of phosphopantetheine adenylyltransferase from *Escherichia coli*. *J. Biol. Chem.* **274**:27105-27111.
74. **Glass, R. I., M. Claeson, P. A. Blake, R. J. Waldman, and N. F. Pierce.** 1991. Cholera in Africa: lessons on transmission and control for Latin America. *Lancet.* **338**:791-795.
75. **Goldberg, J. B., and G. B. Pier.** 1996. *Pseudomonas aeruginosa* lipopolysaccharides and pathogenesis. *Trends Microbiol.* **4**:490-494.
76. **Goldberg, M. B., V. J. DiRita, and S. B. Calderwood.** 1990. Identification of an iron-regulated virulence determinant in *Vibrio cholerae*, using TnphoA mutagenesis. *Infect. Immun.* **58**:55-60.
77. **Grimberg, J., S. Maguire, and L. Belluscio.** 1989. A simple method for the preparation of plasmid and chromosomal *E. coli* DNA. *Nucleic Acids Res.* **17**:8893.
78. **Guidolin, A., and P. A. Manning.** 1985. Bacteriophage CP-T1 of *Vibrio cholerae*. Identification of the cell surface receptor. *Eur. J. Biochem.* **153**:89-94.
79. **Guidolin, A., and P. A. Manning.** 1987. Genetics of *Vibrio cholerae* and its bacteriophages. *Microbiol. Rev.* **51**:285-298.
80. **Gunn, J. S., K. B. Lim, J. Krueger, K. Kim, L. Guo, M. Hackett, and S. I. Miller.** 1998. PmrA-PmrB-regulated genes necessary for 4-aminoarabinose lipid A modification and polymyxin resistance. *Mol. Microbiol.* **27**:1171-1182.
81. **Guo, L., K. B. Lim, C. M. Poduje, M. Daniel, J. S. Gunn, M. Hackett, and S. I. Miller.** 1998. Lipid A acylation and bacterial resistance against vertebrate antimicrobial peptides. *Cell.* **95**:189-198.
82. **Gupta, S., and R. Chowdhury.** 1997. Bile affects production of virulence factors and motility of *Vibrio cholerae*. *Infect. Immun.* **65**:1131-1134.
83. **Hall, R. H., F. M. Khambaty, M. Kothary, and S. P. Keasler.** 1993. Non-O1 *Vibrio cholerae*. *Lancet* 1993. **342**:430.
84. **Häse, C. C., and J. J. Mekalanos.** 1998. TcpP protein is a positive regulator of virulence gene expression in *Vibrio cholerae*. *Proc. Natl. Acad. Sci. USA.* **95**:730-734.

85. **Heidelberg, J. F., J. A. Eisen, W. C. Nelson, R. A. Clayton, M. L. Gwinn, R. J. Dodson, D. H. Haft, e. K. Hickey, J. D. Peterson, U. L., S. Gill, K. E. Nelson, T. D. Read, H. Tettelin, d. Richardson, M. D. Ermolaeva, J. Vamathevan, S. Bass, H. Qin, I. Dragoi, P. Sellers, L. McDonald, T. Utterback, R. D. Fleishman, W. C. Nierman, O. White, S. L. Salzberg, H. O. Smith, R. R. Colwell, J. J. Mekalanos, J. C. Venter, and C. M. Fraser.** 2000. DNA sequence of both chromosomes of the cholera pathogen *Vibrio cholerae*. *Nature*. **406**:477-483.
86. **Heilpern, A. J., and M. K. Waldor.** 2000. CTXphi infection of *Vibrio cholerae* requires the *tolQRA* gene products. *J. Bacteriol.* **182**:1739-1747.
87. **Heinrichs, D. E., M. A. Monteiro, M. B. Perry, and C. Whitfield.** 1998. The assembly system for the lipopolysaccharide R2 core-type of *Escherichia coli* is a hybrid of those found in *Escherichia coli* K-12 and *Salmonella enterica*. *J. Biol. Chem.* **273**:8849-8859.
88. **Heinrichs, D. E., J. A. Yethon, and C. Whitfield.** 1998. Molecular basis for structural diversity in the core regions of the lipopolysaccharides of *Escherichia coli* and *Salmonella enterica*. *Mol. Microbiol.* **30**:221-232.
89. **Henderson, I. R., P. Owen, and J. P. Nataro.** 1999. Molecular switches - the ON and OFF of bacterial phase variation. *Mol. Microbiol.* **33**:919-932.
90. **Herrington, D. A., R. H. Hall, G. Losonsky, J. J. Mekalanos, R. K. Taylor, and M. M. Levine.** 1988. Toxin, toxin-coregulated pili and the *toxR* regulon are essential for *Vibrio cholerae* pathogenesis in humans. *J. Exp. Med.* **168**:1487-1492.
91. **Higa, N., Y. Honma, J. M. Albert, and M. Iwanaga.** 1993. Characterization of *Vibrio cholerae* O139 synonym bengal isolated from patients with cholera-like disease in Bangladesh. *Microbiol. Immunol.* **37**:971-974.
92. **Hisatsune, K., S. Kondo, Y. Isshiki, T. Iguchi, Y. Kawamata, and T. Shimada.** 1993. O-antigenic lipopolysaccharide of *Vibrio cholerae* O139 Bengal, a new epidemic strain for recent cholera in the Indian subcontinent. *Biochem. Biophys. Res. Commun.* **196**:1309-1315.
93. **Hochhut, B., J. Marrero, and M. K. Waldor.** 2000. Mobilization of plasmids and chromosomal DNA mediated by the SXT Element, a constin found in *Vibrio cholerae* O139. *J. Bacteriol.* **182**:2043-2047.
94. **Hochhut, B., and M. K. Waldor.** 1999. Site-specific integration of the conjugal *Vibrio cholerae* SXT element into *prfC*. *Mol. Microbiol.* **32**:99-110.
95. **Hofmann, A. F.** 1998. Bile secretion and the enterohepatic circulation of bile acids., p. 937-948. In M. Feldman, B. F. Scharschmidt, and M. H. Sleisenger (ed.), *Gastrointestinal and liver disease*. Saunders Co., W.B., Philadelphia, Pa.
96. <http://www.tigr.org>. The *Vibrio cholerae* genome project.
97. **Huq, A., B. Xu, M. A. R. Chowdhury, M. S. Islam, R. Montilla, and R. R. Colwell.** 1996. A simple filtration method to remove plankton-associated *Vibrio cholerae* in raw water supplies in developing countries. *Appl. Environ. Microbiol.* **62**:2508-2512.
98. **Iredell, J. R., and P. A. Manning.** 1997. Outer membrane translocation arrest of the TcpA pilin subunit in *rfb* mutants of *Vibrio cholerae* O1 strain 569B. *J. Bacteriol.* **179**:2038-2046.
99. **Iredell, J. R., U. H. Stroher, H. M. Ward, and P. A. Manning.** 1998. Lipopolysaccharide O-antigen expression and the effect of its absence on virulence in *rfa* mutants of *Vibrio cholerae* O1. *FEMS Immunol. Med. Microbiol.* **20**:45-54.
100. **Islam, M. S., Z. Rahim, M. J. Alam, s. Begum, S. M. Moniruzzaman, a. Umeda, K. Amako, M. J. Albert, R. B. Sack, A. Huq, and C. R.R.** 1999. Association of *Vibrio cholerae* O1 with the cyanobacterium, *Anabaena* sp., elucidated by polymerase chain reaction and transmission electron microscopy. *Trans.R. Soc. Trop. Med. Hyg.* **93**:36-40.
101. **Ito, T., T. Higuchi, M. Hirobe, K. Hiramatsu, and T. Yokota.** 1994. Identification of a novel sugar, 4-amino-4,6-dideoxy-2-O-methylmannose in the lipopolysaccharide of *Vibrio cholerae* O1 serotype Ogawa. *Carbohydr. Res.* **256**:113-128.
102. **Iwanaga, M., K. Yamamoto, N. Higa, Y. Ichinose, N. Nakasone, and M. Tanabe.** 1986. Culture conditions for stimulating cholera toxin production by *Vibrio cholerae* O1 El Tor. *Microbiol. Immunol.* **30**:1075-1083.

103. **Jacques, M.** 1996. Role of lipo-oligosaccharides and lipopolysaccharides in bacterial adherence. *Trends Microbiol.* **4**:408-410.
104. **Jobling, M. G., and R. K. Holmes.** 1997. Characterization of *hapR*, a positive regulator of the *Vibrio cholerae* HA/protease gene *hap*, and its identification as a functional homologue of the *Vibrio harveyi luxR* gene. *Mol. Microbiol.* **26**:1023-1034.
105. **Joiner, K. A.** 1985. Studies on the mechanism of bacterial resistance to complement-mediated killing and the mechanism of action of bactericidal antibody. *Curr. Top. Microbiol. Immunol.* **121**:99 - 133.
106. **Kabir, S.** 1982. Characterization of the lipopolysaccharide from *Vibrio cholerae* O395 (Ogawa). *Infect. Immun.* **38**:1263-1272.
107. **Kaper, J. B., J. G. Morris Jr., and M. M. Levine.** 1995. Cholera. *Clin. Microbiol. Rev.* **8**:48-86.
108. **Karaolis, D. K., R. Lan, and P. R. Reeves.** 1995. The sixth and seventh cholera pandemics are due to independent clones separately derived from environmental, nontoxigenic, non-O1 *Vibrio cholerae*. *J. Bacteriol.* **177**:3191-3198.
109. **Karaolis, D. K. R., J. A. Johnson, C. C. Bailey, E. C. Boedeker, J. B. Kaper, and P. R. Reeves.** 1998. A *Vibrio cholerae* pathogenicity island associated with epidemic and pandemic strains. *Proc. Natl. Acad. Sci. USA.* **95**:3134-3139.
110. **Karaolis, D. K. R., S. Somara, D. R. Maneval Jr., J. A. Johnson, and J. B. Kaper.** 1999. A bacteriophage encoding a pathogenicity island, a type-IV pilus and a phage receptor in cholera bacteria. *Nature.* **399**:375-379.
111. **Kay, B. A., A. B. Cheryl, and J. G. Wells.** 1994. Isolation and identification of *Vibrio cholerae* O1 from fecal specimens., p. 3-25. In K. Wachsmuth, P. A. Blake, and O. Olsvik (ed.), *Vibrio cholerae* and Cholera. ASM Press, Washington, D.C.
112. **Kenne, L., B. Lindberg, P. Unger, B. Gustafsson, and T. Holme.** 1982. Structural studies of the *Vibrio cholerae* O-antigen. *Carbohydr. Res.* **100**:341-349.
113. **Kenner, J. R., T. S. Coster, D. N. Taylor, A. F. Trofa, M. Barrera-Oro, T. Hyman, J. M. Adams, D. T. Beattie, K. P. Killeen, D. R. Spriggs, J. J. Mekalanos, and J. C. Sadoff.** 1995. Peru-15, an improved live attenuated vaccine candidate for *Vibrio cholerae* O1. *J. Infect. Dis.* **172**:1126-1129.
114. **Kersulyte, D., N. S. Akopyants, S. W. Clifton, B. A. Roe, and D. E. Berg.** 1998. Novel sequence organization and insertion specificity of IS605 and IS606: chimaeric transposable elements of *Helicobacter pylori*. *Gene.* **223**:175 - 186.
115. **Kimsey, H. H., and M. K. Waldor.** 1998. CTXphi immunity: Application in the development of cholera vaccines. *Proc. Natl. Acad. Sci. USA.* **95**:7035-7039.
116. **Kimsey, H. H., and M. K. Waldor.** 1998. *Vibrio cholerae* hemagglutinin/protease inactivates CTXphi. *Infect. Immun.* **66**:4025-4029.
117. **Kirn, T. J., M. J. Lafferty, C. M. P. Sandoe, and R. K. Taylor.** 2000. Delineation of pilin domains required for bacterial association into microcolonies and intestinal colonization by *Vibrio cholerae*. *Mol. Microbiol.* **35**:896-910.
118. **Klose, K. E.** 2000. The suckling mouse model of cholera. *Trends Microbiol.* **8**:189-191.
119. **Klose, K. E., and J. J. Mekalanos.** 1998. Differential regulation of multiple flagellins in *Vibrio cholerae*. *J. Bacteriol.* **180**:303-316.
120. **Klose, K. E., and J. J. Mekalanos.** 1998. Distinct roles of an alternative sigma factor during both free-swimming and colonizing phases of the *Vibrio cholerae* pathogenic cycle. *Mol. Microbiol.* **28**:501-520.
121. **Knirel, Y. A., G. Widmalm, S. N. Senchenkova, P.-E. Jansson, and A. Weintraub.** 1997. Structural studies on the short-chain lipopolysaccharide of *Vibrio cholerae* O139 Bengal. *Eur. J. Biochem.* **247**:402-410.
122. **Kolter, R., M. Inuzuka, and D. R. Helinski.** 1978. Trans-complementation-dependent replication of a low molecular weight origin fragment from plasmid R6K. *Cell.* **15**:1199-1208.
123. **Kovacikova, G., and K. Skorupski.** 2000. Differential activation of the *tcpPH* promotor by AphB determines biotype specificity of virulence gene expression in *Vibrio cholerae*. *J. Bacteriol.* **182**:3228-3238.

124. **Laemmli, U. K.** 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*. **227**:680-685.
125. **Lam, S., and J. R. Roth.** 1983. IS200: a *Salmonella*-specific insertion sequence. *Cell*. **34**:951-960.
126. **Lazar, S., and M. K. Waldor.** 1998. ToxR-independent expression of cholera toxin from the replicative form of CTXphi. *Infect. Immun.* **66**:394-397.
127. **Lee, S. H., D. L. Hava, M. K. Waldor, and A. Camilli.** 1999. Regulation and temporal expression patterns of *Vibrio cholerae* virulence genes during infection. *Cell*. **99**:625-634.
128. **Levine, M. M., J. B. Kaper, R. E. Black, and M. L. Clements.** 1983. New knowledge on pathogenesis of bacterial enteric infections as applied to vaccine development. *Microbiol. Rev.* **47**:510-550.
129. **Lin, E. C. C.** 1996. Dissimilatory pathways for sugars, polyols, and carboxylates, p. 307-342. In F. C. Neidhardt (ed.), *Escherichia coli* and *Salmonella*. Cellular and Molecular Biology, second ed. ASM, Washington, D.C.
130. **Lin, W., K. J. Fullner, R. Clayton, J. A. Sexton, M. B. Rogers, K. E. Calia, S. B. Calderwood, C. Fraser, and J. J. Mekalanos.** 1999. Identification of a *Vibrio cholerae* RTX toxin gene cluster that is tightly linked to the cholera toxin prophage. *Proc. Natl. Acad. Sci.* **96**:1071-1076.
131. **Lobitz, B., L. Beck, A. Huq, B. Wood, G. Fuchs, A. S. G. Faruque, and R. Colwell.** 2000. Climate and infectious disease: Use of remote sensing for detection of *Vibrio cholerae* by indirect measurement. *Proc. Natl. Acad. Sci.* **97**:1438-1443.
132. **Lohia, A., A. N. Chatterjee, and J. Das.** 1984. Lysis of *Vibrio cholerae* cells: direct isolation of the outer membrane from whole cells by treatment with urea. *J. Gen. Microbiol.* **130**:2027-2033.
133. **Lord, J. M., and L. M. Roberts.** 1998. Toxin entry: retrograde transport through the secretory pathway. *J. Cell Biol.* **140**:733-736.
134. **Mahillon, J., and M. Chandler.** 1998. Insertions sequences. *Microbiol. and Mol. Biol. Rev.* **62**:725-774.
135. **Mallow, E. B., A. Harris, N. Salzman, J. P. Russell, R. J. DeBerardinis, E. Ruchelli, and C. L. Bevins.** 1996. Human enteric defensins. *J. Biol. Chem.* **271**:4038-4045.
136. **Maniatis, T., E. F. Frisch, and J. Sambrook.** 1982. Molecular cloning. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
137. **Manning, P. A., U. H. Stroher, and R. Morona.** 1994. Molecular basis for O-Antigen biosynthesis in *Vibrio cholerae* O1: Ogawa-Inaba switching., p. 77-94. In K. I. Wachsmuth, P. A. Blake, and O. Olsvik (ed.), *Vibrio cholerae* and Cholera: molecular to global perspectives. ASM, Washington D.C.
138. **Maskell, D. J., M. J. Szabo, M. E. Deadman, and E. R. Moxon.** 1992. The *gal* locus from *Haemophilus influenzae*: cloning, sequencing and the use of *gal* mutants to study lipopolysaccharide. *Mol. Microbiol.* **6**:3051-3063.
139. **Mazel, D., B. Dychinco, V. A. Webb, and J. Davies.** 1998. A distinctive class of integron in the *Vibrio cholerae* genome. *Science*. **280**:605-607.
140. **Medrano, A. I., V. J. DiRita, G. Castillo, and J. Sanchez.** 1999. Transient transcriptional activation of the *Vibrio cholerae* El Tor virulence regulator ToxT in response to culture conditions. *Infect. Immun.* **67**:2178-2183.
141. **Mekalanos, J. J.** 1983. Duplication and amplification of toxin genes in *Vibrio cholerae*. *Cell*. **35**:253-63.
142. **Merrell, S. D., and A. Camilli.** 1999. The *cadA* gene of *Vibrio cholerae* is induced during infection and plays a role in acid tolerance. *Mol. Microbiol.* **34**:836-849.
143. **Michel, G., G. Ball, J. B. Goldberg, and A. Lazdunski.** 2000. Alteration of the lipopolysaccharide structure affects the functioning of the Xcp secretory system in *Pseudomonas aeruginosa*. *J. Bacteriol.* **182**:696-703.
144. **Miller, J. H.** 1972. Experiments in molecular genetics. Cold Spring Harbor Laboratory, Cold Spring Harbor, N. Y.
145. **Miller, J. H.** 1992. A short course in bacterial genetics. A laboratory manual and handbook for *Escherichia coli* and related bacteria. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.

146. **Miller, V. L., and J. J. Mekalanos.** 1988. A novel suicide vector and its use in construction of insertion mutations: osmoregulation of outer membrane proteins and virulence determinants in *Vibrio cholerae* requires *toxR*. *J. Bacteriol.* **170**:2575-83.
147. **Mitra, R., P. Figueroa, A. K. Mukhopadhyay, T. Shimada, Y. Takeda, D. E. Berg, and G. B. Nair.** 2000. Cell vacuolation, a manifestation of the El Tor hemolysin of *Vibrio cholerae*. *Infect. Immun.* **68**:1928-1933.
148. **Mooi, F. R., and E. M. Bik.** 1997. The evolution of epidemic *Vibrio cholerae* strains. *Trends Microbiol.* **5**:161-165.
149. **Morona, R., M. S. Matthews, J. K. Morona, and M. H. Brown.** 1990. Regions of the cloned *Vibrio cholerae rfb* genes needed to determine the Ogawa form of the O-antigen. *Mol. Gen. Genet.* **224**:405-412.
150. **Morona, R., U. H. Stroehner, L. E. Karageorgos, M. H. Brown, and P. A. Manning.** 1995. A putative pathway for biosynthesis of the O-antigen component, 3-deoxy-L-glycero-tetronic acid, based on the sequence of the *Vibrio cholerae* O1 *rfb* region. *Gene.* **166**:19 - 31.
151. **Morris, J. G.** 1990. Non-O group 1 *Vibrio cholerae*: a look at the epidemiology of an occasional pathogen. *Epidemiol. Rev.* **12**:179-91.
152. **Morris, J. G., M. B. Sztein, E. W. Rice, J. P. Nataro, G. A. Losonsky, P. Panigrahi, C. O. Tacket, and J. A. Johnson.** 1996. *Vibrio cholerae* O1 can assume a chlorine-resistant rugose survival form that is virulent for humans. *J. Infec. Dis.* **174**:1364-8.
153. **Morris Jr., J. G.** 1994. Non-O group 1 *Vibrio cholerae* strains not associated with epidemic disease., p. 103-115. In K. I. Wachsmuth, P. A. Blake, and O. Olsvik (ed.), *Vibrio cholerae* and cholera: molecular to global perspectives, Washington, DC.
154. **Moss, J., and M. Vaughan.** 1979. Activation of adenylate cyclase by cholera toxin. *Ann. Rev. Biochem.* **48**:581-600.
155. **Mullis, K. B., and F. Falooma.** 1987. Specific synthesis of DNA in vitro via a polymerase chain reaction. *Meth. Enzymol.* **155**:335-340.
156. **Nalin, D. R., R. J. Levine, M. M. Levine, D. Hoover, E. Bergquist, J. McLaughlin, J. Libonati, J. Alam, and R. B. Hornick.** 1978. Cholera, non-vibrio cholera, and stomach acid. *Lancet.* **2**:856-9.
157. **Namdar, H., C. R. Klaips, and J. L. Hughes.** 2000. A cytotoxin-producing strain of *V. cholerae* non-O1, non-O139 as a cause of cholera and bacteremia after consumption of raw clams. *J. Clin. Microbiol.* **38**:3518-3519.
158. **Nesper, J., J. Blaß, M. Fountouloakis, and J. Reidl.** 1999. Characterization of the major control region of *Vibrio cholerae* bacteriophage K139: immunity, exclusion and integration. *J. Bacteriol.* **181**:2902-2913.
159. **Nikaido, H.** 1996. Outer Membrane, p. 29-47. In F. C. Neidhardt (ed.), *Escherichia coli* and *Salmonella typhimurium*. Cellular and Molecular Biology, second ed. ASM, Washington, D.C.
160. **Nye, M. B., J. D. Pfau, K. Skorupski, and R. K. Taylor.** 2000. *Vibrio cholerae* H-NS silences virulence gene expression at multiple steps in the ToxR regulatory cascade. *J. Bacteriol.* **182**:4295-4303.
161. **O'Reilly, C., G. W. Black, R. Laffey, and D. J. McConnell.** 1990. Molecular analysis of an IS200 insertion in the *gpt* gene of *Salmonella typhimurium* LT2. *J. Bacteriol.* **172**:6599-6601.
162. **Occhino, D. A., E. E. Wyckoff, D. P. Henderson, T. J. Wrona, and S. M. Payne.** 1998. *Vibrio cholerae* iron transport: haem transport genes are linked to one of two sets of *tonB*, *exbB*, *exbD* genes. *Mol. Microbiol.* **29**:1493-1507.
163. **Overbye, L. J., M. Sandkvist, and Bagdasarian.** 1993. Genes required for extracellular secretion of enterotoxin are clustered in *Vibrio cholerae*. *Gene.* **132**:101-106.
164. **Parsot, C., E. Taxman, and J. J. Mekalanos.** 1991. ToxR regulates the production of lipoproteins and the expression of serum resistance in *Vibrio cholerae*. *Proc. Natl. Acad. Sci. USA.* **88**:1641-1654.
165. **Pearson, G. D. N., A. Woods, S. L. Chiang, and J. J. Mekalanos.** 1993. CTX genetic element encodes a site-specific recombination system and an intestinal colonization factor. *Proc. Natl. Acad. Sci.* **90**:3750-3754.
166. **Peterson, J. W., R. A. Finkelstein, J. Cantu, D. L. Gessell, and A. K. Chopra.** 1999. Cholera toxin B subunit activates arachidonic acid metabolism. *Infect. Immun.* **67**:794-799.

167. **Peterson, J. W., and L. G. Ochoa.** 1989. Role of prostaglandins and cAMP in the secretory effects of cholera toxin. *Science*. **245**:857-859.
168. **Pratt, L. A., and R. Kolter.** 1998. Genetic analysis of *Escherichia coli* biofilm formation: roles of flagella, motility, chemotaxis and type I pili. *Mol. Microbiol*. **30**:285-293.
169. **Provenzano, D., and K. E. Klose.** 2000. Altered expression of the ToxR-regulated porins OmpU and OmpT diminishes *Vibrio cholerae* bile resistance, virulence factor expression, and intestinal colonization. *Proc. Natl. Acad. Sci.* **97**:10220-10224.
170. **Raetz, C. R. H.** 1996. Bacterial lipopolysaccharides: a remarkable family of bioactive macroamphiphiles., p. 1035-1063. In F. C. Neidhardt (ed.), *Escherichia coli and Salmonella*. Cellular and molecular biology. ASM, Washington D.C.
171. **Redmond, J. W.** 1979. The structure of the O-antigenic side chain of the lipopolysaccharide of *Vibrio cholerae* 569B (Inaba). *Biochim. Biophys. Acta*. **584**:346-352.
172. **Reeves, P. R., M. Hobbs, M. A. Valvano, M. Skurnik, C. Whitfield, D. Coplin, N. Kido, J. Klena, D. Maskell, C. R. H. Raetz, and P. D. Rick.** 1996. Bacterial polysaccharide synthesis and gene nomenclature. *Trends Microbiol*. **4**:495-503.
173. **Reidl, J., and J. J. Mekalanos.** 1995. Characterization of *Vibrio cholerae* bacteriophage K139 and use of a novel mini transposon to identify a phage-encoded virulence factor. *Mol. Microbiol*. **18**:685-701.
174. **Richardson, K.** 1991. Roles of motility and flagellar structure in pathogenicity of *Vibrio cholerae*: Analysis of motility mutants in three animal models. *Infect. Immun*. **59**:2727-2736.
175. **Richardson, S. H.** 1994. Host susceptibility, p. 273-289. In I. K. Wachsmuth, P. A. Blake, and O. Olsvik (ed.), *Vibrio cholerae and cholera: molecular to global perspectives*. ASM, Washington, DC.
176. **Roe, A. J., D. McLaggan, I. Davidson, C. O'Byrne, and I. R. Booth.** 1998. Perturbation of anion balance during inhibition of growth of *Escherichia coli* by weak acids. *J. Bacteriol*. **180**:767-772.
177. **Rose, R. E.** 1988. The nucleotide sequence of pACYC177. *Nucleic Acids Res*. **16**:356.
178. **Rose, R. E.** 1988. The nucleotide sequence of pACYC184. *Nucleic Acids Res*. **16**:355.
179. **Rowe, B., and J. A. Frost.** 1992. Vibrio phages and phage-typing, p. 95-105. In D. Barua, and W. B. Greenough (ed.), *Cholera*. Plenum Medical Book Company, New York.
180. **Rubin, E. J., W. Lin, J. J. Mekalanos, and M. K. Waldor.** 1998. Replication and integration of a *Vibrio cholerae* cryptic plasmid linked to the CTX prophage. *Mol. Microbiol*. **28**:1247-1254.
181. **Sandkvist, M., O. Michel, L. P. Hough, V. M. Morales, M. Bagdasarian, M. Koomey, V. J. DiRita, and M. Bagdasarian.** 1997. General secretion pathway (*eps*) genes required for toxin secretion and outer membrane biogenesis in *Vibrio cholerae*. *J. Bacteriol*. **179**:6994-7003.
182. **Sandkvist, M., L. J. Overbye, T. K. Sixma, W. G. J. Hol, and M. Bagdasarian.** 1993. A protein required for secretion of cholera toxin through the outer membrane of *Vibrio cholerae*. *Gene*. **123**:81-86.
183. **Sanger, F., S. Nicklen, and A. R. Coulson.** 1977. DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA*. **74**:5463-5467.
184. **Schaaper, R. M., and R. L. Dunn.** 1991. Spontaneous mutation in the *Escherichia coli lacI* gene. *Genetics*. **129**:317-326.
185. **Schumacher, D. A., and K. E. Klose.** 1999. Environmental signals modulate ToxT-dependent virulence factor expression in *V. cholerae*. *J. Bacteriol*. **181**:1508-1514.
186. **Sciortino, C. V., and R. A. Finkelstein.** 1983. *Vibrio cholerae* expresses iron-regulated outer membrane proteins *in vivo*. *Infect. Immun*. **42**:990-996.
187. **Sen, K., and H. Nikaido.** 1991. Lipopolysaccharide structure required for *in vitro* trimerization of *Escherichia coli* OmpF porin. *J. Bacteriol*. **173**:926-928.
188. **Silhavy, T. J., M. L. Berman, and L. W. Enquist.** 1984. Experiments with gene fusions. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
189. **Simon, R., U. Priefer, and A. Pühler.** 1983. A broad host range mobilization system for *in vivo* genetic engineering: transposon mutagenesis in gram negative bacteria. *Bio Technology*. **1**:784-791.
190. **Skorupski, K., and R. K. Taylor.** 1997. Control of the ToxR virulence regulon in *Vibrio cholerae* by environmental stimuli. *Mol. Microbiol*. **25**:1003-1009.

191. **Skorupski, K., and R. K. Taylor.** 1997. Cyclic AMP and its receptor protein negatively regulate the coordinate expression of cholera toxin and toxin-coregulated pilus in *Vibrio cholerae*. Proc. Natl. Acad. Sci. **94**:265-270.
192. **Slauch, J. M., M. J. Mahan, P. Michetti, M. R. Neutra, and J. J. Mekalanos.** 1995. Acetylation (O-factor 5) affects the structural and immunological properties of *Salmonella typhimurium* lipopolysaccharide O antigen. Infect Immun. **63**:437-441.
193. **Southern, E. M.** 1975. Detection of specific sequences among DNA fragments separated by gel electrophoresis. J. Mol. Biol. **51**:503-517.
194. **Sozhamannan, S., Y. K. Deng, M. Li, A. Sulakvelidze, J. B. Kaper, J. A. Johnson, G. B. Nair, and J. G. Morris Jr.** 1999. Cloning and sequencing of the genes downstream of the *wbf* gene cluster of *Vibrio cholerae* Serogroup O139 and analysis of the junction genes in other serogroups. Infect. Immun. **67**:5033-5040.
195. **Spangler, B. D.** 1992. Structure and function of cholera toxin and the related *Escherichia coli* heat-labile enterotoxin. Microbiol. Rev. **56**:622-647.
196. **Steeghs, L., R. den Hartog, A. den Boer, B. Zomer, P. Roholl, and P. van der Ley.** 1998. Meningitis bacterium is viable without endotoxin. Nature. **392**:449-450.
197. **Steinberg, D. A., M. A. Hurst, C. A. Fujii, A. H. Kung, J. F. Ho, F.-C. Cheng, D. J. Loury, and J. C. Fiddes.** 1997. Protegrin-1: a broad-spectrum, rapidly microbicidal peptide with in vivo activity. Antimicrob. Agents Chemother. **41**:1738-1742.
198. **Stimson, E., M. Virji, K. Makepeace, A. Dell, H. R. Morris, G. Payne, J. R. Saunders, M. P. Jennings, S. Barker, M. Panico, and e. al.** 1995. Meningococcal pilin: a glycoprotein substituted with digalactosyl 2,4-diacetamido-2,4,6-trideoxyhexose. Mol. Microbiol. **17**:1201-14.
199. **Stroher, U. H., K. E. Jedani, B. K. Dredge, R. Morona, M. H. Brown, L. E. Karageorgos, M. J. Albert, and P. A. Manning.** 1995. Genetic rearrangements in the *rfb* regions of *Vibrio cholerae* O1 and O139. Proc. Natl. Acad. Sci. USA. **92**:10374-10378.
200. **Stroher, U. H., K. E. Jedani, and P. A. Manning.** 1998. Genetic organization of the regions associated with surface polysaccharide synthesis in *Vibrio cholerae* O1, O139 and *Vibrio anguillarum* O1 and O2: a review. Gene. **223**:269-282.
201. **Stroher, U. H., L. E. Karageorgos, M. H. Brown, R. Morona, and P. A. Manning.** 1995. A putative pathway for perosamine biosynthesis is the first function encoded within the *rfb* region of *Vibrio cholerae* O1. Gene. **166**:33-42.
202. **Stroher, U. H., L. E. Karageorgos, R. Morona, and P. A. Manning.** 1995. In *Vibrio cholerae* serogroup O1, *rfaD* is closely linked to the *rfb* operon. Gene. **155**:67-72.
203. **Stroher, U. H., L. E. Karageorgos, R. Morona, and P. A. Manning.** 1992. Serotype conversion in *Vibrio cholerae* O1. Proc. Natl. Acad. Sci. U.S.A. **89**:2566-2570.
204. **Summers, W. C.** 1993. Cholera and plague in India: the bacteriophage inquiry of 1927-1936. J. Hist. Med. **48**:275-301.
205. **Takeya, K., and S. Shimodori.** 1963. "Prophage-typing" of El Tor *Vibrios*. J. Bacteriol. **85**:957-958.
206. **Takeya, K., Y. Zinnaka, S. Shimodori, Y. Nakayama, K. Amako, and K. Tida.** 1965. Lysogeny in El Tor *Vibrios*, p. 24-29. In O. S. Bushnell, and C. S. Brookhyser (ed.), Proceedings of the Cholera Research Symposium, Honolulu. U.S. Department of Health, Education, and Welfare., Washington, D.C.
207. **Tarsi, R., and C. Pruzzo.** 1999. Role of surface proteins in *Vibrio cholerae* attachment to chitin. Appl. Environ. Microbiol. **65**:1348-1351.
208. **Taylor, R. K., V. L. Miller, D. B. Furlong, and J. J. Mekalanos.** 1987. Use of *phoA* gene fusions to identify a pilus colonization factor coordinately regulated with cholera toxin. Proc. Natl. Acad. Sci. USA. **84**:2833-2837.
209. **Towbin, H., T. Staehlin, and J. Gordon.** 1979. Electrophoretic transfer of proteins. Proc. Natl. Acad. Sci. USA. **76**:4350-4354.
210. **Trucksis, M., T. L. Conn, S. S. Wassermann, and C. L. Sears.** 2000. *Vibrio cholerae* ACE stimulates Ca(2+)-dependent Cl(-)/HCO₃-secretion in T84 cells in vitro. Am. J. Physiol. Cell Physiol. **279**:C567-C577.

211. **Trucksis, M., J. Michalski, Y. K. Deng, and J. B. Kaper.** 1998. The *Vibrio cholerae* genome contains two unique circular chromosomes. Proc. Natl. Acad. Sci. USA. **95**:14464-14469.
212. **Tsai, C. M., and C. E. Frasch.** 1982. A sensitive silver stain for detecting lipopolysaccharides in polyacrylamide gels. Anal. Biochem. **119**:115-119.
213. **Uzzau, S., P. Cappuccinelli, and A. Fasano.** 1999. Expression of *Vibrio cholerae* zonula occludens toxin and analysis of its subcellular localization. Microbiol. Pathog. **27**:377-385.
214. **Vakharia, H., and R. Misra.** 1996. A genetic approach for analysing surface-exposed regions of the OmpC protein of *Escherichia coli* K-12. Mol. Microbiol. **19**:881-889.
215. **Villeneuve, S., H. Souchon, M.-M. Riottot, J.-C. Mazie, P.-S. Lei, C. P. J. Glaudemans, P. Kovac, J.-M. Fournier, and P. M. Alzari.** 2000. Crystal structure of an anti-carbohydrate antibody directed against *Vibrio cholerae* O1 in complex with antigen: Molecular basis for serotype specificity. Proc. Natl. Acad. Sci. **97**:8433-8438.
216. **Vinogradov, E. V., K. Bock, O. Holst, and H. Brade.** 1995. The structure of the lipid A-core region of the lipopolysaccharides from *Vibrio cholerae* O1 smooth strain 569B (Inaba) and rough mutant strain 95R (Ogawa). Eur. J. Biochem. **233**:152 - 158.
217. **Wai, S. N., Y. Mizunoe, A. Takade, S.-I. Kawabata, and S.-I. Yoshida.** 1998. *Vibrio cholerae* O1 strain TSI-4 produces the exopolysaccharide materials that determine colony morphology, stress resistance, and biofilm formation. Appl. Environ. Microbiol. **64**:3648-3655.
218. **Waldor, K. W., and J. J. Mekalanos.** 1996. Lysogenic conversion by a filamentous phage encoding cholera toxin. Science. **272**:1910-1914.
219. **Waldor, M. K., R. Colwell, and J. J. Mekalanos.** 1994. The *Vibrio cholerae* O139 serogroup antigen includes an O-antigen capsule and lipopolysaccharide virulence determinants. Proc. Natl. Acad. Sci. USA. **91**:11388-11392.
220. **Waldor, M. K., and J. J. Mekalanos.** 1994. ToxR regulates virulence gene expression in non-O1 strains of *Vibrio cholerae* that cause epidemic cholera. Infect. Immun. **62**:72-78.
221. **Waldor, M. K., and J. J. Mekalanos.** 1994. *Vibrio cholerae* O139 specific gene sequences. Lancet. **343**:1366.
222. **Waldor, M. K., E. J. Rubin, G. D. N. Pearson, H. Kimsey, and J. J. Mekalanos.** 1997. Regulation, replication, and integration functions of the *Vibrio cholerae* CTXphi are encoded by region RS2. Mol. Microbiol. **24**:917-926.
223. **Wandersman, C., and S. Letoffe.** 1993. Involvement of lipopolysaccharide in the secretion of *Escherichia coli* α -haemolysin and *Erwinia chrysanthemi* proteases. Mol. Microbiol. **7**:141-150.
224. **Ward, H. M., and P. A. Manning.** 1989. Mapping of chromosomal loci associated with lipopolysaccharide synthesis and serotype specificity in *Vibrio cholerae* O1 by transposon mutagenesis using Tn5 and Tn2680. Mol. Gen. Genet. **218**:367-370.
225. **Waterman, S. R., and P. L. Small.** 1998. Acid-sensitive enteric pathogens are protected from killing under extremely acidic conditions of pH 2.5 when they are inoculated onto certain solid food sources. Appl. Environ. Microbiol. **64**:3882-3886.
226. **Watnick, P., and R. Kolter.** 2000. Biofilm, city of microbes. J. Bacteriol. **182**:2675-2679.
227. **Watnick, P., and R. Kolter.** 1999. Steps in the development of a *Vibrio cholerae* El Tor biofilm. Mol. Microbiol. **34**:586-595.
228. **Watnick, P., C. M. Lauriano, K. E. Klose, L. Croal, and R. Kolter.** 2000. The absence of a flagellum leads to altered colony morphology, biofilm development, and virulence in *Vibrio cholerae* O139. Submitted for publication.
229. **Watnick, P. I., K. J. Fullner, and R. Kolter.** 1999. A role for the mannose-sensitive hemagglutinin in biofilm formation by *Vibrio cholerae* El Tor. J. Bacteriol. **181**:3606-3609.
230. **Watson, N.** 1988. A new revision of the sequence of plasmid pBR322. Gene. **70**:399-403.
231. **White, P. B.** 1938. The rugose variant of *Vibrios*. J. Pathol. Bacteriol. **46**:1-6.
232. **Whitfield, C., P. A. Amor, and R. Köplin.** 1997. Modulation of the surface architecture of Gram-negative bacteria by the action of surface polymer:lipid A-core ligase and by determinants of polymer chain length. Mol. Microbiol. **23**:629-638.

233. **WHO.** 2000. Cholera 1999. Weekly epidemiological record, <http://www.who.int/wer>. **31:**249-256.
234. **Wiese, A., K. Brandenburg, A. J. Ulmer, U. Seydel, and S. Müller-Loennies.** 1999. The dual role of lipopolysaccharide as effector and target molecule. *Biol. Chem.* **380:**767-784.
235. **Winkle, S.** 1997. Cholera Asiatica, p. 153-251, *Kulturgeschichte der Seuchen*. Komet, Frechen.
236. **Yamai, S., T. Okitsu, T. Shimada, and Y. Katsume.** 1997. Distribution of serogroups of *Vibrio cholerae* non-O1 non-O139 with specific reference to their ability to produce cholera toxin and addition of novel serogroups. *Kansenshogaku Zasshi.* **10:**1037-1045.
237. **Yamamoto, T., and T. Yokota.** 1988. Electron microscopic study of *Vibrio cholerae* O1 adherence to the mucus coat and villus surface in the human small intestine. *Infect. Immun.* **56:**2753-2759.
238. **Yamasaki, S., T. Shimizu, K. Hoshini, S.-T. Ho, T. Shimada, G. B. Nair, and Y. Takeda.** 1999. The genes responsible for O-antigen synthesis of *Vibrio cholerae* O139 are closely related to those of *Vibrio cholerae* O22. *Gene.* **237:**321-332.
239. **Yildiz, F. H., and G. K. Schoolnik.** 1999. *Vibrio cholerae* O1 El Tor: Identification of a gene cluster required for the rugose colony type, exopolysaccharide production, chlorine resistance, and biofilm formation. *Proc. Natl. Acad. Sci. USA.* **96:**4028-4033.
240. **Young, K., and L. L. Silver.** 1991. Leakage of periplasmic enzymes from envA1 strains of *Escherichia coli*. *J. Bacteriol.* **173:**3609-14.
241. **Ziebuhr, W., V. Krimmer, S. Rachid, I. Lößner, F. Götz, and J. Hacker.** 1999. A novel mechanism of phase variation of virulence in *Staphylococcus epidermidis*: evidence for control of the polysaccharide intercellular adhesin synthesis by alternating insertion and excision of the insertion sequence element IS256. *Mol. Microbiol.* **32:**345-356.