

## 7 Literaturverzeichnis

- Akre, R.D., Hansen, L.D. und Myhre, E.A.** (1994) Colony size in carpenter ants (Hymenoptera: Formicidae). *Journal of the Kansas Entomological Society* 67(1): 1-9
- Aksoy, S.** (1995) *Wigglesworthia* gen. nov. and *Wigglesworthia glossinida* sp. nov., taxa consisting of the mycetocyte-associate, primary endosymbionts of tsetse flies. *Int. J. Syst. Bacteriol.* 45: 848-851
- Aksoy, S.** (1995a) Molecular analysis of the endosymbionts of tsetse flies: 16S rDNA locus and over-expression of a chaperonin. *Ins. Mol. Biol.* 4(1): 23-29
- Aksoy, S., Chen, X. und Hypsa, V.** (1997) Phylogeny and potential transmission routes of midgut-associated endosymbionts of tsetse flies (Diptera: Glossinidae). *Insect. Mol. Biol.* 6: 183-190
- Aksoy, S., Pourhosseini, A.A. und Chow, A.** (1995) Mycetome endosymbionts of tsetse flies constitute a distinct lineage related to *Enterobacteriaceae*. *Insect Mol. Biol.* 4: 15-22
- Amann, R.I., Ludwig, W. und Schleifer, K.H.** (1995) Phylogenetic Identification an *In situ* Detection of Individual Microbial Cells without Cultivation. *Microb. Rev.* 59: 143-169
- Andersson, S.G.E. und Kurland, C.G.** (1998) Reductive evolution of resident genomes. *Trends Microbiol.* 6: 263-268
- Baines, D., Brownwright, A. und Schwartz, J.L.** (1994) Establishment of Primary and Continuous Cultures of Epithelial Cells from Larval Lepidopteran Midguts. *J. Insect Physiol.* 40(4): 347-357
- Bandi, C., Damiani, G., Magrassi, L., Grigolo, A., Fani, R. und Sacchi, L.** (1994) Flavobacteria as intracellular symbionts in cockroaches. *Proc. R. Soc. Lond. B Biol. Sci.* 257(1348): 43-48
- Bandi, C., Sironi, M., Damiani, G., Magrassi, L., Nalepa, C.A., Laudani, U. und Sacchi, L.** (1995) The establishment of intracellular symbiosis in an ancestor of cockroaches and termites. *Proc. R. Soc. London Ser. B* 259: 293-299
- Baumann, L. Baumann, P. und Moran, N.A.** (1998a) The Endosymbiont (*Buchnera*) of the Aphid *Diuraphis noxia* Contains All the Genes of the Tryptophan Biosynthetic Pathway. *Current Microbiology* 37: 58-59
- Baumann, L., Clark, M.A., Rouhbakhsh, D., Baumann, P., Moran, N.A. und Voegtlin, D.J.** (1997) Endosymbionts (*Buchnera*) of the Aphid *Uroleucon sonchi* Contain Plasmids with *trpEG* and Remnants of *trpE* Pseudogenes. *Current Microbiology* 35: 18-21
- Baumann, P., Baumann, L. und Clark, M.A.** (1996) Levels of *Buchnera aphidicola* Chaperonin GroEL During Growth of the Aphid *Schizaphis graminum*. *Current Microbiology* 32: 279-285
- Baumann, P., Baumann, L., Clark, M.A. und Thao, M.L.** (1998) *Buchnera aphidicola*: the Endosymbiont of Aphids. *ASM News* 64(4): 203-209
- Baumann, P., Baumann, L., Lai, C.-Y., Rouhbakhsh, D., Moran, N.A. und Clark, M.A.** (1995a) Genetics, physiology and evolutionary relationships of the genus *Buchnera*: intracellular symbionts of aphids. *Annu. Rev. Microbiol.* 49: 55-94
- Baumann, P., Lai, C.-Y., Baumann, L., Rouhbakhsh, D., Moran, N.A. und Clark, M.A.** (1995) Mutualistic Associations of Aphids and Prokaryotes: Biology of the Genus *Buchnera*. *Applied and Environmental Microbiology* 61(1): 1-7

- Bestmann, H.J., Haak, U. und Kern, F.** (1995) 2,4-Dimethyl-5-hexanolide, a Trail Pheromone Component of the Carpenter Ant *Camponotus herculeanus*. *Naturwissenschaften* 82: 142-144
- Bestmann, H.J., Übler, E. und Hölldobler, B.** (1997) First Biosynthetic Studies on Trail Pheromones in Ants. *Angew. Chem. Int. Ed. Engl.* 36(4): 395-397
- Blochmann, F.** (1882) Über das Vorkommen bakterienähnlicher Gebilde in den Geweben und Eiern verschiedener Insekten. *Zbl. Bakt.* 11: 234-240
- Bolton, B.** (1995) A new general catalogue of the ants of the world. Harvard University Press, Cambridge, Massachusetts, pp 504
- Borror, D.J., Triplehorn, C.A. und Johnson, N.F.** (1992) The Anatomy, Physiology and Development of Insects. In: An Intrdution to the study of Insects. Harcourt Brace & Company, Orlando, Florida
- Bracho, A.M., Martinez-Torres, D., Moya und Latorre, A.** (1995) Discovery and molecular characterization of a plasmid localized in *Buchnera* sp. bacterial endosymbiont of the aphid *Rhopalosiphum padi*. *J. Mol. Evol.* 41: 67-73
- Brand, J.M., Bracke, J.W., Markovetz, A.J., Wood, D.L. und Browne, L.E.** (1975) Production of verbenol pheromone by a bacterium isolated from bark beetles. *Nature* 254: 136-137
- Breeuwer, J.A.J., Stouthamer, R., Barns, S.M., Pelletier, D.A., Weisburg, W.G. und Werren, J.H.** (1992) Phylogeny of cytoplasmic incompatibility microorganisms in the parasitoid wasp genus *Nasonia* based on 16S ribosomal DNA sequences. *Insect Mol. Biol.* 1: 25-36
- Brock, T.D. und Madigan, M.T.** (1991) Biology of Microorganisms. Prentice-Hall International, Inc.
- Buchner, P.** (1918) Studien 2. Die Symbionten von *Aleurodes*, ihre Übertragung in das Ei und ihr Verhalten bei der Embryonalentwicklung. *Arch. f. Protistenkunde*. Bd. 39
- Buchner, P.** (1921) Studien 3. Die Symbiose der Anobiinen mit Hefepilzen. *Arch. f. Protistenkunde*. Bd. 62
- Buchner, P.** (1965) Endosymbiosis of animals with plant miroorganisms. Wiley, New York
- Byers, J.R. und Wilkes, A.** (1970) A rickettsialike microorganism in *Dahlbominus fuscipennis*: observations on its occurrence and ultrastructure. *Can. J. Zool.* 48: 959-964
- Campbell, B.C.** (1990) On the role of microbial symbionts in herbivorous insects. In: *Insect-Plant Interactions*, (ed.) Bernays, E.A., 2: 1-43, Boca Raton, FL: CRC Press
- Carlin, N.F., Reeve, H.K. und Cover S.P.** (1993) Kin discrimination and division of labour among matrilines in the polygynous carpenter ant, *Camponotus planatus*. In: Queen number and socialitiy in insects. Keller, L. (edt.) Oxford University Press, Oxford
- Charles, H. und Ishikawa, H.** (1999) Physical and genetic map of the genome of *Buchnera*, the primary endosymbiont of the pea aphid *Acyrthosiphon pisum*. *J. Mol. Evol.* 48(2): 142-150
- Chen, X., Li, S. und Aksoy, S.** (1999) Concordant Evolution of a Symbiont with Its Host Insect Species: Molecular Phylogeny of Genus *Glossina* and Its Bacteriome-Associated Endosymbiont *Wigglesworthia glossinidiae*. *Mol. Evol.* 48: 49-58
- Cheng, Q. und Aksoy, S.** (1999) Tissue tropism, transmission and expression of foreign genes in vivo in midgut symbionts of tsetse flies. *Insect. Mol. Biol.* 8(1): 125-132
- Clark, M.A., Baumann, L. und Baumann, P.** (1992) Sequence Analysis of an Aphid Endosymbiont DNA Fragment Containing *rpoB* ( $\beta$ -Subunit of RNA Polymerase) and Portions of *rplL* and *rpoC*. *Current Microbiology* 25: 283-290

- Corsaro, D., Venditti, D., Padula, M. und Valassina, M.** (1999) Intracellular life. Crit. Rev. Miceobiol. 25: 39-79
- Creighton, W. S.** (1950) The ants of North America. Bull. Mus. Comp. Zool. 104: 1-585
- Czihak, G., Langer, H. und Ziegler, H.** (1990) Biologie, 4. Aufl. Springer Verlag, Berlin, Heidelberg, New York
- Dasch, G.A.** (1975) Morphological and molecular studies on intracellular bacterial symbionts of insects.(Diss.) Yale University, New Haven, Connecticut
- Dasch, G.A., Weiss, E. und Chang, K.-P.** (1984) Endosymbionts of insects. In: Bergey's Manual of Systematic Bacteriology. Vol 1. Krieg, J.G., Williams, N.R. and Williams (eds.), Baltimore, pp 811-838
- De Bary, A.** (1879) Die Erscheinung der Symbiose. Verlag v. K. J. Trübner, Straßburg
- Dixon, A.F.G.** (1973) Biology af Aphids. In: Minks, A.K., Harrewijn, P. (eds.) (1987, 1988, 1989) Aphids: Their Biology, Natural Enemies and control. Vols. 2A, 2B, 2C. Elsevier Biomedical Press, Amsterdam
- Douglas, A.E.** (1992) Requirement of pea aphids (*Acyrtosiphon pisum*) for their symbiotic bacteria. Entomol. Exp. Appl. 65: 195-198
- Douglas, A.E.** (1988) Sulfate reduction in an aphid symbiosis. Insect Biochem. 18: 599-605
- Douglas, A.E.** (1998) Nutritional Interactions in insect-microbial Symbiosis: Aphids and Their Symbiotic Bacteria *Buchnera*. Annu. Rev. Entomol. 43: 17-37
- Douglas, A.E. und Prosser, W.A.** (1992) Synthesis of the essential amino acid tryptophan in the pea aphid (*Acyrtosiphon pisum*) symbiosis. J. Insect Physiol. 38: 565-568
- Dubilier, N., Giere, O., Distel, D.L. und Cavanaugh, C.M.** (1995) Characterization of Chemoautotrophic Bacterial symbionts in a Gutless Marine Worm (*Oligochaeta, Annelida*) by Phylogenetic 16S rDNA Sequence Analysis and *In Situ* Hybridization. Appl. Environ. Microbiol. 61: 2346-2350
- Felsenstein, J.** (1993) PHYLIP (phylogeny interference package), version 3.5c. J. Felsenstein, University of Washington, Seattle
- Fiala, B., Maschwitz, U. et al.** (1989) Studies of a South East Asian ant-plant association: protection of *Macaranga* trees by *Crematogaster borneensis*. Oecologia 79: 467-470
- Fukatsu, T. und Ishikawa, H.** (1992) Soldier and male of an eusocial aphid *Colophina arma* lack endosymbiont: implications for physiological and evolutionary interaction between host and symbiont. J. Insect Physiol. 38: 1033-1042
- Fukatsu, T. und Ishikawa, H** (1992a) Synthesis and localization of symbionin, an aphid endosymbiont protein. Insect Biochem. Mol. Biol. 22: 167-174
- Gadau, J., Brady, S.G. und Ward, P.S** (1999) Systematics, distribution, and ecology of an endemic Californian *Camponotus quercicola* (Hymenoptera: Formicidae). Ann. Entomol. Soc. America 92: 514-522
- Girin, C. und Bouletreau, M.** (1995) Microorganism-associated variation in host infestation efficiency in a parasitoid wasp *Trichogramma bourarachae*. Experientia 52: 398-402
- Gösswald, K.** (1985) Organisation und Leben der Ameisen. Wissenschaftliche Verlagsgesellschaft MbH, Stuttgart
- Griffiths, G.W. und Beck, S.D.** (1974) Effects of antibiotics on intracellular symbionts in the pea aphid *Acyrtosiphon pisum*. J. Insect Physiol. 19: 75-84
- Griffiths, G.W. und Beck, S.D.** (1973) Intracellular symbionts of the pea aphid, *Acyrtosiphon pisum*. J. Insect. Physiol. 19: 75-84
- Groisman, E.A. und Ochman, H.** (2000) The path to Salmonella. ASM News 66: 21-27

- Guillemaud, T. und Rousset, F.** (1997) Consequences of *Wolbachia* transmission process on the infection dynamics. *J. evol. Biol.* 10: 601-612
- Haak, U., Hölldobler, B., Bestmann, H.J. und Kern, F.** (1996) Species-specificity in trail pheromones and Dufour's gland contents of *Camponotus atriceps* and *C. floridanus* (Hymenoptera: Formicidae). *Chemoecology* 7: 85-93
- Hansen, L.D. und Akre, R.D.** (1990) Biology of Carpenter Ants (1990) In: Applied Myrmecology – a world perspective. Van der Meer, R.K., Jaffe, K. and Cedeno, A. (eds.) Westview Press, Boulder, pp 274-280
- Harada, H. und Ishikawa, H.** (1993) Gut microbe of aphid closely related to its intracellular symbiont. *BioSystems* 31: 185-191
- Harrison, C.P.** (1989) A Rapid Method to Isolate Symbiotic Bacteria from Aphids. *J. Invertebr. Pathol.* 53: 427-428
- Hecht, O.** (1924) Embryonalentwicklung und Symbiose bei *Camponotus ligniperda*. *Z. wiss. Zool.* 122: 173-204
- Heddi, A., Lefebvre, P. und Nardon, P.** (1993) Effect of Endocytobiotic Bacteria on Mitochondrial Enzymatic Activities in the Weevil *Sitophilus oryzae* (Coleoptera: Curculionidae). *Insect Biochem. Molec. Biol.* 23(3): 403-411
- Henry, S.M.** (ed.) (1967) Symbiosis. Vol. II Associations of invertebrates, birds, ruminants and other biota. Acad. Press, N.Y.
- Henry, S.M.** (ed.) (1966) Symbiosis. Vol. I Associations of microorganisms, plants and marine organisms. Acad. Press, N.Y.
- Herre, E.A., Knowlton, N., Mueller, U.G. und Rehner, S.A.** (1999) The evolution of mutualism: exploring the paths between conflict and cooperation. *TREE* 14: 49-53
- Hertig, M.** (1936) The rickettsia, *Wolbachia pipiens* (gen. et sp.n.) and associated inclusions of the mosquito, *Culex pipiens*. *Parasitology* 28: 453-486
- Hill, P.D.S. und Campbell, J.A.** (1973) The production of symbiont-free *Glossina morsitans* and an associated loss of female fertility. *Tras. Soc. Trop. Med. Hyg.* 67: 727-728
- Hoerauf, A., Nissen-Pahle, K., Schmetz, C., Henkle-Duhrsen, K., Blaxter, M.L., Buttner, D.W., Gallin, M.Y., Al-Qaoud, K.M., Lucius, R. und Fleischer, B.** (1999) Tetracycline therapy targets intracellular bacteria in the filarial nematode *Litomosoides sigmodontis* and results in filarial infertility. *J. Clin. Invest.* 103: 11-17
- Hölldobler, B.** (1962) Über die forstliche Bedeutung der Roßameise. *Waldhygiene* 4(7/8): 228-250
- Hölldobler, B.** (1962a) Zur Frage der Oligogynie bei *Camponotus ligniperda* Latr. Und *Camponotus herculeanus* L. (Hym. Formicidae). *Zeitschrift für angewandte Entomologie* 49: 337-352
- Hölldobler, B.** (1965) Das soziale Verhalten der Ameisenmännchen und seine Bedeutung für die Organisation der Ameisenstaaten (Diss.) Naturwissenschaftl. Fakultät der Bayer. Julius-Maximilians-Univ. Würzburg
- Hölldobler, B. und Maschwitz, U.** (1965) Der Hochzeitsschwarm der Roßameise *Camponotus herculeanus* L. (Hym. Formicidae). *Zeitschr. f. vergl. Physiol.* 50: 551-568
- Hölldobler, B. und Wilson, E.O.** (1990) The Ants. Springer-Verlag, Berlin, Heidelberg
- Houk, E.J. und Griffiths, G.W.** (1980) Intracellular Symbiotes of the Homoptera. *Ann. Rev. Entomol.* 25: 161-187
- Houk, E.J. und McLean, D.L.** (1974) Isolation of the Primary Intracellular Symbiote of the Pea Aphid, *Acyrtosiphon pisum*. *J. Invertebr. Pathol.* 23: 237-241

- Hoyt, C.P., Osborne, G.O. und Mulcock, A.P.** (1971) Production of an Insect Sex Attractant by Symbiotic Bacteria. *Nature* 230: 472-473
- Hurst, G.D.D., Hammarton, T.C., Bandi, C., Majerus, T.M.O., Bertrand, D. et al.** (1997) The diversity of inherited parasites of insects: the male-killing agent of the ladybird beetle *Coleomegilla maculata* is a member of the Flavobacteria. *Genet. Res.* 70: 1-6
- Ishikawa, M.** (1982) Isolation of the intracellular symbionts and partial characterizations of their RNA species of the elder aphid, *Acyrtosiphon magnoliae*. *Comp. Biochem. Physiol.* 72 B(2): 239-247
- Jukes, T.H. und Cantor, C.R.** (1969) Evolution of protein molecules. *Mammalian Protein Metabolism*. Munro, N.H. (ed.) Academic Press, New York
- Jungen, H.** (1968) Endosymbionten bei Ameisen. *Ins. Sociaux* 3: 227-232
- Kolb, G.** (1959) Untersuchungen über die Kernverhältnisse und morphologischen Eigenschaften symbiotischer Mikroorganismen bei verschiedenen Insekten (Diss.). Zool. Institut der Univ. München
- Kolibachuk, D., Rouhbakhsh, D. und Baumann, P.** (1995) Aromatic amino acid biosynthesis in *Buchnera aphidicola* (endosymbiont of aphids): cloning and sequencing of a DNA fragment containing *aroH-thrS-infC-rpmL-rplT*. *Curr. Microbiol.* 30: 313-316
- Komaki, K. und Ishikawa, H.** (1999) Intracellular bacterial symbionts of aphids possess many genomic copies per bacterium. *J. Mol. Evol.* 48(6): 717-722
- Lai, C.-Y. und Baumann, P.** (1992a) Genetic analysis of an aphid endosymbiont DNA fragment homologous to the *rnpA-rpmH-dnaA-dnaN-gyrB* region of eubacteria. *Gene* 113: 175-181
- Lai, C.-Y. und Baumann, P.** (1992b) Sequence analysis of a DNA fragment from *Buchnera aphidicola* (an endosymbiont of aphids) containing genes homologous to *dnaG*, *rpoD*, *cysE*, and *secB*. *Gene* 119: 113-118
- Lai, C.-Y., Baumann, L. und Baumann, P.** (1994) Amplification of *trpEG*; adaptation of *Buchnera aphidicola* to an endosymbiotic association with aphids. *Proc. Natl. Acad. Sci. USA* 91: 3819-3823
- Lambert, J.D. und Moran, N.A.** (1998) deleterious mutations destabilize ribosomal RNA in endosymbiotic bacteria. *Proc. Natl. Acad. Sci. USA* 95: 4458-4462
- Landureau, J.-C.** (1966) Des cultures de cellules embryonnaires de Blattes permettent d'obtenir la multiplication *in vitro* de bactériés symbiotiques. *C. R. Acad. Sc. Paris* 262: 1484-1487
- Lathe, R** (1985) Synthetic oligonucleotide probes deduced from amino acid sequence data. Theoretical and practical considerations. *J. Mol. Biol.* 183: 1-12
- Leitch, A.R., Schwarzacker, T., Jackson, D. und Leitch, I.J.** (1994) Nucleinsäuresonden, Marker moleküle und Markierungstechniken. In: *In situ-Hybridisierung*. Focus-Reihe, Spektrum Akadem. Verlag, pp 49-73
- Lilienstern, M.** (1932) Beiträge zur Bakteriensymbiose der Ameisen. *Z. Morph. Ökol. Tiere* 26: 110-131
- Louis, C. und Nigro, L.** (1989) Ultrastructural evidence of *Wolbachia* Rickettsiales in *Drosophila simulans* and their relationships with unidirectional cross-incompatibility. *J. Invert. Pathol.* 54: 39-44
- Lus, Y.Y.** (1947) Some rules of reproduction in populations of *Adalia bipunctata*. II. Non-male strains in populations. *Dokl. Akad. Nauk. SSSR* 57: 951-954

- Maidak, B.L., Olsen, G.J., Larsen, N., Overbeck, R., McCaughey, M.J. und Woese, C.R.** (1997) The ribosomal database project. *Nucl. Acids Res.* 25: 109-111
- Margulis, L.** (1999) Die andere Evolution. Spektrum Akademischer Verlag, Heidelberg
- McGraw, E.A. und O'Neill, S.L.** (1999) Evolution of *Wolbachia pipiensis* transmission dynamics in insects. *Trends in Microbiology* 7: 297-302
- McLean, D.L. und Houk, E.J.** (1973) Phase contrast and electron microscopy of the mycetocytes and symbionts of the pea aphid, *Acyrtosiphon pisum*. *J. Insect. Physiol.* 19: 625-633
- Mitsuhashi, J.** (1995) A Continous Cell Line from Pupal Ovaries of the Common Cutworm, *Spodoptera litura* (Lepidoptera: Noctuidae). *Appl. Entomol. Zool.* 30(1): 75-82
- Mitsuhashi, J. und Inoue, H.** (1988) Obtainment of a Continous Cell Line from the Larval Fat Bodies of the Mulberry Tiger Moth, *Spilosoma imparilis* (Lepidoptera: Arctiidae). *Appl. Ent. Zool.* 23(4): 488-490
- Mittler, T.E.** (1971) Dietary amino acid requirements of the aphid *Myzus persicae* affected by antibiotic uptake. *J. Nutr.* 101: 1023-1028
- Mittler, T.E.** (1988) Applications of artificial feeding techniques for aphids. In: *Aphids: Their Biology, Natural Enemies and control*. Vol 2B. Minks, A.K. und Harrewijn, P. (eds.) Elsevier Biomedical Press, Amsterdam
- Moran, N.A., von Dohlen, C. D. und Baumann, P.** (1995) Faster Evolutionary Rates in Endosymbiotic Bacteria Than in Cospeciating Insect Hosts. *J. Mol. Evol.* 41: 727-731
- Moran, N.A.** (1996) Accelerated evolution and Muller's ratchet in endosymbiotic bacteria. *Proc. Natl. Acad. Sci. USA* 93: 2873-2878
- Moran, N.A. und Baumann, P.** (1994) Phylogenetics of cytoplasmically inherited microorganisms of arthropods. *TREE* 9(1): 15-20
- Moran, N.A., Munson, M.A., Baumann, P. und Ishikawa, M.** (1993) A molecular clock in endosymbiotic bacteria is calibrated using the insect hosts. *Proc. R. Soc. Lond. B* 253: 167-171
- Munson, M.A. und Baumann, P.** (1993) Molecular cloning and nucleotide sequence of a putative *trpDC(F)BA* operon in *Buchnera aphidicola* (endosymbiont of the aphid *Schizaphis graminum*). *J. Bacteriol.* 175: 6426-6432
- Munson, M.A., Baumann, L. und Baumann, P.** (1993) *Buchnera aphidicola* (a prokaryotic endosymbiont of aphids) contains a putative 16S rRNA operon unlinked to the 23S rRNA-encoding gene: sequence determination, and promoter and terminator analysis. *Gene* 137: 171-178
- Munson, M.A., Baumann, P. und Kinsey, M.G.** (1991) *Buchnera* gen. Nov. And *Buchnera aphidicola* sp. Nov., a Taxon Consisting of the Mycetocyte-Associated, Primary Endosymbionts of Aphids. *Int. J. Syst. Bacteriol.* 41: 566-568
- Murray, R.G.E. und Schleifer, K.H.** (1994) Taxonomic notes: a proposal for recording the properties of putative taxa of prokaryotes. *Int. J. Syst. Bacteriol.* 44: 174-176
- Nardon, P. und Grenier, A.M.** (1988) Genetical and biochemical interactions between the host and its endocytobionts in the weevils *Sitophilus* (Coleoptera, Curculionidae) and other related species. In: *Cell to Cell Signals in Plant, Animal and Microbial Symbioses*. Vol H17. Scannerini, S., Smithe, D., Bonfante-Fasolo, P. und Gianinazzi-Pearson, V. (eds.) NATO ASI Series, Springer Verlag, Berlin
- Nault, L.R., Montgomery, M.E. und Bowers, W.S.** (1976) Ant-aphid association: role of aphid alarm pheromone. *Science* 192: 1349-1351
- Nogge, G.** (1976) Sterility in tsetse flies caused by loss of symbionts. *Experientia* 32: 995

- Nogge, G.** (1978) Aposymbiotic tsetse flies, *Glossina morsitans morsitans*, obtained by feeding on rabbits immunized specifically with symbionts. J. Insect. Physiol. 24: 299-304
- Nogge, G.** (1980) Elimination of symbionts of tsetse flies (*Glossina m. morsitans* Westw.) by help of specific antibodies. In: Endocytobiology. Schwemmler, W. and Schenk, H. (eds.) W. de Gruyter, Berlin, pp. 445-452
- Nogge, G.** (1981) Significance of symbionts for the maintenance of an optimal nutritional state of successful reproduction in hematophagous arthropods. Parasitology 82: 299-304
- O'Neill, S.L., Giordano, R., Colbert, A.M.E., Karr, T.L. und Robertson, H.M.** (1992) 16S rRNA phylogenetic analysis of the bacterial endosymbionts associated with cytoplasmic incompatibility in insects. Proc. Natl. Acad. Sci. USA 89: 2699-2702
- Ohtaka, C. und Ishikawa, H.** (1991) Effects of heat treatment on the symbiotic system of an aphid mycetocyte. Symbiosis 11: 19-30
- Olsen, G.J., Lane, D.J., Giovannoni, S.J. und Pace, N.R.** (1986) Microbial ecology and evolution: A Ribosomal RNA Approach. Ann. Rev. Microbiol. 40: 337-365
- Otto, D.** (1962) Die roten Waldameisen. A. Ziemsen Verlag, Wittenberg, Lutherstadt
- Pearson, G. R., Freeman, B. Z. und Hines, W. D.** (1963) Thin section electron micrographs of monocytes infected with *Brucella suis*. J. Bacteriol. 86: 1123
- Philippe, C. und Landureau, J.-C.** (1988) Blattid Endocytobiosis: In vitro Tissue Culture Model. In: Insect Endocytobiosis: Morphology, Physiology, Evolution. Schwemmler, W. and Gassner, G. (eds.) CRC Press, Boca Raton, Florida, USA, pp 89-110
- Priester, W. de** (1971) Ultrastructure of the midgut epithelial cells in the fly *Calliphora erythrocephala*. J. Ultrastruct. Res. 36: 783-805
- Rainey, F.A., Ward-Rainey, N.L., Janssen, P.H., Hippe, H. und Stackebrandt, E.** (1996) *Clostridium paradoxon* DSM7308<sup>T</sup> contains multiple 16S rRNA genes with heterogeneous intervening sequences. Microbiology 142: 2087-2095
- Raoult, D. und Roux, V.** (1997) Rickettsioses as paradigms of new or emerging infectious diseases. Clin. Microbiol. Rev. 10: 694-719
- Reinhardt, C., Steiger, R. und Hecker, H.** (1972) Ultrastructural study of the midgut mycetome-bacteroids of the tsetse flies *Glossina morsitans*, *G. fuscipes* and *G. brevipalpis*. Acta Tropica 29: 280-288
- Rigaud, T., Souty-Grosset, C., Raimond, R., Mocquard, J. und Juchault, P.** (1991) Feminizing endocytobiosis in the terrestrial crustacean *Armadillidium vulgare* LATR. (Isopoda): recent acquisitions. Endocytobiosis Cell. Res. 7: 259-273
- Rouhbakhsh, D. und Baumann, P.** (1995) Characterization of a putative 23S-5S rRNA operon of *Buchnera aphidicola* (endosymbiont of aphids) unlinked to the 16S rRNA encoding gene. Gene 155: 107-112
- Rouhbakhsh, D., Moran, N.A., Baumann, L., Voegtlin, D.J. und Baumann, P.** (1994) Detection of Buchnera, the primary prokaryotic endosymbiont of aphids, using the polymerase chain reaction. Ins. Mol. Biol. 3: 213-217
- Sacchi, L. und Grigolo, A.** (1989) Endocytobiosis in *Blattella germanica* L. Blattodea: recent acquisitions. Endocyt. Cell Res. 6: 121-147
- Saitou, N. und Nei, M.** (1987) The neighbour-joining Method: a new method for reconstructing phylogenetic trees. Mol Biol. Evol. 4: 406-425
- Sameshima, S., Hasegawa, E., Kitade, O., Minaka, N. und Matsumoto, T.** (1999) Phylogenetic comparison of Endosymbionts with their host ants based on molecular evidence. Zool. Sci. 16: 993-1000

- Sanders, C.J.** (1964) The Biology of Carpenter Ants in New Brunswick. Canad. Ent. 96: 894-909
- Sanger, F., Nicklen, S. und Coulson, A.R.** (1977) DNA sequencing with chain-terminating inhibitors. Proc Natl Acad Sci USA 74(12): 5463-5467
- Sauer, C., Stackebrandt, E., Gadau, J., Hölldobler, B. und Gross, R.** (2000) Systematic relationships and cospeciation of bacterial endosymbionts and their carpenter ant host species: proposal of the new taxon *Candidatus Blochmannia* gen. nov. Int. J. Syst. and Evol. Microbiol. (im Druck)
- Schilthuizen, M. und Stouthamer, R.** (1997) Horizontal transmission of parthenogenesis inducing microbes in *Trichogramma* wasps. Proc. R. Soc. London Ser. B 264: 361-366
- Schröder, D.** (1996) Charakterisierung bakterieller Endosymbionten von Ameisen der Gattung *Camponotus* (Dipl.Arbeit) LS für Mikrobiologie der Univ. Würzburg
- Schroeder, D., Deppisch, H., Obermayer, M., Krohne, G., Stackebrandt, E., Hölldobler, B., Goebel, W. und Gross, R.** (1996) Intracellular endosymbiotic bacteria of *Camponotus* species (carpenter ants): systematics, evolution and ultrastructural characterization. Mol. Micro. 21(3): 479-489
- Schwemmler, W.** (1973) *In vitro* Vermehrung intrazellulärer Zikaden-Symbionten und Reinfektion asymbiotischer Mycetocyten-Kulturen. Cytobios 8: 63-73
- Schwemmler, W.** (1989) Insect Endocytobiosis: Morphology, Physiology, Genetics, Evolution. Schwemmler, W. und Gassner, G. (eds.) CRC Press, Boca Raton, Florida
- Seifert, B.** (1996) Ameisen beobachten, bestimmen. Naturbuch Verlag, Augsburg
- Stouthamer, R.** (1990) Effectiveness of several antibiotics in reverting thelytoky to arrhenotoky in *Trichogramma* spp. *Trichogramma* and other egg parasitoids. San Antonio (Tx, USA). Ed. INRA, Paris 1991 (Les Colloques n°56)
- Stouthamer, R. und Kazmer, D.J.** (1994) Cytogenetics of microbe-associated parthenogenesis and its consequences for gene flow in *Trichogramma* wasps. Heredity 73: 317-327
- Stouthamer, R., Breeuwer, J.A., Luck, R.F. und Werren, J.H.** (1993) Molecular identification of microorganisms associated with parthenogenesis. Nature 361: 66-68
- Stouthamer, R., Breeuwer, J.A.J. und Hurst, G.D.D.** (1999) *Wolbachia pipiensis*: Microbial Manipulator of Arthropod Reproduction. Annu. Rev. Microbiol. 53: 71-102
- Swofford, D.L.** (1998) PAUP\*: Phylogenetic Analysis Using Parsimony (\*and Other Methods). Version 4. Sinauer Associates, Sunderland, Massachusetts
- Thomas, C.A. und Dancis, B.M.** (1973) Ring stability. J. Mol. Biol. 77: 43-55
- Übler, E., Kern, F. und Bestmann, H.J.** (1995) Trail Pheromone of Two Formicine Ants, *Camponotus silvicola* and *C. rufipes* (Hymenoptera: Formicidae). Naturwissenschaften 82: 523-525
- van den Heuvel, J.F.J.M., Verbeek, M. und van der Wilk, F.** (1994) Endosymbiotic bacteria associated with circulative transmission of potato virus by *Myzus persicae*. J. Gen. Virol. 75: 2559-2565
- Vogel, G. und Angermann, H.** (1984) dtv-Atlas zur Biologie, 3 Bände. dtv, München
- Wehner, R. und Gehring, W.** (1990) Zoologie, 22. Aufl. Georg Thieme Verlag, Stuttgart, New York
- Weisburg, W.G., Woese, C.R., Dobson, M.E. und Weiss, E.** (1985) A common origin of rickettsiae and certain plant pathogens. Science 230: 556-558

- Welburn, S.C., Maudlin, I. und Ellis, D.S.** (1987) *In vitro* cultivation of rickettsiy-like organisms from *Glossina* spp. Annals of Tropical Medicine and Parasitology 81(3): 331-335
- Werren, J.H., Zhang, W. und Guo, L.R.** (1995) Evolution and phylogeny of *Wolbachia*: reproductive parasites of arthropods. Proc. R. Soc. London Ser. B 261: 55-63
- Wheeler, W.M.** (1889) The embryology of *Blattagermanica* and *Doryphoradecemlineata*. J. Morphol.: 291-386
- Wilkinson, T.L.** (1998) The elimination of intracellular microorganisms from insects: an analysis of antibiotic-treatment in the pea aphid (*Acyrthosiphon pisum*). Comp. Biochem. Physiol. Part A 119: 871-881
- Woese, C.R.** (1987) Bacterial Evolution. Microbiol. Rev. 51: 221-272
- Zchori-Fein, R.T., Roush, R.T. und Hunter, M.S.** (1992) Male production induced by antibiotic treatment in *Encarsia formosa* (Hymenoptera: Aphelinidae), an asexual species. Experientia 48: 102-105