

Chirurg 2021 · 92 (Suppl 1):S27
<https://doi.org/10.1007/s00104-021-01563-x>
 Published online: 20 December 2021
 © The Author(s) 2021



Erratum to: Robotic hernia repair II. English version

Robotic primary ventral and incisional hernia repair (rv-TAPP and r-Rives or r-TARUP). Video report and results of a series of 118 patients

Johannes Baur¹ · Michaela Ramser¹ · Nicola Keller² · Filip Muysoms³ · Jörg Dörfer⁴ · Armin Wiegering⁴ · Lukas Eisner¹ · Ulrich A. Dietz¹

¹ Department of Visceral, Vascular and Thoracic Surgery, Cantonal Hospital Olten (soH), Olten, Switzerland

² Department of General, Visceral and Vascular Surgery, Cantonal Hospital Baden, Baden, Switzerland

³ Department of Surgery, AZ Maria Middelaes, Ghent, Belgium

⁴ Department of General, Visceral, Transplant, Vascular and Pediatric Surgery, University Hospital Wuerzburg, Wuerzburg, Germany

Erratum to: Chirurg 2021

<https://doi.org/10.1007/s00104-021-01479-6>

The article "Robotic hernia repair. rv-TAPP and r-Rives or r-TARUP" is part II and a translation of the originally in *Der Chirurg* 9/21 published German language article. The title and subtitle have been amended accordingly. The original article has been corrected.

Corresponding address

Prof. Dr. med. Armin Wiegering

Department of General, Visceral, Transplant, Vascular and Pediatric Surgery, University Hospital Wuerzburg
 Oberduerrbacher Str. 6, 97080 Wuerzburg, Germany
 wiegering_a@ukw.de

Prof. Dr. med. Ulrich A. Dietz

Department of Visceral, Vascular and Thoracic Surgery, Cantonal Hospital Olten (soH)
 Baslerstraße 150, 4600 Olten, Switzerland
 ulrich.dietz@spital.so.ch

Open Access. This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless in-

dicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

The online version of the original article can be found under <https://doi.org/10.1007/s00104-021-01479-6>