

Chirurg 2021 · 92 (Suppl 1):S40
<https://doi.org/10.1007/s00104-021-01564-w>
Published online: 20 December 2021
© The Author(s) 2021



Erratum to: Robotic hernia repair III. English version

Robotic incisional hernia repair with transversus abdominis release (r-TAR). Video report and results of a cohort study

Ulrich A. Dietz¹ · O. Yusef Kudsi² · Miguel Garcia-Ureña³ · Johannes Baur¹ · Michaela Ramser¹ · Sladjana Maksimovic¹ · Nicola Keller⁴ · Jörg Dörfer⁵ · Lukas Eisner¹ · Armin Wiegering⁵

¹ Department of Visceral, Vascular and Thoracic Surgery, Cantonal Hospital Olten (soH), Olten, Switzerland

² Department of Surgery, Good Samaritan Medical Center, Brockton, USA

³ Hospital Universitario del Henares, Universidade Francisco de Vitoria, Pozuelo de Alarcón, Spain

⁴ Department of General, Visceral and Vascular Surgery, Cantonal Hospital Baden, Baden, Switzerland

⁵ Department of General, Visceral, Transplant, Vascular and Pediatric Surgery, University Hospital Wuerzburg, Wuerzburg, Germany

Erratum to: Chirurg 2021

<https://doi.org/10.1007/s00104-021-01500-y>

The article “Robotic hernia repair.r-TAR” is part III and a translation of the originally in *Der Chirurg* 10/21 published German language article. The title and subtitle have been amended accordingly. The original article has been corrected.

Corresponding address

Prof. Dr. med. Ulrich A. Dietz

Department of Visceral, Vascular and Thoracic Surgery, Cantonal Hospital Olten (soH)
Baslerstrasse 150, 4600 Olten, Switzerland
ulrich.dietz@spital.so.ch

Prof. Dr. med. Armin Wiegering

Department of General, Visceral, Transplant, Vascular and Pediatric Surgery, University Hospital Wuerzburg
Oberduerrbacher Strasse 6, 97080 Wuerzburg, Germany
wiegering_a@ukw.de

Open Access. This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless in-

dicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

The online version of the original article can be found under <https://doi.org/10.1007/s00104-021-01500-y>