

## 7. References

1. Steller H. (1995) *Mechanisms and genes of cellular suicide* Science. **10**;267(5203):1445-9
2. Meier P., Finch A., and Evan G. (2000) *Apoptosis in development* Nature. **407**, 796-801
3. Vaux D.L., Krosmeyer S.J. (1999). *Cell death in development*. Cell 96; 245-254
4. Thompson C.B. (1995) *Apoptosis in the pathogenesis and treatment of diseases* Science. 267, 1456-62
5. Reed J. (1998) *Caspases and cytokines in inflammation and autoimmunity* Adv. Immunology. **73**, 265-287
6. Kerr, J. F. R., Wyllie, A. H., and Currie, A. R. (1972) *Apoptosis: a basic biological phenomenon with the wide-ranging implications in tissue kinetics*. Br. J. Cancer **26**, 239-257
7. Martin, S. J., Green, D. R., and Cotter, T. G. (1994) *Dicing with death: dissecting the components of the apoptosis machinery* TIBS **19**, 26-30
8. Martin, S., and Green, D. (1995) *Protease activation during apoptosis: death by a thousand cuts?* Cell **82**, 349-352
9. Hengartner, M. O., Ellis, R. E., and Horvitz, H. R. (1992) *Caenorhabditis elegans ced-9 protects cells from programmed cell death* Nature **356**, 494-499
10. Hengartner, M. O., and Horvitz, H. R. (1994) *C. elegans cell survival gene ced-9 encodes a functional homolog of the mammalian proto-oncogene bcl-2* Cell **76**(4), 665-76
11. Conradt B., Horvitz H.R. (1998) *The C. elegans protein EGL-1 is required for programmed cell death and interacts with theBcl-2-like protein CED-9*. Cell 15; **93**(4):519-29
12. Yuan, J., Shaham, S., Ledoux, S., Ellis, H. M., and Horvitz, H. R. (1993) *The C. elegans cell death gene ced-3 encodes a protein similar to mammalian interleukin-1 beta-converting enzyme* Cell **75**(4), 641-52
13. Alnemri, E. S., Livingston, D. J., Nicholson, D. W., Salvesen, G., Thornberry, N. A., Wong, W. W., and Yuan, J. (1996) *Human ICE/CED-3 protease nomenclature* Cell **87**, 171-174
14. Thornberry, N. A. a. L., Y. (1998) *Caspases: enemies within* Science **281**, 1312-1316
15. Earnshaw WC, Martins LM, Kaufmann SH.(1999) *Mammalian caspases: structure, activation, substrates, and functions during apoptosis*.Annu Rev Biochem **68**:383-424
16. Van de Craen, M., Vandenabeele, P., Declercq, W., Van den Brande, I., Van Loo, G., Moelmans, F., Schotte, P., Van Criekinge, W., Beyaert, R., and Fiers, W. (1997) *Characterization of seven murine caspase family members* FEBS Lett 403(1), 61-9
17. Budihardjo I, Oliver H, Lutter M, Luo X, Wang X. (1999) *Biochemical pathways of caspase activation during apoptosis*.Annu Rev Cell Dev Biol. 15:269-90.
18. Cikala, M., Wilm, B., Hobmeyer, E., Böttger, A., and David, C. N. (1999) *Identification of caspases and apoptosis in the simple metazoan Hydra* Current Biology 9, 959-962
19. Kidd, V. J. (1998) *Proteolytic Activities that mediate apoptosis* Annu. Rev. Physiol. 60, 533-573
20. Nicholson, D. W. (1999) *Caspase structure, proteolytic substrates, and function during apoptotic cell death* Cell.Death.Diff. **6**, 1028-1042
21. Slee, E. A., Adrain, C., and and Martin, S. J. (1999) *Serial killers: ordering caspase activation events in apoptosis* Cell.Death.Diff. **6**, 1067-1074
22. Thornberry, N. A., Rano, T. A., Peterson, E. P., Rasper, D. M., Timkey, T., Garcia Calvo, M., Houtzager, V. M., Nordstrom, P. A., Roy, S., Vaillancourt, J. P., Chapman, K. T., and Nicholson, D. W. (1997) *A combinatorial approach defines specificities of members of the caspase family and granzyme B. Functional relationships established for key mediators of apoptosis* J Biol Chem 272(29), 17907-11

## 7 References

23. Rano, T. A., Timkey, T., Peterson, E. P., Rotonda, J., Nicholson, D. W., Becker, J. W., Chapman, K. T., and Thornberry, N. A. (1997) *A combinatorial approach for determining protease specificities: application to interleukin-1beta converting enzyme (ICE)* Chem Biol 4(2), 149-55
24. G. M. (1997) *Caspases: the executioners of apoptosis* Biochem J 326, 1-16
25. Fernandes Alnemri, T., Litwack, G., and Alnemri, E. S. (1994) *CPP32, a novel human apoptotic protein with homology to Caenorhabditis elegans cell death protein Ced-3 and mammalian interleukin-1 beta-converting enzyme* J Biol Chem 269(49), 30761-4
26. Rotonda J, Nicholson DW, Fazil KM, Gallant M, Gareau Y, Labelle M, Peterson EP, Rasper DM, Ruel R, Vaillancourt JP, Thornberry NA, Becker JW. (1996) *The three-dimensional structure of apopain/CPP32, a key mediator of apoptosis.* Nat Struct Biol. 3 (7):619-2
27. Wolf BB, Green DR. (1999) Suicidal tendencies: apoptotic cell death by caspase family proteinases. J Biol Chem. 16;274(29):20049-52
28. Mittl, P. R., Di Marco, S., Krebs, J. F., Bai, X., Karenovsky, D. S., Priestle, J. P., Tomaselli, K. J., and Grutter, M. G. (1997) *Structure of recombinant human CPP32 in complex with the tetrapeptide acetyl-Asp-Val-Ala-Asp-fluoromethyl ketone* J. Biol. Chem. 272, 6539-6547
29. Wilson, K. P., Black, J. A., Thomson, J. A., Kim, E. E., Griffith, J. P., Navia, M. A., Murcko, M. a., Chambers, S. P., Aldape, R. A., Raybuck, S. A., and al., e. (1994) *Structure and mechanism of interleukin-1 beta converting enzyme.* Nature 28;370(6487):270-5
30. Walker NP, Talanian RV, Brady KD, Dang LC, Bump NJ, Ferenz CR, Franklin S, GhayurT, Hackett MC, Hammill LD, (1994) *Crystal structure of the cysteine protease interleukin-1 beta-converting enzyme: a (p20/p10)2 homodimer.* Cell 29;78(2):343-52
31. Wei Y, Fox T, Chambers SP, Sintchak J, Coll JT, Golec JM, Swenson L, Wilson KP,Charifson PS (2000).*The structures of caspases-1, -3, -7 and -8 reveal the basis for substrate and inhibitor selectivity.* Chem Biol ;7(6):423-32
32. Blanchard H, Kodandapani L, Mittl PR, Marco SD, Krebs JF, Wu JC, Tomaselli KJ,Grutter MG. (1999)*The three-dimensional structure of caspase-8: an initiator enzyme in apoptosis.* Structure Fold Des 15;7(9):1125-33
33. Watt W, Koeplinger KA, Mildner AM, Heinrikson RL, Tomasselli AG, Watenpaugh KD. (1999) *The atomic-resolution structure of human caspase-8, a key activator of apoptosis.* Structure Fold Des 15;7(9):1135-43
34. Chai J, Wu Q, Shiozaki E, Srinivasula SM, Alnemri ES, Shi Y. (2001)*Crystal structure of a pro caspase-7 zymogen: mechanisms of activation and substrate binding.* Cell 2;107(3):399-407
35. Riedl SJ, Fuentes-Prior P, Renatus M, Kairies N, Krapp S, Huber R, Salvesen GS, Bode W. (2001) *Structural basis for the activation of human pro caspase-7.* Proc Natl Acad Sci 18;98(26):14790-5
36. Chai J, Shiozaki E, Srinivasula SM, Wu Q, Datta P, Alnemri ES, Shi Y, Dataa P.(2001)*Structural basis of caspase-7 inhibition by XIAP.* Cell 9;104(5):769-8
37. Huang Y, Park YC, Rich RL, Segal D, Myszka DG, Wu H. (2001) *Structural basis of caspase inhibition by XIAP: differential roles of the linker versus the BIR domain.* Cell 9;104(5):781-90
38. Stennicke, H. R., Deveraux, Q. L., Humke, E. W., Reed, J. C., Dixit, V. M., and, and Salvesen, G. S. (1999) *Caspase-9 Can Be Activated without Proteolytic Processing* J. Biol. Chem. 74(13), 8359-8362
39. Renatus M, Stennicke HR, Scott FL, Liddington RC, Salvesen GS. (2001) *Dimer formation drives the activation of the cell death protease caspase 9.* Proc Natl Acad Sci 4;98(25):14250-5
40. Garcia-Calvo, M., Nicholson, D. W., and Thornberry, N. A. (1999) *Purification and catalytic properties of human caspase family members* Cell Death Diff. 6, 362-369

## 7 References

41. Stennicke, H. R., and, and Salvesen, G. S. (1999) *Catalytic properties of the caspases* Cell.Death.Diff. **6**, 1054-1059
42. Talanian, R. V., Quinlan, C., Trautz, S., Hackett, M. C., Mankovich, J. A., Banach, D., Ghayur, T., Brady, K. D., and Wong, W. W. (1997) *Substrate specificities of caspase family proteases* J Biol Chem **272**(15), 9677-82
43. Garcia-Calvo, M., Peterson, E. P., Leiting, B., Ruel, R., Nicholson, D. W., and, and Thornberry, N. A. (1998) *Inhibition of Human Caspases by Peptid-based and Macromolecular Inhibitors* JBC **273**(49), 32608-32613
44. Martin S.J., Finucane G.P., Amarante-Mendes G., Obrien A., Green D.R. (1996). *Phosphotyrosine externalization during CD-95 induced apoptosis of cells and cytoplasts requires ICE/CED-3 proteolytic activity*. J. Biol. Chem. **271**; 28753-28756
45. Wen L.P., Fahrni J.A., Troie S., Guan J.L., Orth K., and Rosen G.D., (1997) *Cleavage of focal adhesion kinase by caspases during apoptosis* J. Biol. Chem. **272** 26056-61
46. Mashima, T., Naito, M., Noguchi, K., Miller, D. K., Nicholson, D. W., and Tsuruo, T. (1997) *Actin cleavage by CPP-32/apopain during the development of apoptosis* Oncogene **14**, 1007-1012
47. Brown, S. B., Bailey, K., and Savill, J. (1997) *Actin is cleaved during constitutive apoptosis* Biochem.J. **323**, 233-237
48. Janicke RU, Ng P, Sprengart ML, Porter AG.(1998). *Caspase-3 is required for alpha fodrin cleavage but dispensable for cleavage of other death substrates in apoptosis*. J Biol Chem 19;273(25):15540-5
49. Kothakota S, Azuma T, Reinhard C, Klippel A, Tang J, Chu K, McGarry TJ, Kirschner MW, Koths K, Kwiatkowski DJ, Williams LT.(1997)*Caspase-3-generated fragment of gelsolin: effector of morphological change in apoptosis*. Science 10;278(5336):294-8
50. Lazebnik, Y. A., Kaufmann, S. H., Desnoyers, S., Poirier, G. G., and, and Earnshaw, W. C. (1994) *Specific proteolytic cleavage of poly(ADP-ribosyl) polymerase by a proteinase with properties like ICE*. Nature **371**, 346-347
51. Waterhouse N, Kumar S, Song Q, Strike P, Sparrow L, Dreyfuss G, Alnemri ES, Litwack G, Lavin M, Watters D., (1996) Heteronuclear ribonucleoproteins C1 and C2, components of the spliceosome, are specific targets of interleukin 1beta-converting enzyme-like proteases in apoptosis.J Biol Chem. 15;271(46):29335-41.
52. Ubeda M, Habener JF(1997).*The large subunit of the DNA replication complex C (DSEB/RF-C140) cleaved and inactivated by caspase-3 (CPP32/YAMA) during Fas-induced apoptosis*. J Biol Chem 1;272(31):19562-8
53. Enari, M., Sakahira, H., Yokoyama, H., Okawa, K., Iwamatsu, A., and Nagata, S. (1998) *A caspase-activated DNase that degrades DNA during apoptosis, and its inhibitor ICAD* Nature **391**(6662), 43-50
54. Sakahira, H., Enari, M., and Nagata, S. (1998) *Cleavage of CAD inhibitor in CAD activation and DNA degradation during apoptosis* Nature **391**(6662), 96-9
55. Takahashi A, Alnemri ES, Lazebnik YA, Fernandes-Alnemri T, Litwack G, Moir RD, Goldman RD, Poirier GG, Kaufmann SH, Earnshaw WC (1996).*Cleavage of lamin A by Mch2 alpha but not CPP32: multiple interleukin 1beta-converting enzyme-related proteases with distinct substraterecognition properties are active in apoptosis*. Proc Natl Acad Sci. **6**;93(16):8395-400
56. Nakajima, N., and Abe, K. (1995) *Genomic structure of mouse A-type lamin gene locus encoding somatic and germ-specific lamins* FEBS Lett. **365**(2-3), 108-11
57. Rudel, T., and Bokoch, G. M. (1997) *Membrane and Morphological Changes in Apoptotic Cells Regulated by Caspase-Mediated Activation of PAK2* Science **276**, 1571-1574
58. Dorstyn, L., and Kumar, S. (1997) *Differential inhibitory effects of CrmA, P35, IAP and three mammalian IAP homologues on apoptosis in NIH3T3 cells following various death stimuli* Cell.Death.Diff. **4**, 570-579
59. Ray, C. A., Black, R. A., Kronheim, S. R., Greenstreet, T. A., Sleath, R. P., Salvesen, G. S., and, and Pickup, D. J. (1992) *Viral Inhibition of Inflammation: Cowpox Virus Encodes an Inhibitor of the Interleukin-1b Converting Enzyme* Cell **69**, 597-60

## 7 References

60. Zhou, Q., Scott, S., Orth, K., Muzio, M., Dixit, V. M., and Salvesen, G. S. (1997) *Target Protease Specificity of Viral Serpin CrmA* JBC **272**(12), 7797-7800
61. Ekert, P. G., Silke, J., and Vaux, D. L. (1999) *Inhibition of apoptosis and clonogenic survival of cells expressing crmA variants: optimal caspase substrates are not necessarily optimal inhibitors* EMBO Journal **18**(2), 330-338
62. Bump NJ, Hackett M, Hugunin M, Seshagiri S, Brady K, Chen P, Ferenz C, Franklin S, Ghayur T, Li P, et al(1995). *Inhibition of ICE family proteases by baculovirus antiapoptotic protein p35.* Science **29**;269(5232):1885-8
63. Zhou Q, Krebs JF, Snipas SJ, Price A, Alnemri ES, Tomaselli KJ, Salvesen GS (1998). *Interaction of the baculovirus anti-apoptotic protein p35 with caspases. Specificity, kinetics, and characterization of the caspase/p35 complex.* Biochemistry **28**;37(30):10757-65
64. Deveraux QL, Stennicke HR, Salvesen GS, Reed JC (1999). *Endogenous inhibitors of caspases.* J Clin Immunol. ;**19** (6):388-98.
65. Goyal L. (2001) *Cell death inhibition: Keeping caspases in check.* Cell 104: 805-808
66. Sun C, Cai M, Gunasekera AH, Meadows RP, Wang H, Chen J, Zhang H, Wu W, Xu N, Ng SC, Fesik SW(1999). *NMR structure and mutagenesis of the inhibitor-of-apoptosis protein XIAP.* Nature **21**;401(6755):818-22
67. Fang D.C., Li Y., Li L. and Wang X (2000). *Smac amitochondrial protein that promoted cytochrome dependent caspase activation by eliminating IAP inhibition.* Cell 102; 33-42
68. Verhagen A.M., Ekert P.G., Palusch M., Silke J., conolly L.M., Reid G.E., Moritz R.L., Simpson R., and Vaux D.L. (2000). *Identification of Diablo, a mammalian protein that promotes apoptosis by binding to and antagonizing IAP proteins.* Cell 102: 43-53
69. Suzuki Y, Imai Y, Nakayama H, Takahashi K, Takio K, Takahashi R (2001). *A serine protease, HtrA2, is released from the mitochondria and interacts with XIAP, inducing cell death..* Mol Cell . **8**(3):613-21
70. Hegde R, Srinivasula SM, Zhang Z, Wassell R, Mukattash R, Cilenti L, DuBois G, Lazebnik Y, Zervos AS, Fernandes-Alnemri T, Alnemri ES (2002). *Identification of Omi/HtrA2 as a mitochondrial apoptotic serine protease that disrupts inhibitor of apoptosis protein-caspase interaction.* J Biol Chem. 4;277(1):432-8.
71. Thome M, Schneider P, Hofmann K, Fickenscher H, Meinl E, Neipel F, Mattmann C, BurnsK, Bodmer JL, Schroter M, Scaffidi C, Krammer PH, Peter ME, Tschoopp J (1997). *Viral FLICE-inhibitory proteins (FLIPs) prevent apoptosis induced by death receptors.* Nature **3**;386(6624):517-21
72. Hu S, Vincenz C, Ni J, Gentz R, Dixit VM (1997). *I-FLICE, a novel inhibitor of tumor necrosis factor receptor-1- and CD-95-induced apoptosis.* J Biol Chem **11**;272(28):17255-7
73. Irmler M, Thome M, Hahne M, Schneider P, Hofmann K, Steiner V, Bodmer JL, Schroter M, Burns K, Mattmann C, Rimoldi D, French LE, Tschoopp J (1997). *Inhibition of death receptor signals by cellular FLIP.* Nature **10**;388(6638):190-5
74. Vocero-Albani, A. M., Heyden, N. V., Lissy, N. A., Ratner, L., and, and Dowdy, S. F. (1999) *Killing HIV-infected cells by transduction with an HIV protease-activated caspase-3 protein* Nature Medicine 5, 29-33
75. Reed J.C., Tomaselli K.J. (2000) *Drug discovery opportunities from apoptosis research* Current Opin. in Biotech. 11; 586-592
76. Ona V.O., (1999) *Inhibition of caspase-1 slows disease progression in amouse model of Huntington's disease.* Nature **399**; 663-667
77. Chen M. et al. (2000) Minocycline inhibits caspase-2 and caspase-3 expression and delays mortality in a transgenic mouse model of Huntington disease. Nature Med. **6**; 797-800
78. Hughes E.R., Olson J. M., (2001). *Therapeutic opportunities in polyglutamine disease.* Nature Med. 7; 419-423

## 7 References

79. Tsujimoto Y, Finger LR, Yunis J, Nowell PC, Croce CM (1984). *Cloning of the chromosome breakpoint of neoplastic B cells with the t(14;18) chromosome translocation.* Science. **30**;226(4678):1097-9.
80. Cleary ML, Sklar J (1985). *Nucleotide sequence of a t(14;18) chromosomal breakpoint in follicular lymphoma and demonstration of a breakpoint-cluster region near a transcriptionally active locus on chromosome 18.* Proc Natl Acad Sci ;**82**(21):7439-43.
81. Adams JM, Cory S (1998). *The Bcl-2 protein family: arbiters of cell survival.* Science. **28**;281(5381):1322-6.
82. Tsujimoto Y (1998). *Role of Bcl-2 family proteins in apoptosis: apoptosomes or mitochondria?* Genes Cell. **3** (11):697-707.
83. Tsujimoto Y, Shimizu S (2000). *Bcl-2 family: life-or-death switch.* FEBS Lett. **21**;466(1):6-10.
84. Zimmermann KC, Bonzon C, Green DR (2001). *The machinery of programmed cell death.* Pharmacol Ther. ,**92**(1):57-70.
85. Adams JM, Cory S (2001). *Life-or-death decisions by the Bcl-2 protein family.* Trends Biochem Sci. ;**26**(1):61-6.
86. Schendel, S. L., Xie, Z., Montal, M. O., Matsuyama, S., and Montal, M. (1997) *Channel formation by anti-apoptotic protein Bcl-2* PNAS 94(13)5113-5118
87. Yang J, Liu X, Bhalla K, Kim CN, Ibrado AM, Cai J, Peng TI, Jones DP, Wang X (1997). *Prevention of apoptosis by Bcl-2: release of cytochrome c from mitochondria blocked.* Science. **21**;275(5303):1129-32.
88. Harada, H., Becknell, B., Wilm, M., Mann, M., Huang, L. J.-s., Taylor, S. S., Scott, J. D., and Korsmeyer, S. J. (1999) *Phosphorylation and Inactivation of BAD by Mitochondria-Anchored Protein Kinase A* Molecular Cell 3, 413-422
89. Zha, J., Harada, H., Yang, E., Jockel, J., and Korsmeyer, S. J. (1996) *Serine Phosphorylation of Death Agonist BAD in Response to Survival Factor Results in Binding to 14-3-3 Not Bcl-xL* Cell 87, 619-628
90. Pastorino, J. G., Chen, S. T., Tafani, M., Snyder, J. W., and Farber, J. L. (1998) *The overexpression of Bax produces cell death upon induction of the mitochondrial premeability transition* JBC 273, 7770-7775
91. Scaffidi C, Schmitz I, Zha J, Korsmeyer SJ, Krammer PH, Peter ME (1999). *Differential modulation of apoptosis sensitivity in CD95 type I and type II cells.* J Biol Chem. **6**;274(32):22532-8.
92. Jurgensmeier JM, Xie Z, Deveraux Q, Ellerby L, Bredesen D, Reed JC (1998). *Bax directly induces release of cytochrome c from isolated mitochondria.* Proc Natl Acad Sci 28;95(9):4997-5002.
93. Mehmet H. (2000) *Caspases find a new place to hide.* Nature. **6**;403(6765):29-30.
94. Smith CA, Farrah T, Goodwin RG, (1994). *The TNF receptor superfamily of cellular and viral proteins: activation, costimulation, and death.* Cell. **25**;76(6):959-62.
95. Ashkenazi A. and Dixit M.V. (1998) *Death receptors signalling and modulation.* Science 281: 1305-1308
96. Walczak H, Krammer PH (2000). *The CD95 (APO-1/Fas) and the TRAIL (APO-2L) apoptosis systems.* Exp Cell Res. **10**;256(1):58-66.
97. Hsu, H., and al., e. (1996) *TRADD-TRAF2 and TRADD-FADD Interactions Define Two Distinct TNF Receptor1 Signal Transduction Pathways* Cell 84, 299-308
98. Schmitz I, Kirchhoff S, Krammer PH, (2000). *Regulation of death receptor-mediated apoptosis pathways.* Int J Biochem ;**32** (11-12):1123-36.
99. Medema, J. P., Scaffidi, C., Kischkel, F. C., Shevchenko, A., Mann, M., Krammer, P. H., and Peter, M. E. (1997) *FLICE is activated by association with the CD95 death-inducing signaling complex (DISC)* EMBO J 16(10), 2794-804

## 7 References

100. Krammer P.H.,(1999). *CD95(APO-1/FAS)-mediated apoptosis: live and let die.* Adv. Immunol. 71;163-210
101. Sartorius U, Schmitz I, Krammer PH, (2001). *Molecular mechanisms of death-receptor-mediated apoptosis.* Chembiochem. 8;2(1):20-9.
102. Reed, J. C. (1997) *Cytochrome c: Can't Live with It—Can't Live without It* Cell 91, 559-562
103. Susin, S. A., Lorenzo, H. K., Zamzami, N., Marzo, I., Snow, B. E., Brothers, G. M., Mangion, J., Jacotot, E., Costantini, P., Loeffler, M., Larochette, N., Goodlett, D. R., Aebersold, R., Siderovski, D. P., Penninger, J. M., and Kroemer, G. (1999) *Molecular characterization of mitochondrial apoptosis-inducing factor* Nature 397, 441-446
104. Zou, H., Henzel, W. J., Liu, X., Lutschg, A., and Wang, X. (1997) *Apaf-1, a human protein homologous to C. elegans CED-4, participates in cytochrome c-dependent activation of caspase-3* Cell 90(3), 405-13
105. Leist, M., Single, B., Castoldi, A. F., Kühnle, S., and Nicotera, P. (1997) *Intracellular adenosine Triphosphate (ATP) concentration: a switch in the decision between apoptosis and necrosis.* J. Exp. Med. 185, 1481-1486
106. Jiang X, Wang X, (2000). Cytochrome c promotes caspase-9 activation by inducing nucleotide binding to Apaf-1.J Biol Chem. 6;275(40):31199-203.
107. Li, P., Nijhawan, D., Budihardjo, I., Srinivasula, S. M., Ahmad, M., Alnemri, E. S., and Wang, X. (1997) *Cytochrome c and dATP-Dependent Formation of Apaf-1/Caspase-9 Complex Initiates an Apoptotic Protease Cascade* Cell 91, 479-489
108. Zou H, Li Y, Liu X, Wang X. (1999). *An APAF-1.cytochrome c multimeric complex is a functional apoptosome that activates procaspase-9.* J Biol Chem. 23;274(17):11549-56
109. Cain K, Brown DG, Langlais C, Cohen GM, (1999) *Caspase activation involves the formation of the aposome, a large (approximately 700 kDa) caspase-activating complex.* J Biol Chem. 6;274(32):22686-92
110. Cain K, Bratton SB, Langlais C, Walker G, Brown DG, Sun XM, Cohen GM,(2000).*Apaf-1 oligomerizes into biologically active approximately 700-kDa and inactive approximately 1.4-MDa apoptosome complexes.* J Biol Chem. 3;275(9):6067-70.
111. Zhou P, Chou J, Olea RS, Yuan J, Wagner G., (1999) *Solution structure of Apaf-1 CARD and its interaction with caspase-9 CARD: a structural basis for specific adaptor/caspase interaction.* Proc Natl Acad Sci. 28;96(20):11265-7
112. Vaughn DE, Rodriguez J, Lazebnik Y, Joshua-Tor L., (1999). *Crystal structure of Apaf-1 caspase recruitment domain: an alpha-helical Greek key fold for apoptotic signaling.* J Mol Biol. 29;293(3):439-47.
113. Adrain C, Martin SJ, (2001) *The mitochondrial apoptosome: a killer unleashed by the cytochrome seas.* Trends Biochem Sci. 26(6):390-7.
114. Cain K, Bratton SB, Cohen GM, (2002) *The Apaf-1 apoptosome: a large caspase-activating complex.* Biochimie.84(2-3):203-14.
115. Bratton SB, Walker G, Srinivasula SM, Sun XM, Butterworth M, Alnemri ES, Cohen ,GM,(2001).*Recruitment, activation and retention of caspases-9 and -3 by Apaf-1 apoptosome and associated XIAP complexes.* EMBO J. 1;20(5):998-1009.
116. Ferri KF, Kroemer G., (2001) *Organelle-specific initiation of cell death pathways.* Nat Cell Biol. ;3(11):E255-63.
117. Herr I, Debatin KM (2001). *Cellular stress response and apoptosis in cancer therapy.* Blood. 1;98(9):2603-14.
118. Nakagawa T, Zhu H, Morishima N, Li E, Xu J, Yankner BA, Yuan J., (2000) *Caspase-12 mediates endoplasmic-reticulum-specific apoptosis and cytotoxicity by amyloid-beta.* Nature.6;403(6765):98-103.

## 7 References

119. Fischer H., Koenig U., Eckhart L., Tschachler E., (2002). *Human caspase-12 has acquired deleterious mutations.* Biocem. Biophys. Res. Comm. **293** : 722-726
120. Nakagawa T, Yuan J., (2000) *Cross-talk between two cysteine protease families. Activation of caspase-12 by calpain in apoptosis.* J Cell Biol. **21**;150(4):887-94.
121. Yoneda T, Imaizumi K, Oono K, Yui D, Gomi F, Katayama T, Tohyama M., (2001) *Activation caspase-12, an endoplasmic reticulum (ER) resident caspase, through tumor necrosis factor receptor-associated factor 2-dependent mechanism in response to the ER stress.* J Biol Chem. **27**;276(17):13935-40.
122. Rao RV, Hermel E, Castro-Obregon S, del Rio G, Ellerby LM, Ellerby HM, Bredesen DE., (2001)*Coupling endoplasmic reticulum stress to the cell death program. Mechanism of caspase activation.* J Biol Chem. **7**;276(36):33869-74.
123. Rao RV, Castro-Obregon S, Frankowski H, Schuler M, Stoka V, del Rio G, Bredesen DE, Ellerby HM., (2002).*Coupling endoplasmic reticulum stress to the cell death program: An Apaf-1-independent intrinsic pathway.* J Biol Chem. **2002 Mar 27**
124. Shipley, G. D., Childs, C. B., Volkenant, M. E., and Moses, H. L. (1984) *Differential effects of epidermal growth factor, transforming growth factor, and insulin on DNA and protein synthesis and morphology in serum-free cultures of AKR-2B cells* Cancer Res 44(2), 710-6
125. Simm, A., Hoppe, V., Gazit, A., and Hoppe, J. (1994) *Platelet-derived growth factor isoforms prevent cell death during starvation of AKR-2B fibroblasts* J Cell Physiol 160(2), 295-302
126. Simm, A., Bertsch, G., Frank, H., Zimmermann, U., and Hoppe, J. (1997) *Cell death of AKR-2B fibroblasts after serum removal: a process between apoptosis and necrosis* J Cell Sci 110(Pt 7), 819-28
127. Schaefer, R., Karbach, D., and Hoppe, J. (1998) *Multiple intracellular pathways interfere with the activation of a CPP32-like protease induced by serum deprivation of AKR-2B cells* Exp Cell Res 240(1), 28-39
128. Hoppe, J., Schäfer, R., Hoppe, V., and Sachinidis, A. (1999) *ATP and adenosine prevent via different pathways the activation of caspases in apoptotic AKR-2B fibroblasts* Cell.Death.Dif. **6**, 546-556
129. Schäfer, R (2000) *Activierung von Caspasen in AKR-2B Mausfibroblasts* Ph. D Thesis Physiologische Chemie II/ AG Prof. Dr. Hoppe, UNI Würzburg, Würzburg
130. Lämmli. (1970) *Cleavage of structural proteins during the assambly of the head of bacteriophage T4* Nature **227**, 680-685
131. Hemdan E.S., Porath J, (1985) *Development of immobilized metal affinity chromatography. II. interaction of aminoacids with immobilized nickl iminodiacetate.* Journal of Chromatogr. **411**: 177-184
132. Novagen pET System manual (2000).
133. Clontech TALON Metal Affinity Resins User Manual (2000). PT1320-1
134. Chaga G., Bochkariov D.E., Jokhadze G.G., Hopp J., nelson P., (1999) Natural poly-histidine affinity tag for purification of recombinant proteins on cobalt (II) -carboxymethylaspartate crosslinked agarose. Journal of Chromatogr. **864**: 247-256
135. Appelhans, H. (1991) The polymerase chain reaction: methodology and application Biotechnology Education **2**(1), 31-35
136. Saiki, R. K., Gelfand, D. H., Stoffel, S., Scharf, S. J., Higuchi, R., Horn, G. T., and Erlich, H. A. (1988) *Primer directed enzymatic amplification of DNA with a thermostable DNA polymerase* Science **239**, 487-491
137. Stratagene. Pfo Turbo DNA polymerase instruction manual.(2001).
138. Qiagen. Hot Star Taq PCR Handbook.(1999).
139. Dovetail PCR Product Cloning Kit Manual.(1999).
140. Quick Change Site -directed Mutagenesis Kit. Instruction Manual (1998).

## 7 References

- 
141. Hoppe J., Kilic M., Hoppe V. , Sachinidis A., Kagerhuber U (2001). *Formation of Caspse 3 containing apoptosomes devoid of Apaf-1,Cytochrom c and fragmentation of Caspase 12 during Anisomycin induced apoptosis in AKR-2B cells.* European Journal of Cell Biology in press
  142. Hoppe J. et al., (2002) Physiologische Chemie UNI Würzburg, Würzburg
  143. Faleiro L, Kobayashi R, Fearnhead H, Lazebnik Y. (1997). *Multiple species of CPP32 and Mch2 are the major active caspases present in apoptotic cells.* EMBO J. May 1;16(9):2271-81.
  144. Bratton SB, MacFarlane M, Cain K, Cohen GM. (2000) *Protein complexes activate distinct caspase cascades in death receptor and stress-induced apoptosis.* Exp Cell Res. Apr 10;256(1):27-33.
  145. Saleh A, Srinivasula SM, Acharya S, Fishel R, Alnemri ES (1998). *Cytochrome c and dATP-mediated oligomerization of Apaf-1 is a prerequisite for procaspase-9 activation.* J Biol Chem. Jun 18;274(25):17941-5.
  146. Sperandio, S. , de Belle, I. & Bredesen, D. E. (2000) An alternative, nonapoptotic form of programmed cell death Proc. Natl. Acad. Sci. USA 97, 14376-14381
  147. Inohara N, Ogura Y, Nunez G. (2002). *Nods: a family of cytosolic proteins that regulate the host response to pathogens.* Curr Opin Microbiol. Feb;5(1):76-80.
  148. Martin SJ., (2001). *Dealing the CARDs between life and death.* Trends Cell Biol May;11(5):188-9
  149. Forcet C, Ye X, Granger L, Corset V, Shin H, Bredesen DE, Mehlen P., (2001) *The dependence receptor DCC (deleted in colorectal cancer) defines an alternative mechanism for caspase activation.* Proc Natl Acad Sci U S A. Mar 13;98(6):3416-21.
  150. Jesenberger V, Jentsch S., (2002). *Deadly encounter: ubiquitin meets apoptosis.* Nat Rev Mol Cell Biol. Feb;3(2):112-21. Review.
  151. Porter AG, Janicke RU., (1999). *Emerging roles of caspase-3 in apoptosis.* Cell Death Differ. Feb;6(2):99-104. Review.
  152. Lechardeur D, Drzymala L, Sharma M, Zylka D, Kinach R, Pacia J, Hicks C, Usmani N, Rommens JM, Lukacs GL., (2000). *Determinants of the nuclear localization of the heterodimeric DNA fragmentation factor (ICAD/CAD).* J Cell Biol. Jul 24;150(2):321-34.
  153. Morishima N, Nakanishi K, Takenouchi H, Shibata T, Yasuhiko Y., (2002). *An ER stress-specific caspase cascade in apoptosis: cytochrome c-independent activation of caspase-9 by caspase-12.* J Biol Chem. Jul 3
  154. Chua BT, Guo K, Li P., (2000). *Direct cleavage by the calcium-activated protease calpain can lead to inactivation of caspases.* J Biol Chem. Feb 18;275(7):5131-5.