

7 LITERATUR

- Adams, J. M., und S. Cory (1998). The Bcl-2 protein family: arbiters of cell survival. *Science* 281: 1322-1326.
- Alnemri, E. S., D. J. Livingston, D. W. Nicholson, G. Salvesen, N. A. Thornberry, W. W. Wong, und J. Yuan (1996). Human ICE/CED-3 Protease Nomenclature. *Cell* 87: 171.
- Ameisen, J. C. (1992). Programmed cell death and AIDS: from hypothesis to experiment. *Immunol. Today* 13: 388-391.
- Ameisen, J. C., J. Estaquier, T. Idziorek, und F. De Bels (1995). Programmed cell death and AIDS pathogenesis: significance and potential mechanisms. *Curr. Top. Microbiol. Immunol.* 200: 195-211.
- Balachandran, S., P. C. Roberts, T. Kiperman, K. N. Bhalla, R. W. Compans, D. R. Archer, und G. N. Barber (2000). Alpha/beta interferons potentiate virus-induced apoptosis through activation of the FADD/caspase-8 death signaling pathway. *J. Virol.* 74: 1513-1523.
- Baldwin, A. S. Jr. (1996). The NF κ B and I κ B proteins: new discoveries and insights. *Annu. Rev. Immunol.* 14: 649-681.
- Barinaga, M. (1998a). Death by dozens of cuts. *Science* 280: 32-34.
- Barinaga, M. (1998b). Stroke-damaged neurons may commit cellular suicide. *Science* 281: 1302-1303.
- Barry, M., und G. McFadden (1998). Apoptosis regulators from DNA viruses. *Curr. Opin. Immunol.* 10: 422-430.
- Beg, A. A., und D. Baltimore (1996). An essential role for NF κ B in preventing TNF- α -induced cell death. *Science* 274: 782-784.
- Bermudez, L. E., G. Covaro, und J. S. Remington (1993). Infection of murine macrophages with *Toxoplasma gondii* is associated with release of transforming growth factor- β and downregulation of expression of tumor necrosis factor receptors. *Infect. Immun.* 61: 4126-4130.
- Blank, K. R., M. S. Rudoltz, G. D. Kao, R. J. Muschel, und W. Gillies McKenna (1996). The molecular regulation of apoptosis and implications for radiation oncology. *Int. J. Radiat. Biol.* 71: 455-466.
- Bohne, W., M. Holpert, und U. Gross (1999). Stage differentiation of the protozoan parasite *Toxoplasma gondii*. *Immunobiology* 201: 248-254.
- Brady, H. J. M., und G. Gil-Gomez (1998). Bax. The pro-apoptotic Bcl-2 family member, Bax. *Int. J. Biochem. Cell Biol.* 30: 647-650.

- Britt, R. H., D. R. Enzmann, und J. S. Remington (1981). Intracranial infection in cardiac transplant recipients. Ann. Neurol. 9: 107-119.
- Budihardjo, I., H. Oliver, M. Lutter, X. Luo, und X. Wang (1999). Biochemical pathways of caspase activation during apoptosis. Annu. Rev. Cell Dev. Biol. 15: 269-90.
- Channon, J. Y., und L. H. Kasper (1996). *Toxoplasma gondii*-induced immune suppression by human peripheral blood monocytes: role of gamma interferon. Infect. Immun. 64: 1181-1189.
- Chao, J. R., J. M. Wang, L. F. Lee, H. W. Peng, Y. H. Lin, C. H. Chou, J. C. Li, H. M. Huang, C. K. Chou, M. L. Kuo, J. J. Yen, und H. F. Yang-Yen (1998). Mcl-1 is an immediate-early gene activated by the granulocyte-macrophage colony-stimulating factor (GM-CSF) signaling pathway and is one component of the GM-CSF viability response. Mol. Cell. Biol. 18: 4883-4898.
- Chu, Z.-L., T. A. McKinsey, L. Liu, J. J. Gentry, M. H. Malim, und D. W. Ballard (1997). Suppression of tumor necrosis factor-induced cell death by inhibitor of apoptosis c-IAP2 is under NF κ B control. Proc. Natl. Acad. Sci. USA 94: 10057-10062.
- Cohen, J. J. (1993). Overview: mechanisms of apoptosis. Immunol. Today 14: 126-130.
- Dal Pra, I., J. F. Whitfield, A. Chiarini, und U. Armato (1999). Changes in nuclear protein kinase C- δ holoenzyme, its catalytic fragments, and its activity in polyomavirus-transformed pyF111 rat fibroblasts while proliferating and following exposure to apoptogenic topoisomerase-II inhibitors. Exp. Cell Res. 249: 147-160.
- Danno, K., und T. Horio (1982). Formation of UV-induced apoptosis relates to the cell cycle. Br. J. Dermatol. 107:423-428.
- Denkers, E. Y., T. Scharon-Kersten, R. T. Gazzinelli, G. Yap, H. Charest, und A. Sher (1997). Cell-mediated immunity to *Toxoplasma gondii*: redundant and required mechanisms as revealed by studies in gene knockout mice. Host Response to intracellular Pathogens. Editor S. H. E. Kaufmann, Springer Verlag, Heidelberg: 167-181.
- Depraetere, V., und P. Golstein (1997). Fas and other cell death signaling pathways. Semin. Immunol. 9: 93-107.
- Derfuss, T., H. Fickenscher, M. S. Kraft, G. Henning, D. Lengenfelder, B. Fleckenstein, und E. Meini (1998). Antiapoptotic activity of the Herpesvirus Saimiri-encoded Bcl-2 homolog: stabilization of mitochondria and inhibition of caspase-3-like activity. J. Virol. 72: 5897-5904.
- Desmonts, G., und J. Couvreur (1974). Congenital toxoplasmosis. A prospective study of 378 pregnancies. N. Engl. J. Med. 290: 1110-1116.
- Dobrowolski, J. M., und D. L. Sibley (1996). *Toxoplasma* invasion of mammalian cells is powered by the actin cytoskeleton of the parasite. Cell 84: 933-939.

- Dubey, J. P., und C. P. Peattie (1988). Toxoplasmosis of animals and man. CRC Press, Boca Raton, USA.
- Dubremerz, J.F. (1998). Host cell invasion by *Toxoplasma gondii*. Trends Microbiol. 6: 27-30.
- Duriez, P. J., und G. M. Shah (1997). Cleavage of poly(ADP-ribose) polymerase: a sensitive parameter to study cell death. Biochem. Cell Biol. 75: 337-349.
- Dürrbaum-Landmann, I., J. Gercken, H.-D. Flad, und M. Ernst (1996). Effect of *in vitro* infection of human monocytes with low numbers of *Mycobacterium tuberculosis* bacteria on monocyte apoptosis. Infect. Immun. 64: 5384-5389.
- Eldadah, B. A., A. G. Yakovely, und A. I. Faden (1996). A new approach for the electrophoretic detection of apoptosis. Nucleic Acids Res. 24: 4092-4093.
- Endo, T., B. Pelster, und G. Piekarski (1981). Infection of murine peritoneal macrophages with *Toxoplasma gondii* exposed to ultraviolet light. Z. Parasitenkd. 65: 121-129.
- Everett, H., und G. McFadden (1999). Apoptosis: an innate immune response to virus infection. Trends Microbiol. 7: 160-165.
- Famularo, G., C. DeSimone, und S. Marcellini (1997). Apoptosis: mechanisms and relation to AIDS. Med. Hypotheses 48: 423-429.
- Fan, T., H. Lu, H. Hu, L. Shi, G. A. McClarty, D. M. Nance, A. H. Greenberg, und G. Zhong (1998). Inhibition of Apoptosis in *Chlamydia*-infected cells: Blockade of mitochondrial cytochrome c release and caspase activation. J. Exp. Med. 187: 487-496.
- Ferguson, D. J. P., und W. M. Hutchison (1987). The host-parasite relationship of *Toxoplasma gondii* in the brains of chronically infected mice. Virchows Arch. A 411: 39-43.
- Fischer, H. G., S. Stachelhaus, M. Sahm, H. E. Meyer, und G. Reichmann (1998). GRA7, an excretory 29 kDa *Toxoplasma gondii* dense granule antigen released by infected host cells. Mol. Biochem. Parasitol. 91. 251-262.
- Frenkel, J. K. (1988). Pathophysiology of toxoplasmosis. Parasitol. today 4: 273-278.
- Frenkel, J. K., J. P. Dubey, und N. L. Miller (1970). *Toxoplasma gondii* in cats: fecal stages indentified as coccidian oocysts. Science 167: 893-896.
- Gao, L.-Y., und Y. A. Kwaik (1999). Activation of Caspase 3 during *Legionella pneumophila*-induced apoptosis. Infect. Immun. 67: 4886-4894.
- Garcia-Calvo, M., E. P. Peterson, B. Leiting, R. Ruel, D. W. Nicholson, und N. A. Thornberry (1998). Inhibition of human caspases by peptide-based and macromolecular inhibitors. J. Biol. Chem. 273: 32608-32613.
- Green, D. R., und J. C. Reed (1998). Mitochondria and apoptosis. Science 281: 1309-1312.

- Green, D. R., und D. W. Scott (1994). Activation-induced apoptosis in lymphocytes. *Curr. Opin. Immunol.* 6: 476-487.
- Groß, U. (1994). Toxoplasmose. Immunologische und molekulare Parasitologie. M. Röllinghoff, and M. Rommel. Jena, Gustav Fischer Verlag: 83-103.
- Groß, U., W. A. Müller, S. Knapp, und J. Heesemann (1991). Identification of a virulence-associated antigen of *Toxoplasma gondii* by use of a mouse monoclonal antibody. *Infect. Immun.* 59: 4511-4516.
- Hakim, F. T., R. T. Gazzinelli, E. Denkers, S. Hieny, G. M. Shearer, und A. Sher (1991). CD8⁺ T cells from mice vaccinated against *Toxoplasma gondii* are cytotoxic for parasite-infected of antigen-pulsed host cells. *J. Immunol.* 147: 2310-2316.
- Henderson, S., M. Rowe, C. Gregory, D. Croom-Carter, R. Wang, R. Longecker, E. Kieff, und A. Rickinson (1991). Induction of bcl-2 expression by Epstein-Barr virus latent membrane protein 1 protects infected B cells from programmed cell death. *Cell* 65: 1107-1115.
- Hengartner, M. O. (1998). Death cycle and swiss army knives. *Nature* 391: 441-442.
- Hirata, H., A. Takahashi, S. Kobayashi, S. Yonehara, H. Sawai, T. Okazaki, K. Yamamoto, und M. Sasada (1998). Caspases are activated in a branched protease cascade and control distinct downstream processes in Fas-induced apoptosis. *J. Exp. Med.* 187: 587-600.
- Hisaeda, H., und K. Himeno (1997). The role of host-derived heat-shock protein in immunity against *Toxoplasma gondii* infection. *Parasitol. Today* 13: 465-468.
- Hisaeda, H., T. Sakai, H. Ishikawa, Y. Maekawa, K. Yasutomo, R. A. Good, und K. Himeno (1997). Heat shock protein 65 induced by γδ T cells prevents apoptosis of macrophages and contributes to host defense in mice infected with *Toxoplasma gondii*. *J. Immunol.* 159: 2375-2381.
- Holliman, R. E. (1996). Toxoplasmosis. Manson's Tropical Diseases. W.B. Saunders, London: 1246-1254.
- Hong, J. R., Y. L. Hsu, und J. L. Wu (1999). Infectious pancreatic necrosis virus induces apoptosis due to down-regulation of survival factor Mcl-1 protein expression in a fish cell line. *Virus Res.* 63: 75-83.
- Hsu, S. Y., A. Kaipia, E. McGee, M. Lomeli, und A. J. W. Hsueh (1997). Bok is a pro-apoptotic Bcl-2 protein with restricted expression in reproductive tissues and heterodimerizes with selective anti-apoptotic Bcl-2 family members. *Proc. Natl. Acad. Sci. USA* 94: 12401-12406.
- Hsu, S. Y., und A. J. W. Hsueh (2000). Tissue-specific Bcl-2 protein partners in apoptosis: an ovarian paradigm. *Phys. Rev.* 80: 593-614.
- Huppertz, B., H. G. Frank, und P. Kaufmann (1999). The apoptosis cascade – morphological and immunohistochemical methods for its visualization. *Anat. Embryol. (Berl.)* 200: 1-18.

- Hutchinson, W. M. (1965). Experimental transmission of *Toxoplasma gondii*. Nature 206: 961-962.
- Israelski, D. M., und J. S. Remington (1993a). Toxoplasmosis in the non-AIDS immunocompromised host. Curr. Clin. Top. Infect. Dis. 13: 322-356.
- Israelski, D. M., und J. S. Remington (1993b). Toxoplasmosis in patients with cancer. Clin. Infect. Dis. 17 (Suppl 2): S423-S435.
- Jacobson, M. K., und E. L. Jacobson (1999). Discovering new ADP-ribose polymer cycles: protecting the genome and more. TIBS 24: 415-417.
- Janeway, C. A., und P. Travers (1995a). Immunologie. Spektrum Akademischer Verlag Heidelberg: 245-246.
- Janeway, C. A., und P. Travers (1995b). Immunologie. Spektrum Akademischer Verlag Heidelberg: 314-316.
- Jerome, K. R., R. Fox, Z. Chen, A. E. Sears, H.-Y. Lee, und L. Corey (1999). Herpes Simplex Virus inhibits apoptosis through the action of two genes, Us5 and Us3. J. Virol. 73: 8950-8957.
- Joiner, K. A., S. A. Fuhrman, H. M. Miettinen, L. H. Kasper, und I. Mellman (1990). *Toxoplasma gondii*: Fusion competence of parasitophorous vacuoles in Fc receptor-transfected fibroblasts. Science 249: 641-646.
- Joiner, K. A., und J. F. Dubremetz (1993). *Toxoplasma gondii*: a protozoan for the nineties. Infect. Immun. 61: 1169-1172.
- Kato, S., M. Muro, S. Akifusa, N. Hanada, I. Semba, T. Fujii, Y. Kowashi, und T. Nishihara (1995). Evidence for apoptosis of murine macrophages by *Actinobacillus actinomycetemcomitans* infection. Infect. Immun. 63: 3914-3919.
- Keane, J., M. K. Balcewicz-Sablinska, H. G. Remold, G. L. Chupp, B. B. Meek, M. J. Fenton, und H. Kornfeld (1997). Infection by *Mycobacterium tuberculosis* promotes human alveolar macrophage apoptosis. Infect. Immun. 65: 298-304.
- Kerr, J. R. R., A. H. Wyllie, und A. R. Currie (1972). Apoptosis: A basic biological phenomenon with wide-ranging implications in tissue kinetics. Br. J. Cancer 26: 239-257.
- Khan, I. A., T. Matsuura, und L. H. Kasper (1995). IL-10 mediates immunosuppression following primary infection with *Toxoplasma gondii* in mice. Parasite Immunol. 17: 185-195.
- Khan, I. A., T. Matsuura, und L. H. Kasper (1996). Activation-mediated CD4⁺ T cell unresponsiveness during acute *Toxoplasma gondii* infection in mice. Int. Immunol. 8: 887-896.
- Khwaja , A., und L. Tatton (1999). Caspase-mediated proteolysis and activation of protein kinase C δ plays a central role in neutrophil apoptosis. Blood 94: 291-301.

- Klampfer, L., J. Zhang, und S. D. Nimer (1999). GM-CSF rescues TF-1 cells from growth factor withdrawal-induced, but not differentiation-induced apoptosis: the role of Bcl-2 and Mcl-1. *Cytokine* 11: 849-855.
- Kluck, R. M., E. Bossy-Wetzel, D. R. Green, und D. D. Newmeyer (1997). The release of cytochrome c from mitochondria: a primary site for Bcl-2 regulation of apoptosis. *Science* 275: 1132-1136.
- Koppe, J. G., D. H. Loewer-Sieger, und H. de Roever-Bonnet (1986). Results of 20-year follow-up of congenital toxoplasmosis. *Lancet* 1(8475): 254-256.
- Kozopas, K. M., T. Yang, H. L. Buchan, P. Zhou, und R. W. Craig (1993). MCL1, a gene expressed in programmed myeloid cell differentiation, has sequence similarity to BCL2. *Proc. Natl. Acad. Sci. USA* 90: 3516-3520.
- Kuo, M.-L., Y.-P. Chau, J.-H. Wang, und W.-G. Shiah (1996). Inhibitors of poly(ADP-ribose) polymerase block nitric oxide-induced apoptosis but not differentiation in human leukemia HL-60 cells. *Biochem. Biophys. Res. Commun.* 219: 502-508.
- Kuwana, T., J. J. Smith, M. Muzio, V. Dixit, D. D. Newmeyer, und S. Kornbluth (1998). Apoptosis induction by caspase-8 is amplified through the mitochondrial release of cytochrome c. *J. Biol. Chem.* 273: 16589-16594.
- Kyhse-Andersen, J. (1984). Electroblotting of multiple gels: a simple apparatus without buffer tank for rapid transfer of proteins from polyacrylamide to nitrocellulose. *J. Biochem. Biophys. Methods.* 10: 203-209.
- Laemmli, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685.
- Lazebnik, Y. A., S. H. Kaufmann, S. Desnoyers, G. G. Poirier, und W. C. Earnshaw (1994). Cleavage of poly(ADP-ribose) polymerase by a proteinase with properties like ICE. *Nature* 371: 346-347.
- Leist, M., B. Single, G. Künstle, C. Volbracht, H. Hentze, und P. Nicotera (1997). Apoptosis in the absence of poly-(ADP-ribose) polymerase. *Biochem. Biophys. Res. Commun.* 233: 518-522.
- Le Rhun, Y., J. B. Kirkland, und G. M. Shah (1998). Cellular responses to DNA damage in the absence of poly(ADP-ribose) polymerase. *Biochem. Biophys. Res. Commun.* 245: 1-10.
- Li, H., H. Zhu, C. Xu, und J. Yuan (1998). Cleavage of BID by caspase 8 mediates the mitochondrial damage in the Fas pathway of apoptosis. *Cell* 94: 491-501.
- Li, P., D. Nijhawan, I. Budihardjo, S. M. Srinivasula, M. Ahmad, E. S. Alnemri, und X. Wang (1997). Cytochrome c and dATP-dependent formation of Apaf-1/caspase-9 complex initiates an apoptotic protease cascade. *Cell* 91: 479-489.
- Liles, W. C. (1997). Apoptosis – role in infection and inflammation. *Curr. Opin. Infect. Dis.* 10: 165-170.

- Lüder, C. G. K., T. Lang, B. Beuerle, und U. Gross (1998). Down-regulation of MHC class II molecules and inability to up-regulate class I molecules in murine macrophages after infection with *Toxoplasma gondii*. Clin. Exp. Immunol. 112: 308-316.
- Luft, B. J., und J. S. Remington (1992). Toxoplasmic encephalitis in AIDS. Clin. Infect. Dis. 15: 211-222.
- Luo, X., I. Budihardjo, H. Zou, C. Slaughter, und X. Wang (1998). Bid, a Bcl-2 interacting protein, mediates cytochrome c release from mitochondria in response to activation of cell surface death receptors. Cell 94: 481-490.
- Manna, S. K., und B. B. Aggarwal (1999). Lipopolysaccharide inhibits TNF-induced apoptosis: role of nuclear factor- κ B activation and reactive oxygen intermediates. J. Immunol. 162: 1510-1518.
- Marinovich, M., B. Viviani, E. Corsinsi, F. Ghilardi, und C. L. Galli (1996). NF- κ B activation by triphenyltin triggers apoptosis in HL-60 cells. Exp. Cell Res. 226: 98-104.
- Martin, S. J., S. V. Lennon, A. M. Bonham, und T. G. Cotter (1990). Induction of apoptosis (programmed cell death) in human leukemic HL-60 cells by inhibition of RNA or protein synthesis. J. Immunol. 145: 1859-1867.
- Martins, L. M., und W. C. Earnshaw (1997). Apoptosis: alive and kicking in 1997. Trends Cell Biol. 7: 111-114.
- Marusawa, H., M. Hijikata, T. Chiba, und K. Shimotohno (1999). Hepatitis C Virus core protein inhibits Fas- and tumor necrosis factor alpha-mediated apoptosis via NF- κ B activation. J. Virol. 73: 4713-4720.
- McCabe, R., und J. S. Remington (1998). Toxoplasmosis: The time has come. N. Engl. J. Med. 338: 313-315.
- McGowan, A. J., M. C. Ruiz-Ruiz, A. M. Gorman, A. Lopez-Rivas, und T. G. Cotter (1996). Reactive oxygen intermediate(s) (ROI): common mediator(s) of poly(ADP-ribose) polymerase (PARP) cleavage and apoptosis. FEBS Letters 392: 299-303.
- Meisterernst, M., G. Stelzer, und R. G. Roeder (1997). Poly(ADP-ribose)polymerase enhances activation-dependent transcription *in vitro*. Proc. Natl. Acad. Sci. USA 94: 2261-2268.
- Merien, R., G. Baranton, und P. Perolat (1997). Invasion of Vero cells and induction of apoptosis in macrophages by pathogenic *Leptospira interrogans* are correlated with virulence. Infect. Immun. 65: 729-738.
- Mesner, P. W., T. R. Winters, und S. H. Green (1992). Nerve growth factor withdrawal-induced cell death in neuronal PC12 cells resembles that in sympathetic neurons. J. Cell Biol. 119: 1669-1680.
- Moore, K. J., und G. Matlashewski (1994). Intracellular infection by *Leishmania donovani* inhibits macrophage apoptosis. J. Immunol. 152: 2930-2937.

- Müller, A., J. Hacker, und B. C. Brand (1996). Evidence for apoptosis of human macrophage-like HL-60 cells by *Legionella pneumophila* infection. Infect. Immun. 64: 4900-4906.
- Naruse, I., und H. Keino (1995). Apoptosis in the developing CNS. Prog. Neurobiol. 47: 135-155.
- Nash, P. B., M. B. Purner, R. P. Leon, P. Clarke, R. C. Duke, und T. J. Curiel (1996). *Toxoplasma gondii*-infected cells are resistant to multiple inducers of apoptosis. J. Immunol. 160: 1824-1830.
- Nava, V. E., E. H.-Y. Cheng, M. Veliuona, S. Zou, R. J. Clem, M. L. Mayer, und J. M. Hardwick (1997). Herpesvirus Saimiri encodes a functional homolog of the human bcl-2 oncogene. J. Virol. 71: 4118-4122.
- Nicolson, D. W., A. Ali, N. A. Thornberry, J. P. Vaillancourt, C. K. Ding, M. Gallant, Y. Gareau, P. R. Griffin, M. Labelle, Y. A. Lazebnik, N. A. Munday, S. M. Raju, M. E. Smulson, T.-T. Yamin, V. L. Yu, und D. K. Miller (1995). Identification and inhibition of the ICE/CED-3 protease necessary for mammalian apoptosis. Nature 376: 37-43.
- Ockert, G. (1994). Epidemiologie der *Toxoplasma*-Infektion. Toxoplasmose-Erreger und Krankheit. H. D. Pohle, and J. S. Remington. Gräfelfing, Socio medico Verlag: 30-42.
- Ohsako, S., und K. B. Elkon (1999). Apoptosis in the effector phase of autoimmune diabetes, multiple sclerosis and thyroiditis. Cell Death Differ. 6: 13-21.
- Orlofsky, A., R. D. Somogyi, L. M. Weiss, und M. B. Prystowsky (1999). The murine antiapoptotic protein A1 is induced in inflammatory macrophages and constitutively expressed in neutrophils. J. Immunol. 163: 412-419.
- Owen-Schaub, L. B., S. Yonehara, W. L. Crump III, und E. A. Grimm (1992). DNA fragmentation and cell death is selectively triggered in activated human lymphocytes by Fas antigen engagement. Cell. Immunol. 140: 197-205.
- Pan, G., E. W. Humke, und V. M. Dixit (1998). Activation of caspases triggered by cytochrome c in vitro. FEBS Letters 426: 151-154.
- Pegoraro, L., A. Palumbo, J. Erikson, M. Falda, B. Giovanazzo, B. S. Emanuel, G. Rovera, P. C. Nowell, und C. M. Croce (1984). A 14;18 and an 8;14 chromosome translocation in a cell line derived from an acute B-cell leukemia. Proc. Natl. Acad. Sci. USA 81: 7166-7170.
- Piekarski, G., und H. M. Witte (1970). Der Erreger der Toxoplasmose – ein spezifischer Katzenparasit. Umschau, Heft 11: 342-343.
- Porter, A. G., und R. U. Janicke (1999). Emerging roles of caspase-3 in apoptosis. Cell Death Differ. 6: 99-104.
- Revilla, Y., A. Cebrian, E. Baixeras, C. Martinez-A., E. Vinuela, und M. L. Salas (1997). Inhibition of apoptosis by the african swine fever virus Bcl-2 homologue: role of the BH1 domain. Virology 228: 400-404.

- Sabin, A. B. (1941). Toxoplasmic encephalitis in children. JAMA 116: 801-807.
- Sakai, T., H. Hisaeda, H. Ishikawa, Y. Maekawa, M. Zhang, Y. Nakao, T. Takeuchi, K. Matsumoto, R. A. Good, und K. Himeno (1999). Expression and role of heat-shock protein 65 (HSP65) in macrophages during *Trypanosoma cruzi* infection: involvement of HSP65 in prevention of apoptosis of macrophages. Microbes Infect. 1: 419-427.
- Samali, A., und T. G. Cotter (1996). Heat shock proteins increase resistance to apoptosis. Exp. Cell Res. 223: 163-170.
- Savill, J., V. Fadok, P. Henson, und C. Haslett (1993). Phagocyte recognition of cells undergoing apoptosis. Immunol. Today 14: 131-136.
- Scaffidi, C., I. Schmitz, J. Zha, S. J. Korsmeyer, P. H. Krammer, und M. E. Peter (1999). Differential modulation of apoptosis sensitivity in CD95 type I and type II cells. J. Biol. Chem. 247: 22532-22538.
- Schwab, J. C., C. J. Beckers, und K. A. Joiner (1994). The parasitophorous vacuole membrane surrounding intracellular *Toxoplasma gondii* functions as a molecular sieve. Proc. Natl. Acad. Sci. USA 91: 509-513.
- Sen, R., und D. Baltimore (1986). Inducibility of κ immunoglobulin enhancer-binding protein NF-κB by a posttranslational mechanism. Cell 47: 921-928.
- Sheffield, H. G., und M. L. Melton (1970). *Toxoplasma gondii*: the oocyst, sporozoite, and infection of cultured cells. Science 167: 892-893.
- Shiokawa, D., H. Maruta, und S. Tanuma (1997). Inhibitors of poly(ADP-ribose) polymerase suppress nuclear fragmentation and apoptotic-body formation during apoptosis in HL-60 cells. FEBS Letters 413: 99-103.
- Sibley, L. D. (1995). Invasion of vertebrate cells by *Toxoplasma gondii*. Trends Cell Biol. 5: 129-132.
- Sibley, L. D., E. Weidner, und J. L. Krahenbuhl (1985). Phagosome acidification blocked by intracellular *Toxoplasma gondii*. Nature 315: 416-419.
- Simbulan-Rosenthal, C. M., D. S. Rosenthal, S. Iyer, A. H. Boulares, und M. E. Smulson (1998). Transient poly(ADP-ribosylation) of nuclear proteins and role of Poly(ADP-ribose) polymerase in the early stages of apoptosis. J. Biol. Chem. 273: 13703-13712.
- Simon, H. U. (1997). Programmierter Zelltod. Dtsch. med. Wschr. 122: 167-168.
- Single, B., M. Leist, und P. Nicotera (1998). Simultaneous release of adenylate kinase and cytochrome c in cell death (letter). Cell Death Differ. 5: 1001-1003.
- Spender, L. C., E. J. Cannell, M. Hollyoake, B. Wensing, J. M. Gawn, M. Brimmell, G. Packham, und P. J. Farrell (1999). Control of cell cycle entry and apoptosis in B lymphocytes infected by Epstein-Barr Virus. J. Virol. 73: 4678-4688.

- Tafani, M., T. G. Schneider, J. G. Pastorino, und J. L. Farber (2000). Cytochrome c-dependent activation of caspase-3 by tumor necrosis factor requires induction of the mitochondrial permeability transition. Am. J. Pathol. 156: 2111-2121.
- Takizawa, T., S. Matsukawa, Y. Higuchi, S. Nakamura, Y. Nakanishi, und R. Fukuda (1993). Induction of programmed cell death (apoptosis) by influenza virus infection in tissue culture cells. J. Gen. Virol. 74: 2347-2355.
- Tanaka, Y., M. Kameoka, K. Ota, A. Itaya, K. Ikuta, und K. Yoshihara (1999). Establishment of persistent infection with HIV-1 abrogates the caspase-3-dependent apoptotic signaling pathway in U937 cells. Exp. Cell Res. 247: 514-524.
- Tanaka, Y., K. Yoshihara, Y. Tohno, K. Kojima, M. Kameoka, und T. Kamiya (1995). Inhibition and down-regulation of poly(ADP-ribose) polymerase results in a marked resistance of HL-60 cells to various apoptosis-inducers. Cell. Mol. Biol. 41: 771-781.
- Teodoro, J. G., und P. E. Branton (1997). Regulation of apoptosis by viral gene products. J. Virol. 71: 1739-1746.
- Tewari, M., L. T. Quan, K. O'Rourke, S. Desnoyers, Z. Zeng, D. R. Beidler, G. G. Poirier, G. G. Salvesen, und V. M. Dixit (1995a). Yama/CPP32 β , a mammalian homolog of CED-3, is a CrmA-inhibitable protease that cleaves the death substrate poly(ADP-ribose) polymerase. Cell 81: 801-809.
- Tewari, M., W. G. Telford, R. A. Miller, und V. M. Dixit (1995b). CrmA, a poxvirus-encoded serpin, inhibits cytotoxic T-lymphocyte-mediated apoptosis. J. Biol. Chem. 270: 22705-22708.
- Thalhammer, O. (1981). Toxoplasmose. Dtsch. med. Wschr. 34: 1051-1053.
- Thompson, C. B. (1995). Apoptosis in the pathogenesis and treatment of disease. Science 267: 1456-1462.
- Toure-Balde, A., J. L. Sarthou, G. Aribot, P. Michel, J. F. Trape, C. Rogier, und C. Roussilhon (1996). Plasmodium falciparum induces apoptosis in human mononuclear cells. Infect. Immun. 64: 774-750.
- Uehara, T., T. Miyawaki, K. Ohta, Y. Tamaru, T. Yokoi, S. Nakamura, und N. Taniguchi (1992). Apoptotic cell death of primed CD45RO $^{+}$ T lymphocytes in Epstein-Barr virus-induced infectious mononucleosis. Blood 80: 452-458.
- Van Antwerp, D. J., S. J. Martin, T. Kafri, D. R. Green, und I. M. Verma (1996). Suppression of TNF- α -induced apoptosis by NF κ B. Science 274: 787-789.
- Van Antwerp, D. J., S. J. Martin, I. M. Verma, und D. R. Green (1998). Inhibition of TNF- α -induced apoptosis by NF κ B. Trends Cell Biol. 8: 107-111.
- Van der Zee, R., S. M. Anderson, A. B. Prakken, A. G. Liesbeth Paul, und W. van Eden (1998). T cell responses to conserved bacterial heat-shock-protein epitopes induce resistance in experimental autoimmunity. Semin. Immunol. 10: 35-41.

- Wang, C-Y., M. W. Mayo, R. G. Korneluk, D. V. Goeddel, und A. S. Baldwin Jr. (1998). NF- κ B antiapoptosis: induction of TRAF1 and TRAF2 and c-IAP1 and c-IAP2 to suppress caspase-8 activation. *Science* 281: 1680-1683.
- Wang, J.-M., J.-R. Chao, W. Chen, N.-L. Kuo, J. J.-Y. Yen, und H.-F. Yang-Yen (1999a). The antiapoptotic gene mcl-1 is up-regulated by the phosphatidylinositol 3-kinase/akt signaling pathway through a transcription factor complex containing CREB. *Mol. Cell. Biol.* 19: 6195-6206.
- Wang, L., P. Zhou, R. W. Craig, und L. Lu (1999b). Protection from cell death by mcl-1 is mediated by membrane hyperpolarization induced by K⁺ channel activation. *J. Membr. Biol.* 172: 113-120.
- Wang, Z. Q., B. Auer, L. Stingl, H. Berghammer, D. Haidacher, M. Schweiger, und E. F. Wagner (1995). Mice lacking ADPRT and poly(ADP-ribosyl)ation develop normally but are susceptible to skin disease. *Genes. Dev.* 9: 509-520.
- Wang, X., und G. P. Studzinski (1997). Antiapoptotic action of 1,25-dihydroxyvitamin D₃ is associated with increased mitochondrial Mcl-1 and Raf-1 proteins and reduced release of cytochrome c. *Exp. Cell Res.* 235: 210-217.
- Watson, R. W., H. P. Redmond, J. H. Wang, C. Condron, und D. Bouchier-Hayes (1996). Neutrophils undergo apoptosis following ingestion of *Escherichia coli*. *J. Immunol.* 156: 3986-3992.
- Williams, G. T. (1994). Programmed cell death: A fundamental protective response to pathogens. *Trends Microbiol.* 2: 463-464.
- Wu, M. X., Z. Ao, K. V. S. Prasad, R. Wu, und S. F. Schlossman (1998). IEX-1L, an apoptosis inhibitor involved in NF κ B- mediated cell survival. *Science* 281: 998-1001.
- Wyllie, A. H. (1980). Glucocorticoid-induced thymocyte apoptosis is associated with endogenous endonuclease activation. *Nature* 284: 555-556.
- Wyllie, A. H., J. F. R. Kerr, und A. R. Currie (1980). Cell death: The significance of apoptosis. *Int. Rev. Cytol.* 68: 251-299.
- Yang, J., X. Liu, K. Bhalla, C. N. Kim, A. M. Ibrado, J. Cai, T.-I Peng, D. P. Jones, und X. Wang (1997). Prevention of apoptosis by Bcl-2: release of cytochrome c from mitochondria blocked. *Science* 275: 1129-1132.
- Yoon, Y. S., J. W. Kim, K. W. Kang, Y. S. Kim, K. H. Choi, und C. O Joe (1996). Poly(ADP-ribosyl)ation of histone H1 correlates with internucleosomal DNA fragmentation during apoptosis. *J. Biol. Chem.* 271: 9129-9134.
- Yuan, J. (1997). Transducing signals of life and death. *Curr. Opin. Cell Biol.* 9: 247-251.
- Yuk, M. H., E. T. Harvill, B. A. Cotter, und J. F. Miller (2000). Modulation of host immune responses, induction of apoptosis and inhibition of NF κ B activation by the *Bordetella* type III secretion system. *Mol. Microbiol.* 35: 991-1004.

Zychlinsky, A. (1993). Programmed cell death in infectious diseases. Trends Microbiol. 1: 114-117.

Zychlinsky, A., M. C. Prevost, und P. J. Sansonetti (1992). *Shigella flexneri* induces apoptosis in infected macrophages. Nature 358:167-169.