

## G. Literatur

**Abu Kwaik, Y.** (2000): Invasion of mammalian and protozoan cells by *Legionella pneumophila*. In: Oelschlaeger, T. A. und J. Hacker (eds.): Subcellular Biochemistry 33: Bacterial invasion into eukaryotic cells: 383-410.

**Abu Kwaik, Y.** (1998): Fatal attraction of mammalian cells to *Legionella pneumophila*. Mol. Microbiol. 30: 689-695.

**Abu Kwaik, Y., L.-Y. Gao, B. J. Stone, C. Venkataraman und O. S. Harb** (1998): Invasion of protozoa by *Legionella pneumophila* and its role in bacterial ecology and pathogenesis. Appl. Environ. Microbiol. 64: 3127-3133.

**Abu Kwaik, Y. und L. L. Pederson** (1996): The use of differential display-PCR to isolate and characterize a *Legionella pneumophila* locus induced during the intracellular infection of macrophages. Mol. Microbiol. 21: 543-556.

**Abu Kwaik, Y. und N. C. Engleberg** (1994): Cloning and molecular characterization of a *Legionella pneumophila* gene induced by intracellular infection and by various *in vitro* stress conditions. Mol. Microbiol. 13: 243-251.

**Adams, M., R. H. Andrews, B. Robinson, P. Christy, P. H. Baverstock, P. J. Dobson und S. J. Blackler** (1989): A genetic approach to species criteria in the amoeba genus *Naegleria* using allozyme electrophoresis. Int. J. Parasitol. 19: 823-834.

**Adeleke, A., J. Pruckler, R. Benson, T. Rowbotham, M. Halablab und B. Fields** (1996): *Legionella*-like amebal pathogens - phylogenetic status and possible role in respiratory disease. Emerg. Inf. Dis. 2: 225-230.

**Amann, R., N. Springer, W. Schönhuber, W. Ludwig, E. N. Schmid, K.-D. Müller und R. Michel** (1997b): Obligate intracellular bacterial parasites of acanthamoebae related to *Chlamydia* spp. Appl. Environ. Microbiol. 63: 115-121.

**Amann, R., F.-O. Glöckner und A. Neef** (1997a): Modern methods in subsurface microbiology: *in situ* identification of microorganisms with nucleic acid probes. FEMS Microbiol. Rev. 20: 191-200.

**Amann, R. I.** (1995): *In situ* Identifizierung von mikrobiellen Einzelzellen mit rRNS-gerichteten Nukleinsäuresonden. Habilitationsschrift TU München.

**Amann, R. I., W. Ludwig und K.-H. Schleifer** (1995): Phylogenetic identification and *in situ* detection of individual microbial cells without cultivation. Microbiol. Rev. 59: 143-169.

**Amann, R. I., B. J. Binder, R. J. Olson, S. W. Chisholm, R. Devereux und D. A. Stahl** (1990): Combination of 16S rRNA-targeted oligonucleotide probes with flow cytometry for analyzing mixed microbial populations. Appl. Environ. Microbiol. 56: 1919-1925.

**Amemura-Maekawa, J., F. Kura und H. Watanabe** (1996): Cloning and nucleotide sequences of iron and copper-zinc superoxide dismutase genes of *Legionella pneumophila* and their distribution among *Legionella* species. Jpn. J. Med. Sci. Biol. 49: 167-186.

- Ammendola, A.** (1999): Einsatz der Reportergene *luxAB* und *gfp* zur Konstruktion von bakteriellen Biosensoren. Dissertation TU München.
- ATCC** (1985): American Type Culture Collection. Catalogue of Protists - Algae and Protozoa. 16th edition. Supplement: Media formulations.
- Atlas, R. M.** (1999): *Legionella*: from environmental habitats to disease pathology, detection and control. Environ. Microbiol. 1: 283-293.
- Barbaree, J. M., B. S. Fields, J. C. Feeley, G. W. Gorman und W. T. Martin** (1986): Isolation of protozoa from water associated with a legionellosis outbreak and demonstration of intracellular multiplication of *Legionella pneumophila*. Appl. Environ. Microbiol. 51: 422-424.
- Barker, J. und M. R. W. Brown** (1994): Trojan horses of the microbial world: protozoa and the survival of bacterial pathogens in the environment. Microbiology 140: 1253-1259.
- Bender, L., M. Ott, A. Debes, U. Rdest, J. Heesemann und J. Hacker** (1991): Distribution, expression and long-range-mapping of legiolysin gene (*lly*-)specific DNA sequences in legionellae. Infect Immun. 59: 3333-3336.
- Bernander, S. und I. Kallings** (1998): Sankt varmvattentemperatur gynnar legionella-bakterierna. Läkartidningen 95: 4340-4344.
- Birtles, R. J., T. J. Rowbotham, D. Raoult und T. G. Harrison** (1996): Phylogenetic diversity of intra-amoebal legionellae as revealed by 16S rRNA gene sequence comparison. Microbiology 142: 3525-3530.
- Boyer, H. W. und D. Roulland-Dussoix** (1969): A complementation analysis of the restriction and modification of DNA in *Escherichia coli*. J. Mol. Biol. 41: 459-472.
- Bozue, J. A. und W. Johnson** (1996): Interaction of *Legionella pneumophila* with *Acanthamoeba castellanii*: uptake by coiling phagocytosis and inhibition of phagosome-lysosome fusion. Infect. Immun. 64: 668-673.
- Brand, B. C., R. I. Amann, M. Steinert, D. Grimm und J. Hacker** (2000): Identification and *in situ* detection of intracellular bacteria in the environment. In: Oelschlaeger, T. und J. Hacker (eds.): Subcellular Biochemistry 33: Bacterial invasion into eukaryotic cells: 601-624.
- Brand, B. C. und J. Hacker** (1997): The biology of *Legionella* infection. In: Kaufmann, S. H. E. (ed.): Host response to intracellular pathogens. R. G. Landes Company, Austin: 291-312.
- Brand, B. C., A. B. Sadosky und H. A. Shuman** (1994): The *Legionella pneumophila icm* locus: a set of genes required for intracellular multiplication in human macrophages. Mol. Microbiol. 14: 797-808.
- Breimann, R. F.** (1996): Impact of technology on the emergence of infectious diseases. Epidem. Rev. 18: 4-9.
- Brieland, J., M. McClain, L. Heath, C. Chrisp, G. Huffnagle, M. LeGendre, M. Hurley, J. Fantone und C. Engleberg** (1996): Coinoculation with *Hartmannella vermiciformis* enhances

replicative *Legionella pneumophila* lung infection in a murine model of Legionnaires' disease. Infect. Immun. 64: 2449-2456.

**Brown, M. R. W. und J. Barker** (1999): Unexplored reservoirs of pathogenic bacteria: protozoa and biofilms. Trends Microbiol. 46: 46-50.

**Brown, S. und J. F. de Jonckheere** (1999): A reevaluation of the amoeba genus *Vahlkampfia* based on SSU rDNA sequences. Eur. J. Protist. 35: 49-54.

**Burns, D. L.** (1999): Biochemistry of type IV secretion. Curr. Opin. Microbiol. 2: 25-29.

**Byers, T. J.** (1998): 18S rDNA sequence alignments. Internet address: <http://www.biosci.ohio-state.edu/~tbyers/byers.htm>.

**Byers, T. J., B. G. Kim, L. E. King und E. R. Hugo** (1991): Molecular aspects of the cell cycle and encystment of *Acanthamoeba*. Rev. Infect. Dis. 13, Suppl. 5: 378-384.

**Campbell, I. D., V. Seal, J. Hay, J. McLuckie und W. Patterson** (1994): UK national study of *Legionella* contamination of hospital transplant units: relevance of free-living amoebae. J. Med. Microbiol. 41, Suppl. 1: abstract 288.

**CDC** (1994): Procedures for the recovery of *Legionella* from the environment. US Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention (CDC).

**Chandler, F. W., I. L. Roth, J. L. Callaway, B. M. Thomason und R. E. Weaver** (1980): Flagella on Legionnaires' disease bacteria. Ann. Intern. Med. 93: 711-714.

**Church, G. M. und W. W. Gilbert** (1984): Genomic sequencing. Proc Natl. Acad. Sci. USA 81: 1991-1995.

**Cianciotto, N. P. und B. S. Fields** (1992): *Legionella pneumophila* mip gene potentiates intracellular infection of protozoa and human macrophages. Proc. Natl. Acad. Sci. USA 89: 5188-5191.

**Cirillo, S. L. G., J. Lum und J. D. Cirillo** (2000): Identification of novel loci involved in entry by *Legionella pneumophila*. Microbiology 146: 1345-1359.

**Clark, C. G., G. A. Cross und J. F. de Jonckheere** (1989): Evaluation of evolutionary divergence in the genus *Naegleria* by analysis of ribosomal DNA plasmid restriction patterns. Mol. Biochem. Parasitol. 34: 281-296.

**Clark, C. G. und G. A. Cross** (1988b): Small-subunit ribosomal RNA sequence from *Naegleria gruberi* supports the polyphyletic origin of amoebas. Mol. Biol. Evol. 5: 512-518.

**Clark, C. G. und G. A. Cross** (1988a): Circular ribosomal RNA genes are a general feature of schizopyrenoid amoebae. J. Protozool. 35: 326-329.

**Clark, J. M. und R. L. Swika** (1977): Experimental biochemistry. 2nd edition. W. H. Freeman and Company, San Francisco.

- Clemens, D. L. und M. A. Horwitz** (1993): Hypoexpression of major histocompatibility complex molecules on *Legionella pneumophila* phagosomes and phagolysosomes. *Infect. Immun.* 61: 2803-2812.
- Costerton, J. W., Z. Lewandowski, D. E. Caldwell, D. R. Korber und H. M. Lappin-Scott** (1995): Microbial biofilms. *Annu. Rev. Microbiol.* 49: 711-745.
- Cryer, D. R., R. Eccleshall und J. Marmur** (1975): Isolation of yeast DNA. In: Prescott, D. M. (ed.), *Methods in Cell Biology* 12: 30-44.
- De Jonckheere, J. F. und S. Brown** (1998): There is no evidence that the free-living ameba *Hartmannella* is a human parasite. *Clin. Infect. Dis.* 26: 773.
- De Jonckheere, J. F., S. Brown und B. S. Robinson** (1997): On the identity of the amoeboflagellates *Didascalus thorntoni* and *Adelphamoeba galeacystis*. *J. Eukaryot. Microbiol.* 44: 52-54.
- De Jonckheere, J. F.** (1991): Ecology of *Acanthamoeba*. *Rev. Infect. Dis.* 13, Suppl. 5: S 385-387.
- Dennis, P. J., D. Green und B. P. Jones** (1984): A note on the temperature tolerance of *Legionella*. *J. Appl. Bacteriol.* 56: 349-350.
- Dietrich, C., K. Heuner, B. C. Brand, J. Hacker und M. Steinert** (2000): The flagellum of *Legionella pneumophila* positively affects the early phase of infection of eukaryotic host cells. *Infect. Immun.* (eingereicht)
- Dowling, J. N., A. K. Saha und R. H. Glew** (1992): Virulence factors of the family *Legionellaceae*. *Microbiol. Rev.* 56: 32-60.
- Doyle, R. M., T. W. Steele, A. M. McLennan, I. H. Parkinson, P. A. Manning und M. W. Heuzenroeder** (1998): Sequence analysis of the *mip* gene of the soilborne pathogen *Legionella pneumophila*. *Infect. Immun.* 66: 1492-1499.
- Dumais-Pope, C., W. O'Connell und N. P. Cianciotto** (1993): Distribution and regulation of the *Legionella* *mip* gene. In: Barbaree, J. M., R. F. Breimann und A. P. Dufour (eds.): *Legionella: current status and emerging perspectives*: 70-72. ASM, Washington DC.
- Edelstein, P. H., M. A. C. Edelstein, F. Higa und S. Falkow** (1999): Discovery of virulence genes of *Legionella pneumophila* by using signature tagged mutagenesis in a guinea pig pneumonia model. *Proc. Natl. Acad. Sci. USA* 96: 8190-8195.
- Engleberg, N. C., C. Carter, D. R. Weber, N. P. Cianciotto und B. I. Eisenstein** (1989): DNA sequence of *mip*, a *Legionella pneumophila* gene associated with macrophage infectivity. *Infect. Immun.* 57: 1263-1270.
- Essig, A., M. Heinemann, U. Simnacher und R. Marre** (1997): Infection of *Acanthamoeba castellanii* by *Chlamydia pneumoniae*. *Appl. Environ. Microbiol.* 63: 1396-1399.
- Family Medical** (1997): Killer bugs. Geddes & Grosset Ltd., David Dale House, New Lanark, Scotland.

- Ferrante, A.** (1991): Free-living amoebae: pathogenicity and immunity. Parasite Immunology 13: 31-47.
- Fields, B. S.** (1996): The molecular ecology of legionellae. Trends Microbiol. 4: 286-290.
- Fields, B. S.** (1993): *Legionella* and protozoa: interaction of a pathogen and its natural host. In: Barbaree, J. M., R. F. Breimann und A. P. Dufour (eds.): *Legionella*: current status and emerging perspectives. ASM, Washington DC: 129-136.
- Fields, B. S., T. A. Nerad, T. K. Sawyer, C. H. King, J. M. Barbaree, W. T. Martin, W. E. Morrill und G. N. Sanden** (1990): Characterization of an axenic strain of *Hartmannella vermiciformis* obtained from an investigation of nosocomial legionellosis. J. Protozool 37: 581-583.
- Flieger, A., S. Gong, M. Faigle, H. A. Mayer, U. Kehrer, J. Mußotter, P. Bartmann und B. Neumeister** (2000): Phospholipase A secreted by *Legionella pneumophila* destroys alveolar surfactant phospholipids. FEMS Microbiol. Lett. 188: 129-133.
- Fliermans, C. B.** (1996): Ecology of *Legionella*: from data to knowledge with a little wisdom. Microb. Ecol. 32: 203-228.
- Fliermans, C. B., W. B. Cherry, L. H. Orrison, S. J. Smith, D. L. Tison und D. H. Pope** (1981): Ecological distribution of *Legionella pneumophila*. Appl. Environ. Microbiol. 41: 9-16.
- Flügel, M.** (1999): Molekularbiologische Studien zur Pathogenität und Ökologie von *Legionella pneumophila*. Dissertation Universität Würzburg.
- Fraser, D. W., T. R. Tsai, W. Orenstein, W. E. Parkin, H. J. Beecham, R. G. Sharrar, J. Harris, G. F. Mallison, S. M. Martin, J. E. McDade, C. C. Shepard und P. S. Brachman** (1977): Legionnaires' disease: description of an epidemic of pneumonia. N. Engl. J. Med. 297: 1189-1197.
- Friedrich, A. B., H. Merkert, T. Fendert, J. Hacker, P. Proksch und U. Hentschel** (1999): Microbial diversity in the marine sponge *Aplysina cavernicola* (formerly *Verongia cavernicola*) analyzed by fluorescence *in situ* hybridization (FISH). Marine Biology 134: 461-470.
- Fritzsche, T. R., M. Horn, S. Seyedirashchi, R. K. Gautom, K.-H. Schleifer und M. Wagner** (1999): *In situ* detection of novel bacterial endosymbionts of *Acanthamoeba* spp. phylogenetically related to members of the order *Rickettsiales*. Appl. Environ. Microbiol. 65: 206-212.
- Fritzsche, T. R., R. K. Gautom, S. Seyedirashchi, D. L. Bergeron und T. D. Lindquist** (1993): Occurrence of bacterial endosymbionts in *Acanthamoeba* spp. isolated from corneal and environmental specimens and contact lenses. J. Clin. Microbiol. 31: 1122-1126.
- Fry, N. K., S. Warwick, N. A. Saunders und T. M. Embley** (1991): The use of 16S ribosomal RNA analyses to investigate the phylogeny of the family *Legionellaceae*. J. Gen. Microbiol. 137: 1215-1222.

**Gao, L.-Y. und Y. Abu Kwaik** (1999): Apoptosis in macrophages and alveolar epithelial cells during early stages of infection by *Legionella pneumophila* and its role in cytopathogenicity. *Infect. Immun.* 67: 862-870.

**Gao, L.-Y., M. Susa, B. Ticac und Y. Abu Kwaik** (1999): Heterogeneity in intracellular replication and cytopathogenicity of *Legionella pneumophila* and *Legionella micdadei* in mammalian and protozoan cells. *Microb. Pathog.* 27: 273-287.

**Gao, L.-Y., O. S. Harb und Y. Abu Kwaik** (1998): Identification of macrophage-specific infectivity loci (*mil*) of *Legionella pneumophila* that are not required for infectivity of protozoa. *Infect. Immun.* 66: 883-892.

**Gao, L.-Y., O. S. Harb und Y. Abu Kwaik** (1997): Utilization of similar mechanisms by *Legionella pneumophila* to parasitize two evolutionarily distant host cells, mammalian macrophages and protozoa. *Infect. Immun.* 65: 4738-4746.

**Garduño, R. A., E. Garduño und P. S. Hoffman** (1998b): Surface-associated Hsp60 chaperonin of *Legionella pneumophila* mediates invasion in a HeLa cell model. *Infect. Immun.* 66: 4602-4610.

**Garduño, R. A., F. D. Quinn und P. S. Hoffman** (1998a): HeLa cells as a model to study the invasiveness and biology of *Legionella pneumophila*. *Can. J. Microbiol.* 44: 430-440.

**Gast, R. J. und T. J. Byers** (1995): Genus- and subgenus-specific oligonucleotide probes for *Acanthamoeba*. *Mol. Biochem. Parasitol.* 71: 255-260.

**Glöckner, F. O., R. Amann, A. Alfreider, J. Pernthaler, R. Psenner, K. Trebesius und K.-H. Schleifer** (1996): An optimized *in situ* hybridization protocol for planktonic bacteria. *Syst. Appl. Microbiol.* 19: 403-406.

**Görtz, H.-D. und T. Brigge** (1998): Intracellular bacteria in protozoa. *Naturwiss.* 85: 359-368.

**Gomez-Lus, R., E. Lomba, P. Gomez-Lus, M. S. Abarca, S. Gomez-Lus, A. Martinez, E. Duran und M. C. Rubio** (1993): *In vitro* antagonistic activity of *Pseudomonas aeruginosa*, *Klebsiella pneumoniae*, and *Aeromonas* spp. against *Legionella* spp. In: Barbaree, J. M., R. F. Breiman und P. Dufour (eds.): *Legionella: current status and emerging perspectives*: 265-267. ASM, Washington, DC.

**Grimm, D., H. Merkert, W. Ludwig, K.-H. Schleifer, J. Hacker und B. C. Brand** (1998): Specific detection of *Legionella pneumophila*: construction of a new 16S rRNA-targeted oligonucleotide probe. *Appl. Environ. Microbiol.* 64: 2686-2690.

**Hacker, J.** (2000b): Fluoreszenzbasierte *in situ*-Hybridisierung (FISH). In: Hacker, J. und J. Heesemann (Hrsg.): *Molekulare Infektionsbiologie*. Spektrum Akademischer Verlag Heidelberg, Berlin: 258-260.

**Hacker, J.** (2000a): *Legionella pneumophila*. In: Hacker, J. und J. Heesemann (Hrsg.): *Molekulare Infektionsbiologie*. Spektrum Akademischer Verlag Heidelberg, Berlin: 231-235.

**Hacker, J., M. Ott und R. Marre** (1994): Genetische Analysen zur Pathogenität und Fitness von Legionellen. Klin. Lab. 40: 217-222.

**Hägele, S., R. Köhler, H. Merkert, M. Schleicher, J. Hacker und M. Steinert** (2000): *Dictyostelium discoideum*: a new host model system for intracellular pathogens of the genus *Legionella*. Cell. Microbiol. 2: 165-171.

**Hägele, S.** (1998): Studien zur Induktion der *Legionella pneumophila*-spezifischen Apoptose in eukaryontischen Wirtszellen. Diplomarbeit Universität Würzburg.

**Hägele, S., J. Hacker und B. C. Brand** (1998): *Legionella pneumophila* kills human phagocytes but not protozoan host cells by inducing apoptotic cell death. FEMS Microbiol. Lett. 169: 51-58.

**Hahn, D., R. I. Amann und J. Zeyer** (1993): Detection of mRNA in *Streptomyces* cells by whole-cell hybridization with digoxigenin-labeled probes. Appl. Environ. Microbiol. 59: 2753-2757.

**Hales, L. M. und H. A. Shuman** (1999b): *Legionella pneumophila* contains a type II general secretion pathway required for growth in amoebae as well as for secretion of the Msp protease. Infect. Immun. 67: 3662-3666.

**Hales, L. M. und H. A. Shuman** (1999a): The *Legionella pneumophila rpoS* gene is required for growth within *Acanthamoeba castellanii*. J. Bacteriol. 181: 4879-4889.

**Hall, J. und H. Voelz** (1985): Bacterial endosymbionts of *Acanthamoeba* sp. J. Parasit. 71: 89-95.

**Hanahan, D.** (1983): Studies on transformation of *Escherichia coli* with plasmids. J. Mol. Biol. 166: 557-580.

**Harb, O. S. und Y. Abu Kwaik** (2000): Characterization of a macrophage-specific infectivity locus (*milA*) of *Legionella pneumophila*. Infect. Immun. 68: 368-376.

**Hebert, G. A.** (1980): Room temperature storage of *Legionella* cultures. J. Clin. Microbiol. 12: 807-809.

**Henke, M. und K. M. Seidel** (1986): Association between *Legionella pneumophila* and amoebae in water. Isr. J. Med. Sci. 22: 690-695.

**Hentschel, U., M. Steinert und J. Hacker** (2000): Common molecular mechanisms of symbiosis and pathogenesis. Trends Microbiol. 8: 226-231.

**Heuner, K.** (1997): Molekularbiologische Untersuchungen zur Funktion und Expression der Flagelle von *Legionella pneumophila*. Dissertation Universität Würzburg.

**Heuner, K., L. Bender-Beck, B. C. Brand, P. C. Lück, K.-H. Mann, R. Marre, M. Ott und J. Hacker** (1995): Cloning and genetic characterization of the flagellum subunit gene (*flaA*) of *Legionella pneumophila* serogroup 1. Infect. Immun. 63: 2499-2507.

- Heuner, K.** (1994): Herstellung und Screening einer Expressionsgenbank von *Legionella pneumophila* Corby. Diplomarbeit Universität Würzburg.
- Hickey, E. K. und N. P. Cianciotto** (1997): An iron- and *fur*-repressed *Legionella pneumophila* gene that promotes intracellular infection and encodes a protein with similarity to the *Escherichia coli* aerobactin synthetases. Infect. Immun. 65: 133-143.
- Hodson, R. E., W. A. Dustman, R. P. Garg und M. A. Moran** (1995): *In situ* PCR for visualization of microscale distribution of specific genes and gene products in prokaryotic communities. Appl. Environ. Microbiol. 61: 4074-4082.
- Höltke, H. J., W. Ankenbauer, K. Mühlegger, R. Rein, G. Sagner, R. Seibl und T. Walter** (1995): The digoxigenin (DIG) system for non-radioactive labelling and detection of nucleic acids - an overview. Cell. Mol. Biol. 41: 883-905.
- Hönerlage, W., D. Hahn und J. Zeyer** (1995): Detection of mRNA of *nprM* in *Bacillus megaterium* ATCC 14581 grown in soil by whole-cell hybridization. Arch. Microbiol. 163: 235-241.
- Hoffman, P. S. und R. A. Garduño** (1999): Surface-associated heat shock proteins of *Legionella pneumophila* and *Helicobacter pylori*: roles in pathogenesis and immunity. Infect. Dis. Obstetrics Gynecol. 7: 58-63.
- Hoffman, P. S.** (1997): Invasion of eukaryotic cells by *Legionella pneumophila*: a common strategy for all hosts? Can. J. Infect. Dis. 8: 139-146.
- Hoffman, P. S., M. Ripley und R. Weeratna** (1992b): Cloning and nucleotide sequence of a gene (*ompS*) encoding the major outer membrane protein of *Legionella pneumophila*. J. Bacteriol. 174: 914-920.
- Hoffman, P. S., J. H. Seyer und C. A. Butler** (1992a): Molecular characterization of the 28- and 31-kilodalton subunits of the *Legionella pneumophila* major outer membrane protein. J. Bacteriol. 174: 908-913.
- Hoffmann, R. und R. Michel** (1998): Verhalten von primär freilebenden Amöben bei der Trinkwasseraufbereitung. DVGW-Schriftenreihe Wasser Nr. 91: 151-172.
- Horn, M., T. R. Fritsche, R. K. Gautom, K.-H. Schleifer und M. Wagner** (1999): Novel bacterial endosymbionts of *Acanthamoeba* spp. related to the *Paramecium caudatum* symbiont *Caedibacter caryophilus*. Environ. Microbiol. 1: 357-367.
- Horwitz, M. A.** (1984): Phagocytosis of the Legionnaires' disease bacterium (*Legionella pneumophila*) occurs by a novel mechanism: engulfment within a pseudopod coil. Cell 36: 27-33.

**Hu, J., M. Horn, A. P. Limaye, R. K. Gautom und T. R. Fritsche** (2000): Direct detection of legionellae in respiratory tract specimens using fluorescence *in situ* hybridization. (submitted to the 5th International Conference on *Legionella*, September 26-29, 2000, Ulm/Germany)

**Hurek, T., T. Egener und B. Reinhold-Hurek** (1997): Divergence in nitrogenases of *Azoarcus* spp., *Proteobacteria* of the  $\beta$  subclass. *J. Bacteriol.* 179: 4172-4178.

**Hussong, D., R. R. Colwell, M. O'Brien, E. Weiss, A. D. Pearson, R. M. Weiner und W. D. Burge** (1987): Viable *Legionella pneumophila* not detectable by culture on agar media. *Biotechnology* 5: 947-950.

**ISO/CD 11731-2** (1998): Water quality - detection and enumeration of *Legionella*. International Organization for Standardization, Switzerland.

**Jaulhac, B., C. Harf, M. Nowicki und H. Monteil** (1993): Detection of *Legionella* spp. in environmental water samples and free-living amoebae by using DNA amplification. In: Barbaree, J. M., R. F. Breimann und A. P. Dufour (eds.): *Legionella*: current status and emerging perspectives: 151-153. ASM, Washington DC.

**Jeon, K. W.** (1995): The large, free-living amoebae: wonderful cells for biological studies. *J. Euk. Microbiol.* 42: 1-7.

**Jepras, R. I., R. B. Fitzgeorge und A. Baskerville** (1985): A comparison of virulence of two strains of *Legionella pneumophila* based on experimental aerosol infection of guinea pigs. *J. Hyg.* 95: 29-38.

**Juretschko, S., G. Timmermann, M. Schmid, K.-H. Schleifer, A. Pommerening-Roser, H. P. Koops und M. Wagner** (1998): Combined molecular and conventional analyses of nitrifying bacterium diversity in activated sludge: *Nitrosococcus mobilis* and *Nitrospira*-like bacteria as dominant populations. *Appl. Environ. Microbiol.* 64: 3042-3051.

**Kapfhammer, D.** (1998): Identifizierung und Charakterisierung von Motilitäts-assoziierten Genen in *Legionella pneumophila*. Diplomarbeit Universität Würzburg.

**Kilvington, S. und J. Beeching** (1995): Identification and epidemiological typing of *Naegleria fowleri* with DNA probes. *Appl. Environ. Microbiol.* 61: 2071-2078.

**Kirby, J. E. und R. R. Isberg** (1998): Legionnaires' disease: the pore macrophage and the legion of terror within. *Trends Microbiol.* 6: 256-258.

**Köhler, R., A. Bubert, W. Goebel, M. Steinert, J. Hacker und B. Bubert** (2000): Expression and use of the green fluorescent protein as a reporter system in *Legionella pneumophila*. *Mol. Gen. Genet.* 262: 1060-1069.

**Koide, M., A. Saito, N. Kusano und F. Higa** (1993): Detection of *Legionella* spp. in cooling tower water by the polymerase chain reaction method. *Appl. Environ. Microbiol.* 59: 1943-1946.

**Kuroki, T., S. Sata, S. Yamai, K. Yagita, Y. Katsume und T. Endo** (1998b): Occurrence of free-living amoebae and *Legionella* in whirlpool bathes. *Kansenshogaku Zasshi* 72: 1056-1063.

**Kuroki, T., K. Yagita, E. Yabuuchi, K. Agata, T. Ishima, Y. Katsume und T. Endo** (1998a): Isolation of *Legionella* and free-living amoebae at hot spring spas in Kanagawa, Japan. *Kansenshogaku Zasshi* 72: 1050-1055.

**Kyle, D. E. und G. P. Noblet** (1987): Seasonal distribution of thermotolerant free-living amoebae. II. Lake Issaqueena. *J. Protozool.* 34: 10-15.

**Lee, J. V. und A. A. West** (1991): Survival and growth of *Legionella* species in the environment. *J. Appl. Bacteriol. Symp. Suppl.* 70: 121S-129S.

**Liles, M. R., T. A. Scheel und N. P. Cianciotto** (2000): Discovery of a nonclassical siderophore, legiobactin, produced by strains of *Legionella pneumophila*. *J. Bacteriol.* 182: 749-757.

**Liles, M. R., P. H. Edelstein und N. P. Cianciotto** (1999): The prepilin peptidase is required for protein secretion by and the virulence of the intracellular pathogen *Legionella pneumophila*. *Mol. Microbiol.* 31: 959-970.

**Lowry, P. W., R. J. Blankenship, W. Gridley, N. J. Troup und L. S. Tompkins** (1991): A cluster of *Legionella* sternal-wound infections due to postoperative topical exposure to contaminated tap water. *N. Engl. J. Med.* 324: 109-113.

**Ludwig, W., O. Strunk, S. Klugbauer, N. Klugbauer, M. Weizenegger, J. Neumaier, M. Bachleitner und K.-H. Schleifer** (1998): Bacterial phylogeny based on comparative sequence analysis. *Electrophoresis* 19: 554-568.

**Ludwig, W. und K.-H. Schleifer** (1994): Bacterial phylogeny based on 16S and 23S rRNA sequence analysis. *FEMS Microbiol. Rev.* 15: 155-173.

**Lück, P.C und J. H. Helbig** (1997): *Legionellaceae*. In: Tiller, F. W. (Hrsg.): Diagnostische Bibliothek 46: 1-12.

**Lück, P. C., J. H. Helbig, V. Drasar, N. Bornstein, R. J. Fallon und M. Castellani-Pastoris** (1995): Genomic heterogeneity amongst phenotypically similar *Legionella micdadei* strains. *FEMS Microbiol. Lett.* 126: 49-54.

**Ly, T. M. C. und H. E. Müller** (1990): Ingested *Listeria monocytogenes* survive and multiply in protozoa. *J. Med. Microbiol.* 33: 51-54.

**Ma, P., G. S. Visvesvara, A. J. Martinez, F. H. Theodore, P. M. Daggett und T. K. Sawyer** (1990): *Naegleria* and *Acanthamoeba* infections: review. *Rev. Infect. Dis.* 12: 490-513.

**Mallory, L. M., C.-S. Yuk, L.-N. Liang und M. Alexander** (1983): Alternative prey: a mechanism for elimination of bacterial species by protozoa. *Appl. Environ. Microbiol.* 46: 1073-1079.

**Manz, W., R. Amann, W. Ludwig, M. Vancanneyt und K.-H. Schleifer** (1996): Application of a suite of 16S rRNA-specific oligonucleotide probes designed to investigate bacteria of the phylum cytophaga-flavobacter-bacteroides in the natural environment. *Microbiology* 142: 1097-1106.

- Manz, W., R. Amann, R. Szewzyk, U. Szewzyk, T.-A. Stenström, P. Hutzler und K.-H. Schleifer** (1995): *In situ* identification of *Legionellaceae* using 16S rRNA-targeted oligonucleotide probes and confocal laser scanning microscopy. *Microbiology* 141: 29-39.
- Manz, W., M. Wagner, R. Amann und K.-H. Schleifer** (1994): *In situ* characterization of the microbial consortia active in two wastewater treatment plants. *Wat. Res.* 28: 1715-1723.
- Manz, W., R. Amann, W. Ludwig, M. Wagner und K.-H. Schleifer** (1992): Phylogenetic oligodeoxynucleotide probes for the major subclasses of *Proteobacteria*: Problems and solution. *System. Appl. Microbiol.* 15: 593-600.
- Marchesi, J. R., T. Sato, A. J. Weightman, T. A. Martin, J. C. Fry, S. J. Hiom und W. G. Wade** (1998): Design and evaluation of useful bacterium-specific PCR primers that amplify genes coding for bacterial 16S rRNA. *Appl. Environ. Microbiol.* 64: 795-799.
- Marmur, J.** (1961): A procedure for the isolation of deoxyribonucleic acids from microorganisms. *J. Mol. Biol.* 3: 592-600.
- McDade, J. E., C. C. Shepard, D. W. Fraser, T. R. Tsai, M. A. Redus und W. R. Dowdle** (1977): Legionnaires' disease: isolation of a bacterium and demonstration of its role in other respiratory disease. *N. Engl. J. Med.* 297: 1197-1203.
- Mengaud, J. M. und M. A. Horwitz** (1993): The major iron-containing protein of *Legionella pneumophila* is an aconitase homologous with the human iron-responsive element-binding protein. *J. Bacteriol.* 175: 5666-5676.
- Michel, R., R. Hoffmann, K.-D. Müller, R. Amann und E. N. Schmid** (1998b): Akanthamoeben, Naeglerien und andere freilebende Amöben als natürliche Dauerproduzenten von nicht kultivierbaren Bakterien. *Mitt. Österr. Ges. Tropenmed. Parasitol.* 20: 85-92.
- Michel, R., K.-D. Müller, R. Amann und E. N. Schmid** (1998a): *Legionella*-like slender rods multiplying within a strain of *Acanthamoeba* sp. isolated from drinking water. *Parasitol. Res.* 60: 84-88.
- Michel, R.** (1997): Freilebende Amöben als Wirte und Vehikel von Mikroorganismen. *Mitt. Österr. Ges. Tropenmed. Parasitol.* 19: 11-20.
- Michel, R. und B. Hauröder** (1997): Isolation of an *Acanthamoeba* strain with intracellular *Burkholderia pickettii* infection. *Zbl. Bakt.* 285: 541-557.
- Michel, R., H. Burghardt und H. Bergmann** (1995): *Acanthamoeba*, naturally intracellularly infected with *Pseudomonas aeruginosa*, after their isolation from a microbiologically contaminated drinking water system in a hospital. *Zbl. Bakt. Mikrobiol. Hyg.* 196: 532-544.
- Miyamoto, H., H. Yamamoto, K. Arima, J. Fujii, K. Maruta, K. Izu, T. Shiromori und S.-I. Yoshida** (1997): Development of a new seminested PCR method for detection of *Legionella* species and its application to surveillance of legionellae in hospital cooling tower water. *Appl. Environ. Microbiol.* 63: 2489-2494.

- Morris, C. E., J.-M. Monier und M.-A. Jacques** (1997): Methods for observing microbial biofilms directly on leaf surfaces and recovering them for isolation of culturable microorganisms. *Appl. Environ. Microbiol.* 63: 1570-1576.
- Müller, H. E.** (1988): Experimental studies of detection and processing of *Legionella* spp. in public drinking water supplies. *Zbl. Bakt. Hyg. B*: 186: 73-78.
- Newsome, A. L., T. M. Scott, R. F. Benson und B. S. Fields** (1998): Isolation of an amoeba naturally harboring a distinctive *Legionella* species. *Appl. Environ. Microbiol.* 64: 1688-1693.
- Newsome, A. L., R. L. Baker, R. D. Miller und R. R. Arnold** (1985): Interactions between *Naegleria fowleri* and *Legionella pneumophila*. *Infect. Immun.* 50: 449-452.
- O'Dell, W. D.** (1979): Isolation, enumeration and identification of amebae from a Nebraska lake. *J. Protozool.* 26: 265-269.
- Ortiz-Roque, C. M. und T. C. Hazen** (1987): Abundance and distribution of *Legionellaceae* in Puerto Rican waters. *Appl. Environ. Microbiol.* 53: 2231-2236.
- Ott, M.** (1994): Genetic approaches to study *Legionella pneumophila* pathogenicity. *FEMS Microbiol. Rev.* 14: 161-176.
- Pabst, U., J. Demuth, T. Gebel und H. Dunkelberg** (1997): Etablierung einer Methode zum Nachweis der Assoziation von *Legionella* sp. mit *Amoeba* sp. mittels Polymerasekettenreaktion. *Zbl. Hyg.* 199: 568-577.
- Page, F. C. und F. J. Siemensma** (1991): Nackte Rhizopoda und Heliozoa. *Protozoenfauna* Bd. 2 (Hrsg. D. Matthes). Gustav Fischer Verlag Stuttgart, New York.
- Paszko-Kolva, C., T. K. Sawyer, C. J. Palmer, T. A. Nerad und R. Fayre** (1998): Examination of microbial contaminants of emergency showers and eyewash stations. *J. Industr. Microbiol. Biotechnol.* 20: 139-143.
- Paszko-Kolva, C., C. Thio, C. T. Yamashiro und R. Danielson** (1995): Advantages of the polymerase chain reaction for the rapid detection of *Legionella* species during outbreak investigations. *Microbiol. Europe* 3: 16-21.
- Paszko-Kolva, C., M. Shahamat und R. R. Colwell** (1992): Longterm survival of *Legionella pneumophila* serogroup 1 under low-nutrient conditions and associated mophological changes. *FEMS Microbiol. Ecol.* 102: 45-55.
- Poulsen, L. K., F. Lan, C. S. Kristensen, P. Hobolth, S. Molin und K. A. Krogfelt** (1994): Spacial distribution of *Escherichia coli* in the mouse large intestine inferred from rRNA *in situ* hybridization. *Infect. Immun.* 62: 5191-5194.
- Preston, T. M. und C. A. King** (1984): Binding sites for bacterial flagella at the surface of the soil amoeba *Acanthamoeba*. *J. Gen. Microbiol.* 130: 1449-1458.
- Robinson, B. S., P. Christy, S. J. Hayes und P. J. Dobson** (1992): Discontinuous genetic variation among mesophilic *Naegleria* isolates: further evidence that *N. gruberi* is not a single species. *J. Protozool.* 39: 702-712.

**Rodríguez-Zaragoza, S.** (1994): Ecology of free-living amoebae. Crit. Rev. Microbiol. 20: 225-241.

**Rohr, U., S. Weber, R. Michel, F. Selenka und M. Wilhelm** (1998): Comparison of free-living amoebae in hot water systems of hospitals with isolates from moist sanitary areas by identifying genera and determining temperature tolerance. Appl. Environ. Microbiol. 64: 1822-1824.

**Roller, C., M. Wagner, R. Amann, W. Ludwig und K.-H. Schleifer** (1994): *In situ* probing of Gram-positive bacteria with high DNA G + C content using 23S rRNA-targeted oligonucleotides. Microbiology 140: 2849-2858.

**Rollins, D. M. und R. R. Colwell** (1986): Viable but nonculturable stage of *Campylobacter jejuni* and its role in survival in the natural aquatic environment. Appl Environ Microbiol. 52: 531-538.

**Rowbotham, T. J.** (1986): Current views on the relationships between amoebae, legionellae and man. Isr. J. Med. Sci. 22: 678-689

**Rowbotham, T. J.** (1980): Preliminary report on the pathogenicity of *Legionella pneumophila* for freshwater and soil amoebae. J. Clin. Pathol. 33: 1179-1183.

**Sadosky, A. B., J. W. Wilson, H. M. Steinman und H. A. Shuman** (1994): The iron superoxide dismutase of *Legionella pneumophila* is essential for viability. J. Bacteriol. 176: 3790-3799.

**Sambrook, J., E. F. Fritsch und T. Maniatis** (1989): Molecular cloning: A laboratory manual. 2nd edition. Cold Spring Harbor Laboratory Press, New York.

**Sanger, F., S. Nicklen und A. R. Coulson** (1977): DNA sequencing with chain-terminating inhibitors. Proc. Natl. Acad. Sci. USA 74: 5463-5467.

**Schmid, M.** (1998): *In situ* Nachweis der mRNS eines Virulenzgens von *Listeria monocytogenes* auf Einzelzellebene. Diplomarbeit TU München.

**Schönhuber, W., B. Fuchs, S. Juretschko und R. Amann** (1997): Improved sensitivity of whole-cell hybridization by the combination of horseradish peroxidase-labeled oligonucleotides and tyramide signal amplification. Appl. Environ. Microbiol. 63: 3268-3273.

**Segal, G. und H. A. Shuman** (1998): How is the intracellular fate of the *Legionella pneumophila* phagosome determined? Trends Microbiol. 6: 253-255.

**Segal, G., M. Purcell und H. A. Shuman** (1998): Host cell killing and bacterial conjugation require overlapping sets of genes within a 22-kb region of the *Legionella pneumophila* genome. Proc. Natl. Acad. Sci. USA 95: 1669-1674.

**Segal, G. und H. A. Shuman** (1997): Characterization of a new region required for macrophage killing by *Legionella pneumophila*. Infect. Immun. 65: 5057-5066.

- Shahamat, M., U. Mai, C. Paszko-Kolva, M. Kessel und R. R. Colwell** (1993): Use of autoradiography to assess viability of *Helicobacter pylori* in water. Appl. Environ. Microbiol. 59: 1231-1235.
- Shuman, H. A., M. Purcell, G. Segal, L. Hales und L. A. Wiater** (1998): Intracellular multiplication of *Legionella pneumophila*: human pathogen or accidental tourist? Curr. Top. Microbiol. Immunol. 225: 99-112.
- Siefert, J. L. und G. E. Fox** (1998): Phylogenetic mapping of bacterial morphology. Microbiology 144: 2803-2808.
- Sims, G. P., A. Rogerson und R. Aitken** (1999): Primary and secondary structure of the small-subunit ribosomal RNA of the naked, marine amoeba *Vannella anglica*: phylogenetic implications. J. Mol. Evol. 48: 740-749.
- Smith-Somerville, H. E., V. B. Huryn, C. Walker und A. L. Winters** (1991): Survival of *Legionella pneumophila* in the cold-water ciliate *Tetrahymena vorax*. Appl. Environ. Microbiol. 57: 2742-2749.
- Springer, N.** (1992): Phylogenie und *in situ* Nachweis nicht-kultivierbarer bakterieller Endosymbionten. Dissertation TU München.
- Springer, N., W. Ludwig, W. Drożdżski, R. Amann und K.-H. Schleifer** (1992): The phylogenetic status of *Sarcobium lyticum*, an obligate intracellular bacterial parasite of small amoebae. FEMS Microbiol. Lett. 96: 199-202.
- Steinert, M., U. Hentschel und J. Hacker** (2000): Symbiosis and pathogenesis: evolution of the microbe-host interaction. Naturwissenschaften 87: 1-11.
- Steinert, M., K. Birkness, E. White, B. Fields und F. Quinn** (1998): *Mycobacterium avium* bacilli grow saprozoically in coculture with *Acanthamoeba polyphaga* and survive within cyst walls. Appl. Environ. Microbiol. 64: 2256-2261.
- Steinert, M., L. Emödy, R. Amann und J. Hacker** (1997): Resuscitation of viable but nonculturable *Legionella pneumophila* Philadelphia JR32 by *Acanthamoeba castellanii*. Appl. Environ. Microbiol. 64: 2256-2261.
- Steinert, M.** (1996): Studien zur Interaktion von *Legionella pneumophila* und professionell phagozytierenden Zellen. Dissertation Universität Würzburg.
- Steinert, M. und J. Hacker** (1996): *Legionella pneumophila*: Umweltbakterium und Erreger der Legionärskrankheit. Biologie in unserer Zeit 26: 8-15.
- Steinert, M., H. Engelhard, M. Flügel, E. Wintermeyer und J. Hacker** (1995): The Lly protein protects *Legionella pneumophila* from light but does not directly influence its intracellular survival in *Hartmannella vermiformis*. Appl. Environ. Microbiol. 61: 2428-2430.
- Steinman, H. M.** (1992): Construction of an *Escherichia coli* K-12 strain deleted for manganese and iron superoxide dismutase genes and its use in cloning the iron superoxide dismutase gene of *Legionella pneumophila*. Mol. Gen. Genet. 232: 427-430.

**Sternberg, C., L. Eberl, L. K. Poulsen und S. Molin** (1997): Detection of bioluminescence from single bacterial cells: a comparison of two different low light imaging systems. *Chem. Biolum.* 12: 7-13

**Stoffels, M., W. Ludwig und K.-H. Schleifer** (1999): rRNA probe-based cell fishing of bacteria. *Environ. Microbiol.* 1: 259-271.

**Stone, B. J., A. Brier und Y. Abu Kwaik** (1999): The *Legionella pneumophila* prp locus; required during infection of macrophages and amoebae. *Microb. Pathog.* 27: 369-376.

**Stothard, D. R., J. Hay, J. M. Schoeder-Diedrich, D. V. Seal und T. J. Byers** (1999): Fluorescent oligonucleotide probes for clinical and environmental detection of *Acanthamoeba* and the T4 18S rRNA gene sequence type. *J. Clin. Microbiol.* 37: 2687-2693.

**Stothard, D. R., J. M. Schroeder-Diedrich, M. H. Awwad, R. J. Gast, D. R. Ledee, S. Rodríguez-Zaragoza, C. L. Dean, P. A. Fuerst und T. J. Byers** (1998): The evolutionary history of the genus *Acanthamoeba* and the identification of eight new 18S rRNA gene sequence types. *J. Euk. Microbiol.* 45: 45-54.

**Strunk, O. und W. Ludwig** (1996): ARB: a software environment for sequence data. Internet address: <http://www.biol.chemie.tu-muenchen.de/pub/ARB/>.

**Susa, M., J. Hacker, P. Fettes und R. Marre** (1997): *Legionella pneumophila*: Pathogenese und Pathogenität. *Hygiene und Mikrobiologie* 4: 53-57.

**Susa, M., J. Hacker und R. Marre** (1996): *De novo* synthesis of *Legionella pneumophila* antigens during intracellular growth in phagocytic cells. *Infect. Immun.* 64: 1679-1684.

**Szénási, Z., T. Endo, K. Yagita und E. Nagy** (1998): Isolation, identification and increasing importance of 'free-living' amoebae causing human disease. *J. Med. Microbiol.* 47: 5-16.

**Szénási, Z., T. Endo, K. Yagita, E. Urbán, M. Végh und E. Nagy** (1995): Isolation and restriction enzyme analysis of mitochondrial DNA (mtDNA) of Hungarian *Acanthamoeba* isolates from human eye infection and from the environment. *Parasit. hung.* 28: 5-12.

**Ta, A. C., J. E. Stout, V. L. Yu und M. M. Wagener** (1995): Comparison of culture methods for monitoring *Legionella* species in hospital potable water systems and recommendations for standardization of such methods. *J. Clin. Microbiol.* 33: 2118-2123.

**Thom, S., D. Warhurst und B. S. Drasar** (1992): Association of *Vibrio cholerae* with fresh water amoebae. *J. Med. Microbiol.* 36:303-306.

**Tison, D. L., D. H. Pope, W. B. Cherry und C. B. Fliermans** (1980): Growth of *Legionella pneumophila* in association with blue-green algae (Cyanobacteria). *Appl. Environ. Microbiol.* 39: 456-459.

**Tobiansky, L., A. Drath, B. Dubery und H. J. Koornhof** (1986): Seasonality of *Legionella* isolates from environmental sources. *Isr. J. Med. Sci.* 22: 640-643.

**Tolker-Nielsen, T., K. Holmström und S. Molin** (1997): Visualization of specific gene expression in single-cells of *Salmonella typhimurium* by *in situ* PCR. *Appl. Environ. Microbiol.* 63: 4195-4203.

**Tomov, A., V. Kassovsky, L. Chorbadjiiska, E. Tsvetkova, N. Tsanev und Z. Vencheva** (1982): Lytic activity of *Bdellovibrio bacteriovorus* against bacteria of the family *Legionellaceae*. *Zbl. Bakt. Mikrobiol. Hyg. A* 252: 96-100.

**Trebesius, K.-H.** (1995): Entwicklung und Anwendung sensitiver *in situ* Techniken zum Nachweis ribosomaler RNS in ganzen bakteriellen Zellen. Dissertation TU München.

**Tyndall, R. L., A. A. Vass und C. B. Fliermans** (1993): Mixed bacterial populations derived from *Legionella*-infected free-living amoebae. In: Barbaree, J. M., R. F. Breimann und A. P. Dufour (eds.): *Legionella: current status and emerging perspectives*: 142-145. ASM, Washington DC.

**Umweltstation Stadt Würzburg** (Hrsg.) (1996): Ökologischer Lehrpfad Ringpark Würzburg. Begleitbroschüre.

**Venkataraman, C., L.-Y. Gao, S. Bondada und Y. Abu Kwaik** (1998): Identification of putative cytoskeletal protein homologues in the protozoan host *Hartmannella vermiformis* as substrates for induced tyrosine phosphatase activity upon attachment to the Legionnaires' disease bacterium, *Legionella pneumophila*. *J. Exp. Med.* 188: 505-514.

**Venkataraman, C., B. J. Haack, S. Bondada und Y. Abu Kwaik** (1997): Identification of a Gal/GalNAc lectin in the protozoan *Hartmannella vermiformis* as a potential receptor for attachment and invasion by the Legionnaires' disease bacterium *Legionella pneumophila*. *J. Exp. Med.* 186: 537-547.

**Veríssimo, A., G. Marrão, F. Gomes da Silva und M. S. da Costa** (1991): Distribution of *Legionella* spp. in hydrothermal areas in continental Portugal and the island of São Miguel, Azores. *Appl. Environ. Microbiol.* 57: 2921-2927.

**Vogel, J. P. und R. R. Isberg** (1999): Cell biology of *Legionella pneumophila*. *Curr. Opin. Microbiol.* 2: 30-34.

**Vogel, J. P., H. L. Andrews, S. K. Wong und R. R. Isberg** (1998): Conjugative transfer by the virulence system of *Legionella pneumophila*. *Science* 279: 873-876.

**Wadowsky, R. M. und R. B. Yee** (1985): Effect of non-*Legionellaceae* bacteria on the multiplication of *Legionella pneumophila* in potable water. *Appl. Environ. Microbiol.* 49: 1206-1210.

**Wagner, M., M. Schmid, S. Juretschko, K.-H. Trebesius, A. Bubert, W. Goebel und K.-H. Schleifer** (1998): *In situ* detection of a virulence factor mRNA and 16S rRNA in *Listeria monocytogenes*. *FEMS Microbiol. Lett.* 160: 159-168.

**Wever, P.C., E. P.F. Yzerman, E. J. Kuijper, P. Speelman und J. Dankert** (2000): Rapid diagnosis of Legionnaires' disease using an immunochromatographic assay for *Legionella pneumophila* serogroup 1 antigen in urine during an outbreak in The Netherlands. *J. Clin. Microbiol.* 38: 2738-2739.

**Wienicka-Krusnell, J. und E. Linder** (1999): Free-living amoebae protecting *Legionella* in water: the tip of an iceberg? Scand. J. Infect. Dis. 31: 383-385.

**Wilkinson, I. J., N. Sangster, R. M. Ratcliff, P. A. Mugg, D. E. Davos und J. A. Lancer** (1990): Problems associated with identification of *Legionella* species from the environment and isolation of six possible new species. Appl. Environ. Microbiol. 56: 796-802.

**Winn, W. C.** (1999): *Legionella*. In: Murray, P. R., E. J. Baron, M. A. Pfaffer, F. C. Tenover und R. H. Yolken (eds.): Manual of clinical microbiology. ASM, Washington DC: 572-585.

**Winn, W. C.** (1988): Legionnaires disease: historical perspective. Clin. Microbiol. Rev. 1: 60-81.

**Wintermeyer, E., B. Ludwig, M. Steinert, B. Schmidt, G. Fischer und J. Hacker** (1995): Influence of site specifically altered Mip proteins on intracellular survival of *Legionella pneumophila* in eukaryotic cells. Infect. Immun. 63: 4576-4583.

**Woese, C. R.** (1987): Bacterial evolution. Microbiol. Rev. 51:221-271.

**Yamaguchi, N., S. Inaoka, K. Tani, T. Kenzaka und M. Nasu** (1996): Detection of specific bacterial cells with 2-hydroxy-3-naphthoic acid-2'-phenylanilide and Fast Red TR *in situ* hybridization. Appl. Environ. Microbiol. 62: 275-278.

**Zanetti, F., S. Stampi, G. de Luca, P. Fateh-Moghadam, M. A. Bucci Sabattini und L. Checchi** (2000): Water characteristics associated with the occurrence of *Legionella pneumophila* in dental units. Eur. J. Oral. Sci. 108:22-28.

**Zarda, B., R. Amann, G. Wallner und K.-H. Schleifer** (1991): Identification of single bacterial cells using digoxigenin-labeled, rRNA-targeted oligonucleotides. J. Gen. Microbiol. 137: 2823-2830.