

9. LITERATUR

1. **Abe, J., Kushuhara, M., Ulevitch, R.J., Berk, B.C., Lee, J.D.:** Big mitogen-activated protein kinase 1 (BMK-1) is a redox-sensitive kinase. *J. Biol. Chem.*, 271, 16586-16590, 1996.
2. **Adachi, M., Fukuda, M., Nishida, E:** Two co-existing mechanisms for nuclear import of MAP kinase: passive diffusion of a monomer and active transport of a dimer. *EMBO J.*, 18, 5347-5358, 1999.
3. **Alessi, D.R., Caudwell, F.B., Andjelkovic, M., Hemmings, B.A., Cohen, P.:** Molecular basis for the substrate specificity of protein kinase B: comparison with MAPKAP kinase-1 and p70 S6 kinase. *FEBS Lett.*, 399, 333-338, 1996.
4. **Alessi, D.R.; Saito, Y.; Campbell, D.G.; Cohen, P.; Sithanandam, G.; Rapp, U.; Ashworth, A.; Marshall, C.J.; Cowley, S.:** Identification of the sites in MAP kinase kinase-1 phosphorylated by p74^{raf-1}. *The EMBO Journal* 13, 1610-1619, 1994.
5. **Alkalay, I., Yaron, A., Hatzubai, A., Jung, S., Avraham, A., Gerlitz, O., Pashut-Lavon, I., Ben-Neriah, Y.:** In vivo stimulation of I kappa B phosphorylation is not sufficient to activate NF-kappa B. *Mol.Cell.Biol.*, 15, 1294-1301, 1995.
6. **Anderson, D., Koch, C.A., Grey, L., Ellis, C., Moran, M.F., Pawson, T.:** Binding of SH2 domains of phospholipase C γ , GAP, and src to activated growth factor receptors. *Science*, 250, 979-982, 1990.
7. **Aoki, M., Akiyama, T., Miyoshi, J., Toyoshima, K.:** Identification and characterization of protein products of the cot oncogene with serine kinase activity. *Oncogene*, 6, 1515-1519, 1991.
8. **Aoki, M., Hamada, F., Sugimoto, T., Sumida, S., Akiyama, T., Toyoshima, K.:** The human cot proto-oncogene encodes two protein serine/threonine kinases with different transforming activities by alternative initiation of translation. *J. Biol. Chem.*, 268, 22723-22732, 1993.
9. **Aronheim, A., Engelberg, D., Li, N., Al-Alawi, N., Schlessinger, J., Karin, M.:** Membrane targeting of the nucleotide exchange factor Sos is sufficient for activating the Ras signaling pathway, *Cell*, 78, 949-961, 1994.
10. **Ausubel, F.M., Brent, R., Kingston, R.E., Moore, D.D., Smith, J.A., Seidmann, J.G., Struhl, K. (eds):** *Current Protocols in Molecular Biology*. Wiley & Sons. New York 1987.
11. **Avruch, J.; Zhang, X.-F.; Kyriakis, J.M.:** Raf meets Ras: completing the framework of a signal transduction pathway. *TIBS* 19, 279-283, 1994.
12. **Baeuerle, P.A., Baltimore, D.:** NF-kappa B: ten years after. *Cell*, 87, 13-20, 1996.
13. **Baldwin, jr. A.S.:** The NF-kappa B and I kappa B proteins: new discoveries and insights. *Annu.Rev.Immunol.*, 14, 649-681, 1996.
14. **Ballester, A., Tobena, R., Lisbona, C., Calvo, V., Alemany, S.:** Cot kinase regulation of IL-2 production in Jurkat T cells. *J. Immunol.*, 159, 1613-1618, 1997.
15. **Ballester, A., Velasco, A., Tobena, R., Alemany, S.:** Cot kinase activates tumor necrosis factor-alpha gene expression in a cyclosporin A-resistant manner. *J. Biol. Chem.*, 273, 14099-14106, 1998.
16. **Baumann, B., Weber, C.K., Troppmair, J., Whiteside, S., Israel, A., Rapp, U.R., Wirth, T.:** Raf induces NF-kB by membrane shuttle kinase MEKK1; a signaling pathway critical for transformation. *PNAS*, submitted
17. **Beals C.R., Sheridan, C.M., Turck, C.W., Gardner, P., Crabtree, G.R.:** Nuclear export of NF-ATc enhanced by glycogen synthase kinase-3. *Science*, 275, 1930-1934, 1997.
18. **Beg, A.A., Baltimore, D.:** An essential role for NF-kB in preventing TNF α -induced cell death. *Science*, 274, 782-784, 1996.
19. **Beg, A.A., Sha, W.C., Bronson, R.T., Ghosh, S., Baltimore, D.:** Embryonic lethality and liver degeneration in mice lacking the RelA component of NF-kB. *Nature*, 376, 167-170, 1995.
20. **Belich, M.P., Salmerón, A., Johnston, L.H., Ley, S.C.:** TPL-2 kinase regulates the proteolysis of the NF-kappaB-inhibitory protein NF-kappaB1 p105. *Nature* 397, 363-368, 1999.

21. **Blank, J.L., Gerwins, P., Elliott, E.M., Sather, S., Johnson, G.L.:** Molecular cloning of mitogen-activated protein/ERK kinase kinases (MEKK) 2 and 3. Regulation of sequential phosphorylation pathways involving mitogen-activated protein kinase and c-Jun kinase. *J.Biol.Chem.*, 271, 5361-5368, 1996.
22. **Blenis, J.:** Signal transduction via the MAP kinases: Proceed at your own RSK. *Proc. Natl. Acad. Sci. USA* 90, 5889-5892, 1993.
23. **Braselmann, S.; McCormick, F.:** BCR and RAF form a complex in vivo via 14-3-3 proteins. *EMBO J.* 14, 4839-4848, 1995.
24. **Bruder, J.T., Heidecker, G., Rapp, U.R.:** Serum-, TPA-, and Ras-induced expression from Ap-1/Ets-driven promoters requires Raf-1 kinase. *Genes Dev.*, 6, 545-556, 1992.
25. **Bruder, J.T., Heidecker, G., Tan, T.H., Weske, J.C., Derse, D, Rapp, U.R.:** Oncogene activation of HIV-LTR-driven expression via the NF- κ B binding sites. *Nucl. Acids. Res.*, 21, 5229-5234, 1993.
26. **Brunet, A., Pages, G., Pouyssegur, J.:** Constitutively active mutants of MAP kinase kinase (MEK1) induce growth factor-relaxation and oncogenicity when expressed in fibroblasts. *Oncogene*, 9, 3379-3387, 1994.
27. **Buday, L., Downward, J.:** Epidermal growth factor regulated p21ras through the formation of a complex of receptor, Grb2 adaptor protein, and sos nucleotide exchange factor. *Cell*, 73, 611-620, 1993.
28. **Budihardjo, I.O.H., Lutter, M., Luo, X, Wang, X.:** Biochemical pathways of caspase activation during apoptosis. *Annu. Rev. Cell. Dev. Biol.*, 15, 269-290, 1999.
29. **Burgering, B.M.T.; Bos, J.L.:** Regulation of Ras-mediated signalling: more than one way to skin a cat. *TIBS* 20, 18-22, 1995.
30. **Campbell, S.L., Khosravi-Far, R., Rossmann, K.L., Clark, G.J., Der, C.J.:** Increasing complexity of Ras signaling. *Oncogene*, 17, 1395-1413, 1998.
31. **Catling, A.D., Reuter, C.W., Cox, M.E., Parson, S.J., Weber, M.J:** Partial purification of a mitogen-activated protein kinase kinase activator from bovine brain. Identification as B-Raf or B-Raf-associated activity. *J. Biol. Chem.* 269: 30014-30021, 1994.
32. **Chan, A.M., Chedid, M., McGovern, E.S., Popescu, N.C., Miki, T., Aaronson, S.A.:** Expression cDNA cloning of a serine kinase transforming gene. *Oncogene*, 8, 1329-1333, 1993.
33. **Chaney, W.G., Howard, D.R., Pollard, J.W., Sallustio, S., Stanley P.:** High-frequency transfection of CHO cells using Polybrene. *Somatic Cell Mol. Genet.* 12, 237-44, 1986.
34. **Chao, T.-H., Hayashi, M., Tapping, R.I., Kato, Y., Lee, J.-D.:** MEKK3 directly regulates MEK5 activity as part of the big mitogen-activated protein kinase 1(BMK1) signaling pathway. *J. Biol. Chem.*, 274, 36035-36038, 1999.
35. **Cheng, M., Boulton, T.G., Cobb, M.H.:** ERK3 is a constitutiveley nuclear protein kinase. *J. Biol. Chem.*, 271, 8951-8958, 1996.
36. **Chen, C., Okayama H.:** High efficiency transformation of mammalian cells by plasmid DNA, *Mol. Cell. Biol.*, 7, 2745-2752, 1987.
37. **Clark, G.J., Westwick, J.K., Der, C.J.:** p120 GAP modulates Ras activation of Jun kinases and transformation. *J. Biol. Chem.*, 272, 1677-1681, 1997.
38. **Clark-Lewis, I., Thomas, W.R., Schrader, JW.:** Characterisation of hematopoietic growth factors from T-cells and the myelomonocytic leukemia WEHI-3B. *Exp. Hematol.* 13, 304-311, 1985.
39. **Cleveland, J.L., Troppmair, J., Pavkham, G., Askew, D.S., Lloyd, P., Gonzalez-Garcia, M., Nunez, G., Ihle, J.N., Rapp, U.R.:** v-raf suppresses apoptosis and promotes growth of interleukin-3-dependent myeloid cells. *Oncogene*, 9, 2217-2226, 1994.
40. **Clifton, A.D., Young, P.R., Cohen, P.:** A comparison of the substrate specificity of MAPKAP kinase-2 and MAPKAP kinase-3 and their activation by cytokines and cellular stress. *FEBS Lett.*, 392, 209-214, 1996.
41. **Cohen, L., Henzel, W.J., Baeuerle, P.A.:** IKAP is a scaffold protein of the IkappaB kinase complex. *Nature*, 395, 292-296, 1998.
42. **Cohen, G.B., Ren, R., Baltimore, D.:** Modular binding domains in signal transduction proteins. *Cell*, 80, 237-248, 1995.

43. **Conklin, D.S.; Galaktionov, K.; Beach, D.:** 14-3-3 proteins associate with cdc25 phosphatases. *Proc. Natl. Acad. Sci. USA* 92, 7892-7896, 1995.
44. **Cowley, S., Paterson, H., Kemp, P., Marshall, C.J.:** Activation of MAP kinase kinase is necessary and sufficient for PC12 differentiation and for transformation of NIH3T3 cells. *Cell*, 77, 841-851, 1994.
45. **Daum, G.; Eisenmann-Tappe, I.; Fries, H.-W.; Troppmair, J.; Rapp, U.R.:** Ins and Outs of Raf kinases. *TIBS* 19, 474-480, 1994.
46. **Davis, R.J.:** The mitogen-activated protein kinase signal transduction pathway. *J. Biol. Chem.*, 268, 14553-14556, 1993.
47. **Delhase, M., Hayakawa, M., Chen, Y., Karin, M.:** Positive and negative regulation of I κ B kinase activity through IKK β subunit phosphorylation. *Science*, 284, 309-313, 1999.
48. **Dent, P.; Haser, W.; Haysteadt, T.A.J.; Vincent, L.A.; Roberts, T.M.; Sturgill, T.W.:** Activation of mitogen-activated protein kinase kinase by v-Raf in NIH3T3 cells and in vitro. *Science* 257, 1404-1407, 1992.
49. **Dent, P.; Reardon, D.B.; Morrison, D.K.; Sturgill, T.W.:** Regulation of Raf-1 and Raf-1 mutants by Ras-dependent and Ras-independent mechanisms in vitro. *Mol. Cell. Biol.* 15, 4125-4135, 1995.
50. **Derijard, B., Raingeaud, J., Barrett, T., Wu, I.H., Han, J., Ulevitch, R.J., Davis, R.J.:** Independent human MAP-kinase signal transduction pathways defined by MEK and MKK isoforms. *Science*, 267, 682-685, 1995.
51. **Deveraux, Q.L., Roy, N., Stennicke, H.R., Van Arsdale, T., Zhou, Q., Srinivasula, S.M., Alnemri, E.S., Salvesen, G.S., Reed, J.:** IAPs block apoptotic events induced by caspase-8 and cytochrome c by direct inhibition of distinct caspases, *EMBO J.*, 17, 2215-2223, 1998.
52. **Deveraux, Q.L., Stennicke, H.R., Salvesen, G.S., Reed, J.C.:** Endogenous inhibitors of caspases, *J. Clin. Immunol.*, 19, 388-398, 1999.
53. **Dhanasekaran, N.:** Cell signaling: An overview. *Oncogene*, 17, 1329-1330, 1999.
54. **Dickens, M., Rogers, J.S., Cavanagh, J., Raitano, A., Xia, Z., Halpern, J.R., Greenberg, M.E., Sawyers, C.L., Davis, R.J.:** A cytoplasmic inhibitor of the JNK signal transduction pathway. *Science*, 277, 693-696, 1997.
55. **DiDonato, J.A., Hayakawa, M., Rothwarf, D.M., Zandi, E., Karin, M.:** A cytokine-responsive I κ B kinase that activates the transcription factor NF- κ B. *Nature*, 388, 548-554, 1997.
56. **DiDonato, J.A., Mercurio, F., Karin, M.:** Phosphorylation of I κ B α precedes but is not sufficient for its dissociation from NF- κ B. *Mol. Cell. Biol.*, 15, 1302-1311, 1995.
57. **Dorow, D.S., Devereux, L., Tu, G.F., Price, G., Nicholl, J.K., Sutherland, G.R., Simpson, R.J.:** Complete nucleotide sequence, expression, and chromosomal localisation of human mixed-lineage kinase 2. *Eur. J. Biochem.*, 234, 492-500, 1995.
58. **Ekert, P.G., Silke, J., Vaux, D.L.:** Caspase inhibitors. *Cell Death Differ.*, 6, 1081-1086, 1999.
59. **Epinat, J.-C., Gilmore, T.D.:** Diverse agents act at multiple levels to inhibit the Rel/NF- κ B signal transduction pathway. *Oncogene*, 18, 6896-6909, 1999.
60. **Erny, K.M., Peli, J., Lambert, J.F., Muller, V., Diggelmann, H.:** Involvement of the Tpl-2/cot oncogene in MMTV tumorigenesis. *Oncogene*, 13, 2015-2020, 1996.
61. **Fabry, S.:** Kleine G-Proteine: Universelle Schalter und Regler im Zellgeschehen. *Biologie in unserer Zeit* 1, 44-50, 1995.
62. **Fanger, G.R., Gerwins, P., Widmann, C., Jarpe, M.B., Johnson, G.L.:** MEKKs, GCKs, MLKs, PAKs, TAKs and Tpls: upstream regulators of the c-Jun amino-terminal kinases? *Curr. Opin. Genet. Dev.*, 7, 67-74, 1997.
63. **Feilotter, H.E.; Hannon, G.J., Ruddel, C.J., Beach, D.:** Construction of an improved host strain for two hybrid screening. *Nucleic Acids Research* 22, 1994, 1502-1503
64. **Finco, T.S., Baldwin, A.S.:** Kappa B site-dependent induction of gene expression by diverse inducers of nuclear kappa B requires Raf-1. *J. Biol. Chem.*, 268, 17676-17679, 1993.

65. **Finco, T.S., Westwick, J.K., Norris, J.L., Beg, A.A., Der, C.J., Baldwin, A.S.:** Oncogenic Ha-Ras-induced signalling activates NF- κ B transcriptional activity, which is required for cellular transformation. *J. Biol. Chem.*, 272, 24113-24116, 1997.
66. **Fryman, J., Höhfeld, J.:** Chaperones get in touch: the Hip-Hop connection. *TIBS*, 22, 87-92, 1997.
67. **Fukunaga, R., Hunter, T.:** MNK1, a new MAP kinase-activated protein kinase, isolated by a novel expression screening method for identifying protein kinase substrates. *EMBO J.*, 16, 1921-1933, 1997.
68. **Gallo, K.A., Mark, M.R., Scaden, D.T., Wang, Z., Gu, Q., Godowski, P.J.:** Identification and characterization of SPRK, a novel src-homology 3 domain-containing proline-rich kinase with serine/threonine kinase activity. *J. Biol. Chem.*, 269, 15092-15100, 1994.
69. **Gerwins, P., Blank, J., Johnson, G.L.:** Cloning of a novel mitogen-activated protein kinase kinase kinase, MEKK4, that selectively regulates the c-Jun amino terminal kinase pathway. *J. Biol. Chem.*, 272, 8288-8295, 1997.
70. **Geyer, M.; Herrmann, C.; Wohlgemuth, S.; Wittinghofer, A.; Kalbitzer, R.:** Structure of the Ras-binding domain of RalGEF and implications for Ras binding and signalling. *Nature Structural Biology* 4, 694-699, 1997.
71. **Ghosh, S., Gifford, A.M., Riviere, L.R., Tempst, P., Nolan, G.P., Baltimore, D.:** Cloning of the p50 DNA binding subunit of NF- κ B : homology to rel and dorsal. *Cell*, 62, 1019-1029, 1990.
72. **Ghosh, S., May, M.J., Kopp, E.B.:** NF-kappa B and Rel proteins: evolutionarily conserved mediators of immune responses. *Annu. Rev. Immunol.*, 16, 225-260, 1998.
73. **Gille, H.; Sharrocks, A.D.; Shaw, P.E.:** Phosphorylation of transcription factor p62^{TCF} by MAP-kinase stimulates ternary complex formation at c-fos promoter. *Nature* 358, 414-417, 1992.
74. **Gilmore, T.D.:** The Rel/NF- κ B signal transduction pathway: introduction. *Oncogene*, 18, 6842-6844, 1999.
75. **Goedert, M., Cuenda, A., Craxton, M., Jakes, R., Cohen, P.:** Activation of the novel stress-activated protein kinase SAPK4 by cytokines and cellular stresses is mediated by SKK3(MKK6); comparison of its substrate specificity with that of other SAP kinases. *EMBO J.*, 16, 3563-3571, 1997.
76. **Görlich, D., Kutay, U.:** Transport between the cell nucleus and the cytoplasm. *Annu. Rev. Cell. Dev. Biol.*, 15, 607-660, 1999.
77. **Graham, F.L., Smiley, J., Russel, W.C., Nairn, R.:** Characteristics of a human cell line transformed by DNA from human adenovirus type 5, *J. Gen. Virol.* 36, 1997, 59-74
78. **Greene, L.A., Tischler, A.S.:** Establishment of a noradrenergic clonal line of rat adrenal pheochromocytoma cells which respond to nerve growth factor. *PNAS. USA* 73: 2424-2428, 1976.
79. **Greulich, H., Raymond, L., Erikson, L.:** An analysis of MEK1 signaling in cell proliferation and transformation. *J. Biol. Chem.*, 273, 13280-13288, 1998.
80. **Groskreutz, D., Schenborn, E.T.:** Reporter Systems. *Methods Mol. Biol.* 63, 11-30, 1997.
81. **Gruenwald, S., Heitz, J.:** Baculovirus expression vector system: Procedures & methods manual. Pharmingen 1993.
82. **Häfner, S., Adler, H. S., Mischak, H., Janosch, P., Heidecker, G., Wolfman, A., Pippig, S., Lohse, M., Ueffing, M., Kolch, W.:** Mechanism of inhibition of Raf-1 by protein kinase A. *Molecular and Cellular Biology*, 14, 6696-6703, 1994.
83. **Hagemann C.:** Raf-Isoform spezifische Protein-Protein Wechselwirkungen, detektiert mit dem Hefe Two-Hybrid System, Doktorarbeit am Institut für Medizinische Strahlenkunde und Zellforschung (MSZ) der Bayerischen Julius-Maximilians-Universität Würzburg 1999.
84. **Hagemann, C., Rapp, U.R.:** Isotyp-specific functions of Raf-kinases. *Exp. Cell Res.*, 253, 34-46, 1999.
85. **Hagemann, D., Troppmair, J., Rapp, U.R.:** Cot protooncoprotein, activates the dual specificity kinases MEK-1 and SEK-1 and induces differentiation of PC12 cells. *Oncogene*, 18, 1391-1400, 1999.
86. **Hall, A.:** A biochemical function for Ras - At last. *Science*, 264, 1413-1414, 1994.
87. **Han, J., Lee, J.D., Bibbs, L., Ulevitch, R.J.:** A MAP kinase targeted by endotoxin and hyperosmolarity in mammalian cells. *Science*, 265, 808-811, 1996.

88. **Hanks, S.K., Hunter, T.:** The eukaryotic protein kinase superfamily: kinase (catalytic) domain structure and classification. *FASEB J.*, 9, 576-596, 1995.
89. **Haskill, S. Beg, A.A., Tompkins, S.M., Morris, J.S., Yurochko, A.D., Sampson-Johannes, A., Mondal, K., Ralph, P., Baldwin, J.S.:** Characterization of an immediate-early gene induced in adherent monocytes that encodes IkappaB-like activity. *Cell*, 65, 1281-1289, 1991.
90. **Hawkins, C.J., Ekert, P.C., Uren, A.G., Holmgreen, S.P., Vaux, D.L.:** Anti-apoptotic potential of insect cellular and viral IAPs in mammalian cells. *Cell Death Differ.*, 5, 569-576, 1998.
91. **Heidecker, G., Cleveland, J.L., Beck, T., Huleihel, M., Kolch, W., Storm, S.M., Rapp, U.R.:** Genes and signal transduction in multistage carcinogenesis. Colburn NH (ed.), Marcel Dekker, Inc.: New York and Basel, 339-374, 1989.
92. **Heidecker, G.; Kölch, W.; Morrison, D.K.; Rapp, U.R.:** The role of Raf-1 phosphorylation in signal transduction. *Advances Cancer Res.* 58, 53-73, 1992.
93. **Heldin, C.-H.:** Dimerization of cell surface receptors in signal transduction. *Cell* 80, 213-223, 1995.
94. **Hershko, A., Ciechanover, A.:** The ubiquitin system. *Annu.Rev.Biochem.*, 67, 425-479, 1998.
95. **Hill, C.S.; Treisman, R.:** Transcriptional regulation by extracellular signals: Mechanisms and specificity. *Cell* 80, 199-211, 1995.
96. **Hirai, S., Izawa, M., Osada, S., Spyrou, G., Ohno, S.:** Activation of the JNK pathway by distantly related protein kinases, MEKK and MUK. *Oncogene*, 12, 641-650, 1996.
97. **Hirai, S., Katoh, M., Tereda, M., Kyriakis, J.M., Zon, L.I., Rana, A., Avruch, J., Ohno, S.:** Complete nucleotide sequence, expression, and chromosomal localisation of human mixed-lineage kinase 2. *J.Biol.Chem.*, 272, 15167-15173, 1997.
98. **Hirano, M., Osada, S., Aoki, T., Hirai, S., Hosaka, M., Inoue, J., Ohno, S.:** MEK kinase is involved in tumor necrosis factor alpha-induced NF-kappaB activation and degradation of IkappaB-alpha. *J. Biol. Chem.*, 271, 13234-13238, 1996.
99. **Hoffmeyer, A., Grosse-Wilde, A., Flory, E., Neufeld, B., Kunz, M., Rapp, U.R., Ludwig, S.:** Different mitogen-activated protein kinase signaling pathways cooperate to regulate tumor necrosis factor alpha gene expression in T-Lymphocytes. *J. Biol. Chem.*, 274, 4319-4327, 1999.
100. **Hoffmeyer, A., Avots, A., Flory, E., Weber, C.K., Serfling, E., Rapp, U.R.:** The GABP-responsive element of the interleukin-2 enhancer is regulated by JNK/SAPK-activating pathways in T lymphocytes. *J. Biol. Chem.*, 273, 10112-10119, 1998.
101. **Holland, P.M., Suzanne, M., Campell, J.S., Noselli, S., Cooper, J.A.:** MKK7 is A stress-activated mitogen-activated protein kinase kinase functionally related to hemipterous. *J. Biol. Chem.*, 272, 24994-24998, 1997.
102. **Holzman, L.B., Merritt, S.E., Fan, G.:** Identification, molecular cloning, and characterization of dual leucine zipper bearing kinase. A novel serine/threonine protein kinase that defines a second subfamily of mixed lineage kinases. *J.Biol. Chem*, 269, 30808-30817, 1994.
103. **Houben, R.:** Apoptose und Proliferation: Untersuchungen zur Regulation der c-myc Expression und zur differentiellen Gen-Expression in apoptotischen Zellen, Doktorarbeit am Institut für Medizinische Strahlenkunde und Zellforschung (MSZ) der Bayerischen Julius-Maximilians-Universität Würzburg 1997.
104. **Howe, L.R.; Leever, S.J.; Gomez, N.; Nakielny, S.; Cohen, P.; Marshall, C.J.:** Activation of the MAP kinase pathway by the protein kinase raf. *Cell* 71, 335-342, 1992.
105. **Huang, W., Alessandrini, A., Crews, C. M., Erikson, R. L.:** Raf-1 forms a stable complex with MEK-1 and activates MEK-1 by serine phosphorylation. *Proc. Natl. Acad. Sci. USA* 90, 10947-10951, 1993.
106. **Huang, W., Erikson, R.L.:** Constitutive activation of Mek1 by mutation of serine phosphorylation sites. *Proc. Acad. Sci. USA*, 91, 8960-8963, 1994
107. **Hunter, T.:** A thousand and one protein kinases. *Cell*, 50, 823-829, 1987.
108. **Hunter, T.:** Protein kinases and phosphatases: the yin and yang of protein phosphorylation and signaling. *Cell*, 80, 225-236, 1995.
109. **Ichijo, H.:** From receptors to stress-activated MAP kinases. *Oncogene*, 18, 6087-6093, 1999.

110. **Ichijo, H., Nishida, E., Irie, K., ten Dijke, P., Saitoh, M., Moriguchi, T., Takagi, M., Matsumoto, K., Miyazono, K., Gotoh, Y.:** Induction of apoptosis by ASK1, a mammalian MAPKKK that activates SAPK/JNK and p38 signaling pathways. *Science*, 275, 90-94, 1997.
111. **Ihle, J.N., Kerr, I.M.:** Jaks and Stats in signaling by the cytokine receptor superfamily. *TIG*, 11, 69-74, 1995.
112. **Ihle J.N., Witthuhn, B.A., Quelle, F.W., Yamamoto, K., Thierfelder, W.E., Kreider, B., Silveboinen, O.:** Signaling by the cytokine receptor superfamily: JAKs and STATs. *TIBS*, 20, 151-156, 1994.
113. **Ing, Y.L., Leung, I.W., Heng, H.H., Tsui, L., Lassam, N.J.:** MLK-3: identification of a widely-expressed protein kinase bearing an SH3 domain and a leucine zipper-basic region domain. *Oncogene*, 9, 1745-1750, 1994.
114. **Inoue H., Nojima H., Okayama H.:** High efficiency transformation of *Escherichia coli* with plasmids. *Gene* 96, 1990, 23-28.
115. **Ip, Y.T., Davis, R.J.:** Signal transduction by the c-Jun NH₂-terminal kinase (JNK) – from inflammation to development. *Curr. Opin. Cell Biol.*, 10, 205-219, 1998.
116. **Ito, M., Yoshioka, K., Akechi, M., Yamashita, S., Takamatsu, N., Sugiyama, K., Hibi, M., Nakabeppu, Y., Shiba, T., Yamamoto, K-I.:** JSAP-1, a novel Jun N-terminal protein, kinase (JNK)-binding protein that functions as a scaffold factor in the JNK signaling pathway. *Mol.Cell.Biol.*, 19, 11, 7539-7548, 1999.
117. **Jainchill, J.L., Aaronson, S.A., Todaro, G.J.:** Murine sarcoma and leukemia viruses: assay using clonal of contact-inhibited mouse cells, *J.Virol.* 4, 549-553.
118. **Jelinek, T.; Catling, A.D.; Reuter, C.W.M.; Moodie, S.A.; Wolfman, A.; Weber, M.J.:** Ras and Raf-1 form a signalling complex with MEK-1 but not MEK-2. *Mol. Cell. Biol.* 14, 8212-8218, 1994.
119. **Jiang, Y., Gram, H., Zhao, M., New, L., Gu, J., Feng, L., Di, P.F., Ulevitch, R.J., Han, J.:** Characterization of the structure and function of the fourth member of p38 group mitogen-activated protein kinases, p38delta. *J.Biol.Chem.*, 272, 30122-30128, 1997.
120. **Kandel, E.S., Nissim, H.:** The regulation and activities of the multifunctional serine/threonine kinase Akt/PKB. *Exp. Cell. Res.*, 253, 210-229, 1999.
121. **Karin, M.:** How NF- κ B is activated: the role of I κ B kinase (IKK) complex. *Oncogene*, 18, 6867-6874, 1999.
122. **Kato, Y., Kravchenko, V.V., Tapping, R.I., Han, J., Ulevitch, R.J., Lee, J.D.:** BMK-1/ERK5 regulates serum-induced early gene expression through transcription factor MEF2C. *EMBO J.*, 16, 7054-7066, 1997.
123. **Katz, M.E.; McCormick, F.:** Signal transduction from multiple Ras effectors. *Current Opinion in Genetics & Development* 7, 75-79, 1997.
124. **Kawai, S., Nishizawa, M.:** New procedure for DNA transfection with polycation and dimethyl sulfoxide. *Mol. Cell. Biol.* 4, 1172-4, 1984.
125. **Kerkhoff, E., Rapp, U.R.:** Induction of cell proliferation in quiescent NIH 3T3 cells by oncogenic c-Raf-1. *Mol. Cell. Biol.*, 17, 2576-2586, 1997.
126. **Khosravi-Far, R., Campbell, S., Rossman, K.L., Der, C.L.:** Increasing complexity of Ras signal transduction: involvement of Rho family proteins. *Adv. Cancer Res.*, 72, 57-107, 1998.
127. **Kieran, M, Blank, V., Logeat, F., Vandekerckhove, J., Lottspeich, F., Le Bail, O., Urban, M.B., Kourilsky, P., Baeuerle, P.A., Israel, A.:** The DNA binding subunit of NF- κ B is identical to factor KBF1 and homologous to the rel oncogene product. *Cell*, 62, 1007-1018, 1990.
128. **King, L.A., Possee, R.D.:** The baculovirus expression system: A Laboratory Guide. Chapman & Hall 1992.
129. **King, A.J., Sun, H., Diaz, B., Barnard, D., Miao, W., Bagrodia, S., Marshall, M.S.:** The protein kinase Pak3 positively regulates Raf-1 activity through phosphorylation of serine 338. *Nature*, 396, 180-183, 1998.
130. **Koide, H., Satoh, T., Nakafuku, M., Kaziro, Y.:** GTP-dependent association of Raf-1 with Ha-Ras: Identification of Raf as a target downstream of Ras in mammalian cells. *Proc. Natl. Acad. Sci. USA* 90, 8683-8686, 1993.
131. **Kolch, W., Bassin, R. H., Rapp, U. R.:** Raf function is required for proliferation of NIH 3T3 cells and transformation by nonnuclear oncogenes. *Haematology and Blood Transfusion* 35, 208-212, 1992.

132. **Kolch, W., Heidecker, G., Troppmair, J., Yanagihara, K., Bassin, R.H., Rapp, U.R.:** Raf revertant cells resist transformation by non-nuclear oncogenes and are deficient in the induction of early response genes by TPA and serum. *Oncogene*, 8, 361-370, 1993.
133. **Kyriakis, J.M.:** Signaling by the germinal center kinase family of protein kinases. *J.Biol.Chem.*, 274, 5259-5262, 1999.
134. **Kyriakis, J.M.; App, H.; Zhang, X.-F.; Banerjee, P.; Brautigan, D.L.; Rapp, U.R.; Avruch, J.:** Raf-1 activates MAP kinase-kinase. *Nature* 358, 417-421, 1992.
135. **Lai, J.H., Horvath, G., Subleski, J., Bruder, J., Ghosh, P., Tan, T.H.:** RelA is a potent transcriptional activator, of the CD28 response element within the interleukin 2 promoter. *Mol. Cell. Biol.*, 15, 4260-4271, 1995.
136. **Lange-Carter, C.A, Pleiman, C-M, Gardner, A.M., Blumer, K.J., Johnson, G.L.:** A divergence in the MAP kinase regulatory network defined by MEK kinase and Raf. *Science*, 260, 315-319, 1993.
137. **Lee, R.M., Cobb, M.H., Blachshear, P.J.:** Evidence that extracellular signal-regulated kinases are the insulin-activated Raf-1 kinase kinases. *J.Biol. Chem.*, 267, 1088-1092, 1992.
138. **Lee, J.C., Laydon, J.T., McDonnell, P.C., Gallaghe, T.F., Kumar, S., Green, D., McNulty, D., Blumenthal, M.J., Heys, J.R., Landvatter, S.W., Stricker, J.E., McLaughlin, M.M., Siemens, I.R., Fisher, S.M., Livi, G.P., White, J.R., Adams, J.R., Youg, P.R.:** A protein kinase involved in the regulation of inflammatory cytokine biosynthesis. *Nature*, 372, 739-746, 1994.
139. **Lee, F.S., Peters, R.T., Dang, L.C., Maniatis, T.:** MEKK1 activates both I κ B kinase alpha and I κ B kinase beta. *Proc Natl Acad Sci U S A*, 95, 9319-9324, 1998.
140. **Leevers, S.J.; Paterson, H.F.; Marshall, C.J.:** Requirement for Ras in Raf activation is overcome by targeting Raf to the plasma membrane. *Nature* 369, 1994, 411-414
141. **Lemmon, M.A., Schlessinger, J.:** Regulation of signal transduction and signal diversity by receptor oligomerization. *TIBS*, 19, 459-463, 1994.
142. **Leppä S., Saffrich, R., Ansorge, W., Bohmann, D.:** Differential regulation of c-Jun by ERK and JNK during PC12 cell differentiation. *EMBO J.*, 17, 4404-4413, 1998.
143. **Lin, X., Cunningham, jr. E.T., Mu, Y., Geleziunas, R., Greene, W.C.:** The proto-oncogene Cot Kinase participates in CD3/CD28 induction of NF κ B acting through the NF κ B-inducing kinase and I κ B kinases. *Immunity*, 10, 271-280, 1999.
144. **Lin, L., DeMartino, G.N., Greene, W.C.:** Cotranslational biogenesis of NF- κ B p50 by the 26S proteasome. *Cell*, 92, 819-828, 1998.
145. **Liu, Z.-G., Hsu, H., Goeddel, D.V., Karin, M.:** Dissection of TNF receptor 1 effector functions: JNK activation is not linked to apoptosis while NF- κ B activation prevents cell death. *Cell*, 87, 567-576, 1996.
146. **Ludwig, S., Engel, K., Hoffmeyer, A., Sithanandam, G., Neufeld, B., Palm, D., Gaestel, M., Rapp, U.R.:** 3pK, a novel mitogen-activated protein (MAP) kinase-activated protein kinase, is targeted by three MAP kinase pathways. *Mol. Cell. Biol.*, 16, 6687-6697, 1996.
147. **Madrid, L.V., Wang, C.-Y., Guttridge, D.C., Schottelius, A.J.G., Baldwin, A.S.Jr., Mayo, M.W.:** Akt suppresses apoptosis by stimulating the transactivation potential of the RelA/p65 subunit of NF- κ B. *Mol. Cell. Biol.*, 20, 1626-1638. 2000.
148. **Magnuson, N. S., Beck, T., Hahn, H., Smola, U., Rapp, U. R.:** The Raf-1 serine/threonine protein kinase. *Semin. Cancer Biol.* 5, 247-253, 1994
149. **Majewski, M., Nieborowska-Skorsa, M., Salomoni, P., Slupianik, A., Reiss, K., Trotta, R., Calabretta, B., Skorski, T.:** Activation of mitochondrial Raf-1 is involved in the antiapoptotic effects of Akt, *Cancer Res.*, 59, 2815-2819, 1999.
150. **Maniatis, T.:** Catalysis by a multiprotein I κ B kinase complex. *Science*, 278, 818-819, 1997.
151. **Mannino, R.J., Gould-Fogerite, S.:** Liposome mediated gene transfer. *BioTechniques* 6, 682-90, 1988.
152. **Mansour, S.J., Matten, W.T., Hermann, A.S., Candia, J.M., Rong, S., Fukasawa, K., Vande Woude, G.F., Ahn, N.G.:** Transformation of mammalian cells by constitutively active MAP kinase kinase. *Science*, 265, 966-970, 1994.

153. **Marais, R., Light, Y., Paterson, H.F., Marshall, C.J.:** Ras recruits Raf-1 to the plasma membrane for activation by tyrosine phosphorylation. *EMBO J.*, 14, 3136-3145, 1995.
154. **Marais, R., Marshall, C.J.:** Control of the ERK MAP kinase cascade by Ras and Raf. *Cancer Surv.*, 27, 101-125, 1996.
155. **Mark, G. E., Rapp, U. R.:** Primary structure of v-raf: Relatedness to the src family of oncogenes. *Science* 224, 285-289, 1984.
156. **Marquardt, B., Frith, D., Stabel, S.:** Signalling from TPA to MAP kinase requires protein kinase C, raf and MEK: reconstitution of the signalling pathway in vitro. *Oncogene*, 9, 3213-3218, 1994.
157. **McCarthy, S.A., Samuels, M.L., Pritchard, C.A., Abraham, J.A., McMahon, M.:** Rapid induction of heparin-binding epidermal growth factor/diphtheria toxin receptor expression by Raf and Ras oncogenes. *Genes Dev.*, 9, 1953-1964, 1995.
158. **McCormick, F.:** Activators and effectors of ras p21 proteins. *Curr. Opin. Genet. Dev.*, 4, 71-76, 1994.
159. **Mercurio, F., Murray, B.W., Shevchenko, A., Bennet, B.L., Young, D.B., Li, J.W., Pasual, G., Motiwala, A., Zhu, H., Mann, M., Manning, A.M.:** I κ B kinase (IKK)-associated protein 1, a common component of the heterogeneous IKK complex. *Mol. Cell. Biol.*, 19, 1526-1538, 1999.
160. **Minden, A., Lin, A., McMahon, M., Lange-Carter, C., Derijard, B., Davis, R.J., Johnson, G.L., Karin, M.:** Differential activation of ERK and JNK mitogen-activated protein kinases by Raf-1 and MEKK. *Science*, 266, 1719-1723, 1994.
161. **Miyoshi, J., Higashi, T., Mukai, H., Ohuchi, T., Kakunaga, T.:** Structure and transforming potential of the human cot oncogene encoding a putative protein kinase. *Mol. Cell. Biol.* 11, 4088-4096, 1991.
162. **Moelling, K., Heidmann, B., Beimling, P., Rapp, U. R., Sander, T.:** Serine- and threonine-specific protein kinase activities of purified gag-raf proteins. *Nature* 312, 558-561, 1984.
163. **Moore, M.S.:** Ran and nuclear transport. *J. Biol. Chem.*, 273, 22857-22860, 1998.
164. **Moriguchi, T., Toyoshima, F., Gotoh, Y., Iwamatsu, A., Irie, K., Mori, E., Kuroyanagi, N., Hagiwara, M., Matsumoto, K., Nishida, E.:** Purification and identification of a major activator for p38 from osmotically shocked cells. Activation of mitogen-activated protein kinase kinase 6 by osmotic shock, tumor necrosis factor- α , and H₂O₂. *J. Biol. Chem.*, 271, 26981-26988, 1996.
165. **Moriguchi, T., Toyoshima, F., Masuyama, N., Hanafusa, H., Gotoh, Y., Nishida, E.:** A novel SAPK/JNK kinase, MKK7, stimulated by TNF α and cellular stresses. *EMBO J.*, 16, 7045-7053, 1997.
166. **Morrison, D. K.:** The Raf-1 kinase as a transducer of mitogenic signals. *Cancer Cells* 2, 377-382, 1990.
167. **Morrison, D.K., Cutler, R.E.:** The complexity of Raf-1 regulation. *Curr. Opin. Cell. Biol.*, 9, 174-179, 1997.
168. **Morse III, H., Hartley, J.W., Fredrickson, T.N., Yetter, R.A., Majumdar, C., Cleveland, J.L., Rapp, U.R.:** Recombinant murine retroviruses containing avian *v-myc* induce a wide spectrum of neoplasms in newborn mice. *Proc. Natl. Acad. Sci. USA*, 83, 6868-6872, 1986.
169. **Nakano, H., Shino, M., Sakon, S., Nishinaka, S., Mihara, M., Yagita, H., Okumura, K.:** Differential regulation of I κ B kinase alpha and beta by two upstream kinases, NF- κ B-inducing kinase and mitogen-activated protein kinase/ERK kinase-1. *Proc Natl Acad Sci U S A.* 31;95(7):3537-42, 1998.
170. **Naumann, U., Hoffmeyer, A., Flory, E., Rapp, U.R.:** Raf protein serine/threonine kinases. *Protein Phosphorylation*, VCH, Weinheim, 1996.
171. **Neer, E.J.:** Heterotrimeric G proteins: Organizers of transmembrane signals. *Cell*, 80, 249-257, 1995.
172. **Ni, H., Wang, X.S., Diener, K., Yao, Z.:** MAPKAP5, a novel mitogen-activated protein kinase (MAPK)-activated protein kinase, is a substrate of the extracellular-regulated kinase (ERK) and p38. *Biochem. Biophys. Res. Commun.*, 243, 492-496, 1998.
173. **Ninomiya-Tsui, J., Kishimoto, K., Hiyama, A., Inoue, J-i, Cao, Z., Matsumoto, K.:** The kinase TAK1 can activate the NIK-I κ B as well as the MAP kinase cascade in the IL-1 signalling pathway. *Nature*, 398, 252-256, 1999
174. **Ohara, R., Hirota, S., Onoue, H., Nomura, S., Kitamura, Y., Toyoshima, K.:** Identification of the cells expressing cot proto-oncogene mRNA. *J. Cell. Sci.*, 108, 97-103, 1995.

175. **O'Reilley, D.R., Miller, L.K., Luckow, V.A.:** Baculovirus expression vectors. Oxford University Press, Oxford 1994.
176. **Pahl, H.L.:** Activators and target genes of Rel/NF- κ B transcription factors. *Oncogene*, 18, 6853-6866, 1999.
177. **Palombella, V.J., Rando, O.J., Goldberg, A.L., Maniatis, T.:** The ubiquitin-proteasome pathway is required for processing the NF- κ B 1 precursor protein and activation of NF- κ B. *Cell*, 78, 773-785, 1994.
178. **Patriotis, C., Makris, A., Bear, S.E., Tschlis, P.N.:** Tumor progression locus 2 (Tpl-2) encodes a protein kinase involved in the progression of rodent T-cell lymphomas and in T-cell activation. *Proc. Natl. Acad. Sci USA* 90, 2251-2255, 1993.
179. **Patriotis, C., Makris, A., Chernoff, J., Tschlis, P.N.:** Tpl-2 acts in concert with Ras and Raf-1 to activate mitogen-activated protein kinase. *Proc. Natl. Acad. Sci USA* 91, 9755-9759, 1994.
180. **Pawson, T.:** Protein modules and signalling network. *Nature*, 373, 573-580, 1995.
181. **Pawson, T., Gish, G.D.:** SH2 and SH3 domains: From structure to function. *Cell*, 71, 359-362, 1991.
182. **Peng, X., Angelastro, J.M., Greene, L.A.:** Tyrosine phosphorylation of extracellular signal-regulated protein kinase 4 in response to growth factors. *J. Neurochem.*, 66, 1191-1197, 1996.
183. **Porter, C.D., Lukacs, K.V., Box, G., Takeuchi, Y., Collins, M.K.L.:** Cationic Liposomes enhance the rate of transduction by a recombinant retroviral vector in vitro and in vivo. *J. Virol.* 72, 6, 4832-4840, 1998.
184. **Pratt, W.:** The role of the hsp90-based chaperone system in signal transduction by nuclear receptors and receptors signaling via MAP kinase. *Annu. Rev. Pharmacol. Toxicol.*, 37, 297-326, 1997.
185. **Raitano, A.B., Halpern, J.R., Hambuch, T.M., Sawyers, C.K.:** The Bcr-Abl leukemia oncogene activates Jun kinase and requires Jun for transformatio. *Proc. Natl. Acad. Sci. UAS*, 92, 11746-11750, 1995.
186. **Rana, A., Gallo, K., Godowski, P., Hirai, S., Ohno, S., Zon, L., Kyriakis, J.M., Avruch, J.:** The mixed lineage kinase SPRK phosphorylates and activates the stress-activated protein kinase activator, SEK-1. *J. Biol. Chem.*, 271, 19025-19028, 1996.
187. **Rapp, U.R.:** Role of Raf-1 serine/threonine protein kinase in growth factor signal transduction. *Oncogene* 6, 495-500, 1991.
188. **Rapp, U. R., Bonner, T. I., Cleveland, J. L.:** The Raf oncogene. *Retroviruses and Human Pathology*, 449-472, 1985.
189. **Rapp, U.R., Bruder, J.T., Troppmair, J.:** The fos and jun families of transcription factors. Angel, P.E. and Herrlich P.A. (eds.), CRC Press, USA, 221-247, 1994.
190. **Rapp, U.R., Cleveland, J.L., Bonner, T.I., Sorm, S.M.:** Handbook of oncogenes. Reddy P., et al. (eds.), Elsevier Publishing: Amsterdam, 213-253, 1988.
191. **Rapp, U.R., Cleveland, J.L., Fredrickson, T.N., Holmes, K.L., Morse III, H.C., Jansen, H.W., Patschinsky, T., Bister, K.:** Rapid induction of hemopoietic neoplasms in newborn mice by a *raf(mil)/myc* recombinant murine retrovirus. *J. Virol.*, 55, 23-33, 1985.
192. **Rapp, U.R.; Goldsborough, M.D.; Mark, G.E.; Bonner, T.I.; Groffen, J.; Reynolds, F.Jr.; Stephenson, J.R.:** Structure and biological activity of v-raf, a unique oncogene transduced by a retrovirus. *Proc. Natl. Acad. Sci. USA* 80, 4218-4222, 1983.
193. **Rapp, U.R., Reynolds, F.H., Stephenson, J.R.:** New mammalian transforming retrovirus: demonstration of a polyprotein gene product. *J. Virol.*, 45, 914-924, 1983.
194. **Reddy, U.R., Pleasure, D.:** Cloning of a novel putative protein kinase having a leucine zipper domain from human brain. *Biochem. Biophys. Res. Comm.*, 202, 613-620, 1994.
195. **Reddy, E. P., Skalka, A. M., Curran, T.:** The oncogene handbook. Elsevier Chapter 14, 213-252, 1988.
196. **Regnier, C.H., Song, H.Y., Gao, X., Goeddel, D.V., Cao, Z., Rothe, M.:** Identification and characterization of an IkappaB kinase. *Cell*, 90, 373-383, 1997.
197. **Reuther, J.Y., Reuther, G.W., Cortez, D., Pendergast, A.M., Baldwin, A.J.:** A requirement for NF- κ B activation in Bcr-Abl-mediated transformation. *Genes Dev.*, 12, 968-981, 1998.
198. **Rey, I.; Taylor-Harris, P.; van Erp, H.; Hall, A.:** R-ras interacts with rasGAP, neurofibromin and c-raf but does not regulate cell growth or differentiation. *Oncogene* 9, 685-692, 1994.

199. **Robinson, M.J., Cobb, M.H.:** Mitogen-activated protein kinase pathways. *Curr. Opin. Cell. Biol.*, 9, 180-186, 1997.
200. **Robzyk, K., Kassir, Y.:** A simple and highly efficient procedure for rescuing autonomous plasmids from yeast. *Nucleic Acids Res.* 20, 3790, 1992.
201. **Rodrigues, G.A., Park, M., Schlessinger, J.:** Activation of the JNK pathway is essential for transformation by the Met oncogene. *EMBO J.*, 16, 2634-2645, 1997.
202. **Roy, N., Deveraux, Q.L., Takahashi, R., Salvesen, G.S., Reed, J.C.:** The c-IAP-1 and c-IAP-2 proteins are direct inhibitors of specific caspases, *EMBO J.*, 16, 6925-6925, 1997.
203. **Roy, S.; Lane, A.; Yan, J.; McPherson, R.; Hancock, J.F.:** Activity of plasma membrane-recruited Raf-1 is regulated by Ras via the Raf Zinc-finger. *J. Biol. Chem.* 272, 20139-20145, 1997.
204. **Sachdev, S., Bagchi, S., Zhang, D.D., Mings, A.C., Hannink, M.:** Nuclear import of I κ B α is accomplished by a Ran-Independent Transport Pathway. *Mol. Cell. Biol.*, 20, 1571-1582, 2000.
205. **Salmerón, A., Ahmad, T.B., Carlile, G.W., Pappin, D., Narshiman, R.P., Ley, S.C.:** Activation of MEK-1 and SEK-1 by Tpl-2 proto-oncoprotein, a novel MAP kinase kinase kinase. *EMBO J.*, 15, 817-826, 1996.
206. **Salvesen, G.S., Dixit, V.M.:** Caspases: Intracellular signaling by proteolysis. *Cell*, 91, 443-446, 1997.
207. **Salvesen, G.S., Dixit, V.M.:** Caspase activation: The induced-proximity model. *Proc. Natl. Acad. Sci. USA*, 96, 10964-10967, 1999.
208. **Sambrook J., Fritsch E.F., Maniatis T.:** Molecular cloning: a laboratory manual. Cold Spring Harbour Laboratory Press, New York, 1989, 2. Aufl.
209. **Sanchez, I., Hughes, R.T., Mayer, B.J., Yee, K., Woodgett, J.R., Avruch, J., Kyriakis, J., Zon, L.I.:** Role of SAPK/ERK kinase-1 in the stress-activated pathway regulating transcription factor c-Jun. *Nature*, 372, 794-798, 1994.
210. **Sanger F., Nicklen, S., Coulson, A.R.:** DNA sequencing with chain-terminating inhibitors. *Proc. Nat. Acad. Sci.* 74, 1977, 5463-5467.
211. **Sauma, S., Friedman, E.:** Increased expression of protein kinase C beta activates ERK3. *J. Biol. Chem.*, 271, 11422-11426, 1996.
212. **Schaeffer, H.J.; Catling, A.D.; Eblen, S.T.; Collier, L.S.; Krauss, A.; Weber, M.J.:** MP1: A Mek binding partner that enhances enzymatic activation of the MAP kinase cascade. *Science* 281, 1668-1671, 1998.
213. **Schaeffer, H.J., Weber, M.:** Mitogen-activated protein kinases: specific messages from ubiquitous messengers. *Mol. Cell. Biol.*, 19, 2435-2444, 1999.
214. **Schlessinger, J.:** How receptor tyrosine kinases activate Ras. *Trends Biochem. Sci.* 18, 273-275, 1993.
215. **Schlessinger, J.:** SH2/SH3 signaling proteins. *Curr. Opin. Genet. Dev.*, 4, 25-30, 1994.
216. **Schulte, T.W., Blagosklonny, M.V., Ingui, C., Neckers, L.:** Disruption of the Raf-1-Hsp90 molecular complex results in destabilization of Raf-1 and loss of Raf-1-Ras association. *J. Biol. Chem.*, 270, 24585-24588, 1995.
217. **Schwartzberg, P.L.:** The many faces of Src: multiple functions of a prototypical tyrosine kinase. *Oncogene*, 17, 1463-1468, 1998.
218. **Seger, R., Seger, D., Reszeka, A.A., Munar, E.S., Eldar-Finkelman, H., Dobrowolska, G., Jensen, A.M., Campbell, J.S., Fischer, E.H., Krebs, E.G.:** Overexpression of mitogen-activated protein kinase kinase (MAPKK) and its mutants in NIH3T3 cells. Evidence that MAPKK involvement in cellular proliferation is regulated by phosphorylation of serine residues in its kinase subdomains VII and VIII. *J. Biol. Chem.*, 269, 25699-25709, 1994.
219. **Settleman, J.:** Getting in shape with Rho. *Nature cell biol.*, 2, E7-E9, 2000.
220. **Slupsky, J.R., Weber, C.K., Ludwig, S., Rapp, U.R.:** Raf-dependent signaling pathways in cell growth and differentiation. *Cell growth and Oncogenesis* (P. Bannasch, D. Kondac, S. Papa, J.M. Tager, Eds.), Birkhäuser, Basel, 1998.

221. **Sithanandam, G.; Latif, F.; Duh, F.-M.; Bernal, R.; Smola, U.; Li, H.; Kuzmin, I.; Wixler, V.; Geil, L.; Shrestha, S.; Lloyd, P.A.; Bader, S.; Sekido, Y.; Tartof, K.D.; Kashuba, V.I.; Zabarovsky, E.R.; Dean, M.; Klein, G.; Lerman, M.I.; Minna, J.D.; Rapp, U.R.; Allikmets, R.:** 3pK, a new mitogen-activated protein kinase-activated protein kinase located in the small cell lung cancer tumor suppressor gene region. *Mol. Cell. Biol.* 16, 868-876, 1996.
222. **Sourvinos, G., Tsatsanis, C., Spandidos, D.A.:** Overexpression of the Tpl-2/Cot oncogene in human breast cancer. *Oncogene*, 18,4968-4973, 1999.
223. **Su, B., Jacinto, E., Hibi, M., Kallunki, T., Karin, M., Ben, N.Y.:** JNK is involved in signal integration during costimulation of T-lymphocytes. *Cell*, 77, 727-736, 1994.
224. **Stein, B., Brady, H., Yang, M.X., Young, D.B., Barbosa, M.S.:** Cloning and characterization of MEK6, a novel member of the mitogen-activated protein kinase cascade. *J.Biol.Chem.*, 271, 11427-11433, 1996.
225. **Stein, B., Yang, M.X., Young, D.B., Janknecht, R., Hunter, T., Murray, B.W., Barbosa, M.S.:** p38-2, a novel mitogen-activated protein kinase with distinct properties. *J.Biol.Chem.*, 272, 19509-19517, 1997.
226. **Stokoe, D.; Macdonald, S.G.; Cadwallader, K.; Symons, M.; Hancock, J.F.:** Activation of Raf as a result of recruitment to the plasma membrane. *Science* 264, 1463-1467, 1994.
227. **Tabin, C.J., Hoffmann, J.W., Goff, S.P., Weinberg, R.A.:** Adaptation of a retrovirus as a eucaryotic vector transmitting the herpes simplex virus thymidine kinase gene. *Mol. Cell. Biol.* 2, 4, 426-436, 1982.
228. **Takekawa, M., Posas, F., Saito, H.:** A human homolog of the yeast Ssk2/Ssk22 MAP kinase kinase kinases, MTK1, mediates stress-induced activation of the p38 and JNK pathways. *EMBO J.*, 16, 4973-4982, 1997.
229. **Thomas, G.:** MAP Kinase by any other name smells just as sweet. *Cell* 68, 3-6, 1992.
230. **Tibbles, L.A., Woodgett, J.R.:** The stress-activated proetin kinase pathways. *Cell. Mol. Life Sci.*, 55, 1230-1254, 1999.
231. **Tournier, C., Whitmarsh, A.J., Cavanagh, J., Barrett, T., Davis, R.J.:** Mitogen-activated protein kinase kinase 7 is an activator of the c-Jun NH2-terminal kinase. *PNAS USA*, 94, 7337-7342, 1997.
232. **Toyoshima, K., Vogt, P.K.:** Enhancement and inhibition of avian sarcoma viruses by polycations and polyanions. *Virology* 38, 414-426, 1969.
233. **Troppmair, J., Bruder, J.T., Munoz, H., Lloyd, P.A., Kyriakis, J., Banerjee, P., Avruch, J., Rapp, U.R.:** Mitogen-activated protein kinase/extracellular signal-regulated protein kinase activation by oncogenes, serum, and 12-O-tetradecanoylphorbol-13-acetate requires Raf and is necessary for transformation. *J. Biol. Chem.*, 269, 7030-7035, 1994.
234. **Troppmair, J., Hartkamp, J., Rapp, U.R.:** Activation of NF- κ B by oncogenic Raf in HEK 293 cells occurs through autocrine recruitment of the stress kinase cascade. *Oncogene*, 17, 685-690, 1998.
235. **Tsatsanis, C., Patriotis, C., Bear, S.E., Tsichlis, P.N.:** The Tpl-2 protooncoprotein activates the nuclear factor of activated T cells and induces interleukin 2 expression in T cell lines. *Proc. Natl. Acad. Sci. U S A*, 95, 3827-3832, 1998.
236. **Tsatsanis, C., Patriotis, C., Tsichlis, P.N.:** Tpl-2 induces IL-2 expression in T-cell lines by triggering multiple signaling pathways that activate NFAT and NF- κ B. *Oncogene*, 17, 2609-2618, 1998.
237. **Turpin, P., Hay, R.T., Dargemont, C.:** Charakterization of I κ B α nuclear import pathway, *J. Biol. Chem.*, 274, 6804-6812, 1999.
238. **Tzivion, G.; Luo, Z.; Avruch, J.:** A dimeric 14-3-3 protein is an essential cofactor for Raf kinase activity. *Nature* 394, 88-92, 1998.
239. **Ullrich, A., Schlessinger, J.:** Signal transduction by receptors with tyrosin kinase activity, *Cell* 61, 203-212, 1990.
240. **Van A.D., Martin, S.J., Kafri, T., Green, D.R., Verma, I.M.:** Supression of TNF α -induced apoptosis by NF- κ B. *Science*, 274, 787-789, 1996.
241. **Van Aelst, L.; Barr, M.; Marcus, S.; Polverino, A.; Wigler, M.:** Complex formation between Ras and Raf and other protein kinases. *Proc. Natl. Acad. Sci. USA* 90, 6213-6217, 1993.

242. **van der Geer, P., Hunter, T., Lindberg, R.A.:** Receptor protein-tyrosine kinases and their signal transduction pathways. *Annu. Rev. Cell. Biol.*, 10, 251-337, 1994.
243. **van der Geer, P., Pawson, T.:** The PTB domain: A new module implicated in signal transduction. *Trends Biochem. Sci.*, 20, 277-280, 1995.
244. **Vojtek, A.B., Cooper, J.A.:** Rho-familie members: Activators of MAP kinase kaskades. *Cell* 82, 527-529, 1995.
245. **Vojtek, A.B.; Hollenberg, S.M.; Cooper, J.A.:** Mammalian Ras interacts directly with the Serine/Threonine Kinase Raf. *Cell* 74, 205-214, 1993.
246. **Wang, X.S., Diener, K., Jannuzzi, D., Trollinger, D., Tan, T.H., Lichenstein, H., Zukowski, M., Yao, Z.:** Molecular cloning and characterization of a novel protein kinase with a catalytic domain homologous to mitogen-activated protein kinase kinase kinase. *J.Biol. Chem.*, 271, 31607-31611, 1996.
247. **Wang, X.S., Diener, K., Manthey, C.L., Wang, S., Rosenzweig, B., Bray, J., Delaney, J., Cole, C.N., Chan, H.P., Mantlo, N., Lichenstein, H.S., Zukowski, M., Yao, Z.:** Molecular cloning and characterization of a novel p38 mitogen-activated protein kinase. *J.Biol.Chem.*, 272, 23688-23674, 1998.
248. **Wang, C.Y., Mayo, M.W., Baldwin, A.J.:** TNF- and cancer therapy-induced apoptosis: potentiation by inhibition of NF- κ B. *Science*, 274, 784-787, 1996.
249. **Warne, P.H.; Vician, P.R.; Downward, J.:** Direct interaction of Ras and the amino-terminal region of Raf-1 in vitro. *Nature* 364, 352-355, 1993.
250. **Wartmann, M., Hofer, P., Turowski, P., Saltiel, A.R., Hynes, N.E.:** Negative modulation of membrane localisation of the Raf-1 protein kinase by hyperphosphorylation. *J. Biol. Chem.*, 272, 3915-3923, 1997.
251. **Widmann, C., Gibson, S., Jarpe, M.B., Johnson, G.L.:** Mitogen-activated protein kinase: conservation of a three-kinase module from yeast to human. *Physiol. Rev.*, 79, 143-180, 1999.
252. **Whitmarsh, A.J., Cavanagh, J., Tournier, C., Yasuda, J., Davis, R.J.:** A mammalian scaffold complex that selectively mediates MAP kinase activation. *Science*, 281, 1671-1674, 1998.
253. **Whitmarsh, A.J., Davis, R.J.:** Transcription factor AP-1 regulation by mitogen-activated protein kinase signal transduction pathways. *J. Mol. Med.*, 74, 589-607, 1996.
254. **Wixler, V., Smola, U., Schuler, M., Rapp, U.:** Differential regulation of Raf isozymes by growth versus differentiation inducing factors in PC12 pheochromocytoma cells. *FEBS Lett.*, 385, 131-137, 1996.
255. **Wu, z., Wu, J., Jacinto, E., Karin, M.:** Molecular cloning and characterization of human JNKK2, a novel Jun NH2-terminal kinase-specific kinase. *Mol. Cell. Biol.*, 17, 7407-7416. 1997.
256. **Xia, Z., Dickens, M., Raingeaud, J., Davis, R.J., Greenberg, M.E.:** Opposing effects of ERK and JNK-p38 MAP kinases on apoptosis. *Science*, 270, 1326-1331, 1995.
257. **Yamaguchi, K., Shirakabe, K., Shibuya, H., Irie, K., Oishi, I., Ueno, N., Taniguchi, T., Nishida, E., Matsumoto, K.:** Identification of a member of the MAPKKK family as a potential mediator of TGF-beta signal transduction. *Science*, 270, 2008-2011, 1995.
258. **Yamamori B, Kuroda S, Shimizu K, Fukui K, Ohtsuka T, Takai Y, B.:** Purification of a Ras-dependent mitogen-activated protein kinase kinase kinase from bovine brain cytosol and its identification as a complex of B-Raf and 14-3-3 proteins. *J. Biol. Chem.* 270, 20, 11723-6. 1995.
259. **Yamaoka, S., Courtois, G., Bessia, C., Whiteside, S.T., Wei, R., Agou, F., Kirk, H.E., Kay, R.J., Israel, A.:** Complementation cloning of NEMO, a component of the IkappaB kinase complex essential for NF-kappaB activation. *Cell*, 93, 1231-1240, 1998.
260. **Yan, M., Dai, T., Deak, J.C., Kyriakis, J.M., Zon, L.I., Woodgett, J.R., Templeton, D.J.:** Activation of stress-activated protein kinase by MEKK1 phosphorylation of its activator SEK1. *Nature*, 372, 798-800, 1994.
261. **Yao, Z., Diener, K., Wang, X.S., Zukowski, M., Matsumoto, G., Zhou, G., Mo, R., Sasaki, T., Nishina, H., Hui, C.C., Tan, T.H., Woodgett, J.P., Penninger, J.M.:** Activation of stress-activated protein kinases/c-Jun N-terminal protein kinases (SAPKs/JNKs) by a novel mitogen-activated protein kinase kinase. *J. Biol. Chem.*, 272, 32378-32383, 1997.
262. **Yasuda, J., Whitmarsh, A.L., Cavanagh, J., Sharma, M., Davis, R.J.:** The JIP group of mitogen-activated protein kinase scaffold proteins. *Mol.Cell.Biol.*, 19, 10, 7245-7254, 1999.

263. **Zabel, U., Henke, T., Silva, M.S., Baeuerle, P.A.:** Nuclear uptake control of NF-kappa B by MAD-3, an I kappa B protein present in the nucleus. *EMBO*, 12, 201-211, 1993.
264. **Zandi, E., Chen, Y., Karin, M.:** Direct phosphorylation of IkappaB by IKKalpha and IKKbeta: discrimination between free and NF-kappaB-bound substrate. *Science*, 281, 1360-1363, 1998.
265. **Zandi, E., Rothwarf, D.M., Delhase, M., Hayakawa, M., Karin, M.:** The IkappaB kinase complex (IKK) contains two kinase subunits, IKKalpha and IKKbeta, necessary for IkappaB phosphorylation and NF-kappaB activation. *Cell*, 91, 243-252, 1997.
266. **Zhang, X.; Settleman, J.; Kyriakis, J.M.; Takeuchi-Suzuki, E.; Elledge, S.J.; Marshall, M.S.; Bruder, J.T.; Rapp, U.R.; Avruch, J.:** Normal and oncogenic p21^{ras} proteins bind to the amino-terminal regulatory domain of c-Raf-1. *Nature* 364, 308-313, 1993.
267. **Zhao, Q., Lee, F.S.:** Mitogen-activated protein kinase/ERK kinase 2 and 3 activate nuclear factor-kappaB through IkappaB kinase-alpha and IkappaB kinase-beta. *J.Biol.Chem.*, 274, 8355-8358, 1999.
268. **Zheng, C.-F.; Guan, K.-L.:** Activation of MEK family kinases requires phosphorylation of two conserved Ser/Thr residues. *The EMBO Journal* 13, 1123-1131, 1994.
269. **Zhou, G., Bao, Z.Q., Dixon, J.E.:** Components of a new human protein kinase signal transduction pathway. *J. Biol. Chem.*, 270, 12665-12669, 1995.
270. **Zimmermann, S., Moelling, K.:** Phosphorylation and regulation of Raf by Akt (protein kinase B). *Science*, 286, 1741-1744, 1999.
271. **Zimmermann, S., Rommel, C., Ziogas, A., Lovric, J., Moelling, K., Radziwill, G.:** MEK1 mediates a positive feedback on Raf-1 activity independently of Ras and src. *Oncogene* 15, 1503-1511, 1997.