

Chap. 11: References

- Abrams, P. A., Leimar, O., Nylin, S., and Wiklund, C. (1996). "The effect of flexible growth rates on optimal sizes and development times in a seasonal environment." *The American Naturalist*, 147, 381-395.
- Alonso, C. (1997). "Choosing a place to grow. Importance of within-plant abiotic microenvironment for *Yponomeuta mahalebella*." *Entomologia Experimentalis et Applicata*, 83, 171-180.
- Ang, B.N. & Kok, L.T. (1995) "Seasonal mortality of *Cassida rubiginosa* (Coleoptera: Chrysomelidae) due to incomplete development and parasitism in southwestern Virginia." *Journal of Entomological Science*, 1, 9-17.
- Anten, N. P. R., and Werger, M. J. A. (1996). "Canopy structure and nitrogen distribution in dominant and subordinate plants in a dense stand of *Amaranthus dubius* L. with a size hierarchy of individuals." *Oecologia*, 105, 30-37.
- Bach, C. E. (1993). "Effects of microclimate and plant characteristics on the distribution of a willow flea beetle, *Altica subplicata*." *American Midland Naturalist*, 130, 193-208.
- Barone, J. A. (1998). "Host-specificity of folivorous insects in a moist tropical forest." *Journal of Animal Ecology*, 67, 400-409.
- Begon, M., Harper, J. L., and Townsend, C. R. (1986). *Ecology*, Blackwell Scientific Publications, Oxford.
- Belovsky, G. E. (1986). "Generalist herbivore foraging and its role in competitive interactions." *American Zoology*, 26, 51-69.
- Berdegue, M., Trumble, J. T., Hare, J. D., and Redak, R. A. (1996). "Is it enemy-free space? The evidence for terrestrial insects and freshwater arthropods." *Ecological Entomology*, 21, 203-217.
- Berenbaum, M. R. (1996). "Introduction to the symposium: On the evolution of specialization." *The American Naturalist*, 148, S78-S83.
- Bernays, E., and Graham, M. (1988). "On the evolution of host specificity in phytophagous arthropods." *Ecology*, 69, 886-892.
- Bernays, E. and R.F. Chapman (1994) *Host-plant selection by phytophagous insects*. Chapman & Hall.
- Berrigan, D., and Charnov, E. L. (1994). "Reaction norms for age and size at maturity in response to temperature: a puzzle for life historians." *Oikos*, 70(3), 474-478.
- Bird, J. M., and Hodkinson, I. D. (1999). "Species at the edge of their range: The significance of the thermal environment for the distribution of congeneric *Craspedolepta* species (Sternorrhyncha: Psylloidea) living on *Chamerion angustifolium* (Onagraceae)." *European Journal of Entomology*, 96, 103-109.
- Blankenhorn, W. U. (1997). "Effects of temperature on growth, development and diapause in the yellow dung fly-against all the rules?" *Oecologia*, 111, 318-324.
- Boavida, C., Neuenschwander, P. & Herren, H.R. (1995) "Experimental Assessment of the impact of the introduced parasitoid *Gyranusoidea tebygi* Noyes on the mango mealybug *Rastrococcus invadens* Williams, by physical exclusion." *Environmental Entomology*, 5, 99-103.
- Borowiec, L. 1994. (ed.) *A monograph of the Afrotropical Cassidinae (Coleoptera: Chrysomelidae)*. Part I. Polish Taxonomical Society.
- Bortz, J., Lienert, G. and K. Boehnke (1990) *Verteilungsfreie Methoden in der Biostatistik*. Springer, Heidelberg.
- Brown, J. L., Vargo, S., Connor, E. F., and Nuckols, M. S. (1997). "Causes of vertical stratification in the density of *Cameraria hamadryadella*." *Ecological Entomology*, 22, 16-25.

- Brown, J.M., O. Pellmyr, J.N. Thompson and R.G. Harrison (1994) "Phylogeny of *Greya* (Lepidoptera: Prodoxidae), based on nucleotide sequence variation in mitochondrial cytochrome oxidase I and II: congruence with morphological data." *Molecular Biological Evolution*, 11, 128-141.
- Bryant, S.R., Thomas, C.D., & Bale, J.S. (1997) "Nettle-feeding nymphalid butterflies: temperature, development and distribution." *Ecological Entomology*, 22, 390-398.
- Bultman, T. L., and faeth, S. H. (1988). "Abundance and mortality of leaf miners on artificially shaded Emory oak." *Ecological Entomology*, 13, 131-142.
- Carroll, C.R. (1978) "Beetles, parasitoids and tropical morning glories: a study in host discrimination." *Ecological Entomology*, 3, 79-86.
- Chapin III, F. S., Bloom, A. J., Field, C. B., and Waring, R. H. (1987). "Plant responses to multiple environmental factors." *BioScience*, 37, 49-57.
- Chattopadhyay, A.K. & Sukul, N.C. (1994) "Anti-predator strategy of larval aggregation pattern in *Aspidomorpha miliaris* (Chrysomelidae: Coleoptera)." *Entomon*, 19, 125-130.
- Chesson, P. (1991). "A need for niches?" *TREE*, 6, 26-28.
- Collinge, S. K., and Louda, S. M. (1988). "Herbivory by leaf miners in response to experimental shading of a native crucifer." *Oecologia*, 75, 559-566.
- Collinge, S. K., and Louda, S. M. (1989). "Influence of plant phenology on the insect herbivore/bittercress interaction." *Oecologia*, 79, 111-116.
- Connell, J. H. (1979). "Tropical rain forests and coral reefs as open non-equilibrium systems." Population dynamics, R. M. Anderson, B. D. Turner, and L. R. Taylor, eds., Blackwell Scientific Publications.
- Courtney, S. P., and Chew, F. S. (1987). "Coexistence and host use by a large community of Pierid butterflies: habitat is templet." *Oecologia*, 71, 210-220.
- Crawley, M. J. (1983). *Herbivory and the dynamics of animal-plant interaction.*, University of California Press.
- DeLittle, D.W., H.J. Elliott, J.L. Madden & R. Bashford (1990) "Stage-specific mortality in two field populations of immature *Chrysophtharta bimaculata* (Oliver)(Coleoptera: Chrysomelidae)." *Journal of the Australian Entomological Society*, 29, 51-55.
- Denno, R. F., McClure, M. S., and Ott, J. R. (1995). "Interspecific interactions in phytophagous insects." *Annual Review of Entomology*, 40, 297-331.
- Dobler, S., P. Mardulyn, J.M. Pasteels and M. Rowell-Rahier (1996) "Host-plant switches and the evolution of chemical defense and life history in the leaf beetle genus *Oreina*." *Evolution*, 50, 2373-2386.
- Dudt, J. F., and Shure, D. J. (1994). "The influence of light and nutrients on foliar phenolics and insect herbivory." *Ecology*, 75, 86-98.
- Dyer, L.E. & Landis, D. (1996) "Effects of habitat, temperature, and sugar availability on longevity of *Eriborus terebrans* (Hymenoptera: Ichneumonidae)." *Environmental Entomology*, 25, 1192-1201.
- Ehrlich, P. R., and Raven, P. (1964). "Butterflies and plants: a study in coevolution." *Evolution*, 18, 586-608.
- Farrell, B. (1998) "Inordinate fondness Explained: Why are there so many beetles?" *Science*, 281, 555-559.
- FGU-Kronberg (1979) Gegenwärtiger Status der Comoé und Tai-Nationalparks sowie des Azagny-Reservats und Vorschläge zu deren Erhaltung und Entwicklung zur Förderung des Tourismus. GTZ PN: 73.2085.6, Band II: Comoé-Nationalpark, Teil I: Bestandsaufnahme der ökologischen und biologischen Verhältnisse.
- Fiedler, K. (1998). "Diet breadth and host plant diversity of tropical- vs. temperate-zone herbivores: South-East Asian and West Palaeartic butterflies as a case study." *Ecological Entomology*, 23, 285-297.

- Fink, U. & Völkl, W. (1995) "The effect of abiotic factors on foraging and oviposition success of the aphid parasitoid, *Aphidius rosae*." *Oecologia*, 103, 371-378.
- Floren, A. & Linsenmair K.E. (1997) "Diversity and recolonization dynamics of selected arthropod groups on different tree species in a lowland rain forest in Sabah, Malaysia with special reference to Formicidae." Stork N.E., Adis J.A. and Didham R.K. (eds.), *Canopy Arthropods*, Chapman & Hall. London, 344-381.
- Floren, A., and Linsenmair, K. E. (1998). "Non-equilibrium communities of Coleoptera in trees in a lowland rain forest of Borneo." *Ecotropica*, 4, 55-67.
- Floren, A., Linsenmair, K. E., and Biun, A. (1998). "Structure and dynamics of arboreal arthropod communities." *Sabah Parks Nature Journal*, 1, 69-82.
- Flowers, R. W. (1991). "Aggregations of Cassidinae (chrysomelidae) in Santa Rosa and Guanacaste National Park, Costa Rica." *Biotropica*, 23, 308-310.
- Förare, J., and Engqvist, L. (1996). "Suboptimal patch and plant choice by an ovipositing monophagous moth-an insurance against bad weather?" *Oikos*, 77, 301-308.
- Frohne, D., and Jensen, U. (1985). *Systematik des Pflanzenreichs*, Gustav Fischer Verlag, Stuttgart.
- Futuyma, D. J., and Moreno, G. (1988). "The evolution of ecological specialization." *Annual review of Ecology and Systematics*, 19, 207-233.
- Futuyma, D.J. and S.S. McCafferty (1990) "Phylogenie and the evolution of host plant associations in the leaf beetle genus *Ophraella* (Coleoptera, Chrysomelidae)." *Evolution*, 44, 1885-1913.
- Futuyma, D.J., J.S. Walsh Jr., T. Morton, D.J. Funk and M.C. Keese (1994) "Genetic variation in a phylogenetic context: Responses of two specialized leaf beetles (Coleoptera: Chrysomelidae) to host plants of their congeners." *Journal of Evolutionary Biology*, 7, 127-146.
- Futuyma, D.J., M.C. Keese and D.J. Funk (1995) "Genetic constraints on macroevolution: The evolution of host affiliation in the leaf beetle genus *Ophraella*." *Evolution*, 49, 797-809.
- Futuyma, D.J., M.C. Keese and S.J. Scheffer (1993) "Genetic constraints and the phylogeny of insect-plant associations: responses of *Ophraella communa* (Coleoptera: Chrysomelidae) to host plants of its congeners." *Evolution*, 47, 888-905.
- Garin, C.F., C.J. Juan and E. Petitpierre (1999) "Mitochondrial DANN phylogeny and the evolution of host-plant use in palearctic Chrysolina (Coleoptera: Chrysomelidae) leaf beetles." *Journal of Molecular Ecology*, 48, 435-444.
- Garnery, L., D. Vautrin, J.M. Cornuet and M. Solignac (1991) "Phylogenetic relationships in the genus *Apis* inferred from mitochondrial DNA sequence data." *Apidologia*, 22, 87-92.
- Giller, P. S. (1984). *Community structure and the niche*, Chapman & Hall.
- Gómez, N.E. (1997) "The fecal shield of larvae of tortoise beetles (Cassidinae: Chrysomelidae): a role in chemical defense using plant-derived secondary compounds." *Unpublished PhD-thesis, Univ. Braunschweig, Germany*.
- Grover, J. P. (1997). *Resource competition*, Chapman & Hall.
- Harborne, J. B. (1988). *Introduction to ecological biochemistry*., Academic Press.
- Heikertinger, F., v. Winnig, E., and Speyer, W. (1954). "Chrysomelidae. Blattkäfer." *Handbuch der Pflanzenkrankheiten*, H. Blunk, ed., P. Parey, Berlin, 270-379.
- Heilmeier, H. (1988). *Das Wachstum einer biennen Pflanze unter besonderer Berücksichtigung von Stickstoff am Beispiel von Arctium, Compositae*., PhD-thesis, Bayreuth.
- Hikosaka, K. (1996). "Effects of leaf age, nitrogen nutrition and photon flux density on the organization of the photosynthetic apparatus in leaves of a vine (*Ipomoea tricolor* Cav.) grown horizontally to avoid mutual shading of leaves." *Planta*, 198, 144-150.

- Hikosaka, K., Terashima, I., and Katoh, S. (1994). "Effects of leaf age, nitrogen nutrition and photon flux density on the distribution of nitrogen among leaves of a vine (*Ipomoea tricolor* Cav.) grown horizontally to avoid mutual shading of leaves." *Oecologia*, 97, 451-457.
- Honek, A. (1993). "Intraspecific variation in body size and fecundity in insects: a general relationship." *Oikos*, 66, 483-492.
- Hopkins, G. W., and Dixon, A. F. G. (1997). "Enemy-free space and the feeding niche of an aphid." *Ecological Entomology*, 22, 271-274.
- Hopper, K.R., Aidara, S., Agret, S., Cabal, J., Coutinot, D., Dabire, R., Lesieux, C., Kirk, G., Reichert, S., Tronchetti, F. & Vidal, J. (1995) "Natural enemy impact on the abundance of *Diuraphis noxia* (Homoptera: Aphididae) in wheat in southern France." *Environmental Entomology*, 24, 402-408.
- Horner, J. D., and Abrahamson, W. G. (1992). "Influence of plant genotype and environment on oviposition preference and offspring in a gallmaking herbivore." *Oecologia*, 90, 323-332.
- Hovestadt, T. (1997) *Fruchtmerkmale, endozoochore Samenausbreitung und ihre Bedeutung für die Zusammensetzung der Pflanzengemeinschaft*. Wissenschaft und Technik, Berlin.
- Hui, Y., and Bakke, A. (1997). "Development and reproduction of *Thanasimus formicarius* (L.)(Coleoptera: Cleridae) at three constant temperatures." *The Canadian Entomologist*, 129, 579-583.
- Hunter, M. D. (1990). "Differential susceptibility to variable plant phenology and its role in competition between two insect herbivores in oak." *Ecological Entomology*, 15, 401-408.
- Huston, M. A. (1994). *Biological Diversity*, Cambridge University Press.
- Hutchinson, G. E. (1957). "Concluding remarks - Cold Spring Harbour Symposium." *Quant. Biology*, 22, 415-427.
- Hutchinson, G.E. (1959) "Homage to Santa Rosalia, or why there are so many kinds of animals?" *American Naturalist*. 93: 145-159.
- Hutchinson, G. E. (1978). *An introduction to population ecology*, Yale University Press, New Haven, London.
- Inbar, M., and Wool, D. (1995). "Phloem-feeding specialists sharing a host tree: resource partitioning minimizes interference competition among galling aphid species." *Oikos*, 73, 109-119.
- Inoue, T., Nakamura, K., Salmah, S., and Abbas, I. (1993). "Population dynamics of animals in unpredictably-changing tropical environments." *Journal of Bioscience*, 18, 425-455.
- Jackson, J. J., and Elliott, N. C. (1988). "Temperature-dependent development of immature stages of the western corn rootworm, *Diabrotica virgifera virgifera* (Coleoptera: Chrysomelidae)." *Environmental Entomology*, 17, 166-171.
- Jaenike, J. (1990). "Host specialization in phytophagous insects." *Annual review in Ecology and Systematics*, 21, 243-273.
- Janzen, D. H. (1988). "Ecological characterization of a Costa Rican dry forest caterpillar fauna." *Biotropica*, 20, 120-135.
- Jolivet, P. (1988). "Food habits and food selection of Chrysomelidae. Bionomic and evolutionary perspectives." *Biology of Chrysomelidae*, P. Jolivet, E. Petitpierre, and T. H. Hsiao, eds., Kluwer Academic Publishers, Dordrecht, 1-24.
- Jolivet, P. (1989). "Sélection trophique chez les Cassidinae (Coleoptera, Chrysomelidae)." *Bull. Mens. Soc. Linn.*, 57, 301-320.
- Kato, M. (1994) "Alternation of bottom-up and top-down regulation in a natural population of an agromyzid leafminer, *Chromatomyia suikazurae*." *Oecologia*, 97, 9-16.

- Keese, M. C. (1997). "Does escape to enemy-free space explain host specialization in two closely related leaf-feeding beetles (Coleoptera: Chrysomelidae)?" *Oecologia*, 112, 81-86.
- Keese, M.C. (1998) "Performance of two monophagous leaf feeding beetles (Coleoptera: Chrysomelidae) on each others host plant: Do intrinsic factors determine host plant specialization?" *Journal of Evolutionary Biology*, 11, 403-419.
- Kelley, S. T., and Farrell, B. D. (1998). "Is specialization a dead end? The phylogenie of host use in *Dendroctonus* bark beetles (Scolytidae)." *Evolution*, 52, 1731-1743.
- Kimmerer, T. W., and Potter, D. A. (1987). "Nutritional quality of specific leaf tissues and selective feeding by a specialist leafminer." *Oecologia*, 71, 548-551.
- King, J. E., Price, R. G., Young, J. H., Willson, L. J., and Pinkston, K. N. (1985). "Influences of temperature on development and survival of the immature stages of the elm leaf beetle, *Pyrrhalta luteola* (Müller)(Coleoptera: Chrysomelidae)." *Environmental Entomology*, 14, 272-274.
- Klingenberg, C. P., and Spence, J. R. (1997). "On the role of body size for life-history evolution." *Ecological Entomology*, 22, 55-68.
- Knutson, A.E. & F.E. Gilstrap (1990) "Life tables and population dynamics of the southwestern corn borer (Lepidoptera: Pyralidae) in Texas corn (USA)." *Environmental Entomology*, 19, 684-696.
- Köpf, A., Rank, N. E., Roininen, H., Julkunen-Tiitto, R., Pasteels, J. M., and Tahvanainen, J. (1998). "The evolution of host plant use and sequestration in the leaf beetle genus *Phratora* (Coleoptera: Chrysomelidae)." *Evolution*, 52, 517-528.
- Kosior, A., and Klein, J. (1970). "Migrations and wintering of Cassids (Coleoptera, Chrysomelidae, Cassidinae) under the climatic conditions of the Ojców National Park." *Acta zoologica cracoviensia*, 7, 315-337.
- Kovach, W. L. (1990). *MVSP, Multi-Variate Statistical Package, Plus Version 2.0. Kovach Computing Services, 85 Nant-y-Felin, Pentraeth, Anglesey LL75 8UY, , Wales.*
- Krebs, C. J. (1989). *Ecological Methodology*, Harper & Row, New York.
- Lactin, D. J. (1993). "Temperature dependence and constant-temperature diel aperiodicity of feeding by Colorado potato beetle larvae (Coleoptera: Chrysomelidae) in short - duration laboratory trials." *Environmental Entomology*, 22, 784-790.
- Lactin, D. J., and Holliday, N. J. (1994). "Behavioral responses of Colorado potato beetle larvae to combinations of temperature and insolation, under field conditions." *Entomologia experimentalis et applicata*, 72, 255-263.
- Larsson, F. K. (1990). "Female body size relationships with fecundity and egg size in twtwo solitary species of fossorial Hymenoptera (Colletidae and Sphecidae)." *Entomologia Generalis*, 15, 167-171.
- Lawton, J. H. (1984). "Non-competitive populations, non-convergent communities, and vacant niches: the herbivores on bracken." *Ecological communities. Conceptual issues and the evidence.*, D. R. Strong, D. Simberloff, L. G. Abele, and A. B. Thistle, eds., Princeton University Press, 67-99.
- Lee, D. W., and Richards, J. H. (1991). "Heteroblastic development in vines." *The biology of vines*, F. E. Putz and H. A. Mooney, eds., Cambridge University Press, Cambridge, 205-243.
- Leibold, M. A. (1998). "Similarity and local coexistence of species in regional biotas." *Evolutionary Ecology*, 12, 95-110.
- Lejoly, J., and Lisowski, S. (1992). "Les genres *Merremia* et *Ipomoea* (Convolvulaceae) dans la Flore d'Afrique Centrale (Zaire, Rwanda, Burundi)." *Fragm. Flor. Geobot.*, 37, 21-125.
- Lewinsohn, T. M., Fernandes, G. W., Benson, W. W., and Price, P. W. (1991). "Introduction: historical roots and current issues in tropical evolutionary ecology." *Plant-animal*

- interactions: Evolutionary ecology in tropical and temperate regions., P. W. Price, T. M. Lewinsohn, G. W. Fernandes, and W. W. Benson, eds., John Wiley & Sons, Inc. Lincoln, D. E., and Mooney, H. A. (1984). "Herbivory on *Diplacus aurantiacus* shrubs in sun and shade." *Oecologia*, 64, 173-176.
- Linsenmair, K. E. (1990). "Tropische Biodiversität: Befunde und offene Probleme." *Verhandlungen Deutsche Zoologische Gesellschaft*, 83, 245-261.
- Linsenmair, K. E. (1995). "Tropische Biodiversität - vom ursächlichen Verständnis der strukturellen und funktionellen Komplexität noch weit entfernt." *Tropenforschung; Rundgespräch der Kommission für Ökologie.*, Dr. Friedrich Pfeil.
- Loader, C., and Damman, H. (1991). "Nitrogen content of food plants and vulnerability of *Pieris rapae* to natural enemies." *Ecology*, 72, 1586-1590.
- Louda, S. M., Dixon, P. M., and Huntly, N. J. (1987a). "Herbivory in sun versus shade at a natural meadow-woodland ecotone in the Rocky Mountains." *Vegetatio*, 72, 141-149.
- Louda, S. M., Huntly, N., and Dixon, P. M. (1987b). "Insect herbivory across a sun/shade gradient: response to experimentally-induced *in situ* plant stress." *Acta Oecologica*, 8, 357-363.
- Louda, S. M., and Rodman, J. E. (1996). "Insect herbivory as a major factor in the shade restriction of a native crucifer (*Cardamine cordifolia* A. Gray, bittercress)." *Journal of Ecology*, 84, 229-237.
- MacArthur, R. H. (1969). "Patterns of communities in the tropics." *Biological Journal of the Linnean Society*, 1, 19-30.
- MacArthur, R. H. (1972). *Geographical ecology*, Harper & Row.
- Macedo, M. V. d., Monteiro, R. F., and Lewinsohn, T. M. (1994). "Biology and ecology of *Mecistomela marginata* (Hispaninae: Alurnini) in Brazil." Novel aspects of the biology of Chrysomelidae, P. H. Jolivet, M. L. Cox, and E. Petitpierre, eds., Kluwer Academic Publishers, 567-571.
- Manly, B. F. J. (1991). *Multivariate Statistical Methods*, Chapman & Hall.
- Mattson, W. J. (1980). "Herbivory in relation to plant nitrogen content." *Annual Review of Ecology and Systematics*, 11, 119-161.
- Mayhew, P. J. (1997). "Adaptive patterns of host-plant selection by phytophagous insects." *Oikos*, 79, 417-428.
- McNeill, S., and Southwood, T. R. E. (1978). "The role of nitrogen in the development of insect/plant relationships." *Biochemical aspects of plant and chemical coevolution.*, J. B. Harborne, ed., Academic Press, 77-98.
- Meinke, L. J., and Gould, F. (1987). "Thermoregulation by *Diabrotica undecimpunctata howardi* and potential effects on overwintering biology." *Entomologia experimentalis et applicata*, 45, 115-121.
- Memmott, J., Godfray, H.C.J. & Bolton, B. (1993) "Predation and parasitism in a tropical herbivore community." *Ecological Entomology*, 18, 348-352.
- Menge, B. A., and Sutherland, J. P. (1976). "Species diversity gradients: Synthesis of the roles of predation, competition, and temporal heterogeneity." *American Naturalist*, 110, 351-369.
- Minot, M.C. & Leonard D.E. (1976) "Effect of temperature humidity, light and gravity on the parasitoid *Brachymeria intermedia*." *Environmental Entomology*, 53, 427-430.
- Mitter, C. B., Farrell, B., and Futuyma, D. J. (1991). "Phylogenetic studies on insect-plant interactions: insights into the genesis of diversity." *TREE*, 6, 290-293.
- Mohandas, K. (1986) "*Brachymeria excarinata* Gahan (Hymenoptera: Chalcididae) as pupal parasitoid of *Calopepla leayana* Latr. in Kerala, India: A new record." *Entomon*, 11, 279-280.

- Mohandas, T.P. & Abdurahiman, U.C. (1995) "Behavioural responses to humidity gradient by *Antrocephalus hakonensis* and other parasitoids of *Opisina arenosella*, the caterpillar pest of coconut." *Entomon*, 20, 67-71.
- Moller, A.P. (1998) "Evidence of larger impact of parasites on hosts in the tropics: investment in immune function within and outside the tropics." *Oikos*, 82, 265-270.
- Morrison, G. & Strong D.R. (1981) "Spatial variations in egg density and the intensity of parasitism in a neotropical chrysomelid (*Cephaloleia consanguinea*)." *Ecological Entomology*, 6, 55-61.
- Nakamura, K., and Abbas, I. (1989). "Seasonal change in abundance and egg mortality of two tortoise beetles under a humid-equatorial climate in Sumatra." *Entomograph*, 6, 487-495.
- Nakamura, K., Noerdjito, W. A., and Aswari, P. (1994). "Life table parameters of Indonesian tortoise beetles under laboratory conditions." Novel aspects of the biology of Chrysomelidae., P. H. Jolivet, M. L. Cox, and E. Petitpierre, eds., Kluwer Academic Publishers, 573-578.
- Niesenbaum, R. A. (1992). "The effects of light environment on herbivory and growth in the dioecious shrub *Lindera benzoin* (Lauraceae)." *American Midland Naturalist*, 128, 270-275.
- Obermaier, E., and Zwölfer, H. (1999). "Plant quality or quantity? Host exploitation strategies in three Chrysomelidae species associated with Asteraceae host plants." *Entomologia experimentalis et applicata*, 92, 165-177.
- Ohgushi, T. (1987). "Factors affecting body size variation within a population of an herbivorous lady beetle, *Henosepilachna niponica* (Lewis)." *Research Population Ecology*, 29, 147-154.
- Olmstead, K.L. & Denno, R.F. (1993) "Effectiveness of tortoise beetle larval shields against different predator species." *Ecology*, 74, 1394-1405.
- Perkin-Elmer (1995) *ABI PRISM™ Dye terminator Cycle Sequencing Ready Reaction Kit with AmpliTaq® DNA Polymerase. FS. Protocol 402078.*
- Pianka, E. R. (1966). "Latitudinal gradients in species diversity: A review of concepts." *American Naturalist*, 100, 33-46.
- Poilecot, P. (1991). *Un écosystème de savane soudanienne: Le parc national de la Comoé (Côte d'Ivoire).*, UNESCO.
- Price, P. W. (1980). *Evolutionary biology of parasites.*, Princeton University Press.
- Price, P.W., E.C. Bouton, G. Gross, B.A. McPherson, J.N. Thompson and A.E. Weis (1980) "Interactions among three trophic levels: influence of plants on interactions between insect herbivores and natural enemies." *Annual Review of Ecology and Systematics*, 11, 41-65.
- Putman, R. J. (1994). *Community ecology*, Chapman & Hall.
- Rank, N., Smiley, J. & Köpf A. (1996) "Natural enemies and host plant relationships for Chrysomelidae leaf beetles feeding on Salicaceae." Jolivet, P. H. A. & Cox, M.L. Chrysomelidae Biology, Ecological Studies, 2, 147-171.
- Rausher, M. D. (1979). "Larval habitat suitability and oviposition preference in three related butterflies." *Ecology*, 60, 503-511.
- Robinson, B.W., D.S. Wilson and G.O. Shea (1996) "Trade-offs of ecological specialization: an intraspecific comparison of pumpkinseed sunfish phenotypes." *Ecology*, 77, 170-178.
- Rödel, M.-O. (1996) *Amphibien der westafrikanischen Savanne*, Edition Chimaira.
- Rödel, M.-O. (1998) *Kaulquappengesellschaften ephemerer Savannengewässer in Westafrika*, Edition Chimaira.
- Roitberg, B. D., and Isman, M. B. (1992). *Insect chemical ecology: An evolutionary approach.*, Chapman & Hall.

- Rosenzweig, M. L. (1995). *Species diversity in space and time*, Cambridge University Press.
- Rossi, A. M., and Stiling, P. (1998). "The interactions of plant clone and abiotic factors on a gall-making midge." *Oecologia*, 116, 170-176.
- Rowe, W. J., and Potter, D. A. (1996). "Vertical stratification of feeding by Japanese beetles within linden tree canopies: selective foraging or height per se?" *Oecologia*, 108, 459-466.
- Sale, P. F. (1977). "Maintenance of high diversity in coral reef fish communities." *The American Naturalist*, 111, 337-359.
- Sanger, F., S. Nicklen and A.R. Coulson (1977) "DNA sequencing with chain terminating inhibitors." *Proc. Nat. Acad. Sci.*, 74, 5463-5467.
- Schroeder, L., and Lawson, J. (1992). "Temperature effects on the growth and dry matter budget of *Malacosoma americanum*." *Journal of Insect Physiology*, 38, 743-749.
- Scriber, J. M. (1977). "Limiting effects of low leaf water content on the nitrogen utilization, energy budget, and larval growth of *Hyalophora cecropia* (Lepidoptera: Saturniidae)." *Oecologia*, 28, 269-287.
- Siemann, E., Tilman, D., Haarstad, J., and Ritchie, M. (1998). "Experimental tests of the dependence of arthropod diversity on plant diversity." *The American Naturalist*, 152, 738-750.
- Sih, A., Crowley, P., McPeck, M., Petranka, J. & Strohmeier, K. (1985) "Predation, competition and prey communities: a review of field experiments." *Annual Review Ecology Systematics*, 16, 269-311.
- Simms, E.L. and M.D. Rausher (1989) "The evolution of resistance to herbivory in *Ipomoea purpurea*. II. Natural selection by insects and the costs of resistance." *Evolution*, 43, 573-585.
- Simon, C., F. Frathi, A. Beckenbach, B. Crespi, H. Liu, and P. Flook (1994) "Evolution, weighing, and phylogenetic utility of mitochondrial gene sequences and a compilation of conserved polymerase chain reaction primers." *Ann. Entomol. Soc. Am.*, 87, 651-701.
- Simpson, S. J., and Simpson, C. L. (1990). "The mechanisms of nutritional compensation by phytophagous insects." *Insect-plant interactions*, E. A. Bernays, ed., CRC Press Inc., Boca Raton, 111-160.
- Singh, J. P., and Sidhu, P. K. (1992). "Life history of *Cassida indicola* Duvivier (Coleoptera: Chrysomelidae) - a pest on two species of *Convolvulus*." *Uttar Pradesh Journal of Zoology*, 12, 40-44.
- Slansky, F., and Rodriguez, J. G. (1987). "Nutritional ecology of insects, mites, spiders and related invertebrates: An overview." *Nutritional ecology of insects, mites, spiders and related invertebrates.*, F. Slansky and J. G. Rodriguez, eds., John Wiley and Sons, New York, 1-69.
- Slansky, F., and Scriber, J. M. (1985). "Food consumption and utilization." *Comprehensive insect physiology, biochemistry and pharmacology.*, G. A. kerkut and L. I. Gilbert, eds., Pergamon Press, Oxford, 87-161.
- Smith, A. M., and Ward, S. A. (1995). "Temperature effects on larval and pupal development, adult emergence, and survival of the pea weevil (Coleoptera: Chrysomelidae)." *Environmental Entomology*, 24, 623-634.
- Sobhian, R., and Zwölfer, H. (1985). "Phytophagous insect species associated with flower heads of yellow star thistle (*Centaurea solstitialis*)." *Zeitschrift für angewandte Entomologie*, 99, 301-321.
- Sommaggio, D., Paoletti, M. G., and Ragusa, S. (1995). "The effects of microhabitat conditions, nutrients and predators on the abundance of herbivores on stinging nettles (*Urtica dioica* L.)." *Acta Oecologia*, 16, 671-686.

- Sopow, S. L., and Quiring, D. T. (1998). "Body size of spruce galling adelgids is positively related to realized fecundity in nature." *Ecological Entomology*, 23, 476-479.
- Southwood, T. R. E. (1987). "The concept and nature of the community." Organization of communities past and present., J. H. R. Gee and P. S. Giller, eds., Blackwell, 3-27.
- Sowig, P. (1997). "Niche separation in coprophagous beetles: a comparison of two multivariate approaches." *Bulletin of Entomological Research*, 87, 625-631.
- Spencer, K. C. (1988). *Chemical mediation of coevolution*, Academic Press Inc.
- Spring, A. & Kok, L.T. (1997) "Field studies on the reproductive capacity and development of *Cassida rubiginosa* (Coleoptera: Chrysomelidae) on musk and canada thistles." *Environmental Entomology*, 26, 876-881.
- Stamp, N.E. & Bowers M.D. (1988) "Direct and indirect effects of predatory wasps (*Polistes* sp.: Vespidae) on gregarious caterpillars (*Hemileuca lucina*: Saturniidae)." *Oecologia*, 75, 619-624.
- Stamp, N. E., and Bowers, M. D. (1990). "Variation in food quality and temperature constrain foraging of gregarious caterpillars." *Ecology*, 7, 1031-1039.
- Stearns, S. C. (1992). *The evolution of life histories.*, Oxford University Press.
- Steinlein, T. (1991). *Bienne Pflanzen: Der Einfluß des Ressourcenangebots auf die Speicherung in der Wurzel und die Dauer des Lebenszyklus.*, PhD-Thesis, Bayreuth.
- Stewart, A. J. A. (1996). "Interspecific competition reinstated as an important force structuring insect herbivore communities." *TREE*, 11, 233-234.
- Stiefel, V. L., Nechols, J. R., and Margolies, D. C. (1997). "Development and survival of *Anomoea flavokansiensis* (Coleoptera: Chrysomelidae) as affected by temperature." *Environmental Entomology*, 26, 223-228.
- Stiling, P. D. (1980). "Competition and coexistence among *Eupteryx* Leafhoppers (Hemiptera: Cicadellidae) occurring on stinging nettles (*Urtica dioica*)." *Journal of Animal Ecology*, 49, 793-805.
- Strasburger, E., Noll, F., Schenck, H., and Schimper, A. F. W. (1983) *Lehrbuch der Botanik*, Gustav Fischer Verlag.
- Strong, D. R., Lawton, J. H., and Southwood, R. (1984). *Insects on plants*, Blackwell Scientific Publications, Oxford.
- Tabashnik, B. E., and Slansky, F. (1987). "Nutritional ecology of forb foliage-chewing insects." Nutritional ecology of insects, mites, spiders and related invertebrates., F. Slansky and J. G. Rodriguez, eds., John Wiley and Sons, New York, 71-103.
- Takagi, M. & Murakami, K. (1997) "Effect of temperature on development of *Paratelenomus saccharalis* (Hymenoptera: Scelionidae), an egg parasitoid of *Megacopta punctatissimum* (Hemiptera: Plataspidae)." *Applied Entomology and Zoology*, 32, 659-660.
- Tahvanainen, J. O. (1972). "Phenology and microhabitat selection of some flea beetles (Coleoptera, Chrysomelidae)." *Entomologica Scandinavica*, 3, 120-138.
- Tanmaru, T., Kaitaniemi, P., and Ruohomäki, K. (1996). "Realized fecundity in *Epirrita autumnata* (Lepidoptera: Geometridae): relation to body size and consequences to population dynamics." *Oikos*, 77, 407-416.
- TerBraak, C. J. F. (1995). "Ordination." Data analysis in community and landscape ecology, R. H. G. Jongman, C. J. F. T. Braak, and O. F. R. V. Tongeren, eds., Cambridge University Press, 91-165.
- Teuscher, E., and Lindequist, U. (1994). *Biogene Gifte*, Gustav Fischer.
- Thompson, J.N. (1993) "Preference hierarchies and the origin of geographic specialization in host use in swallowtail butterflies." *Evolution*, 47, 1585-1594.
- Toolson, E. C. (1998). "Comparative thermal physiological ecology of syntopic populations of *Cacama valvata* and *Tibicen bifidus* (Homoptera: Cicadidae): Modeling fitness consequences of temperature variation." *American Zoologist*, 38, 568-582.

- Tuda, M. & Shimada, M. (1995) "Developmental schedules and persistence of experimental host-parasitoid systems at two different temperatures." *Oecologia*, 103, 283-291.
- Underwood, T. (1986). "The analysis of competition by field experiments." Community ecology: pattern and process, J. Kikkawa and D. J. Anderson, eds., Blackwell Scientific Publications, Oxford.
- Unwin, D. M., and Corbet, S. A. (1991). *Insects, plants and microclimate*, Richmond Publishing Co. Ltd, Slough.
- Ward, R. H., and Pienkowski, R. L. (1978). "Mortality and parasitism of *Cassida rubiginosa*, a thistle-feeding shield beetle accidentally introduced into North America." *Environmental Entomology*, 7, 536-540.
- Weisser, W.W., W. Völkl & M.P. Hassell (1997) "The importance of adverse weather conditions for behaviour and population ecology of an aphid parasitoid." *Journal of Animal Ecology*, 66, 386-400.
- Weseloh, R.M. (1979) "Comparative behavioral response of three *Brachymeria* species and other gypsy moth parasitoids to humidity and temperature." *Environmental Entomology*, 8, 670-675.
- White, T. C. R. (1993). *The inadequate environment. Nitrogen and the abundance of animals.*, Springer, Berlin.
- Whittaker, J. B., Ellistone, J., and Patrick, C. K. (1979). "The dynamics of a chrysomelid beetle *Gastrophysa viridula*, in a hazardous natural habitat." *Journal of Animal Ecology*, 48, 973-986.
- Willmer, P. G. (1981). "Microclimate and the Environmental Physiology of Insects." *Advances in Insect Physiology*, 16, 1-57.
- Willmer, P. G. (1982). "Hygrothermal determinants of insect activity patterns: the Diptera of water-lily leaves." *Ecological Entomology*, 7, 221-231.
- Willmer, P. G., Hughes, J. P., Woodford, J. A. T., and Gordon, S. C. (1996). "The effects of crop microclimate and associated physiological constraints on the seasonal and diurnal distribution patterns of raspberry beetle (*Byturus tomentosus*) on the host plant *Rubus idaeus*." *Ecological Entomology*, 21, 87-97.
- Windsor, D. M. (1987). "Natural history of a subsocial tortoise beetle, *Acromis sparsa* Boheman (Chrysomelidae, Cassidinae) in Panama." *Psyche*, 94, 127-150.
- Windsor, D. M., Riley, E. G., and Stockwell, H. P. (1992). "An introduction to the biology and systematics of Panamanian tortoise beetles." *Insects of Panama and Mesoamerica: Selected studies.*, D. Quintero and A. Aiello, eds., Oxford University Press, 372-391.
- Wolff, J. O. (1996). "Coexistence of white-footed mice and deer mice may be mediated by fluctuating environmental conditions." *Oecologia*, 108, 529-533.
- Zar, J. H. (1984). *Biostatistical Analysis*, Prentice-Hall.
- Zwaan, B. J., Bijlsma, R., and Hoekstra, R. F. (1992). "On the developmental theory of aging. II. The effect of developmental temperature on longevity in relation to adult body size in *D. melanogaster*." *Heredity*, 68, 123-130.
- Zwölfer, H. (1988). "Evolutionary and ecological relationships of the insect fauna of thistles." *Annual Review of Entomology*, 33, 103-122.
- Zwölfer, H., and Arnold-Rinehart, J. (1993). "The evolution of interactions and diversity in plant-insect systems: The *Urophora-Eurytoma* food web in galls on Palearctic Cardueae." *Biodiversity and Ecosystem Function*, E. D. Schulze and H. A. Mooney, eds., Springer.
- Zwölfer, H., and Harris, P. (1971). "Host specificity determination of insects for biological control of weeds." *Annual review of entomology*, 16, 159-178.
- Zwölfer, H., and Völkl, W. (1993). "Artenvielfalt und Evolution." *Biologie in unserer Zeit*, 23, 308-315.