

# CONTENTS

<b>1. Abstract</b>	1
<b>2. Introduction</b>	3
2.1. Cellular function of the Ras-MAPK signalling pathway	3
2.2. Members of the <i>raf</i> gene family and their role in intracellular signal transduction	4
2.3. Raf protein structure and expression	5
2.4. Mechanisms of Raf activation	6
2.5. Raf-MAPK signalling pathway in the CNS	7
2.6. Expression of members of the <i>raf</i> family in the CNS	8
2.7. Raf kinases and apoptosis	9
2.7.1. General factors of apoptosis	9
2.7.2. Mechanisms of apoptosis	11
2.7.2.1. Mitochondria and apoptosis	11
2.7.2.2. A trigger in apoptosis: Cytochrome c release from mitochondria	14
2.7.2.3. The Bcl-2 protein family and apoptosis	15
2.7.2.4. The downstream mediators of apoptosis: Caspases and their inhibitors	17
2.7.3. Activation of Raf kinases and apoptosis	19
2.8. The objective of this study	21
2.9. Brief summary of the results	22
<b>3. Materials and Methods</b>	24
3.1. Experimental animals and tissue preparation	24
3.2. Antibodies	25
3.3. Western blotting	26
3.4. Raf single, Raf and mitochondrial marker double immunofluorescence <i>in vivo</i> and immunofluorescence confocal microscopy	27
3.5. Cytochrome c immunofluorescence	28
3.6. Preadsorption controls for immunofluorescence staining	29
3.7. Mouse motoneuron cultures and induction of Raf activation in mouse embryonic motoneurons <i>in vitro</i>	29
3.8. Immunostaining of cultured motoneurons: Detection of members of the Raf family	31
3.9. Determination of mouse motoneuron survival in wild-type and E13 <i>B-raf</i> <sup>+/+</sup> and <i>B-raf</i> <sup>-/-</sup> mice	32
3.10. Immunodoublelabelling of cultured E12.5 <i>B-raf</i> mutant motoneurons	

with B-Raf and neurofilament	32
3.11. Immunohistofluorescence for Rafs, P75 <sup>NTR</sup> and Islet-1 in E13 <i>B-raf</i> and E14 <i>c-raf-1</i> mutant mouse spinal cords <i>in vivo</i>	33
3.12. Calculation and statistics	34
3.13. Genotyping of <i>p75<sup>NTR</sup></i> <sup>-/-</sup> , <i>B-raf</i> <sup>-/-</sup> and <i>c-raf-1</i> <sup>-/-</sup> mice	34
3.14. Transection of the facial nerve and determination of facial motoneuron numbers in brainstem serial sections	36
3.15. Vector construction	37
3.16. Primary neuronal culture	38
3.17. Transfection by trituration	39
3.18. Staining for LacZ expression	39
3.19. Immunostaining and fluorescence microscopy of cultured sensory neurons	40
3.20. Western blot analysis and semiquantitative analysis of ITA expression	41
3.21. RT-PCR analysis	42
<b>4. Results</b>	43
4.1. Effects of neurotrophic factors on isolated motoneurons	43
4.1.1. Isolation of motoneurons from embryonic mice	43
4.1.2. The effect of BDNF on cultured motoneurons from control and <i>p75<sup>NTR</sup></i> <sup>-/-</sup> mice	46
4.1.3. Characterization of the neurotrophin effects in cultured <i>p75<sup>NTR</sup></i> - deficient motoneurons	47
4.1.4. NGF reduces facial motoneuron survival after axotomy: Role of <i>p75<sup>NTR</sup></i> <i>in vivo</i>	53
4.2. The role of Bcl-2 for mediation of neurotrophic factor signals on motoneuron survival	54
4.2.1. Expression and cellular localization of Raf kinases in <i>bcl-2</i> deficient motoneurons	54
4.3. The role of cytochrome c: Developmental expression in mouse spinal cord and immunolocalization in motoneurons in the presence and absence of <i>bcl-2</i> gene	55
4.3.1. Developmental expression of cytochrome c in normal mouse spinal cord and its expression in <i>bcl-2</i> <sup>+/+</sup> and <i>bcl-2</i> <sup>-/-</sup> mouse spinal cords by Western blot analysis	55
4.3.2. Cytochrome c immunostaining in <i>bcl-2</i> <sup>+/+</sup> and <i>bcl-2</i> <sup>-/-</sup> mouse spinal and facial motoneurons	57
4.4. Expression and localization of Rafs in the developing spinal cord and in motoneurons	58
4.4.1. Development of techniques for immunolocalization of Rafs in motoneurons: Specificity of Raf antibodies for their corresponding Raf isoforms	58
4.4.2. Expression of A-Raf, B-Raf and c-Raf-1 proteins in mouse spinal	

cord at different embryonic and postnatal stages	61
4.4.3. Detection of the distribution of A-Raf, B-Raf and c-Raf-1 protein kinases in mouse motoneurons within the ventral horn of the spinal cord and the facial nucleus	63
4.4.4. B-Raf and c-Raf-1 are colocalized with A-6403 mitochondrial marker cytochrome c oxidase subunit I in mouse motoneurons	66
4.4.5. Redistribution of Raf protein kinases to the perinuclear space and to the nucleus of motoneurons after addition of neurotrophic factors <i>in vitro</i>	69
4.4.6. Intracellular involvement of B-Raf kinase signalling in anti-apoptotic effects via neurotrophic factors in motoneurons	71
4.4.6.1. Immunohistochemical detection of A-Raf, B-Raf and c-Raf-1 protein kinases in E13 <i>B-raf</i> <sup>+/+</sup> and <i>B-raf</i> <sup>-/-</sup> mouse spinal motoneurons, and in E14 <i>c-raf-1</i> <sup>+/+</sup> and <i>c-raf-1</i> <sup>-/-</sup> mouse spinal motoneurons	71
4.4.6.1.1. Expression in E13 <i>B-raf</i> <sup>+/+</sup> and <i>B-raf</i> <sup>-/-</sup> mouse spinal motoneurons	71
4.4.6.1.2. Expression in E14 <i>c-raf-1</i> <sup>+/+</sup> and <i>c-raf-1</i> <sup>-/-</sup> mouse spinal motoneurons	72
4.4.6.2. Islet-1 and p75 <sup>NTR</sup> immunoreactivities in motoneurons are decreased in <i>B-raf</i> <sup>-/-</sup> mouse but no differences are detectable between <i>c-raf-1</i> <sup>+/+</sup> and <i>c-raf-1</i> <sup>-/-</sup> mice	75
4.4.6.2.1. Expression in E13 <i>B-raf</i> <sup>+/+</sup> and <i>B-raf</i> <sup>-/-</sup> mouse spinal motoneurons	75
4.4.6.2.2. Expression in E14 <i>c-raf-1</i> <sup>+/+</sup> and <i>c-raf-1</i> <sup>-/-</sup> mouse spinal motoneurons	75
4.4.6.3. Absence of <i>B-raf</i> gene but not <i>c-raf-1</i> leads to loss of viability of mouse motoneurons <i>in vitro</i>	78
4.4.6.4. Transfection of <i>B-raf</i> expression plasmids to <i>B-raf</i> <sup>-/-</sup> motoneurons and sensory neurons rescues neurotrophic factor-mediated survival	83
4.4.6.4.1. Development of techniques for plasmid transfection of primary sensory and sympathetic neurons	83
A. NGF upregulates ITA expression via PI-3 pathways in cultured neurons	83
B. Overexpression of ITA promotes neuronal survival in primary sensory and sympathetic neurons	87
C. <i>Ita</i> antisense expression abolishes NGF-mediated survival in primary sensory and sympathetic neurons	93
4.4.6.4.2. Transfection of <i>B-raf</i> expression plasmids to <i>B-raf</i> <sup>-/-</sup> motoneurons and sensory neurons rescues neurotrophic factor-mediated survival	95

<b>5. Discussion</b>	99
5.1. Expression of Raf protein kinases during embryonic and postnatal development	99
5.2. Immunohistochemical distribution of three Raf protein kinases in mouse motoneurons within the spinal ventral horn and the facial nucleus	101
5.3. Subcellular localization of Raf protein kinases: colocalization with the A-6403 mitochondrial marker in mouse motoneurons	102
5.4. Intracellular redistribution of Raf protein kinases in motoneurons after activation by neurotrophic factors <i>in vitro</i>	104
5.5. B-Raf kinase and apoptosis in motoneurons	106
<b>6. References</b>	113
<b>7. Abbreviations</b>	136
<b>8. Zusammenfassung</b>	139

