

3. Literaturverzeichnis

- Abraham, S. N., J. D. Goguen, D. Sun, P. Klemm, E. H. Beachey.** 1987. Identification of two ancillary subunits of *Escherichia coli* type 1 fimbriae by using antibodies against synthetic oligopeptides of *fim* gene products. *J. Bacteriol.* **169**:5530-5536.
- Acheson, D. W. K., A. Donohue-Rolfe.** 1989. Cancer-associated hemolytic-uremic syndrome. A possible role of mitomycin C in relation to Shiga-like toxins. *J. Clin. Oncol.* **7**:1943.
- Acheson, D. W. K., A. Donohue-Rolfe, G. T. Keusch.** 1991. The family of Shiga and Shiga-like toxins. In J. E. Alouf and J. H. Freer (ed.): Sourcebook of bacterial protein toxins. Academic Press, Ltd., London. p. 415-433.
- Acheson, D. W. K., G. T. Keusch, M. Lightowers, A. Donohue-Rolfe.** 1989. Enzyme-linked immunosorbent assay for Shiga-toxin and Shiga-like toxin II using P₁ glycoprotein from hydatid cysts. *J. Infect. Dis.* **161**:134-137.
- Acheson, D. W. K., M. M. Levine, J. B. Kaper, G. T. Keusch.** 1996b. Protective immunity to Shiga-like toxin I following oral immunization with Shiga-like toxin IB-subunit-producing *Vibrio cholerae* CVD 103-HgR. *Infect. Immun.* **64**:355-357.
- Acheson, D. W. K., R. Moore, S. De-Breucker, L. Lincicome, M. Jacewicz, E. Skutelsky, G. T. Keusch.** 1996. Translocation of Shiga toxin across polarized intestinal cells in tissue culture. *Infect. Immun.* **64**:3294-3300.
- Acheson, D. W. K., J. Reidl, X. Zhang, G. T. Keusch, J. J. Mekalanos, M. K. Waldor.** 1998. *In vivo* transduction with Shiga toxin 1-encoding phage. *Infect. Immun.* **66**:4496-4498.
- Ackman, D., S. Marks, P. Mack, M. Caldwell, T. Root, G. Birkhead.** 1997. Swimming associated haemorrhagic colitis due to *Escherichia coli* O157:H7 infection: evidence of prolonged contamination of a fresh water lake. *Epidemiol. Infect.* **119**:1-8.
- Ahmad, H., E. K. Chapnick.** 1999. Conjugated polysaccharide vaccines. *Infect. Dis. Clin. North. Am.* **13**:113-133.
- Ahmer, B. M. M., J. van Reeuwijk, P. R. Watson, T. S. Wallis, F. Heffron.** 1999. *Salmonella* SirA is a global regulator of genes mediating enteropathogenesis. *Mol. Microbiol.* **31**:971-982.
- Ahrenholtz, I., M. G. Lorenz, W. Wackernagel.** 1994. A conditional suicide system in *Escherichia coli* based on the intracellular degradation of DNA. *Appl. Environ. Microbiol.* **60**:3746-3751.
- Allison, G. E., N. K. Verma.** 2000. Serotype-converting bacteriophages and O-antigen modification in *Shigella flexneri*. *Trends Microbiol.* **8**:17-23.
- Altschul, S. F., T. L. Madden, A. A. Schaffer, J. Zhang, Z. Zhang, W. Miller, D. J. Lipman.** 1997. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* **25**:3389-3402.
- Andersson, S. G. E., C. G. Kurland.** 1990. Codon preferences in free-living microorganisms. *Microbiol. Rev.* **54**:198-210.
- Aono, R., N. Tsukagoshi, M. Yamamoto.** 1998. Involvement of outer membrane protein TolC, a possible member of the *mar-sox* regulon, in maintenance and improvement of organic solvent tolerance of *Escherichia coli* K-12. *J. Bacteriol.* **180**:938-944.
- Appleyard, R. K.** 1954. Segregation of new lysogenic types during growth of a doubly lysogenic strain derived from *E. coli* K-12. *Genetics* **39**:440
- Arab, S., C. A. Lingwood.** 1996. Influence of phospholipid chain length on verotoxin/globotriaosyl ceramide binding in model membranes: comparison of a supported bilayer film and liposomes. *Glycoconj. J.* **13**:159-166.
- Arab, S., C. A. Lingwood.** 1998. Intracellular targeting of the endoplasmic reticulum/nuclear envelope by retrograde transport may determine cell hypersensitivity to verotoxin via globotriaosyl ceramide fatty acid isoform traffic. *J. Cell. Physiol.* **177**:646-660.
- Arab, S., M. Murakami, P. Dirks, B. Boyd, S. L. Hubbard, C. A. Lingwood, J. T. Rutka.** 1998. Verotoxins inhibit the growth of and induce apoptosis in human astrocytoma cells. *J. Neurooncol.* **40**:137-150.
- Arnardóttir, A., S. Thorbjarnardóttir, G. Eggertson.** 1980. Mapping of the *supP* (Su6⁺) amber suppressor gene in *Escherichia coli*. *J. Bacteriol.* **141**:977-978.
- Ascón, M. A., D. M. Hone, N. Walters, D. W. Pascual.** 1998. Oral immunization with a *Salmonella typhimurium* vaccine vector expressing recombinant enterotoxigenic *Escherichia coli* K99 fimbriae elicits elevated antibody titers for protective immunity. *Infect. Immun.* **66**:5470-5476.

- Ashkenazi, S., L. May, M. LaRocco, E. L. Lopez, T. G. Cleary.** 1991. The effect of postnatal age on the adherence of enterohemorrhagic *Escherichia coli* to rabbit intestinal cells. *Pediatr. Res.* **29**:14-19.
- Attridge, S. R., E. Voss, P. A. Manning.** 1999. Pathogenic and vaccine significance of toxin-coregulated pili of *Vibrio cholerae* El Tor. *J. Biotechnol.* **73**:109-117.
- Bailey, M. J. A., C. Hughes, V. Koronakis.** 1996. Increased distal gene transcription by the elongation factor RfaH, a specialized homologue of NusG. *Mol. Microbiol.* **22**:729-737.
- Bailey, M. J. A., C. Hughes, V. Koronakis.** 1997. RfaH and the *ops* element, components of a novel system controlling bacterial transcription elongation. *Mol. Microbiol.* **26**:845-851.
- Bain, C., R. Keller, G. K. Collington, L. R. Trabulsi, S. Knutton.** 1998. Increased levels of intracellular calcium are not required for the formation of attaching and effacing lesions by enteropathogenic *Escherichia coli*. *Infect. Immun.* **66**:3900-3908.
- Baldwin, T. J., S. Knutton, L. Sellers, H. A. M. Hernandez, A. Aitken, P. H. Williams.** 1992. Enteropathogenic *Escherichia coli* strains secrete a heat-labile toxin antigenically related to *E. coli* hemolysin. *Infect. Immun.* **60**:2092-2095.
- Barnett Foster, D., D. Philpott, M. Abul-Milh, M. Huesca, P. M. Sherman, C. A. Lingwood.** 1999. Phosphatidylethanolamine recognition promotes enteropathogenic *E. coli* and enterohemorrhagic *E. coli* host cell attachment. *Microb. Pathog.* **27**:289-301.
- Barondess, J. J., J. Beckwith.** 1990. A bacterial virulence determinant encoded by lysogenic coliphage λ . *Nature* **346**:871-874.
- Barondess, J. J., J. Beckwith.** 1995. *bor* gene of phage λ , involved in serum resistance, encodes a widely conserved outer membrane lipoprotein. *J. Bacteriol.* **177**:1247-1253.
- Bartlett, D. H., B. B. Frantz, P. Matsumuria.** 1988. Flagellar transcriptional activators FlbB and FlaI: gene sequences and 5' consensus sequences of operons under FlbB and FlaI control. *J. Bacteriol.* **170**:1575-1581.
- Bârzu, S., J. Arondel, S. Guillot, P. J. Sansonetti, A. Phalipon.** 1998. Immunogenicity of IpaC-hybrid proteins expressed in the *Shigella flexneri* 2a vaccine candidate SC602. *Infect. Immun.* **66**:77-82.
- Bârzu, S., A. Fontaine, P. J. Sansonetti, A. Phalipon.** 1996. Induction of a local anti-IpaC antibody response in mice by use of a *Shigella flexneri* 2a vaccine candidate: implications for use of IpaC as a protein carrier. *Infect. Immun.* **64**:1190-1196.
- Bast, D. J., L. Banerjee, C. Clark, R. J. Read, J. L. Brunton.** 1999. The identification of three biologically relevant globotriaosyl ceramide receptor binding sites on the Verotoxin 1 B subunit. *Mol. Microbiol.* **32**:953-960.
- Bast, D. J., J. L. Brunton, M. A. Karmali, S. E. Richardson.** 1997a. Toxicity and immunogenicity of a verotoxin 1 mutant with reduced globotriaosylceramide receptor binding in rabbits. *Infect. Immun.* **65**:2019-2028.
- Bast, D. J., J. Sandhu, N. Hozumi, B. Barber, J. Brunton.** 1997b. Murine antibody responses to the verotoxin 1 B subunit: demonstration of major histocompatibility complex dependence and an immunodominant epitope involving phenylalanine 30. *Infect. Immun.* **65**:2978-2982.
- Bauer, M. E., R. A. Welch.** 1996. Characterization of an RTX toxin from enterohemorrhagic *Escherichia coli* O157:H7. *Infect. Immun.* **64**:167-175.
- Beinke, C., S. Laarmann, C. Wachter, H. Karch, L. Greune, M. A. Schmidt.** 1998. Diffusely adhering *Escherichia coli* strains induce attaching and effacing phenotypes and secrete homologs of Esp proteins. *Infect. Immun.* **66**:528-539.
- Beltrametti, F., A. U. Kresse, C. A. Guzman.** 1999. Transcriptional regulation of the *esp* genes of enterohemorrhagic *Escherichia coli*. *J. Bacteriol.* **181**:3409-3418.
- Benitez, J. A., A. J. Silva, B. L. Rodriguez, R. Fando, J. Campos, A. Robert, H. Garcia, L. Garcia, J. L. Perez, R. Oliva, C. A. Torres, T. Ledon.** 1996. Genetic manipulation of *Vibrio cholerae* for vaccine development: construction of live attenuated El Tor candidate vaccine strains. *Arch. Med. Res.* **27**:275-283.
- Benz, I., M. A. Schmidt.** 1992. Isolation and serologic characterization of AIDA-I, the adhesin mediating the diffuse adherence phenotype of the diarrhea-associated *Escherichia coli* strain 2787 (O126:H27). *Infect. Immun.* **60**:13-18.
- Berg, O. G., C. G. Kurland.** 1997. Growth rate-optimised tRNA abundance and codon usage. *J. Mol. Biol.* **270**:544-550.

- Berger, H., J. Hacker, A. Juarez, C. Hughes, W. Goebel.** 1982. Cloning of the chromosomal determinants encoding hemolysin production and mannose-resistant hemagglutination in *Escherichia coli*. *J. Bacteriol.* **152**:1241-1247.
- Berry, A. M., J. C. Paton.** 2000. Additive attenuation of virulence of *Streptococcus pneumoniae* by mutation of the genes encoding pneumolysin and other putative pneumococcal virulence proteins. *Infect Immun* **68**:133-140.
- Bethesda Research Laboratories.** 1986. BRL pUC host *E. coli* DH5 α competent cells. Bethesda Res. Lab. Focus **8**:9
- Beutin, L. et al.** 1994. Zur Identifizierung von Verotoxin-bildenden (VTEC) und enterohämorrhagischen *Escherichia coli* (EHEC) auf Indikator Nährböden. *Klin. Labor* **40**:193-201.
- Beutin, L., M. A. Montenegro, I. Ørskov, F. Ørskov, J. Prada, S. Zimmermann, R. Stephan.** 1989. Close association of verotoxin (Shiga-like toxin) production with enterohemolysin production in strains of *Escherichia coli*. *J. Clin. Microbiol.* **27**:2559-2564.
- Beutin, L., U. H. Stroehrer, P. A. Manning.** 1993. Isolation of enterohemolysin (Ehly2)-associated sequences encoded on temperate phages of *Escherichia coli*. *Gene* **132**:95-99.
- Bilge, S. S., C. R. Clausen, W. Lau, S. L. Moseley.** 1989. Molecular characterization of a fimbrial adhesin, F1845, mediating diffuse adherence of diarrhea-associated *Escherichia coli* to HEp-2 cells. *J. Bacteriol.* **171**:4281-4289.
- Bilge, S. S., J. C. Vary, Jr., S. F. Dowell, P. I. Tarr.** 1996. Role of the *Escherichia coli* O157:H7 O side chain in adherence and analysis of an *rfb* locus. *Infect. Immun.* **64**:4795-4801.
- Bishai, W. R., J. R. Murphy.** 1988. Bacteriophage gene products that cause human disease. *In: R. Calendar (ed.), The Bacteriophages, Vol. 2, Plenum Press, New York, pp. 683-724.*
- Blair, D. F.** 1995. How bacteria sense and swim. *Annu. Rev. Microbiol.* **49**:489-522.
- Blanco, M., J. E. Blanco, J. Blanco, E. A. Gonzalez, M. P. Alonso, H. Maas, W. H. Jansen.** 1996. Prevalence and characteristics of human and bovine verotoxigenic *Escherichia coli* strains isolated in Galicia (north-western Spain). *Eur. J. Epidemiol.* **12**:13-19.
- Blomfield, I. C., M. S. McClain, J. A. Princ, P. J. Calie, B. I. Eisenstein.** 1991. Type 1 fimbriation and *fimE* mutants of *Escherichia coli* K-12. *J. Bacteriol.* **173**:5298-5307.
- Blum, G., M. Ott, A. Lischewski, A. Ritter, H. Imrich, H. Tschäpe, J. Hacker.** 1994. Excision of large DNA regions termed pathogenicity islands from tRNA-specific loci in the chromosome of an *Escherichia coli* wild-type pathogen. *Infect. Immun.* **62**:606-614.
- Blum, M., H. Beier, H. J. Gross.** 1987. Improved silver staining of plant proteins, RNA and DNA in polyacrylamid gels. *Electrophoresis* **8**:93-99.
- Boerlin, P., S. A. McEwen, F. Boerlin-Petzold, J. B. Wilson, R. P. Johnson, C. L. Gyles.** 1999. Associations between virulence factors of Shiga toxin-producing *Escherichia coli* and disease in humans. *J. Clin. Microbiol.* **37**:497-503.
- Borie, C. F., Z. Monreal, J. Martinez, C. Arellano, V. Prado.** 1997. Detection and characterization of enterohaemorrhagic *Escherichia coli* in slaughtered cattle. *Zentralbl. Veterinarmed. [B]* **44**:273-279.
- Bosworth, B. T., J. E. Samuel, H. W. Moon, A. D. O'Brien, V. M. Gordon, S. C. Whipp.** 1996. Vaccination with genetically modified Shiga-like toxin IIe prevents edema disease in swine. *Infect. Immun.* **64**:55-60.
- Bouquin, N., M. X. Chen, S. Kim, F. Vannier, S. Bernard, I. B. Holland, S. J. Séror.** 1996. Characterization of an *Escherichia coli* mutant, *feeA*, displaying resistance to the calmodulin inhibitor 48/80 and reduced expression of the rare tRNA₃^{Leu}. *Mol. Microbiol.* **20**:853-865.
- Bowe, F., C. J. Lipps, R. M. Tsohis, E. Groisman, F. Heffron, J. G. Kusters.** 1998. At least four percent of the *Salmonella typhimurium* genome is required for fatal infection of mice. *Infect. Immun.* **66**:3372-3377.
- Boyd, B., G. Tyrrell, M. Maloney, C. Gyles, J. Brunton, C. Lingwood.** 1993. Alteration of the glycolipid binding specificity of the pig edema toxin from globotetraosyl to globotriaosyl ceramide alters in vivo tissue targeting and results in a verotoxin 1-like disease in pigs. *J. Exp. Med.* **177**:1745-1753.
- Boyer, H. W., D. Roulland-Dussoix.** 1969. A complementation analysis of the restriction and modification of DNA in *Escherichia coli*. *J. Mol. Biol.* **41**:459-472.
- Bradford, M.** 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* **72**:248-254.
- Brickman, E., J. Beckwith.** 1975. Analysis of the regulation of *Escherichia coli* alkaline phosphatase synthesis using deletions and phage80 transducing phages. *J. Mol. Biol.* **96**:307-316.

- Brossier, F., M. Mock, J. C. Sirard.** 1999. Antigen delivery by attenuated *Bacillus anthracis*: new prospects in veterinary vaccines. *J. Appl. Microbiol.* **87**:298-302.
- Brunder, W., H. Schmidt, H. Karch.** 1997. EspP, a novel extracellular serine protease of enterohaemorrhagic *Escherichia coli* O157:H7 cleaves human coagulation factor V. *Mol. Microbiol.* **24**:767-778.
- Buchmeier, N., S. Bossie, C.-Y. Chen, F. C. Fang, D. G. Guiney, S. J. Libby.** 1997. SlyA, a transcriptional regulator of *Salmonella typhimurium*, is required for resistance to oxidative stress and is expressed in the intracellular environment of macrophages. *Infect. Immun.* **65**:3725-3730.
- Buchmeier N. A., S. J. Libby, Y. Xu, P. C. Loewen, J. Switala, D. G. Guiney, F. C. Fang.** 1995. DNA repair is more important than catalase for *Salmonella* virulence in mice. *J. Clin. Invest.* **95**:1047-1053.
- Buchmeier, N. A., C. J. Lipps, M. Y. So, F. Heffron.** 1993. Recombination-deficient mutants of *Salmonella typhimurium* are avirulent and sensitive to the oxidative burst of macrophages. *Mol. Microbiol.* **7**:933-936.
- Burgess, B. J., L. M. Roberts.** 1993. Proteolytic cleavage at arginine residues within the hydrophilic disulphide loop of the *Escherichia coli* Shiga-like toxin I A subunit is not essential for cytotoxicity. *Mol. Microbiol.* **10**:171-179.
- Burghoff, R. L., L. Pallesen, K. A. Krogfelt, J. V. Newman, M. Richardson, J. L. Bliss, D. C. Laux, P. S. Cohen.** 1993. Utilization of the mouse large intestine to select an *Escherichia coli* F-18 DNA sequence that enhances colonizing ability and stimulates synthesis of type 1 fimbriae. *Infect. Immun.* **61**:1293-1300.
- Burland, V., Y. Shao, N. T. Perna, G. Plunkett, H. J. Sofia, F. R. Blattner.** 1998. The complete DNA sequence and analysis of the large virulence plasmid of *Escherichia coli* O157:H7. *Nucleic Acids Res.* **26**:4196-4204.
- Butterton J. R., S. A. Boyko, S. B. Calderwood.** 1993. Use of the *Vibrio cholerae* *irgA* gene as a locus for insertion and expression of heterologous antigens in cholera vaccine strains. *Vaccine* **11**:1327-1335.
- Butterton, J. R., S. B. Calderwood.** 1998. Live, oral attenuated vaccine vectors for prevention of Shiga toxin-producing *Escherichia coli* infection. In J. B. Kaper and A. D. O'Brien (eds.): *Escherichia coli* O157:H7 and other Shiga toxin-producing *E. coli*-strains. ASM Press, Washington DC, 1998, p. 425-433.
- Calderwood, S. B., D. W. K. Acheson, G. T. Keusch, T. J. Barrett, P. M. Griffin, N. A. Strockbine, B. Swaminathan, J. B. Kaper, M. M. Levine, B. S. Kaplan, H. Karch, A. D. O'Brien, T. G. Obrig, Y. Takeda, P. I. Tarr, I. K. Wachsmuth.** 1996. Proposed new nomenclature for SLT (VT) family. *ASM News* **62**:118-119.
- Calderwood, S. B., J. J. Mekalanos.** 1987. Iron regulation of Shiga-like toxin production in *Escherichia coli* is mediated by the *fur* locus. *J. Bacteriol.* **169**:4759-4764.
- Caldwell, A. L., P. A. Gulig.** 1991. The *Salmonella typhimurium* virulence plasmid encodes a positive regulator of a plasmid-encoded virulence gene. *J. Bacteriol.* **173**:7176-7185.
- Campbell, A.** 1994. Comparative molecular biology of lambdoid phages. *Annu. Rev. Microbiol.* **48**:193-222.
- Campbell, A. M.** 1996. Bacteriophages. In F. C. Neidhardt *et al.* (eds.): *Escherichia coli* and *Salmonella*: cellular and molecular biology. 2nd ed., ASM Press, Washington DC, 1996, p. 2325-2338.
- Cao, C., H. Kurazono, S. Yamasaki, K. Kashiwagi, K. Igarashi, Y. Takeda.** 1994. Construction of mutant genes for a non-toxic verotoxin 2 variant (VT2vp1) of *Escherichia coli* and characterization of purified mutant toxins. *Microbiol. Immunol.* **38**:441-447.
- Carbonetti, N. H., P. H. Williams.** 1984. A cluster of five genes specifying the aerobactin iron uptake system of plasmid ColV-K30. *Infect. Immun.* **46**:7-12.
- Chan, T.-S., A. Garen.** 1969. Amino acid substitutions resulting from suppression of nonsense mutations. IV. Leucine insertions by the Su6⁺ suppressor. *J. Mol. Biol.* **45**:545-548.
- Chart, H., C. Jenkins, H. R. Smith, D. Hedges, B. Rowe.** 1998. Haemolysin production by strains of Verocytotoxin-producing *Escherichia coli*. *Microbiology* **144**:103-107.
- Chatfield, S. N., K. Strahan, D. Pickard, I. G. Charles, C. E. Hormaeche, G. Dougan.** 1992. Evaluation of *Salmonella typhimurium* strains harbouring defined mutations in *htrA* and *aroA* in the murine salmonellosis model. *Microb. Pathog.* **12**:145-151.

- Cheetham, B. F., M. E. Katz.** 1995. A role for bacteriophages in the evolution and transfer of bacterial virulence determinants. *Mol. Microbiol.* **18**:201-208.
- Chen, G. F., M. Inouye.** 1994. Role of the AGA/AGG codons, the rarest codons in global gene expression in *Escherichia coli*. *Genes & Development* **8**:2641-2652.
- Chen, I., T. M. Finn, L. Yanqing, Q. Guoming, R. Rappuoli, M. Pizza.** 1998. A recombinant live attenuated strain of *Vibrio cholerae* induces immunity against tetanus toxin and *Bordetella pertussis* tracheal colonization factor. *Infect. Immun.* **66**:1648-1653.
- Chen, K.-S., T. C. Peters, J. R. Walker.** 1990. A minor arginine tRNA mutant limits translation preferentially of a protein dependent on the cognate codon. *J. Bacteriol.* **172**:2504-2510.
- Chen, M. X., N. Bouquin, V. Norris, S. Casarégola, S. J. Séror, I. B. Holland.** 1991. A single base change in the acceptor stem of tRNA₃^{Leu} confers resistance upon *Escherichia coli* to the calmodulin inhibitor, 48/80. *EMBO J.* **10**:3113-3122.
- Clark, C., D. Bast, A. M. Sharp, P. M. St Hilaire, R. Agha, P. E. Stein, E. J. Toone, R. J. Read, J. L. Brunton.** 1996. Phenylalanine 30 plays an important role in receptor binding of verotoxin-1. *Mol. Microbiol.* **19**:891-899.
- Clouthier, S. C., S. K. Collinson, A. P. White, P. A. Banser, W. W. Kay.** 1998. tRNA^{Arg} (*fimU*) and expression of SEF14 and SEF21 in *Salmonella enteritidis*. *J. Bacteriol.* **180**:840-845.
- Cockerill, F., III, G. Beebakhee, R. Soni, P. Sherman.** 1996. Polysaccharide side chains are not required for attaching and effacing adhesion of *Escherichia coli* O157:H7. *Infect. Immun.* **64**:3196-3200.
- Conlan, J. W., R. KuoLee, A. Webb, M. B. Perry.** 1999. *Salmonella landau* as a live vaccine against *Escherichia coli* O157:H7 investigated in a mouse model of intestinal colonization. *Can. J. Microbiol.* **45**:723-731.
- Conlan, J. W., A. D. Cox, R. KuoLee, A. Webb, M. B. Perry.** 1999. Parenteral immunization with a glycoconjugate vaccine containing the O157 antigen of *Escherichia coli* O157:H7 elicits a systemic humoral immune response in mice, but fails to prevent colonization by the pathogen. *Can. J. Microbiol.* **45**:279-286.
- Conner, C. P., D. M. Heithoff, M. J. Mahan.** 1998. *In vivo* gene expression: contributions to infection, virulence, and pathogenesis. *Curr. Top. Microbiol. Immunol.* **225**:1-12.
- Cooling, L. L. W., K. E. Walker, T. Gille, T. A. W. Koerner.** 1998. Shiga toxin binds human platelets via Globotriaosylceramide (P^k antigen) and a novel platelet glycosphingolipid. *Infect. Immun.* **66**:4355-4366.
- Cornelis, G. R.** 1993. Role of the transcription activator *virF* and the histone-like protein YmoA in the thermoregulation of virulence functions in yersiniae. *Int. J. Med. Microbiol. Virol. Parasitol.* **278**:149-164.
- Coster, T. S., C. W. Hoge, L. L. VanDeVerg, A. B. Hartman, E. V. Oaks, M. M. Vankatesan, D. Cohen, G. Robin, A. Fontaine-Thompson, P. J. Sansonetti, T. L. Hale.** 1999. Vaccination against Shigellosis with attenuated *Shigella flexneri* 2a strain SC602. *Infect. Immun.* **67**:3437-3443.
- Covone, M. G., M. Brocchi, E. Palla, W. D. da Silveira, R. Rappuoli, C. L. Galeotti.** 1998. Levels of expression and immunogenicity of attenuated *Salmonella enterica* serovar typhimurium strains expressing *Escherichia coli* mutant heat-labile enterotoxin. *Infect. Immun.* **66**:224-231.
- Coynault, C., F. Norel.** 1999. Comparison of the abilities of *Salmonella typhimurium rpoS*, *aroA* and *rpoS aroA* strains to elicit humoral immune responses in BALB/c mice and to cause lethal infection in athymic BALB/c mice. *Microb. Pathog.* **26**:299-305.
- Coynault, C., V. Robbe-Saule, F. Norel.** 1996. Virulence and vaccine potential of *Salmonella typhimurium* mutants deficient in the expression of the RpoS (sigma S) regulon. *Mol. Microbiol.* **22**:149-160.
- Curtiss, R., III, S. M. Kelly.** 1987. *Salmonella typhimurium* deletion mutants lacking adenylate cyclase and cyclic AMP receptor protein are avirulent and immunogenic. *Infect. Immun.* **55**:3035-3043.
- Czczulin, J. R., S. Balepur, S. Hicks, A. Phillips, R. Hall, M. H. Kothary, F. Navarro-Garcia, J. P. Nataro.** 1997. Aggregative adherence fimbria II; a second fimbrial antigen mediating aggregative adherence in enteroaggregative *Escherichia coli*. *Infect. Immun.* **65**:4135-4145.
- Datta, A. R., M. M. Benjamin.** 1999. Cell density dependent acid sensitivity in stationary phase cultures of enterohemorrhagic *Escherichia coli* O157:H7. *FEMS Microbiol. Lett.* **181**:289-295.
- Davis, B. M., H. H. Kimsey, W. Chang, M. K. Waldor.** 1999. The *Vibrio cholerae* O139 Calcutta bacteriophage CTX ϕ is infectious and encodes a novel repressor. *J. Bacteriol.* **181**:6779-6787.

- Deibel, C., S. Krämer, T. Chakraborty, F. Ebel.** 1998. EspE, a novel secreted protein of attaching and effacing bacteria, is directly translocated into infected host cells, where it appears as a tyrosine-phosphorylated 90 kDa protein. *Mol. Microbiol.* **28**:463-474.
- de Grandis, S., J. Ginsberg, M. Toone, S. Climie, J. Friesen, J. Brunton.** 1987. Nucleotide sequence and promoter mapping of the *Escherichia coli* Shiga-like toxin operon of bacteriophage H-19B. *J. Bacteriol.* **169**:4313-4319.
- Del Giudice, G., M. Pizza, R. Rappuoli.** 1998. Molecular basis of vaccination. *Mol Aspects Med.* **19**:1-70.
- Del Giudice, G., R. Rappuoli.** 1999. Genetically derived toxoids for use as vaccines and adjuvants. *Vaccine* **17 Suppl 2**:S44-S52.
- de Mena, M. F., M. Tous, E. Miliwebsky, G. Chillemi, M. Rivas.** 1997. Differential kinetic patterns for Shiga toxin production by *Escherichia coli*. *Rev. Argent. Microbiol.* **29**:167-175.
- Deresiewicz, R. L., P. R. Austin, C. J. Hovde.** 1993. The role of tyrosine-114 in the enzymatic activity of the Shiga-like toxin I A-chain. *Mol. Gen. Genet.* **241**:467-473.
- Deresiewicz, R. L., S. B. Calderwood, J. D. Robertus, R. J. Collier.** 1992. Mutations affecting the activity of the Shiga-like toxin I A-chain. *Biochemistry* **31**:3272-3280.
- DeVinney, R., M. Stein, D. Reinscheid, A. Abe, S. Ruschkowski, B. B. Finlay.** 1999. Enterohemorrhagic *Escherichia coli* O157:H7 produces Tir, which is translocated to the host cell membrane but is not tyrosine phosphorylated. *Infect. Immun.* **67**:2389-2398.
- DiPetrillo, M. D., T. Tibbetts, H. Kleanthous, K. P. Killeen, E. L. Hohmann.** 1999. Safety and immunogenicity of *phoP/phoQ*-deleted *Salmonella typhi* expressing *Helicobacter pylori* urease in adult volunteers. *Vaccine* **18**:449-459.
- DiRita, V. J.** 1992. Co-ordinate expression of virulence genes by ToxR in *Vibrio cholerae*. *Mol. Microbiol.* **6**:451-458.
- Djafari, S., F. Ebel, C. Deibel, S. Kramer, M. Hudel, T. Chakraborty.** 1997. Characterization of an exported protease from Shiga toxin-producing *Escherichia coli*. *Mol. Microbiol.* **25**:771-784.
- Djavani, M., C. Yin, L. Xia, I. S. Lukashevich, C. D. Pauza, M. S. Salvato.** 2000. Murine immune responses to mucosally delivered *Salmonella* expressing Lassa fever virus nucleoprotein. *Vaccine* **18**:1543-1554.
- Dobrindt, U.** 1999. Molekularbiologische Untersuchungen zur Bedeutung der *leuX*-kodierte tRNA₅^{Leu} für die Virulenz pathogener *Escherichia coli* Stämme. Universität Würzburg, Doktorarbeit.
- Dobrindt, U., P. S. Cohen, M. Utley, I. Mühldorfer, J. Hacker.** 1998. The *leuX*-encoded tRNA₅^{Leu} but not the pathogenicity islands I and II influence the survival of the uropathogenic *Escherichia coli* strain 536 in CD-1 mouse bladder mucus in the stationary phase. *FEMS Microbiol. Lett.* **162**:135-141.
- Dobrindt, U., J. Hacker.** 1999. Plasmids, phages and pathogenicity islands in relation with bacterial protein toxins: Impact on the evolution of microbes. In: J. E. Alouf and J. H. Freer (eds.), *The Comprehensive Sourcebook of Bacterial Protein Toxins*, 2nd ed., 3-23, Academic Press London.
- Donato, G. M., T. H. Kawula.** 1999. Phenotypic analysis of random *hns* mutations differentiate DNA-binding activity from properties of *fimA* promoter inversion modulation and bacterial motility. *J. Bacteriol.* **181**:941-948.
- Dong, H., L. Nilsson, C. G. Kurland.** 1996. Co-variation of tRNA abundance and codon usage in *Escherichia coli* at different growth rates. *J. Mol. Biol.* **260**:649-663.
- Donnenberg, M. S., J. B. Kaper.** 1991. Construction of an *eae* deletion mutant of enteropathogenic *Escherichia coli* by using a positive-selection suicide vector. *Infect. Immun.* **59**:4310-4317.
- Donnenberg, M. S., S. Tzipori, M. L. McKee, A. D. O'Brien, J. Alroy, J. B. Kaper.** 1993. The role of the *eae* gene of enterohemorrhagic *Escherichia coli* in intimate attachment in vitro and in a porcine model. *J. Clin. Invest.* **92**:1418-1424.
- Donohue-Rolfe, A., D. W. Acheson, A. V. Kane, G. T. Keusch.** 1989. Purification of Shiga toxin and Shiga-like toxins I and II by receptor analog affinity chromatography with immobilized P1 glycoprotein and production of cross-reactive monoclonal antibodies. *Infect. Immun.* **57**:3888-3893.
- Donohue-Rolfe, A., I. Kondova, J. Mukherjee, K. Chios, D. Hutto, S. Tzipori.** 1999. Antibody-based protection of gnotobiotic piglets infected with *Escherichia coli* O157:H7 against systemic complications associated with Shiga toxin 2. *Infect. Immun.* **67**:3645-3648.
- Donohue-Rolfe, A., G. T. Keusch.** 1983. *Shigella dysenteriae* 1 cytotoxin: Periplasmic protein releasable by polymyxin B and osmotic shock. *Infect. Immun.* **39**:270-274.

- Donohue-Rolfe, A., G. T. Keusch, C. Edson, D. Thorley-Lawson, M. Jacewicz.** 1984. Pathogenesis of *Shigella* diarrhea. IX. Simplified high yield purification of *Shigella* toxin and characterization of subunit composition and function by the use of subunit-specific monoclonal and polyclonal antibodies. *J. Exp. Med.* **160**:1767-1781.
- D’Orazio, S. E. F., C. M. Collins.** 1998. Molecular pathogenesis of urinary tract infections. *Curr. Top. Microbiol. Immunol.* **225**:137-164.
- Dorman, C. J.** 1995. DNA topology and the global control of bacterial gene expression: implications for the regulation of virulence gene expression. *Microbiology* **141**:1271-1280.
- Dorman, C. J., S. Chatfield, C. F. Higgins, C. Hayward, G. Dougan.** 1989. Characterization of porin and *ompR* mutants of a virulent strain of *Salmonella typhimurium*: *ompR* mutants are attenuated *in vivo*. *Infect. Immun.* **57**:2136-2140.
- Dougan, G., S. N. Chatfield, D. Pickard, D. O’Callaghan, D. Maskell.** 1988. Construction and characterisation of *Salmonella vaccine* strains harbouring mutations in two different *aro* genes. *J. Infect. Dis.* **158**:1329-1335.
- Dowdle, W. R., W. A. Orenstein.** 1994. Quest for life-long protection by vaccination. *Proc. Natl. Acad. Sci. USA* **91**:2464-2468.
- Dunstan, S. J., C. P. Simmons, R. A. Strugnell.** 1998. Comparison of the abilities of different attenuated *Salmonella typhimurium* strains to elicit humoral immune responses against a heterologous antigen. *Infect. Immun.* **66**:732-740.
- Durand, J. M. B., G. R. Björk, A. Kuwae, M. Yoshikawa, C. Sasakawa.** 1997. The modified nucleoside 2-methylthio-N⁶-isopentenyladenosine in tRNA of *Shigella flexneri* is required for expression of virulence genes. *J. Bacteriol.* **179**:5777-5782.
- Durand, J. M., N. Okada, T. Tobe, M. Watarai, I. Fukuda, T. Suzuki, N. Nakata, K. Komatsu, M. Yoshikawa, C. Sasakawa.** 1994. *vacC*, a virulence-associated chromosomal locus of *Shigella flexneri*, is homologous to *tgt*, a gene encoding tRNA-Guanine transglycosylase (Tgt) of *Escherichia coli* K-12. *J. Bacteriol.* **176**:4627-4634.
- Dove, S. L., S. G. J. Smith, C. J. Dorman.** 1997. Control of *Escherichia coli* type 1 fimbrial gene expression in stationary phase: a negative role for RpoS. *Mol. Gen. Genet.* **254**:13-20.
- Dworkin, J., M. J. Blaser.** 1997. Molecular mechanisms of *Campylobacter fetus* surface layer protein expression. *Mol. Microbiol.* **26**:433-440.
- Dworkin, J., O. L. Shedd, M. J. Blaser.** 1997. Nested DNA inversion of *Campylobacter fetus* S-layer genes is *recA* dependent. *J. Bacteriol.* **179**:7523-7529.
- Earhart, C. F.** 1996. Uptake and metabolism of iron and molybdenum. *In* F. C. Neidhardt *et al.* (eds.): *Escherichia coli* and *Salmonella*: cellular and molecular biology. 2nd ed., ASM Press, Washington DC, 1996, p. 1075-1090.
- Ebel, F., T. Podzadel, M. Rohde, A. U. Kresse, S. Krämer, C. Deibel, C. A. Guzmán, T. Chakraborty.** 1998. Initial binding of Shiga toxin-producing *Escherichia coli* to host cells and subsequent induction of actin rearrangements depend on filamentous EspA-containing surface appendages. *Mol. Microbiol.* **30**:147-161.
- Elliott, S. J., L. A. Wainwright, T. K. McDaniel, K. G. Jarvis, Y. Deng, L. Lai, B. P. McNamara, M. S. Sonnenberg, J. B. Kaper.** 1998. The complete sequence of the locus of enterocyte effacement (LEE) from enteropathogenic *Escherichia coli* E2348/69. *Mol. Microbiol.* **28**:1-4.
- Elliott, S. J., J. Yu, J. B. Kaper.** 1999. The cloned locus of enterocyte effacement from enterohemorrhagic *Escherichia coli* O157:H7 is unable to confer the attaching and effacing phenotype upon *E. coli* K-12. *Infect. Immun.* **67**:4260-4263.
- Elliott, T., J. R. Roth.** 1988. Characterization of Tn10d-Cam: A transposition-defective Tn10 specifying chloramphenicol resistance. *Mol. Gen. Genet.* **213**:332-338.
- Emilsson, V., C. S. Kurland.** 1990. Growth rate dependence of transfer RNA abundance in *Escherichia coli*. *EMBO J.* **9**:4359-4366.
- Emilsson, V., A. K. Näslund, C. G. Kurland.** 1993. Growth-rate-dependent accumulation of twelve tRNA species in *Escherichia coli*. *J. Mol. Biol.* **230**:483-491.
- Enami, M., N. Nakasone, Y. Honma, S. Kakinohana, J. Kudaka, M. Iwanaga.** 1999. Expression of type I pili is abolished in verotoxin-producing *Escherichia coli* O157. *FEMS Microbiol. Lett.* **179**:467-472.

- Endo Y., K. Tsurugi, T. Yutsudo, Y. Takeda, T. Ogasawara, K. Igarashi.** 1988. Site of action of Verotoxin (VT2) from *Escherichia coli* O157:H7 and of Shiga toxin on eukaryotic ribosomes. RNA N-glycosidase activity of the toxins. *Eur. J. Biochem.* **171**:45-50.
- Fagundes-Neto, U.** 1996. Enteropathogenic *Escherichia coli* infection in infants: clinical aspects and small bowel morphological alterations. *Rev. Microbiol. Sao Paulo* **27**(Suppl 1):117-119.
- Falconi, M., B. Colonna, G. Prosseda, G. Micheli, C. O. Gualerzi.** 1998. Thermoregulation of *Shigella* and *Escherichia coli* EIEC pathogenicity. A temperature-dependent structural transition of DNA modulates accessibility of *virF* promoter to transcriptional repressor H-NS. *EMBO J.* **17**:7033-7043.
- Fang, F. C., M. A. DeGroot, J. W. Foster, A. J. Bäumler, U. Ochsner, T. Testerman, S. Bearson, J.-C. Giárd, Y. Xu, G. Campbell, T. Laessig.** 1999. Virulent *Salmonella typhimurium* has two periplasmic Cu, Zn-superoxide dismutases. *Proc. Natl. Acad. Sci.* **96**:7502-7507.
- Fang, F. C., S. J. Libby, N. A. Buchmeier, P. C. Loewen, J. Switala, J. Harwood, D. G. Guiney.** 1992. The alternative sigma factor katF (rpoS) regulates *Salmonella* virulence. *Proc. Natl. Acad. Sci. USA* **89**:11978-11982.
- Faruque, S. M., Asadulghani, A. R. M. A. Alim, M. J. Albert, K. M. N. Islam, J. J. Mekalanos.** 1998. Induction of the lysogenic phage encoding cholera toxin in naturally occurring strains of toxigenic *Vibrio cholerae* O1 and O139. *Infect. Immun.* **66**:3752-3757.
- Figuerosa-Bossi, N., L. Bossi.** 1999. Inducible prophages contribute to *Salmonella* virulence in mice. *Mol. Microbiol.* **33**:167-176.
- Finlay, B. B., S. Falkow.** 1989. Common themes in microbial pathogenicity. *Microbiol. Rev.* **53**:210-230.
- Finlay, B. B., S. Falkow.** 1997. Common themes in microbial pathogenicity revisited. *Microbiol. Mol. Biol. Rev.* **61**:136-169.
- Fontaine, A., J. Arondel, P. J. Sansonetti.** 1988. Role of Shiga toxin in the pathogenesis of bacillary dysentery, studied by using a *tox⁻* mutant of *Shigella dysenteriae* 1. *Infect. Immun.* **56**:3099-3109.
- Forst, S. A., D. L. Roberts.** 1994. Signal transduction by the EnvZ-OmpR phosphotransfer system in bacteria. *Res. Microbiol.* **145**:363-373.
- Frankel, G., A. D. Phillips, I. Rosenshine, G. Dougan, J. B. Kaper, S. Knutton.** 1998. Enteropathogenic and enterohaemorrhagic *Escherichia coli*: more subversive elements. *Mol. Microbiol.* **30**:911-921.
- Fraser M. E., M. M. Chernaia, Y. V. Kozlov, M. N. James.** 1994a. Crystal structure of the holotoxin from *Shigella dysenteriae* at 2.5 Å resolution. *Nat. Struct. Biol.* **1**:59-64.
- Fraser, M. E., M. M. Chernaia, Y. V. Kozlov, M. N. G. James.** 1994b. X-Ray crystal structure of the Shiga toxin. In Freer *et al.* (Eds.), *Bacterial Protein Toxins*, Zbl. Bakt. Suppl. 24, Gustav Fischer, Stuttgart, Jena, New York, 1994.
- Fratamico, P. M., S. Bhaduri, R. L. Buchanan.** 1993. Studies on *Escherichia coli* serotype O157:H7 strains containing a 60-MDa plasmid and on 60-MDa plasmid-cured derivatives. *J. Med. Microbiol.* **39**:371-381.
- Friedman, D. I.** 1988. Regulation of phage gene expression by termination and antitermination of transcription. In: R. Calendar (ed.), *The Bacteriophages*, Vol. 2, Plenum Press, New York, pp. 263-320.
- Fuchs, S., I. Mühldorfer, A. Donohue-Rolfe, M. Kerényi, L. Emödy, R. Alexiev, P. Nenkov, J. Hacker.** 1999. Influence of RecA on *in vivo* virulence and Shiga toxin 2 production in *Escherichia coli* pathogens. *Microb. Pathog.* **27**:13-23.
- Fujii, J., Y. Kinoshita, T. Kita, A. Higure, T. Takeda, N. Tanaka, S. Yoshida.** 1996. Magnetic resonance imaging and histopathological study of brain lesions in rabbits given intravenous verotoxin 2. *Infect. Immun.* **64**:5053-5060.
- Fujii, J., T. Kita, S. Yoshida, T. Takeda, H. Kobayashi, N. Tanaka, K. Ohsato, Y. Mizuguchi.** 1994. Direct evidence of neuron impairment by oral infection with verotoxin-producing *Escherichia coli* O157:H⁻ in mitomycin-treated mice. *Infect. Immun.* **62**:3447-3453.
- Fukuda, T., T. Kimiya, M. Takahashi, Y. Arakawa, Y. Ami, Y. Suzaki, S. Naito, A. Horino, N. Nagata, S. Satoh, F. Gondaira, J. Sugiyama, Y. Nakano, M. Mori, S. Nishinohara, K. Komuro, T. Uchida.** 1998. Induction of protection against oral infection with cytotoxin-producing *Escherichia coli* O157:H7 in mice by shiga-like toxin-liposome conjugate. *Int. Arch. Allergy Immunol.* **116**:313-317.

- Fürste, J. P., W. Pansegrau, R. Frank, H. Blöcker, P. Scholz, M. Bagdasarian, E. Lanka.** 1986. Molecular cloning of the plasmid RP4 primase region in a multi-host-range *tacP* expression vector. *Gene* **48**:119-131.
- Gaastra, W., A.-M. Svennerholm.** 1996. Colonization factors of human enterotoxigenic *Escherichia coli* (ETEC). *Trends Microbiol.* **4**:444-452.
- Galan, J. E., R. Curtiss III.** 1989. Virulence and vaccine potential of *phoP* mutants of *Salmonella typhimurium*. *Microb. Pathog.* **6**:433-443.
- Galan, J. E., K. Nakayama, R. Curtiss 3d.** 1990. Cloning and characterization of the *asd* gene of *Salmonella typhimurium*: use in stable maintenance of recombinant plasmids in *Salmonella* vaccine strains. *Gene* **94**:29-35.
- Gannon, V. P., C. L. Gyles, B. P. Wilcock.** 1989. Effects of *Escherichia coli* Shiga-like toxins (verotoxins) in pigs. *Can. J. Vet. Res.* **53**:306-312.
- Garcia, G. M., P. K. Mar, D. A. Mullin, J. R. Walker, N. E. Prather.** 1986. The *E. coli dnaY* gene encodes an arginine transfer RNA. *Cell* **45**:453-459.
- García Véscovi, E., F. C. Soncini, E. A. Groisman.** 1994. The role of the PhoP/PhoQ regulon in *Salmonella* virulence. *Res. Microbiol.* **145**:473-480.
- García Véscovi, E., F. C. Soncini, E. A. Groisman.** 1996. Mg²⁺ as an extracellular signal: environmental regulation of *Salmonella* virulence. *Cell* **84**:165-174.
- Garred, O., B. van Deurs, K. Sandvig.** 1995. Furin-induced cleavage and activation of Shiga toxin. *J. Biol. Chem.* **270**:10817-10821.
- Gay, P., D. Le Coq, M. Steinmetz, T. Berkelman, C. I. Kado.** 1985. Positive selection procedure for the entrapment of insertion sequence elements in Gram-negative bacteria. *J. Bacteriol.* **164**:918-921.
- Gay, P., D. Le Coq, M. Seinmetz, E. Ferrari, J. A. Hoch.** 1983. Cloning structural gene *sacB*, which codes for exoenzyme levansucrase of *Bacillus subtilis*: expression of the gene in *Escherichia coli*. *J. Bacteriol.* **153**:1424-1431.
- Gedek, B. R.** Adherence of *Escherichia coli* serogroup O157 and the *Salmonella typhimurium* mutant DT104 to the surface of *Saccharomyces boulardii*. *Mycoses* **42**:261-264.
- Gentshev, I., G. Dietrich, H. J. Mollenkopf, Z. Sokolovic, J. Hess, S. H. Kaufmann, W. Goebel.** 1997. The *Escherichia coli* hemolysin secretion apparatus - a versatile antigen delivery system in attenuated *Salmonella*. *Behring Inst. Mitt.* (**98**):103-113.
- Gentshev, I., H. Mollenkopf, Z. Sokolovic, J. Hess, S. H. Kaufmann, W. Goebel.** 1996. Development of antigen-delivery systems, based on the *Escherichia coli* hemolysin secretion pathway. *Gene* **179**:133-140.
- Giacomoni, P. U.** 1983. Survival and induction of RecA protein in mitomycin C-treated *Escherichia coli rec, lex, or uvr* strains. *J. Biol. Chem.* **258**:13653-13657.
- Goldberg, M. B., S. A. Boyko, S. B. Calderwood.** 1991. Positive transcriptional regulation of an iron-regulated virulence gene in *Vibrio cholerae*. *Proc. Natl. Acad. Sci. USA* **88**:1125-1129.
- Goldberg, I., J. J. Mekalanos.** 1986. Cloning of the *Vibrio cholerae recA* gene and construction of a *Vibrio cholerae recA* mutant. *J. Bacteriol.* **165**:715-722.
- Gomez-Duarte, O. G., D. Bumann, T. F. Meyer.** 1999. The attenuated *Salmonella* vaccine approach for the control of *Helicobacter pylori*-related diseases. *Vaccine* **17**:1667-1673.
- Gomez-Duarte, O. G., J. B. Kaper.** 1995. A plasmid-encoded regulatory region activates chromosomal *eaeA* expression in enteropathogenic *Escherichia coli*. *Infect. Immun.* **63**:1767-1776.
- Goodson, M., R. J. Rowbury.** 1989. Habituation to normally lethal acidity by prior growth of *Escherichia coli* at a sub-lethal acid pH value. *Lett. Appl. Microbiol.* **8**:77-79.
- Gorden, J., P. L. C. Small.** 1993. Acid resistance in enteric bacteria. *Infect. Immun.* **61**:364-367.
- Gordon, V. M., S. C. Whipp, H. W. Moon, A. D. O'Brien, J. E. Samuel.** 1992. An enzymatic mutant of Shiga-like toxin II variant is a vaccine candidate for edema disease of swine. *Infect. Immun.* **60**:485-490.
- Gray, J., J. Wang, S. B. Gelvin.** 1992. Mutation of the *miaA* gene of *Agrobacterium tumefaciens* results in reduced *vir* gene expression. *J. Bacteriol.* **174**:1086-1098.
- Greenwood, K. T., R. K. J. Luke.** 1976. Studies on the enzymatic synthesis of enterochelin in *Escherichia coli* K-12. Four polypeptides involved in the conversion of 2,3-dihydroxybenzoate to enterochelin. *Biochim. Biophys. Acta* **454**:285-292.
- Gregoriadis, G., B. McCormack, M. Obrenovic, R. Saffie, B. Zadi, Y. Perrie.** 1999. Vaccine entrapment in liposomes. *Methods* **19**:156-162.

- Griffin, P. M., B. P. Bell, P. R. Cieslak, J. Tuttle, T. J. Barrett, M. P. Doyle, A. M. McNamara, A. M. Shefer, J. G. Wells.** 1994. Large outbreak of *Escherichia coli* O157:H7 infections in the Western United States: the big picture, p. 7-12. In M. A. Karmali and A. G. Goglio (ed.), Recent advances in verocytotoxin-producing *Escherichia coli* infections. Elsevier Science B.V., Amsterdam, The Netherlands.
- Griffin, P. M., R. V. Tauxe.** 1991. The epidemiology of infections caused by *Escherichia coli* O157:H7, other enterohemorrhagic *E. coli*, and the associated hemolytic uremic syndrome. *Epidemiol. Rev.* **13**:60-98.
- Guan, S., D. A. Bastin, N. K. Verma.** 1999. Functional analysis of the O antigen glucosylation gene cluster of *Shigella flexneri* bacteriophage SfX. *Microbiology* **145**:1263-1273.
- Guiney, D. G., S. Libby, F. C. Fang, M. Krause, J. Fierer.** 1995. Growth-phase regulation of plasmid virulence genes in *Salmonella*. *Trends Microbiol.* **3**:275-279.
- Gunzer, F., U. Bohn, S. Fuchs, I. Mühldorfer, Jörg Hacker, S. Tzipori, A. Donohue-Rolfe.** 1998. Construction and characterization of an isogenic *slt-ii* deletion mutant of enterohemorrhagic *Escherichia coli*. *Infect. Immun.* **66**:2337-2341.
- Gupta, R. K., W. Egan, D. A. Bryla, J. B. Robbins, S. C. Szu.** 1995. Comparative immunogenicity of conjugates composed of *Escherichia coli* O111 O-specific polysaccharide, prepared by treatment with acetic acid or hydrazine, bound to tetanus toxoid by two synthetic schemes. *Infect. Immun.* **63**:2805-2810.
- Guthrie, E. P., K. F. Chater.** (1990). The level of a transcript required for production of a *Streptomyces coelicolor* antibiotic is conditionally dependent on a tRNA gene. *J. Bacteriol.* **172**:6189-6193.
- Guyer, M. S., R. R. Reed, J. A. Steitz, K. B. Low.** 1981. Identification of a sex-factor-affinity site in *E. coli* as gamma delta. *Cold Spring Harbor Symp. Quant. Biol.* **45**:135-140.
- Gyles, C. L., S. A. De Grandis, C. MacKenzie, J. L. Brunton.** 1988. Cloning and nucleotide sequence analysis of the genes determining vero-cytotoxin production in a porcine edema disease isolate of *Escherichia coli*. *Microb. Pathog.* **5**:419-426.
- Habib, N. F., M. P. Jackson.** 1992. Identification of a B subunit gene promoter in the Shiga toxin operon of *Shigella dysenteriae* 1. *J. Bacteriol.* **174**:6498-6507.
- Habib, N. F., M. P. Jackson.** 1993. Roles of a ribosome-binding site and mRNA secondary structure in differential expression of Shiga toxin genes. *J. Bacteriol.* **175**:597-603.
- Hacker, J.** 1990. Genetic determinants coding for fimbriae and adhesins of extraintestinal *Escherichia coli*. *Curr. Top. Microbiol. Immunol.* **151**:1-27.
- Hacker, J.** 1996. Microbial pathogenicity factors as parts of global regulatory networks (a short review). *Acta Microbiol. Immunol. Hung.* **43**:19-24.
- Hacker, J., G. Blum-Oehler, B. Janke, G. Nagy, W. Goebel.** 1999. Pathogenicity islands of extraintestinal *Escherichia coli*. In: J. B. Kaper, J. Hacker (eds.): Pathogenicity islands and other mobile virulence elements. American Society for Microbiology, Washington D. C.
- Hacker, J., S. Knapp, W. Goebel.** 1983. Spontaneous deletions and flanking regions of the chromosomally inherited hemolysin determinant of an *Escherichia coli* O6 strain. *J. Bacteriol.* **154**:1145-1154.
- Haddad, J. E., A. Y. al-Jaufy, M. P. Jackson.** 1993. Minimum domain of the Shiga toxin A subunit required for enzymatic activity. *J. Bacteriol.* **175**:4970-4978.
- Haddad, J. E., M. P. Jackson.** 1993. Identification of the Shiga toxin A-subunit residues required for holotoxin assembly. *J. Bacteriol.* **175**:7652-7657.
- Hanson, M. S., E. J. Hansen.** 1991. Molecular cloning, partial purification, and characterization of a haemin-binding lipoprotein from *Haemophilus influenzae* type b. *Mol. Microbiol.* **5**:267-278.
- Hantash, F. M., M. Ammerlaan, C. F. Earhart.** 1997. Enterobactin synthase polypeptides of *Escherichia coli* are present in an osmotic-shock-sensitive cytoplasmic locality. *Microbiology* **143**:147-156.
- Harel, J., C. Martin.** 1999. Virulence gene regulation in pathogenic *Escherichia coli*. *Vet. Res.* **30**:131-155.
- Hartland, E. L., M. Batchelor, R. M. Delahay, C. Hale, S. Matthews, G. Dougan, S. Knutton, I. Connerton, G. Frankel.** 1999. Binding of intimin from enteropathogenic *Escherichia coli* to Tir and to host cells. *Mol. Microbiol.* **32**:151-158.

- Hecht, G., J. A. Marrero, A. Danilkovich, K. A. Matkowskyj, S. D. Savkovic, A. Koutsouris, R. V. Benya.** 1999. Pathogenic *Escherichia coli* increase Cl⁻ secretion from intestinal epithelia by upregulating galanin-1 receptor expression. *J. Clin. Invest.* **104**:253-262.
- Hedegaard, L., P. Klemm.** 1989. Type 1 fimbriae of *Escherichia coli* as carriers of heterologous antigenic sequences. *Gene* **85**:115-124.
- Henderson, D. P., S. M. Payne.** 1994. *Vibrio cholerae* iron transport systems: roles of heme and siderophore iron transport in virulence and identification of a gene associated with multiple iron transport systems. *Infect. Immun* **62**:5120-5125.
- Heuvelink, A. E., N. C. Van de Kar, T. J. Van Der Velden, H. Chart, L. A. Monnens.** 1999. Verocytotoxin-producing *Escherichia coli* infection in household members of children with hemolytic-uremic syndrome in The Netherlands. *Pediatr. Infect. Dis. J.* **18**:709-714.
- Higgins, D. E., V. J. DiRita.** 1996. Genetic analysis of the interaction between *Vibrio cholerae* transcription activator ToxR and *toxT* promoter DNA. *J. Bacteriol.* **178**:1080-1087.
- Hoiseh, S. K., B. A. D. Stocker.** 1981. Aromatic-dependent *Salmonella typhimurium* are non-virulent and effective as live vaccines. *Nature* **291**:238-239.
- Horii, T., S. Barua, T. Kimura, S. Kasugai, K. Sato, K. Shibayama, S. Ichiyama, M. Ohta.** 1998. Heterogeneity of phenotypic and genotypic traits including organic-acid resistance in *Escherichia coli* O157 isolates. *Microbiol. Immunol.* **42**:871-874.
- Hornung, J. M., H. A. Jones, R. D. Perry.** 1996. The hmu locus of *Yersinia pestis* is essential for utilization of free haemin and haem-protein complexes as iron sources. *Mol. Microbiol.* **20**:725-739.
- Hovde, C. J., S. B. Calderwood, J. J. Mekalanos, R. J. Collier.** 1988. Evidence that glutamic acid 167 is an active-site residue of Shiga-like toxin I. *Proc. Natl. Acad. Sci. USA* **85**:2568-2572.
- Hromockyi, A. E., S. C. Tucker, A. T. Maurelli.** 1992. Temperature regulation of *Shigella* virulence: identification of the repressor gene *virR*, an analogue of *hns*, and partial complementation by tyrosyl transfer RNA (tRNA^{Tyr}). *Mol. Microbiol.* **6**:2113-2124.
- Hughes, A. K., P. K. Stricklett, D. E. Kohan.** 1998. Shiga toxin-1 regulation of cytokine production by human proximal tubule cells. *Kidney Int.* **54**:1093-1106.
- Humphreys, S., A. Stevenson, A. Bacon, A. B. Weinhardt, M. Roberts.** 1999. The alternative sigma factor, sigmaE, is critically important for the virulence of *Salmonella typhimurium*. *Infect. Immun.* **67**:1560-1568.
- Hurley, B. P., M. Jacewicz, C. M. Thorpe, L. L. Lincicome, A. J. King, G. T. Keusch, D. W. Acheson.** 1999. Shiga toxins 1 and 2 translocate differently across polarized intestinal epithelial cells. *Infect. Immun.* **67**:6670-6677.
- Igarashi, K., T. Ogasawara, K. Ito, T. Yutsudo, Y. Takeda.** 1987. Inhibition of elongation factor 1-dependent aminoacyl-tRNA binding to ribosomes by Shiga-like toxin I (VT1) from *Escherichia coli* O157:H7 and by Shiga toxin. *FEMS Microbiol. Lett.* **44**:91-94.
- Igwe, E. I., H. Russmann, A. Roggenkamp, A. Noll, I. B. Autenrieth, J. Heesemann.** 1999. Rational live oral carrier vaccine design by mutating virulence-associated genes of *Yersinia enterocolitica*. *Infect. Immun.* **67**:5500-5507.
- Ilver, D., H. Kallstrom, S. Normark, A. B. Jonsson.** 1998. Transcellular passage of *Neisseria gonorrhoeae* involves pilus phase variation. *Infect. Immun.* **66**:469-473.
- Isogai, E., H. Isogai, K. Kimura, S. Hayashi, T. Kubota, N. Fujii, K. Takeshi.** 1998. Role of tumor necrosis factor alpha in gnotobiotic mice infected with an *Escherichia coli* O157:H7 strain. *Infect. Immun.* **66**:197-202.
- Jacewicz, M. S., D. W. K. Acheson, D. G. Binion, G. A. West, L. L. Lincicome, C. Fiocchi, G. T. Keusch.** 1999. Responses of human intestinal microvascular endothelial cells to Shiga toxins 1 and 2 and pathogenesis of hemorrhagic colitis. *Infect. Immun.* **67**:1439-1444.
- Jackson, M. P., R. L. Deresiewicz, S. B. Calderwood.** 1990. Mutational analysis of the Shiga toxin and Shiga-like toxin II enzymatic subunits. *J. Bacteriol.* **172**:3346-3350.
- Jackson M. P., R. J. Neill, A. D. O'Brien, R. K. Holmes, J. W. Newland.** 1987. Nucleotide sequence analysis and comparison of the structural genes for Shiga-like toxin I and Shiga-like toxin II encoded by bacteriophages from *Escherichia coli* 933. *FEMS Microbiol. Lett.* **44**:109-114.
- James, B. W., C. W. Keevil.** 1999. Influence of oxygen availability on physiology, verocytotoxin expression and adherence of *Escherichia coli* O157. *J. Appl. Microbiol.* **86**:117-124.
- Jemal, C., J. E. Haddad, D. Begum, M. P. Jackson.** 1995. Analysis of Shiga toxin subunit association by using hybrid A polypeptides and site-specific mutagenesis. *J. Bacteriol.* **177**:3128-3132.

- Johannes, L., B. Goud.** 1998. Surfing on a retrograde wave: how does Shiga toxin reach the endoplasmic reticulum? *Trends Cell Biol.* **8**:158-162.
- Jordan, K. N., L. Oxford, C. P. O'Byrne.** 1999. Survival of low-pH stress by *Escherichia coli* O157:H7: Correlation between alterations in the cell envelope and increased acid tolerance. *Appl. Environ. Microbiol.* **65**:3048-3055.
- Kanaya, S., Y. Yamada, Y. Kudo, T. Ikemura.** 1999. Studies of codon usage and tRNA genes of 18 unicellular organisms and quantification of *Bacillus subtilis* tRNAs: gene expression level and species-specific diversity of codon usage based on multivariate analysis. *Gene* **238**:143-155.
- Kaniga, K., M. S. Compton, R. Curtiss III, P. Sundaram.** 1998. Molecular and functional characterization of *Salmonella enterica* serovar typhimurium *poxA* gene: effect on attenuation of virulence and protection. *Infect. Immun.* **66**:5599-5606.
- Kaper, J. B.** 1996. Defining EPEC. *Rev. Microbiol. Sao Paulo* **27**:130-133.
- Kaper, J. B., H. Lockman, M. Balini, M. M. Levine.** 1984. Recombinant nontoxigenic *Vibrio cholerae* strains as attenuated cholera vaccine candidates. *Nature* **308**:655-658.
- Karaolis, D. K. R., S. Somara, D. R. Maneval Jr., J. A. Johnson, J. B. Kaper.** 1999. A bacteriophage encoding a pathogenicity island, a type-IV pilus and a phage receptor in cholera bacteria. *Nature.* **399**:375-379.
- Karch, H., J. Heesemann, R. Laufs, A. D. O'Brien, C. O. Tacket, M. M. Levine.** 1987. A plasmid of enterohemorrhagic *Escherichia coli* O157:H7 is required for expression of a new fimbrial antigen and for adhesion to epithelial cells. *Infect. Immun.* **55**:455-461.
- Karch, H., T. Meyer, H. Rüssmann, J. Heesemann.** 1992. Frequent loss of Shiga-like toxin genes in clinical isolates of *Escherichia coli* upon subcultivation. *Infect. Immun.* **60**:3464-3467.
- Karch, H., S. Schubert, D. Zhang, W. Zhang, H. Schmidt, T. Ölschläger, J. Hacker.** 1999. A genomic island, termed high-pathogenicity island, is present in certain non-O157 Shiga toxin-producing *Escherichia coli* clonal lineages. *Infect. Immun.* **67**:5994-6001.
- Karem, K. L., J. Bowen, N. Kuklin, B. T. Rouse.** 1997. Protective immunity against herpes simplex virus (HSV) type 1 following oral administration of recombinant *Salmonella typhimurium* vaccine strains expressing HSV antigens. *J. Gen. Virol.* **78**:427-434.
- Karmali, M. A.** 1989. Infection by verocytotoxin-producing *Escherichia coli*. *Clin. Microbiol. Rev.* **2**:15-38.
- Karmali, M. A., M. Petric, C. Lim, P. C. Fleming, G. S. Arbus, H. Lior.** 1985. The association between hemolytic uremic syndrome and infection by Verotoxin-producing *Escherichia coli*. *J. Infect. Dis.* **151**:775-782.
- Kärnell, A., B. A. D. Stocker, S. Katakura, F. P. Reinholt, A. A. Lindberg.** 1992b. Live oral auxotrophic *Shigella flexneri* SFL 124 vaccine with a deleted *aroD* gene: characterization and monkey protection studies. *Vaccine* **10**:389-394.
- Kärnell, A., H. Sweiha, A. A. Lindberg.** 1992a. Auxotrophic live oral *Shigella flexneri* vaccine protects monkeys against challenge with *S. flexneri* of different serotypes. *Vaccine* **10**:167-174.
- Karpman, D., A. Håkansson, M. R. Perez, C. Isaksson, E. Carlemalm, A. Caprioli, C. Svanborg.** 1998. Apoptosis of renal cortical cells in the hemolytic-uremic syndrome: in vivo and in vitro studies. *Infect. Immun.* **66**:636-644.
- Katagiri, Y. U., T. Mori, H. Nakajima, C. Katagiri, T. Taguchi, T. Takeda, N. Kiyokawa, J. Fujimoto.** 1999. Activation of *src* family kinase *yes* induced by shiga toxin binding to globotriaosyl ceramide (Gb₃/CD77) in low density, detergent-insoluble microdomains. *J. Biol. Chem.* **274**:35278-35282.
- Kaye, S. A., C. B. Louise, B. Boyd, C. A. Lingwood, T. G. Obrig.** 1993. Shiga toxin-associated hemolytic uremic syndrome: interleukin-1 beta enhancement of Shiga toxin cytotoxicity toward human vascular endothelial cells in vitro. *Infect Immun* **61**:3886-3891.
- Kennedy, M. J., R. J. Yancey Jr., M. S. Sanchez, R. A. Rzepkowski, S. M. Kelly, R. Curtiss III.** 1999. Attenuation and immunogenicity of Δ *cya* Δ *crp* derivatives of *Salmonella choleraesuis* in pigs. *Infect. Immun.* **67**:4628-4636.
- Kenny, B.** 1999. Phosphorylation of tyrosine 474 of the enteropathogenic *Escherichia coli* (EPEC) Tir receptor molecule is essential for actin nucleating activity and is preceded by additional host modifications. *Mol. Microbiol.* **31**:1229-1241.

- Kenny, B., R. DeVinney, M. Stein, D. J. Reinscheid, E. A. Frey, B. B. Finlay.** 1997. Enteropathogenic *E. coli* (EPEC) transfers its receptor for intimate adherence into mammalian cells. *Cell* **91**:511-520.
- Ketley, J. M., J. B. Kaper, D. A. Herrington, G. Losonsky, M. M. Levine.** 1990. Diminished immunogenicity of a recombination-deficient derivative of *Vibrio cholerae* vaccine strain CVD103. *Infect. Immun* **58**:1481-1484.
- Keusch, G. T., D. W. K. Acheson, C. Marchant, J. McIver.** 1998. Toxoid-based active and passive immunization to prevent and/or modulate hemolytic-uremic syndrome due to Shiga toxin-producing *Escherichia coli*. In J. B. Kaper and A. D. O'Brien (eds.): *Escherichia coli* O157:H7 and other Shiga toxin-producing *E. coli*-strains. ASM Press, Washington DC, 1998, p. 409-418.
- Keusch, G. T., A. Donohue-Rolfe, M. Jacewicz, A. V. Kane.** 1988. Shiga toxin: production and purification. *Methods Enzymol.* **165**:152-162, 399-401.
- Keusch, G. T., G. F. Grady, A. Takeuchi, H. Sprinz.** 1972. The pathogenesis of *Shigella* diarrhea. II. Enterotoxin induced acute enteritis in the rabbit ileum. *J. Infect. Dis.* **126**:92-95.
- Keusch, G. T., M. Jacewicz.** 1975. The pathogenesis of *Shigella* diarrhea. V. Relationship of Shiga enterotoxin, neurotoxin, and cytotoxin. *J. Infect. Dis.* **131**:S33-S39.
- Keusch, G. T., M. Jacewicz, M. M. Levine, R. B. Hornick, S. Kochwa.** 1976. Pathogenesis of shigella diarrhea. Serum anticytotoxin antibody response produced by toxigenic and nontoxigenic *Shigella dysenteriae* 1. *J. Clin. Invest.* **57**:194-202.
- Khan, A. S., D. M. Schifferli.** 1994. A minor 987P protein different from the structural fimbrial subunit is the adhesin. *Infect. Immun.* **62**:4233-4243.
- Kimsey, H. H., M. K. Waldor.** 1998. CTX Φ immunity: Application in the development of cholera vaccines. *Proc. Natl. Acad. Sci. USA* **95**:7035-7039.
- Kiyokawa, N., T. Taguchi, T. Mori, H. Uchida, N. Sato, T. Takeda, J. Fujimoto.** 1998. Induction of apoptosis in normal human renal tubular epithelial cells by *Escherichia coli* Shiga toxins 1 and 2. *J. Infect. Dis.* **178**:178-184.
- Kleanthous, H., H. R. Smith, S. M. Scotland, R. J. Gross, B. Rowe, C. M. Taylor, D. V. Milford.** 1990. Haemolytic uraemic syndromes in the British Isles, 1985-8: association with verocytotoxin producing *Escherichia coli*. 2. Microbiological aspects. *Arch. Dis. Child.* **65**:722-727.
- Klee, S. R., B. D. Tzschaschel, I. Fält, A. Kärnell, A. A. Lindberg, K. N. Timmis, C. A. Guzmán.** 1997. Construction and characterization of a live attenuated vaccine candidate against *Shigella dysenteriae* Type 1. *Infect. Immun.* **65**:2112-2118.
- Klemm, P., L. B. Jensen, S. Molin.** 1995. A stochastic killing system for biological containment of *Escherichia coli*. *Appl. Environ. Microbiol.* **61**:481-486.
- Knapp, S., J. Hacker, T. Jarchau, W. Goebel.** 1986. Large, unstable inserts in the chromosome affect virulence properties of uropathogenic *Escherichia coli* O6 strain 536. *J. Bacteriol.* **168**:22-30.
- Knutton, S., I. Rosenshine, M. J. Pallen, I. Nisan, B. C. Neves, C. Bain, C. Wolff, G. Dougan, G. Frankel.** (1998). A novel EspA-associated surface organelle of enteropathogenic *Escherichia coli* involved in protein translocation into epithelial cells. *EMBO J.* **17**:2166-2176.
- Kobayashi, M., T. Sasaki, N. Saito, K. Tamura, K. Suzuki, H. Watanabe, N. Agui.** 1999. Houseflies: not simple mechanical vectors of enterohemorrhagic *Escherichia coli* O157:H7. *Am. J. Trop. Med. Hyg.* **61**:625-629.
- Konadu, E., A. Donohue-Rolfe, S. B. Calderwood, V. Pozsgay, J. Shiloach, J. B. Robbins, S. C. Szu.** 1999. Syntheses and immunologic properties of *Escherichia coli* O157 O-specific polysaccharide and Shiga toxin 1 B subunit conjugates in mice. *Infect. Immun.* **67**:6191-6193.
- Konadu, E., J. C. Parke Jr., A. Donohue-Rolfe, S. B. Calderwood, J. B. Robbins, S. C. Szu.** 1998b. Synthesis and immunologic properties of O-specific polysaccharide-protein conjugate vaccines for prevention and treatment of infections with *Escherichia coli* O157 and other causes of hemolytic-uremic syndrome. In J. B. Kaper and A. D. O'Brien (eds.): *Escherichia coli* O157:H7 and other Shiga toxin-producing *E. coli*-strains. ASM Press, Washington DC, 1998, p. 419-424.
- Konadu, E. Y., J. C. Parke Jr., H. T. Tran, D. A. Bryla, J. B. Robbins, S. C. Szu.** 1998a. Investigational vaccine for *Escherichia coli* O157: phase 1 study of O157 O-specific polysaccharide-*Pseudomonas aeruginosa* recombinant exoprotein A conjugates in adults. 1998. *J. Infect. Dis.* **177**:383-387.

- Konadu, E., J. B. Robbins, J. Shiloach, D. A. Bryla, S. C. Szu.** 1994. Preparation, characterization, and immunological properties in mice of *Escherichia coli* O157 O-specific polysaccharide-protein conjugate vaccines. *Infect. Immun.* **62**:5048-5054.
- Kozlov, Y. V., A. A. Kabishev, E. V. Lukyanov, A. A. Bayev.** 1988. The primary structure of the operons coding for *Shigella dysenteriae* toxin and temperate phage H30 Shiga-like toxin. *Gene* **67**:213-221.
- Kraehenbühl, J. P., M. Neutra.** 1992. Molecular and cellular basis of immune protection of mucosal surfaces. *Physiol. Rev.* **72**:853-879.
- Kresse, A. U., M. Rohde, C. A. Guzman.** 1999. The EspD protein of enterohemorrhagic *Escherichia coli* is required for the formation of bacterial surface appendages and is incorporated in the cytoplasmic membranes of target cells. *Infect. Immun.* **67**:4834-4842.
- Kresse, A. U., K. Schulze, C. Deibel, F. Ebel, M. Rohde, T. Chakraborty, C. A. Guzmán.** 1998. Pas, a novel protein required for protein secretion and attaching and effacing activities of enterohemorrhagic *Escherichia coli*. *J. Bacteriol.* **180**:4370-4379.
- Kumar, K. K., R. Srivastava, V. B. Sinha, J. Michalski, J. B. Kaper, B. S. Srivastava.** 1994. *recA* mutations reduce adherence and colonization by classical and El Tor strains of *Vibrio cholerae*. *Microbiology* **140**:1217-1222.
- Kurokawa, K., K. Tani, M. Ogawa, M. Nasu.** 1999. Abundance and distribution of bacteria carrying *sltII* gene in natural river water. *Lett. Appl. Microbiol.* **28**:405-410.
- Laemmli, U. K.** 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**:680-685.
- Lång, H, G. Jonson, J. Holmgren, E. T. Palva.** 1994. The maltose regulon of *Vibrio cholerae* affects production and secretion of virulence factors. *Infect. Immun.* **62**:4781-4788.
- Law, D.** 1994. Adhesion and its role in the virulence of enteropathogenic *Escherichia coli*. *Clin. Microbiol. Rev.* **7**:152-173.
- Law, D., J. Kelly.** 1995. Use of heme and hemoglobin by *Escherichia coli* O157 and other Shiga-like-toxin-producing *E. coli* serogroups. *Infect. Immun.* **63**:700-702.
- Lawlor, E. J., H. A. Baylis, K. F. Chater.** 1987. Pleiotropic morphological and antibiotic deficiencies result from mutations in a gene encoding a tRNA-like product in *Streptomyces coelicolor* A3(2). *Gene & Development* **1**:1305-1310.
- Lazar, S., M. K. Waldor.** 1998. ToxR-independent expression of cholera toxin from the replicative form of CTX ϕ . *Infect. Immun.* **66**:394-397.
- Lea, N., J. M. Lord, L. M. Roberts.** 1999. Proteolytic cleavage of the A subunit is essential for maximal cytotoxicity of *Escherichia coli* O157:H7 Shiga-like toxin-1. *Microbiology* **145**(Pt 5):999-1004.
- Leclerc, G., C. Sirard, G. R. Drapeau.** 1989. The *Escherichia coli* cell division mutant *ftsM1* is in *serU*. *J. Bacteriol.* **171**:2090-2095.
- Leeds, J. A., R. A. Welch.** 1996. RfaH enhances elongation of *Escherichia coli hlyCABD* mRNA. *J. Bacteriol.* **178**:1850-1857.
- Leeds, J. A., R. A. Welch.** 1997. Enhancing transcription through the *Escherichia coli* hemolysin operon, *hlyCABD*: RfaH and upstream JUMPStart DNA sequences function together via a postinitiation mechanism. *J. Bacteriol.* **179**:3519-3527.
- Leskiw, B. K., M. J. Bibb, K. F. Chater.** 1991. The use of a rare codon specifically during development? *Mol. Microbiol.* **5**:2861-2867.
- Lepesant, J. A., F. Kunst, J. Lepesant-Kejzlarova, R. Dedonder.** 1972. Chromosomal location of mutations affecting sucrose metabolism in *B. subtilis* Marburg. *Mol. Gen. Genet.* **118**:135-160.
- Levine, M. M.** 1987. *Escherichia coli* that cause diarrhea: enterotoxigenic, enteropathogenic, enteroinvasive, enterohemorrhagic, and enteroadherent. *J. Infect. Dis.* **155**:377-389.
- Levine, M. M.** 1998. Immunoprophylaxis of Shiga toxin-producing *Escherichia coli* infection and disease: strengths and weaknesses of various strategies. In J. B. Kaper and A. D. O'Brien (eds.): *Escherichia coli* O157:H7 and other Shiga toxin-producing *E. coli*-strains. ASM Press, Washington DC, 1998, p. 405-408
- Levine, M. M., R. Edelman.** 1984. Enteropathogenic *Escherichia coli* of classic serotypes associated with infant diarrhea: epidemiology and pathogenesis. *Epidemiol. Rev.* **6**:31-51.
- Leyer, G. J., L. Wang, E. A. Johnson.** 1995. Acid adaptation of *Escherichia coli* O157:H7 increases survival in acidic foods. *Appl. Environ. Microbiol.* **61**:3752-3755.

- Li, A., P. Tibor, U. Forsum, A. A. Lindberg.** 1992. Safety and immunogenicity of live oral auxotrophic *Shigella flexneri* SFK24 in volunteers. *Vaccine* **10**:395-404.
- Lindberg, A. A.** Vaccination against enteric pathogens: from science to vaccine trials. *Curr. Opin. Microbiol.* **1**:116-124.
- Lindberg, A. A., A. Kärnell, T. Pál, H. Sweiha, K. Hultenby, B. A. D. Stocker.** 1990. Construction of an auxotrophic *Shigella flexneri* strain for use as a live vaccine. *Microb. Pathog.* **8**:433-440.
- Linde, K.** 1981. High-immunogenic mutants of *Salmonella* with two independently of each other attenuating markers as potential vaccines from bacteria capable of multiplication. 2. Communication: spontaneous chromosomal resistance against antibiotics as a possibility for isolation of clones with decreased virulence. *Zentralbl. Bakteriol. [A]* **249**:350-361.
- Linde, K., V. Dentchev, V. Bondarenko, S. Marinova, B. Randhagen, M. Bratoyeva, Y. Tsvetanov, Y. Romanova.** 1990. Live *Shigella flexneri* 2a and *Shigella sonnei* I vaccine candidate strains with two attenuating markers. I. Construction of vaccine candidate strains with retained invasiveness but reduced intracellular multiplication. *Vaccine* **8**:25-29.
- Lindgren, S. W., J. E. Samuel, C. K. Schmitt, A. D. O'Brien.** 1994. The specific activities of Shiga-like toxin type II (SLT-II) and SLT-II-related toxins of enterohemorrhagic *Escherichia coli* differ when measured by Vero cell cytotoxicity but not by mouse lethality. *Infect. Immun.* **62**:623-631.
- Lingwood, C. A.** 1994. Verotoxin-binding in human renal sections. *Nephron* **66**:21-28.
- Lingwood, C. A.** 1996. Role of verotoxin receptors in pathogenesis. *Trends Microbiol.* **4**:147-153.
- Litalien, C., F. Proulx, M. M. Mariscalco, P. Robitaille, J. P. Turgeon, E. Orrbine, P. C. Rowe, P. N. McLaine, E. Seidman.** 1999. Circulating inflammatory cytokine levels in hemolytic uremic syndrome. *Pediatr. Nephrol.* **13**:840-845.
- Litwin, C. M., S. B. Calderwood.** 1993. Role of iron in regulation of virulence genes. *Clin. Microbiol. Rev.* **6**:137-149.
- Liu, Y., A. Chatterjee, A. K. Chatterjee.** 1994. Nucleotide sequence, organization and expression of *rdgA* and *rdgB* genes that regulate pectin lyase production in the plant pathogenic bacterium *Erwinia carotovora* subsp. *carotovora* in response to DNA-damaging agents. *Mol. Microbiol.* **14**:999-1010.
- Liu, H., L. Magoun, S. Luperchio, D. B. Schauer, J. M. Leong.** 1999. The Tir-binding region of enterohaemorrhagic *Escherichia coli* intimin is sufficient to trigger actin condensation after bacterial-induced host cell signalling. *Mol. Microbiol.* **34**:67-81.
- Louie, M., J. C. S. de Azavedo, M. Y. C. Handelsman, C. G. Clark, B. Ally, M. Dytoc, P. Sherman, J. Brunton.** 1993. Expression and characterization of the *eaeA* gene product of *Escherichia coli* serotype O157:H7. *Infect. Immun.* **61**:4085-4092.
- Louise, C. B., T. G. Obrig.** 1991. Shiga toxin-associated hemolytic-uremic syndrome: combined cytotoxic effects of Shiga toxin, interleukin-1 beta, and tumor necrosis factor alpha on human vascular endothelial cells in vitro. *Infect. Immun.* **59**:4173-4179.
- Louise C. B., T. G. Obrig.** 1992. Shiga toxin-associated hemolytic uremic syndrome: combined cytotoxic effects of Shiga toxin and lipopolysaccharide (endotoxin) on human vascular endothelial cells in vitro. *Infect. Immun.* **60**:1536-1543.
- Lowe, D. C., T. C. Savidge, D. Pickard, L. Eckmann, M. F. Kagnoff, G. Dougan, S. N. Chatfield.** 1999. Characterization of candidate live oral *Salmonella typhi* vaccine strains harboring defined mutations in *aroA*, *aroC*, and *htrA*. *Infect. Immun.* **67**:700-707.
- Loy, A. L., G. Allison, C. F. Arias, N. K. Verma.** 1999. Immune response to rotavirus VP4 expressed in an attenuated strain of *Shigella flexneri*. *FEMS Immunol. Med. Microbiol.* **25**:283-288.
- Luckey, M., J. R. Pollack, R. Wayne, B. N. Ames, J. B. Neilands.** 1972. Iron uptake in *Salmonella typhimurium*: utilization of exogenous siderochromes as iron carriers. *J. Bacteriol.* **111**:731-738.
- Macnab, R. M.** 1992. Genetics and biogenesis of bacterial flagella. *Annu. Rev. Genet.* **26**:131-158.
- Mainil, J.** 1999. Shiga/verocytotoxins and Shiga/verotoxigenic *Escherichia coli* in animals. *Vet. Res.* **30**:235-257.
- Maneval, D. R., J. P. Nataro, M. M. Levine.** 1997. Identification of a novel fimbrial antigen in EHEC, abstr. V230/III, p 66. In 3rd International Symposium and Workshop on Shiga Toxin (Verotoxin)-Producing *Escherichia coli* Infections. Lois Joy Galler Foundation for Hemolytic Uremic Syndrome Inc., Melville N.Y.
- Markwell, M. A., S. M. Haas, L. L. Bieber, N. E. Tolbert.** 1978. A modification of the Lowry procedure to simplify protein determination in membrane and lipoprotein samples. *Anal. Biochem.* **87**:206-210.

- Marques, L. R. M., J. S. M. Peiris, S. J. Cryz, A. D. O'Brien.** 1987. *Escherichia coli* strains isolated from pigs produce a variant of Shiga-like toxin II: FEMS Microbiol. Lett. **44**:33-38.
- Martinez, E., B. Bartolomé, F. de la Cruz.** 1988. pACYC184-derived cloning vectors containing the multiple cloning site and *lacZa* reporter gene of pUC8/9 and pUC18/19 plasmids. Gene **68**:159-162.
- Martinez, S., J. Martinez-Salazar, A. Camas, R. Sanchez, G. Soberon-Chavez.** 1997. Evaluation of the role of RecA protein in plant virulence with *recA* mutants of *Xanthomonas campestris* pv. *campestris*. Mol. Plant Microbe Interact. **10**:911-916.
- Massa, S., E. Goffredo, C. Altieri, K. Natola.** 1999. Fate of *Escherichia coli* O157:H7 in unpasteurized milk stored at 8 degrees C. Lett. Appl. Microbiol. **28**:89-92.
- Matsushiro, A., K. Sato, H. Miyamoto, T. Yamamura, T. Honda.** 1999. Induction of prophages of enterohemorrhagic *Escherichia coli* O157:H7 with norfloxacin. J. Bacteriol. **181**:2257-2260.
- McDaniel, T. K., J. B. Kaper.** 1997. A cloned pathogenicity island from enteropathogenic *Escherichia coli* confers the attaching and effacing phenotype on *E. coli* K-12. Mol. Microbiol. **23**:399-407.
- McDonough, M. A., J. R. Butterton.** 1999. Spontaneous tandem amplification and deletion of the Shiga toxin operon in *Shigella dysenteriae* 1. Mol. Microbiol. **34**:1058-1069.
- McFarland, W. C., B. A. D. Stocker.** 1987. Effect of different purine auxotrophic mutations on mouse-virulence of a Vi-positive strain of *Salmonella dublin* and of two strains of *Salmonella typhimurium*. Microb. Pathog. **3**:129-141.
- McKee, M. L., A. D. O'Brien.** 1995. Investigation of enterohemorrhagic *Escherichia coli* O157:H7 adherence characteristics and invasion potential reveals a new attachment pattern shared by intestinal *E. coli*. Infect. Immun. **63**:2070-2074.
- McKee, M. L., A. D. O'Brien.** 1996. Truncated enterohemorrhagic *Escherichia coli* (EHEC) O157:H7 Intimin (EaeA) fusion proteins promote adherence on EHEC strains to HEP-2 cells. Infect. Immun. **64**:2225-2233.
- Medina, E., P. Paglia, T. Nikolaus, A. Muller, M. Hensel, C. A. Guzman.** 1999. Pathogenicity island 2 mutants of *Salmonella typhimurium* are efficient carriers for heterologous antigens and enable modulation of immune responses. Infect. Immun. **67**:1093-1099.
- Mei, J. M., F. Nourbakhsh, C. W. Ford, D. W. Holden.** 1997. Identification of *Staphylococcus aureus* virulence genes in a murine model of bacteraemia using signature-tagged mutagenesis. Mol. Microbiol. **26**:399-407.
- Mekalanos, J. J.** 1994. Live bacterial vaccines: environmental aspects. Curr. Opin. Biotechnol. **5**:312-319.
- Mekalanos, J. J., D. J. Swartz, G. D. Pearson, N. Harford, F. Groyne, M. deWilde.** 1983. Cholera toxin genes: Nucleotide sequence, deletion analysis and vaccine development. Nature **306**:551-557.
- Mellies, J. L., S. J. Elliott, V. Sperandio, M. S. Donnenberg, J. B. Kaper.** 1999. The Per regulon of enteropathogenic *Escherichia coli*: identification of a regulatory cascade and a novel transcriptional activator, the locus of enterocyte effacement (LEE)-encoded regulator (Ler). Mol. Microbiol. **33**:296-306.
- Melton-Celsa, A. R., S. C. Darnell, A. D. O'Brien.** 1996. Activation of Shiga-like toxins by mouse and human intestinal mucus correlates with virulence of enterohemorrhagic *Escherichia coli* O91:H21 isolates in orally infected, streptomycin-treated mice. Infect. Immun. **64**:1569-1576.
- Menge, C., L. H. Wieler, T. Schlapp, G. Baljer.** 1999. Shiga toxin 1 from *Escherichia coli* blocks activation and proliferation of bovine lymphocyte subpopulations *in vitro*. Infect. Immun. **67**:2209-2217.
- Michaelis, S., H. Inouye, D. Oliver, J. Beckwith.** 1983. Mutations that alter the signal sequence of alkaline phosphatase in *Escherichia coli*. J. Bacteriol. **154**:366-374.
- Mikulskis, A. V., G. R. Cornelis.** 1994. A new class of proteins regulating gene expression in enterobacteria. Mol. Microbiol. **11**:77-86.
- Miller, S. I., A. M. Kukral, J. J. Mekalanos.** 1989. A two-component regulatory system (*phoP phoQ*) controls *Salmonella typhimurium* virulence. Proc. Natl. Acad. Sci. USA **86**:5054-5058.
- Miller, S. I., J. J. Mekalanos, W. S. Pulkkinen.** 1990. *Salmonella* vaccines with mutations in the *phoP* virulence regulon. Res. Microbiol. **141**:817-821.
- Miller, V. L., J. J. Mekalanos.** 1988. A novel suicide vector and its use in construction of insertion mutations: osmoregulation of outer membrane proteins and virulence determinants in *Vibrio cholerae* requires *toxR*. J. Bacteriol. **170**:2575-2583.
- Mills, M., S. M. Payne.** 1995. Genetics and regulation of heme iron transport in *Shigella dysenteriae* and detection of an analogous system in *Escherichia coli* O157:H7. J. Bacteriol. **177**:3004-3009.

- Mills, M., S. M. Payne.** 1997. Identification of *shuA*, the gene encoding the heme receptor of *Shigella dysenteriae*, and analysis of invasion and intracellular multiplication of a *shuA* mutant. *Infect. Immun.* **65**:5358-5363.
- Miold, S., W. Rabsch, M. Rohde, S. Stender, H. Tschäpe, H. Russmann, E. Igwe, W. D. Hardt.** 1999. Isolation of a temperate bacteriophage encoding the type III effector protein *SopE* from an epidemic *Salmonella typhimurium* strain. *Proc. Natl. Acad. Sci. USA.* **96**:9845-9850.
- Miyamoto, H., W. Nakai, N. Yajima, A. Fujibayashi, T. Higuchi, K. Sato, A. Matsushiro.** 1999. Sequence analysis of Stx2-converting phage VT2-Sa shows a great divergence in early regulation and replication regions. *DNA Res.* **6**:235-240.
- Mizuguchi, M., S. Tanaka, I. Fujii, H. Tanizawa, Y. Suzuki, T. Igarashi, T. Yamanaka, T. Takeda, M. Miwa.** 1996. Neuronal and vascular pathology produced by verocytotoxin 2 in the rabbit central nervous system. *Acta Neuropathol.* **91**:254-262.
- Mizutani, S., N. Nakazono, Y. Sugino.** 1999. The so-called chromosomal verotoxin genes are actually carried by defective prophages. *DNA Res.* **6**:141-143.
- Mobassaleh, M., A. Donohue-Rolfe, M. Jacewicz, R. J. Grand, G. T. Keusch.** 1988. Pathogenesis of *Shigella* diarrhea: evidence for a developmentally regulated glycolipid receptor for *Shigella* toxin involved in the fluid secretory response of rabbit small intestine. *J. Infect. Dis.* **157**:1023-1031.
- Mobassaleh, M., O. Koul, K. Mishra, R. H. McCluer, G. T. Keusch.** 1994. Developmentally regulated Gb₃ galactosyltransferase and alpha-galactosidase determine Shiga toxin receptors in intestine. *Am. J. Physiol.* **267**:G618-G624.
- Moens, S., J. Vanderleyden.** 1996. Functions of bacterial flagella. *Crit. Rev. Microbiol.* **22**:67-100.
- Morschhäuser, J., V. Vetter, L. Emödy, J. Hacker.** 1994. Adhesin regulatory genes within large, unstable DNA regions of pathogenic *Escherichia coli*: cross-talk between different adhesin gene clusters. *Mol. Microbiol.* **11**:555-566.
- Mouriño, M., C. Madrid, C. Balsalobre, A. Prenafeta, F. J. Muñoa, J. Blanco, M. Blanco, A. Juarez.** 1996. The Hha protein as a modulator of expression of virulence factors in *Escherichia coli*. *Infect. Immun.* **64**:2881-2884.
- Mrsny, R. J.** 1998. Adjuvants and delivery issues related to immunization: a survey of the recent patent literature. *J. Drug. Target* **6**:243-249.
- Mühdorfer, I., J. Hacker.** 1994. Genetic aspects of *Escherichia coli* virulence. *Microb. Pathog.* **16**:171-181.
- Mühdorfer, I., J. Hacker, G. T. Keusch, D. W. Acheson, H. Tschäpe, A. V. Kane, A. Ritter, T. Ölschläger, A. Donohue-Rolfe.** 1996. Regulation of the Shiga-like toxin II operon in *Escherichia coli*. *Infect. Immun.* **64**:495-502.
- Mullett, C., D. W. K. Acheson, L.-Y. Tseng, E. Boedecker.** 1994. Parenteral administration with recombinant SLT-1B subunit protects against disease induced by *E. coli* strain RDEC-H19A, abstr. O3.2. In 2nd International Symposium and Workshop of Verocytotoxin (Shiga-Like Toxin)-Producing *Escherichia coli* Infections.
- Muniesa, M., F. Lucena, J. Jofre.** 1999. Comparative survival of free Shiga toxin 2-encoding phages and *Escherichia coli* strains outside the gut. *Appl. Environ. Microbiol.* **65**:5615-5618.
- Murase, T., S. Yamai, H. Watanabe.** 1999. Changes in pulsed-field gel electrophoresis patterns in clinical isolates of enterohemorrhagic *Escherichia coli* O157:H7 associated with loss of Shiga toxin genes. *Curr. Microbiol.* **38**:48-50
- Nakagawa, I., M. Nakata, S. Kawabata, S. Hamada.** 1999. Regulated expression of the Shiga toxin B gene induces apoptosis in mammalian fibroblastic cells. *Mol. Microbiol.* **33**:1190-1199.
- Nakayama, K., S. Kanaya, M. Ohnishi, Y. Terawaki, T. Hayashi.** 1999. The complete nucleotide sequence of ϕ CTX, a cytotoxin-converting phage of *Pseudomonas aeruginosa*: implications for phage evolution and horizontal gene transfer via bacteriophages. *Mol. Microbiol.* **31**:399-419.
- Nakayashiki, T., H. Inokuchi.** 1998. Novel temperature-sensitive mutants of *Escherichia coli* that are unable to grow in the absence of wild-type tRNA₆^{Leu}. *J. Bacteriol.* **180**:2931-2935.
- Nassif, X., N. Honore, T. Vasselon, S. T. Cole, P. J. Sansonetti.** 1989. Positive control of colanic acid synthesis in *Escherichia coli* by *rmpA* and *rmpB*, two virulence-plasmid genes of *Klebsiella pneumoniae*. *Mol. Microbiol.* **3**:1349-1359.
- Nataro, J. P., Y. Deng, D. R. Maneval, A. L. German, W. C. Martin, M. M. Levine.** 1992. Aggregative adherence fimbriae I of enteroaggregative *Escherichia coli* mediate adherence to HEp-2 cells and hemagglutination of human erythrocytes. *Infect. Immun.* **60**:2297-2304.

- Nataro, J. P., S. Hicks, A. D. Phillips, P. A. Vial, C. L. Sears.** 1996. T84 cells in culture as a model for enteroaggregative *Escherichia coli* pathogenesis. *Infect. Immun.* **64**:4761-4768.
- Nataro, J. P., J. B. Kaper.** 1998. Diarrheagenic *Escherichia coli*. *Clin. Microbiol. Rev.* **11**:142-201.
- Nataro, J. P., J. B. Kaper, R. Robins-Browne, V. Prado, P. Vial, M. M. Levine.** 1987. Patterns of adherence of diarrheagenic *Escherichia coli* to HEp-2 cells. *Pediatr. Infect. Dis. J.* **6**:829-831.
- Nataro, J. P., J. Seriwatana, A. Fasano, D. R. Maneval, L. D. Guers, F. Noriega, F. Dubovsky, M. M. Levine, J. G. Morris, Jr.** 1995. Identification and cloning of a novel plasmid-encoded enterotoxin of enteroinvasive *Escherichia coli* and *Shigella* strains. *Infect. Immun.* **63**:4721-4728.
- Nayak, A. R., S. A. Tinge, R. C. Tart, L. S. McDaniel, D. E. Briles, R. Curtiss III.** 1998. A live recombinant avirulent oral *Salmonella* vaccine expressing pneumococcal surface protein A induces protective responses against *Streptococcus pneumoniae*. *Infect. Immun.* **66**:3744-3751.
- Neely, M. N., D. I. Friedman.** 1998a. Arrangement and functional identification of genes in the regulatory region of lambdoid phage H-19B, a carrier of a Shiga-like toxin. *Gene* **223**:105-113.
- Neely, M. N., D. I. Friedman.** 1998b. Functional and genetic analysis of regulatory regions of coliphage H-19B: location of Shiga-like toxin and lysis genes suggest a role for phage functions in toxin release. *Mol. Microbiol.* **28**:1255-1267.
- Neill, M. A.** 1998. Treatment of disease due to Shiga toxin-producing *Escherichia coli*: infectious disease management. In J. B. Kaper and A. D. O'Brien (eds.): *Escherichia coli* O157:H7 and other Shiga toxin-producing *E. coli*-strains. ASM Press, Washington DC, 1998, p. 357-363.
- Neill, R. J., P. Gemski, S. B. Formal, J. W. Newland.** 1988. Deletion of the Shiga toxin gene in a chlorate-resistant derivative of *Shigella dysenteriae* type 1 that retains virulence. *J. Infect. Dis.* **158**:737-741.
- Newburg, D. S., P. Chaturvedi, E. L. Lopez, S. Devoto, A. Fayad, T. G. Cleary.** 1993. Susceptibility to hemolytic-uremic syndrome relates to erythrocyte glycosphingolipid patterns. *J. Infect. Dis.* **168**:476-479.
- Newland, J. W., N. A. Strockbine, R. J. Neill.** 1987. Cloning of genes for production of *Escherichia coli* Shiga-like toxin type II. *Infect. Immun.* **55**:2675-2680.
- Newman, J. V., R. L. Burghoff, L. Pallesen, K. A. Krogfelt, C. S. Kristensen, D. C. Laux, P. S. Cohen.** 1994a. Stimulation of *Escherichia coli* F-18CoI Type-1 fimbriae synthesis by *leuX*. *FEMS Microbiol. Lett.* **122**:281-287.
- Newman, J. V., R. Kolter, D. C. Laux, P. S. Cohen.** 1994b. Role of *leuX* in *Escherichia coli* colonization of the streptomycin-treated mouse large intestine. *Microb. Pathog.* **17**:301-311.
- Nieto, J. M., M. Carmona, S. Bolland, Y. Jubete, F. de la Cruz, A. Juarez.** 1991. The *hha* gene modulates haemolysin expression in *Escherichia coli*. *Mol. Microbiol.* **5**:1285-1293.
- Noegel, A., U. Rdest, W. Goebel.** 1980. Determination of the functions of hemolytic plasmid pHly152 of *Escherichia coli*. *J. Bacteriol.* **145**:233-247.
- Nomura, T., A. Ishihama.** A novel function of RNase P from *Escherichia coli*: Processing of a suppressor tRNA precursor. *EMBO J.* **7**:3539-3545.
- Noriega, F. R., G. Losonsky, J. Y. Wang, S. B. Formal, M. M. Levine.** 1996. Further characterization of *DaroA DvirG Shigella flexneri* 2a strain CVD 1203 as a mucosal *Shigella* vaccine and as a live-vector vaccine for delivering antigens of enterotoxigenic *Escherichia coli*. *Infect. Immun.* **64**:23-27.
- O'Brien, A. D., R. K. Holmes.** 1987. Shiga and Shiga-like toxins. *Microbiol. Rev.* **51**:206-220.
- O'Brien, A. D., G. D. LaVeck.** 1983. Purification and characterization of a *Shigella dysenteriae* 1-like toxin produced by *Escherichia coli*. *Infect. Immun.* **40**:675-683.
- O'Brien, A. D., G. D. LaVeck, D. E. Griffin, M. R. Thompson.** 1980. Characterization of *Shigella dysenteriae* 1 (Shiga) toxin purified by anti-Shiga toxin affinity chromatography. *Infect. Immun.* **30**:170-179.
- O'Brien, A. D., G. D. LaVeck, M. R. Thompson, S. B. Formal.** 1982. Production of *Shigella dysenteriae* type 1-like cytotoxin by *Escherichia coli*. *J. Infect. Dis.* **146**:763-769.
- O'Brien, A. D., T. A. Lively, M. E. Chen, S. W. Rothman, S. B. Formal.** 1983. *Escherichia coli* O157:H7 strains associated with haemorrhagic colitis in the United States produces a *Shigella dysenteriae* 1 (Shiga)-like cytotoxin. *Lancet* **i**:702.
- O'Brien, A. D., L. R. Marques, C. F. Kerry, J. W. Newland, R. K. Holmes.** 1989. Shiga-like toxin converting phage of enterohemorrhagic *Escherichia coli* strain 933. *Microb. Pathog.* **6**:381-390.

- O'Brien, A. D., J. W. Newland, S. F. Miller, R. K. Holmes, H.W. Smith, S. B. Formal.** 1984. Shiga-like toxin-converting phages from *Escherichia coli* strains that cause hemorrhagic colitis or infantile diarrhea. *Science* **226**:694-696.
- O'Brien, A. D., V. L. Tesh, A. Donohue-Rolfe, M. P. Jackson, S. Olsnes, K. Sandvig, A. A. Lindberg, G. T. Keusch.** 1992. Shiga toxin: biochemistry, genetics, mode of action and role in pathogenesis. *Curr. Top. Microbiol. Immunol.* **180**:65-94.
- O'Callaghan, D., D. Maskell, F. Y. Liew, C. S. Easmon, G. Dougan.** 1988. Characterization of aromatic- and purine-dependent *Salmonella typhimurium*: attenuation, persistence, and ability to induce protective immunity in BALB/c mice. *Infect. Immun.* **56**:419-423.
- Ogasawara, T., K. Ito, K. Igarashi, T. Yutsudo, N. Nakabayashi, Y. Takeda.** 1988. Inhibition of protein synthesis by a Vero toxin (VT2 or Shiga-like toxin II) produced by *Escherichia coli* O157:H7 at the level of elongation factor 1-dependent aminoacyl-tRNA binding to ribosomes. *Microb. Pathog.* **4**:127-135.
- Ohmura, M., S. Yamasaki, H. Kurazono, K. Kashiwagi, K. Igarashi, Y. Takeda.** 1993. Characterization of non-toxic mutant toxins of Vero toxin 1 that were constructed by replacing amino acids in the A subunit. *Microb. Pathog.* **15**:169-176.
- Olsvik, Ø., N. A. Strockbine.** 1993. PCR detection of heat-stable, heat-labile, and Shiga-like toxin genes in *Escherichia coli*, p. 271-276. In D. H. Persing, T. F. Smith, F. C. Tenover, T. J. White (ed.), *Diagnostic molecular microbiology: principles and applications*, 1st ed. American Society for Microbiology, Washington, D.C.
- Ørskov, I., F. Ørskov.** 1983. Serology of *Escherichia coli* fimbriae. *Proc. Allergy* **33**:80-105.
- Ørskov, I., F. Ørskov.** 1992. *Escherichia coli* serotyping and disease in man and animals. *Can. J. Microbiol.* **38**:699-704.
- Ostroff, S. M., P. I. Tarr, M. A. Neill, J. H. Lewis, N. Hargrett-Bean, J. M. Kobayashi.** 1989. Toxin genotypes and plasmid profiles as determinants of systemic sequelae in *Escherichia coli* O157:H7 infections. *J. Infect. Dis.* **160**:994-999.
- Oswald, S.** 1997. Einführung von Virulenz-assoziierten Antigenen in den *Escherichia coli*-Carrier-Stamm DSM 6601. Universität Würzburg, Diplomarbeit.
- Parsot, C., J. J. Mekalanos.** 1990. Expression of ToxR, the transcriptional activator of the virulence factors in *Vibrio cholerae*, is modulated by the heat shock response. *Proc. Natl. Acad. Sci. USA* **87**:9898-9902.
- Paton J. C., A. W. Paton.** 1998. Pathogenesis and diagnosis of Shiga toxin-producing *Escherichia coli* infections. *Clin. Microbiol. Rev.* **11**:450-479.
- Paton, A. W., R. Ratcliff, R. M. Doyle, J. Seymour-Murray, D. Davos, J. A. Lanser, J. C. Paton.** 1996. Molecular microbiological investigation of an outbreak of hemolytic uremic syndrome caused by dry fermented sausage contaminated with Shiga-like toxin-producing *Escherichia coli*. *J. Clin. Microbiol.* **34**:1622-1627.
- Pavesi, A.** 1999. Relationships between transcriptional and translational control of gene expression in *Saccharomyces cerevisiae*: a multiple regression analysis. *J. Mol. Evol.* **48**:133-141.
- Pavia, A. T., C. R. Nichols, D. P. Green, R. V. Tauxe, S. Mottice, K. D. Greene, J. G. Wells, R. L. Siegler, E. D. Brewer, D. Hannon, P. A. Blake.** 1990. Hemolytic-uremic syndrome during an outbreak of *Escherichia coli* O157:H7 infections in institutions for mentally retarded persons: clinical and epidemiologic observations. *J. Pediatr.* **116**:544-551.
- Peighambari, S. M., C. L. Gyles.** 1998. Construction and characterization of avian *Escherichia coli cya crp* mutants. *Avian Dis.* **42**:698-710.
- Perera, L. P., J. E. Samuel, R. K. Holmes, A. D. O'Brien.** 1991a. Identification of three amino acid residues in the B subunit of Shiga toxin and Shiga-like toxin type II that are essential for holotoxin activity. *J. Bacteriol.* **173**:1151-1160.
- Perera, L. P., J. E. Samuel, R. K. Holmes, A. D. O'Brien.** 1991. Mapping the minimal contiguous gene segment that encodes functionally active Shiga-like toxin II. *Infect. Immun.* **59**:829-835.
- Perna, N. T., G. F. Mayhew, G. Pósfai, S. Elliott, M. S. Donnenberg, J. B. Kaper, F. R. Blattner.** 1998. Molecular evolution of a pathogenicity island from enterohemorrhagic *Escherichia coli* O157:H7. *Infect. Immun.* **66**:3810-3817.
- Phalipon, A., P. J. Sansonetti.** 1999. Microbial-host interactions at mucosal sites. Host response to pathogenic bacteria at mucosal sites. *Curr. Top. Microbiol. Immunol.* **236**:163-189.

- Plunkett, G., III, D. J. Rose, T. J. Durfee, F. R. Blattner.** 1999. Sequence of Shiga toxin 2 phage 933W from *Escherichia coli* O157:H7: Shiga toxin as a phage late-gene product. *J. Bacteriol.* **181**:1767-1778.
- Pósfai, G., M. D. Koob, H. A. Kirkpatrick, F. R. Blattner.** 1997. Versatile insertion plasmids for targeted genome manipulations in bacteria: isolation, deletion, and rescue of the pathogenicity island LEE of the *Escherichia coli* O157:H7 genome. *J. Bacteriol.* **179**:4426-4428.
- Proulx, F., J. P. Turgeon, G. Delage, L. Lafleur, L. Chicoine.** 1992. Randomized, controlled trial of antibiotic therapy for *Escherichia coli* O157:H7 enteritis. *J. Pediatr.* **121**:299-303.
- Ptashne, M.** 1986. A genetic switch. Cambridge, MA: Cell/Blackwell. 128 pp.
- Pulkkinen, W. S., S. I. Miller.** 1991. A *Salmonella typhimurium* virulence protein is similar to a *Yersinia enterocolitica* invasion protein and a bacteriophage lambda outer membrane protein. *J. Bacteriol.* **173**:86-93.
- Rabsch, W.** 1998. Characterization of the catecholase indicator strain *S. typhimurium* TA2700 as an *ent* *fhuC* double mutant. *FEMS Microbiol. Lett.* **163**:79-84.
- Rabsch, W., J. Tkacik, W. Lindemann, I. Mikula, R. Reissbrodt.** 1991. Different systems for iron supply in *Salmonella typhimurium* and *Escherichia coli* wild strains as tool for typing. *Zbl. Bakt.* **274**:437-445.
- Ramegowda, B., J. E. Samuel, V. L. Tesh.** 1999. Interaction of Shiga toxins with human brain microvascular endothelial cells: cytokines as sensitizing agents. *J. Infect. Dis.* **180**:1205-1213.
- Rappuoli, R.** 1997. Rational design of vaccines. *Nat. Med.* **3**:374-376.
- Reida, P., M. Wolff, H. W. Pohls, W. Kuhlmann, A. Lehmacher, S. Aleksic, H. Karch, J. Bockemuhl.** 1994. An outbreak due to enterohaemorrhagic *Escherichia coli* O157:H7 in a children day care centre characterized by person-to-person transmission and environmental contamination. *Int. J. Med. Microbiol. Virol. Parasitol. Infect. Dis.* **281**:534-543.
- Reida, P., M. Wolff, H. W. Pohls, W. Kuhlmann, A. Lehmacher, S. Aleksic, H. Karch, J. Bockemuhl.** 1994b. An outbreak due to enterohaemorrhagic *Escherichia coli* O157:H7 in a children day care centre characterized by person-to-person transmission and environmental contamination. *Zentralbl. Bakteriologie.* **281**:534-543.
- Ren, J., I. Utsunomiya, K. Taguchi, T. Ariga, T. Tai, Y. Ihara, T. Miyatake.** 1999. Localization of verotoxin receptors in nervous system. *Brain Res.* **825**:183-188.
- Rich, J. J., D. K. Willis.** 1997. Multiple loci of *Pseudomonas syringae* pv. *syringae* are involved in pathogenicity on bean: restoration of one lesion-deficient mutant requires two tRNA genes. *J. Bacteriol.* **179**:2247-2258.
- Richardson, J. M., P. D. Evans, S. W. Homans, A. Donohue-Rolfe.** 1997. Solution structure of the carbohydrate-binding B-subunit homopentamer of verotoxin VT-1 from *E. coli*. *Nat. Struct. Biol.* **4**:190-193.
- Richardson, S. E., M. A. Karmali, L. E. Becker, C. R. Smith.** 1988. The histopathology of the hemolytic uremic syndrome associated with verocytotoxin-producing *Escherichia coli* infections. *Hum. Pathol.* **19**:1102-1108.
- Richardson, S. E., T. A. Rotman, V. Jay, C. R. Smith, L. E. Becker, M. Petric, N. F. Olivieri, M. A. Karmali.** 1992. Experimental verocytotoxemia in rabbits. *Infect. Immun.* **60**:4154-4167.
- Riley, L. W.** 1987. The epidemiologic, clinical, and microbiological features of hemorrhagic colitis. *Annu. Rev. Microbiol.* **41**:383-407.
- Ritter, A.** 1996. Molekulargenetische Untersuchungen zur Virulenzmodulation bei pathogenen *Escherichia coli*-Stämmen. Universität Würzburg, Doktorarbeit.
- Ritter, A., G. Blum, L. Emödy, M. Kerényi, A. Böck, B. Neuhierl, W. Rabsch, F. Scheutz, J. Hacker.** 1995. tRNA genes and pathogenicity islands: influence on virulence and metabolic properties of uropathogenic *Escherichia coli*. *Mol. Microbiol.* **17**:109-121.
- Ritter, A., D. L. Gally, P. B. Olsen, U. Dobrindt, A. Friedrich, P. Klemm, J. Hacker.** 1997. The Pai-associated *leuX* specific tRNA^{Leu} affects type 1 fimbriation in pathogenic *Escherichia coli* by control of FimB recombinase expression. *Mol. Microbiol.* **25**:871-882.
- Roca, A. I., M. M. Cox.** 1997. RecA protein: structure, function, and role in recombinational DNA repair. *Prog. Nucleic Acid Res. Mol. Biol.* **56**:129-223.
- Roche Lexikon Medizin,** hrsg. von der Hoffmann-La Roche AG und Urban & Schwarzenberg, 2. Auflage, München, Wien, Baltimore: Urban & Schwarzenberg. 1991.

- Roland, K., R. Curtiss III, D. Sizemore.** 1999. Construction and evaluation of a Δ cya Δ crp *Salmonella typhimurium* strain expressing avian pathogenic *Escherichia coli* O78 LPS as a vaccine to prevent airsacculitis in chickens. *Avian Dis.* **43**:429-441.
- Russel, M.** 1991. Filamentous phage assembly. *Mol. Microbiol.* **5**:1607-1613.
- Rüssmann, H., H. Shams, F. Poblete, Y. Fu, J. E. Galán, R. O. Donis.** 1998. Delivery of epitopes by the *Salmonella* Type III secretion system for vaccine development. *Science* **281**:565-568
- Ryan, E. T., T. I. Crean, M. John, J. R. Butterton, J. D. Clements, S. B. Calderwood.** 1999. *In vivo* expression and immunoadjuvancy of a mutant of heat-labile enterotoxin of *Escherichia coli* in vaccine and vector strains of *Vibrio cholerae*. *Infect. Immun.* **67**:1694-1701.
- Ryd, M., N. Verma, A. A. Lindberg.** 1992. Induction of a humoral immune response to a Shiga toxin B subunit epitope expressed as a chimeric LamB protein in a *Shigella flexneri* live vaccine strain. *Microb. Pathog.* **12**:399-407.
- Saier, M. H., Jr.** 1995. Differential codon usage: a safeguard against inappropriate expression of specialized genes? *FEBS Letters* **362**:1-4.
- Saiki, R. K., D. H. Gelfand, S. Stoffel, S. J. Scharf, R. Higuchi, G. T. Horn, K. B. Mullis, H. A. Erlich.** 1988. Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science* **239**:487-491.
- Sakai, T., C. Sasakawa, M. Yoshikawa.** 1988. Expression of four virulence antigens of *Shigella flexneri* is positively regulated at the transcriptional level by the 30 kiloDalton VirF protein. *Mol. Microbiol.* **2**:589-597.
- Sakiri, R., B. Ramegowda, V. L. Tesh.** 1998. Shiga toxin type 1 activates tumor necrosis factor- α gene transcription and nuclear translocation of the transcriptional activators nuclear factor- κ B and activator protein-1. *Blood* **92**:558-566.
- Saleh, M. T., J. Ferguson, J. M. Boggs, J. Garipey.** 1996. Insertion and orientation of a synthetic peptide representing the C-terminus of the A1 domain of Shiga toxin into phospholipid membranes. *Biochemistry* **35**:9325-9334.
- Sambrook, J., E. F. Fritsch, T. Maniatis.** 1989. *Molecular cloning: a laboratory manual*, 2nd ed. Cold Spring Harbour Laboratory, Cold Spring Harbour, N. Y.
- Samuel, J. E., V. M. Gordon.** 1994. Evidence that proteolytic separation of Shiga-like toxin type IIv A subunit into A1 and A2 subunits is not required for toxin activity. *J. Biol. Chem.* **269**:4853-4859.
- Sandhu, K. S., R. C. Clarke, C. L. Gyles.** 1997. Hemolysin phenotypes and genotypes of *eaeA*-positive and *eaeA*-negative bovine verotoxigenic *Escherichia coli*. *Adv. Exp. Med. Biol.* **412**:295-302.
- Sandvig, K., B. van Deurs.** 1996. Endocytosis, intracellular transport, and cytotoxic action of Shiga toxin and ricin. *Physiol. Rev.* **76**:949-966.
- Sandvig, K., O. Garred, K. Prydz, J. V. Kozlov, S. H. Hansen, B. van Deurs.** 1992. Retrograde transport of endocytosed Shiga toxin to the endoplasmic reticulum. *Nature* **358**:510-512.
- Sandvig, K., S. Olsnes, J. E. Brown, O. W. Petersen, B. van Deurs.** 1989. Endocytosis from coated pits of Shiga toxin: a glycolipid-binding protein from *Shigella dysenteriae* 1. *J. Cell Biol.* **108**:1331-1343.
- Sandvig, K., M. Ryd, O. Garred, E. Schweda, P. K. Holm, B. van Deurs.** 1994. Retrograde transport from the Golgi complex to the ER of both Shiga toxin and the nontoxic Shiga B-fragment is regulated by butyric acid and cAMP. *J. Cell Biol.* **126**:53-64.
- Sanger, F., S. Nicklen, A. R. Coulson.** 1977. DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA* **74**:5463-5467.
- Sansonetti, P. J.** 1992. Molecular and cellular biology of *Shigella flexneri* invasiveness: from cell assay systems to shigellosis. *Curr. Top. Microbiol. Immunol.* **180**:1-19.
- Sauer, U., P. Dürre.** 1992. Possible function of tRNA_{ACG}^{Tyr} in regulation of solvent formation in *Clostridium acetobutylicum*. *FEMS Microbiol. Lett.* **100**:147-154.
- Savarino, S. J., A. Fasano, J. Watson, B. M. Martin, M. M. Levine, S. Guandalini, P. Guerry.** 1993. Enteroaggregative *Escherichia coli* heat-stable enterotoxin 1 represents another subfamily of *E. coli* heat-stable toxin. *Proc. Natl. Acad. Sci. USA* **90**:3093-3097.
- Savarino, S. J., A. McVeigh, J. Watson, J. Molina, A. Cravioto, P. Echeverria, M. K. Bhan, M. M. Levine, A. Fasano.** 1996. Enteroaggregative *Escherichia coli* heat-stable enterotoxin is not restricted to enteroaggregative *Escherichia coli*. *J. Infect. Dis.* **173**:1019-1022.
- Saxena, S. K., A. D. O'Brien, E. J. Ackerman.** 1989. Shiga toxin, Shiga-like toxin II variant, and ricin are all single-site RNA N-glycosidases of 28S RNA when microinjected into *Xenopus* oocytes. *J. Biol. Chem.* **264**:596-601.

- Schägger, H., G. von Jagow.** 1987. Tricin-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. *Anal. Biochem.* **166**:358-379.
- Schmidt, H., L. Beutin, H. Karch.** 1995. Molecular analysis of the plasmid-encoded hemolysin of *Escherichia coli* O157:H7 strain EDL 933. *Infect. Immun.* **63**:1055-1061.
- Schmidt, H., M. Bielaszewska, H. Karch.** 1999. Transduction of enteric *Escherichia coli* isolates with a derivative of Shiga toxin 2-encoding bacteriophage ϕ 3538 isolated from *Escherichia coli* O157:H7. *Appl. Environ. Microbiol.* **65**:3855-3861.
- Schmidt, H., H. Karch.** 1996. Enterohemolytic phenotypes and genotypes of Shiga toxin-producing *Escherichia coli* O111 strains from patients with diarrhea and hemolytic uremic syndrome. *J. Clin. Microbiol.* **34**:2364-2367.
- Schmidt, H., H. Karch, L. Beutin.** 1994. The large-sized plasmids of enterohemorrhagic *Escherichia coli* O157 strains encode hemolysins which are presumably members of the *E. coli* alpha-hemolysin family. *FEMS Microbiol. Lett.* **117**:189-196.
- Schmidt, H., C. Kernbach, H. Karch.** 1996. Analysis of the EHEC hly operon and its location in the physical map of the large plasmid of enterohaemorrhagic *Escherichia coli* O157:H7. *Microbiology* **142**:907-914.
- Schmidt, H., E. Maier, H. Karch, R. Benz.** 1996. Pore-forming properties of the plasmid-encoded hemolysin of enterohemorrhagic *Escherichia coli*. O157:H7. *Eur. J. Biochem.* **241**:594-601.
- Schmidt, H., B. Plaschke, S. Franke, H. Russmann, A. Schwarzkopf, J. Heesemann, H. Karch.** 1994. Differentiation in virulence patterns of *Escherichia coli* possessing eae genes. *Med. Microbiol. Immunol. (Berl.)* **183**:23-31.
- Schmidt, H., J. Scheef, H. I. Huppertz, M. Frosch, H. Karch.** 1999. *Escherichia coli* O157:H7 and O157:H⁻ strains that do not produce shiga toxin: phenotypic and genetic characterization of isolates associated with diarrhea and hemolytic-uremic syndrome. *J. Clin. Microbiol.* **37**:3491-3496.
- Schmitt, C. K., M. L. McKee, A. D. O'Brien.** 1991. Two copies of Shiga-like toxin II-related genes common in enterohemorrhagic *Escherichia coli* strains are responsible for the antigenic heterogeneity of the O157:H⁻ strain E32511. *Infect. Immun.* **59**:1065-1073.
- Schödel, F., R. Curtiss III.** 1995. *Salmonellae* as oral vaccine carriers. *Dev. Biol. Stand.* **84**:245-253.
- Schriefer, A., J. R. Maltez, N. Silva, M. Y. Stoeckle, M. Barral-Netto, L. W. Riley.** 1999. Expression of a pilin subunit BfpA of the bundle-forming pilus of enteropathogenic *Escherichia coli* in an *aroA* live *Salmonella* vaccine strain. *Vaccine* **17**:770-778.
- Schurr, M. J., H. Yu, J. C. Boucher, N. S. Hibler, V. Deretic.** 1995. Multiple promoters and induction by heat shock of the gene encoding the alternative sigma factor AlgU (sigma E) which controls mucoidy in cystic fibrosis isolates of *Pseudomonas aeruginosa*. *J. Bacteriol.* **177**:5670-5679.
- Scotland, S. M., H. R. Smith, B. Rowe.** 1985. Two distinct toxins active on vero cells from *Escherichia coli* O157:H7. *Lancet* **ii**:885-886.
- Scotland, S. M., H. R. Smith, G. A. Willshaw, B. Rowe.** 1983. Vero cytotoxin production in a strain of *Escherichia coli* determined by genes carried on bacteriophage. *Lancet* **ii**:216.
- Seidah, N. G., A. Donohue-Rolfe, C. Lazure, F. Auclair, G. T. Keusch, M. Chretien.** 1986. Complete amino acid sequence of *Shigella* toxin B-chain. A novel polypeptide containing 69 amino acids and one disulfide bridge. *J. Biol. Chem.* **261**:13928-13931.
- Sekizaki, T., S. Harayama, G. M. Brazil, K. N. Timmis.** 1987. Localization of *stx*, a determinant essential for high-level production of shiga toxin by *Shigella dysenteriae* serotype 1, near *pyrF* and generation of *stx* transposon mutants. *Infect Immun.* **55**:2208-2214.
- Sherman, P., F. Cockerill, R. Soni, J. Brunton.** 1991. Outer membranes are competitive inhibitors of *Escherichia coli* O157:H7 adherence to epithelial cells. *Infect. Immun.* **59**:890-899.
- Sherman, P., R. Soni.** 1988. Adherence of Vero cytotoxin-producing *Escherichia coli* of serotype O157:H7 to human epithelial cells in tissue culture: role of outer membranes as bacterial adhesin. *J. Med. Microbiol.* **26**:11-17.
- Sherman, P., R. Soni, M. Petric, M. Karmali.** 1987. Surface properties of the Vero cytotoxin-producing *Escherichia coli* O157:H7. *Infect. Immun.* **55**:1824-1829.
- Sherman, P., R. Soni, H. Yeger.** 1988. Characterization of flagella purified from enterohemorrhagic, vero-cytotoxin-producing *Escherichia coli* serotype O157:H7. *J. Clin. Microbiol.* **26**:1367-1372.
- Shimizu, T., S. Yamasaki, T. Tsukamoto, Y. Takeda.** 1999. Analysis of the genes responsible for the O-antigen synthesis in enterohaemorrhagic *Escherichia coli* O157. *Microb. Pathog.* **26**:235-247.

- Silver, R. P., W. Aaronson, W. F. Vann.** 1988. The K1 capsular polysaccharide of *Escherichia coli*. Rev. Infect. Dis. **10S2**:282-286.
- Sirard, J. C., F. Niedergang, J. P. Kraehenbuhl.** 1999. Live attenuated *Salmonella*: a paradigm of mucosal vaccines. Immunol. Rev. **171**:5-26.
- Sjogren, R., R. Neill, D. Rachmilewitz, D. Fritz, J. Newland, D. Sharpnack, C. Colleton, J. Fondacaro, P. Gemski, E. Boedeker.** 1994. Role of Shiga-like toxin I in bacterial enteritis: comparison between isogenic *Escherichia coli* strains induced in rabbits. Gastroenterology **106**:306-317.
- Skinner, L. M., M. P. Jackson.** 1997. Investigation of ribosome binding by the Shiga toxin A1 subunit, using competition and site-directed mutagenesis. J. Bacteriol. **179**:1368-1374.
- Skinner, L. M., M. P. Jackson.** 1998. Inhibition of prokaryotic translation by the Shiga toxin enzymatic subunit. Microb. Pathog. **24**:117-122.
- Smerdou, C., I. M. Anton, J. Plana, R. Curtiss III, L. Enjuanes.** 1996. A continuous epitope from transmissible gastroenteritis virus S protein fused to *E. coli* heat-labile toxin B subunit expressed by attenuated *Salmonella* induces serum and secretory immunity. Virus Res. **41**:1-9.
- Smith, H. W., P. Green, Z. Parsell.** 1983. Vero cell toxins in *Escherichia coli* and related bacteria: transfer by phage and conjugation and toxic action in laboratory animals, chickens, and pigs. J. Gen. Microbiol. **129**:3121-3137.
- Soto, G. E., S. J. Hultgren.** 1999. Bacterial adhesins: common themes and variations in architecture and assembly. J. Bacteriol. **181**:1059-1071.
- Sperandio, V., J. L. Mellies, W. Nguyen, S. Shin, J. B. Kaper.** 1999. Quorum sensing controls expression of the type III secretion gene transcription and protein secretion in enterohemorrhagic and enteropathogenic *Escherichia coli*. Proc. Natl. Acad. Sci. USA **96**:15196-15201.
- Steger, K. K., P. J. Valentine, F. Heffron, M. So, C. D. Pauza.** 1999. Recombinant, attenuated *Salmonella typhimurium* stimulate lymphoproliferative responses to SIV capsid antigen in rhesus macaques. Vaccine **17**:923-932.
- Stein, P. E., A. Boodhoo, G. J. Tyrrell, J. L. Brunton, R. J. Read.** 1992. Crystal structure of the cell-binding B oligomer of verotoxin-1 from *E. coli*. Nature **355**:748-750.
- Stocker, B. A.** 1990. Aromatic-dependent *Salmonella* as live vaccine presenters of foreign epitopes as inserts in flagellin. Res. Microbiol. **141**:787-796.
- Stojiljkovic, I., K. Hantke.** 1992. Hemin uptake system of *Yersinia enterocolitica*: similarities with other TonB-dependent systems in gram-negative bacteria. EMBO J. **11**:4359-4367.
- Stoker, N. G., N. F. Fairweather, B. G. Spratt.** 1982. Versatile low-copy-number plasmid vectors for cloning in *Escherichia coli*. Gene **18**:335-341.
- Strockbine, N. A., L. R. M. Marques, J. W. Newland, H. Williams-Smith, R. K. Holmes, A. D. O'Brien.** 1986. Two toxin-converting phages from *Escherichia coli* O157:H7 strain 933 encode antigenically distinct toxins with similar biologic activities. Infect. Immun. **53**:135-140.
- Stroehner, U. H., L. Bode, L. Beutin, P. A. Manning.** 1993. Characterization and sequence of a 33-kDa enterohemolysin (Ehly1)-associated protein in *Escherichia coli*. Gene **132**:89-94.
- Su, G. F., H. N. Brahmabhatt, V. de Lorenzo, J. Wehland, K. N. Timmis.** 1992a. Extracellular export of Shiga toxin B-subunit/haemolysin A (C-terminus) fusion protein expressed in *Salmonella typhimurium aroA*-mutant and stimulation of B-subunit specific antibody responses in mice. Microb. Pathog. **13**:465-476.
- Su, G. F., H. N. Brahmabhatt, J. Wehland, M. Rohde, K. N. Timmis.** 1992b. Construction of stable LamB-Shiga toxin B subunit hybrids: analysis of expression in *Salmonella typhimurium aroA* strains and stimulation of B subunit-specific mucosal and serum antibody responses. Infect. Immun. **60**:3345-3359.
- Suh, J. K., C. J. Hovde, J. D. Robertus.** 1998. Shiga toxin attacks bacterial ribosomes as effectively as eucaryotic ribosomes. Biochemistry **37**:9394-9398.
- Suhan, M. L., C. J. Hovde.** 1998. Disruption of an internal membrane-spanning region in Shiga toxin 1 reduces cytotoxicity. Infect. Immun. **66**:5252-5259.
- Sung, L. M., M. P. Jackson, A. D. O'Brien, R. K. Holmes.** 1990. Transcription of the Shiga-like toxin type II and Shiga-like toxin type II variant operons of *Escherichia coli*. J. Bacteriol. **172**:6386-6395.
- Susa, M., B. Kreft, G. Wasenauer, A. Ritter, J. Hacker, R. Marre.** 1996. Influence of cloned tRNA genes from a uropathogenic *Escherichia coli* strain on adherence to primary human renal tubular epithelial cells and nephropathogenicity in rats. Infect. Immun. **64**:5390-5394.

- Tacket, C. O., D. M. Hone, R. Curtiss, S. M. Kelly, G. Losonsky, L. Guers, A. M. Harris, R. Edelman, M. M. Levine.** 1992. Comparison of the safety and immunogenicity of *aroC*, *aroD* and *cya*, *crp* *Salmonella typhi* strains in adult volunteers. *Infect. Immun.* **60**:536-541.
- Tacket, C. O., G. Losonsky, J. P. Nataro, S. J. Cryz, R. Edelman, A. Fasano, J. Michalski, J. B. Kaper, M. M. Levine.** 1993. Safety and immunogenicity of live oral cholera vaccine candidate CVD 110, a *DctxA D_{zot} D_{ace}* derivative of El Tor Ogawa *Vibrio cholerae*. *J. Infect. Dis.* **168**:1536-1540.
- Takeda, T., S. Dohi, T. Igarashi, T. Yamanaka, K. Yoshiya, N. Kobayashi.** 1993. Impairment by verotoxin of tubular function contributes to the renal damage seen in haemolytic uraemic syndrome. *J. Infect.* **27**:339-341.
- Tamura, F., S. Nishimura, M. Ohki.** 1984. The *E. coli divE* mutation, which differentially inhibits synthesis of certain proteins, is in tRNA_{1^{Ser}}. *EMBO J.* **3**:1103-1107.
- Tarr, P. I., S. S. Bilge, J. A. Vary, N. M. Tang, M. R. Baylor, K. Potter, T. E. Besser, S. L. Moseley.** 1995. Adherence and colonization mechanisms of *Escherichia coli* O157:H7, p. 119-124. *In* Abstracts of the 31st US-Japan Cholera and Related Diarrheal Diseases Conference.
- Tarr, P. I., S. S. Bilge, J. C. Vary Jr., S. Jelacic, R. L. Habeeb, T. R. Ward, M. R. Baylor, T. E. Besser.** 2000. Iha: a novel *Escherichia coli* O157:H7 adherence-conferring molecule encoded on a recently acquired chromosomal island of conserved structure. *Infect. Immun.* **68**:1400-1407.
- Tashiro, H., S. Miura, I. Kurose, D. Fukumura, H. Suzuki, M. Suematsu, M. Yoshioka, M. Tsuchiya, A. Kai, Y. Kudoh.** 1994. Verotoxin induces hemorrhagic lesions in rat small intestine. Temporal alteration of vasoactive substances. *Dig. Dis. Sci.* **39**:1230-1238.
- Taylor, D. N., K. P. Killeen, D. C. Hack, J. R. Kenner, T. S. Coster, D. T. Beattie, J. Ezzell, T. Hyman, A. Trofa, M. H. Sjogren, A. Friedlander, J. J. Mekalanos, J. C. Sadoff.** 1994. Development of a live, oral attenuated vaccine against El Tor cholera. *J. Infect. Dis.* **170**:1518-1523.
- Taylor, K. A., P. W. Luther, M. S. Donnenberg.** 1999. Expression of the EspB protein of enteropathogenic *Escherichia coli* within HeLa cells affects stress fibers and cellular morphology. *Infect. Immun.* **67**:120-125.
- Taylor, K. A., C. B. O'Connell, P. W. Luther, M. S. Donnenberg.** 1998. The EspB protein of enteropathogenic *Escherichia coli* is targeted to the cytoplasm of infected HeLa cells. *Infect. Immun.* **66**:5501-5507.
- Tedin, K., A. Witte, G. Reisinger, W. Lubitz, U. Blasi.** 1995. Evaluation of the *E. coli* ribosomal *rrnB* P1 promoter and phage-derived lysis genes for the use in a biological containment system: a concept study. *J. Biotechnol.* **39**:137-148.
- Tercero, J. A., J. C. Espinosa, A. Jimenez.** 1998. Expression of the *Streptomyces alboniger pur* cluster in *Streptomyces lividans* is dependent on the *bldA*-encoded tRNA^{Leu}. *FEBS Lett.* **421**:221-223.
- Tesh, V. L.** 1998. Virulence of enterohemorrhagic *Escherichia coli*: role of molecular crosstalk. *Trends Microbiol.* **6**:228-233.
- Tesh, V. L., J. A. Burris, J. W. Owens, V. M. Gordon, E. A. Wadolkowski, A. D. O'Brien, J. E. Samuel.** 1993. Comparison of the relative toxicities of Shiga-like toxins type I and type II for mice. *Infect. Immun.* **61**:3392-3402.
- Tesh, V. L., A. D. O'Brien.** 1991. The pathogenic mechanisms of Shiga toxin and the Shiga-like toxins. *Mol. Microbiol.* **5**:1817-1822.
- Thorbjarnardóttir, S., Á. Björnsson, L. Ámundadóttir, G. Eggertsson.** 1991. Temperature sensitivity caused by missense suppressor *supH* and amber suppressor *supP* in *Escherichia coli*. *J. Bacteriol.* **173**:412-416.
- Thorbjarnardóttir, S., T. Dingermann, T. Rafnar, Ó. S. Andrésón, D. Söll, G. Eggertsson.** 1985. Leucine tRNA family of *Escherichia coli*: Nucleotide sequence of the *supP*(Am) suppressor gene. *J. Bacteriol.* **161**:219-222.
- Tobe, T., M. Yoshikawa, T. Mizuno, C. Sasakawa.** 1993. Transcriptional control of the invasion regulatory gene *virB* of *Shigella flexeri*: activation by *virF* and repression by H-NS. *J. Bacteriol.* **175**:6142-6149.
- Torres A. G., S. M. Payne.** 1997. Haem iron-transport system in enterohaemorrhagic *Escherichia coli* O157:H7. *Mol. Microbiol.* **23**:825-833.
- Toth, I., M. L. Cohen, H. S. Rumschlag, L. W. Riley, E. H. White, J. H. Carr, W. W. Bond, I. K. Wachsmuth.** 1990. Influence of the 60-megadalton plasmid on adherence of *Escherichia coli* O157:H7 and genetic derivatives. *Infect. Immun.* **58**:1223-1231.

- Tuomanen, E.** 1996. Entry of pathogens into the central nervous system. *FEMS Microbiol. Rev.* **18**:289-299.
- Tyrrell, G. J., K. Ramotar, B. Toye, B. Boyd, C. A. Lingwood, J. L. Brunton.** 1992. Alteration of the carbohydrate binding specificity of verotoxins from Gal α 1-4Gal to GalNAc β 1-3Gal α 1-4Gal and vice versa by site-directed mutagenesis of the binding subunit. *Proc. Natl. Acad. Sci. USA* **89**:524-528.
- Tzipori, S., H. Karch, K. I. Wachsmuth, R. M. Robins-Browne, A. D. O'Brien, H. Lior, M. L. Cohen, J. Smithers, M. M. Levine.** 1987. Role of a 60-megadalton plasmid and Shiga-like toxins in the pathogenesis of infection caused by enterohemorrhagic *Escherichia coli* O157:H7 in gnotobiotic piglets. *Infect. Immun.* **55**:3117-3125.
- Tzipori, S., J. Montanaro, R. M. Robins-Browne, P. Vial, R. Gibson, M. M. Levine.** 1992. Studies with enteroaggregative *Escherichia coli* in the gnotobiotic piglet gastroenteritis model. *Infect. Immun.* **60**:5302-5306.
- Tzipori, S., F. Gunzer, M. S. Donnemberg, L. de Montigny, J. B. Kaper, A. Donohue-Rolfe.** 1995. The role of the *eaeA* gene in diarrhea and neurological complications in a gnotobiotic piglet model of enterohemorrhagic *Escherichia coli* infection. *Infect. Immun.* **63**:3621-3627.
- Tzschaschel, B. D., S. R. Klee, V. de Lorenzo, K. N. Timmis, C. A. Guzmán.** 1996. Towards a vaccine candidate against *Shigella dysenteriae* 1: expression of the Shiga toxin B-subunit in an attenuated *Shigella flexneri aroD* carrier strain. *Microb. Pathog.* **21**:277-288.
- Uchida, H., N. Kiyokawa, H. Horie, J. Fujimoto, T. Takeda.** 1999a. The detection of Shiga toxins in the kidney of a patient with hemolytic uremic syndrome. *Pediatr. Res.* **45**:133-137.
- Uchida, H., N. Kiyokawa, T. Taguchi, H. Horie, J. Fujimoto, T. Takeda.** 1999b. Shiga toxins induce apoptosis in pulmonary epithelium-derived cells. *J. Infect. Dis.* **180**:1902-1911.
- Uhl, M. A., J. F. Miller.** 1996. Integration of multiple domains in a two-component sensor protein: the *Bordetella pertussis* BvgAS phosphorelay. *EMBO J.* **15**:1028-1036.
- Vaca-Pacheco, S., G. L. Paniagua-Contreras, O. Garcia-Gonzalez, M. de la Garza.** 1999. The clinically isolated FIZ15 bacteriophage causes lysogenic conversion in *Pseudomonas aeruginosa* PAO1. *Curr. Microbiol.* **38**:239-243.
- Valentine, P. J., B. P. Devore, F. Heffron.** 1998. Identification of three highly attenuated *Salmonella typhimurium* mutants that are more immunogenic and protective in mice than a prototypical *aroA* mutant. *Infect. Immun.* **66**:3378-3383.
- Valentine, P. J., K. Meyer, M. M. Rivera, C. Lipps, D. Pauza, R. T. Maziarz, M. So, F. Heffron.** 1996. Induction of SIV capsid-specific CTL and mucosal sIgA in mice immunized with a recombinant *S. typhimurium aroA* mutant. *Vaccine* **14**:138-146.
- van de Kar, N. C., L. A. Monnens, M. A. Karmali, V. W. van Hinsbergh.** 1992. Tumor necrosis factor and interleukin-1 induce expression of the verocytotoxin receptor globotriaosylceramid on human endothelial cells: implicatons for the pathogenesis of the hemolytic uremic syndrome. *Blood* **80**:2755-2764.
- Vasil, M. L., U. A. Ochsner.** 1999. The response of *Pseudomonas aeruginosa* to iron: genetics, biochemistry and virulence. *Mol. Microbiol.* **34**:399-413.
- Vericat, J. A., J. Barbe, R. Guerrero.** 1984. Expression of the SOS response following simultaneous treatment with methyl-nitrosoguanidine and mitomycin C in *E. coli*. *Mutation Res.* **132**:15-20.
- Vica Pacheco, S., O. Garcia Gonzalez, G. L. Paniagua Contreras.** 1997. The *lom* gene of bacteriophage λ is involved in *Escherichia coli* K-12 adhesion to human buccal epithelial cells. *FEMS Microbiol. Lett.* **156**:129-132.
- Voelker, L. L., K. Dybvig.** 1999. Sequence analysis of the *Mycoplasma arthritidis* bacteriophage MAV1 genome identifies the putative virulence factor. *Gene* **233**:101-107.
- von Gabain, A., J. G. Belasco, J. L. Schottel, A. C. Y. Chang, S. N. Cohen.** 1983. Decay of mRNA in *Escherichia coli*: investigation of the fate of specific segments of transcripts. *Proc. Natl. Acad. Sci. USA* **80**: 653-657.
- Voss, E., P. A. Manning, S. R. Attridge.** 1996. The toxin-coregulated pilus is a colonization factor and protective antigen of *Vibrio cholerae* El Tor. *Microb. Pathog.* **20**:141-153.
- Wachter, C., C. Beinke, M. Mattes, M. A. Schmidt.** 1999. Insertion of EspD into epithelial target cell membranes by infecting enteropathogenic *Escherichia coli*. *Mol. Microbiol.* **31**:1695-1707.
- Wagner, P. L., D. W. Acheson, M. K. Waldor.** 1999. Isogenic lysogens of diverse shiga toxin 2-encoding bacteriophages produce markedly different amounts of shiga toxin. *Infect. Immun.* **67**:6710-6704.

- Waldor, M. K., J. J. Mekalanos.** 1996. Lysogenic conversion by a filamentous phage encoding cholera toxin. *Science* **272**:1910-1914.
- Wang, J., V. Michel, C. Leclerc, M. Hofnung, A. Charbit.** 1999. Immunogenicity of viral B-cell epitopes inserted into two surface loops of the *Escherichia coli* K-12 LamB protein and expressed in an attenuated *aroA* strain of *Salmonella typhimurium*. *Vaccine* **17**:1-12.
- Wang, L., H. Curd, P. R. Reeves.** 1999. Immunization of mice with live oral vaccine based on a *Salmonella enterica* (sv Typhimurium) *aroA* strain expressing the *Escherichia coli* O111 O antigen. *Microb. Pathog.* **27**:55-59.
- Ward, S. J., G. Douce, D. Figueiredo, G. Dougan, B. W. Wren.** 1999. Immunogenicity of a *Salmonella typhimurium aroA aroD* vaccine expressing a nontoxic domain of *Clostridium difficile* toxin A. *Infect. Immun.* **67**:2145-2152.
- Watarai, M., T. Sato, M. Kobayashi, T. Shimizu, S. Yamasaki, T. Tobe, C. Sasakawa, Y. Takeda.** 1998. Identification and characterization of a newly isolated Shiga toxin 2-converting phage from Shiga toxin-producing *Escherichia coli*. *Infect. Immun.* **66**:4100-4107.
- Waterman, S. R., P. L. Small.** 1996. Characterization of the acid resistance phenotype and *rpoS* alleles of Shiga-like toxin-producing *Escherichia coli*. *Infect. Immun.* **64**:2808-2811.
- Wattiau, P., G. R. Cornelis.** 1994. Identification of DNA sequences recognized by VirF, the transcriptional activator of the *Yersinia yop regulon*. *J. Bacteriol.* **176**:3878-3884.
- Weinstein, D. L., R. K. Holmes, A. D. O'Brien.** 1988b. Effects of iron and temperature on Shiga-like toxin I production by *Escherichia coli*. *Infect Immun* **56**:106-111.
- Weinstein, D. L., M. P. Jackson, L. P. Perera, R. K. Holmes, A. D. O'Brien.** 1989. The *in vivo* formation of hybrid toxins comprised of Shiga toxin and the Shiga-like toxins and the role of the B subunit in localization and cytotoxic activity. *Infect. Immun.* **57**:3743-3750.
- Weinstein, D. L., M. P. Jackson, J. E. Samuel, R. K. Holmes, A. D. O'Brien.** 1988a. Cloning and sequencing of a Shiga-like toxin type II variant from an *Escherichia coli* strain responsible for edema disease of swine. *J. Bacteriol.* **170**:4223-4230.
- Westerlund-Wikström, B., J. Tanskanen, R. Virkola, J. Hacker, M. Lindberg, M. Skurnik, T. K. Korhonen.** 1997. Functional expression of adhesive peptides as fusions to *Escherichia coli* flagellin. *Protein Eng.* **10**:1319-1326.
- White-Ziegler, C. A., M. L. Angus Hill, B. A. Braaten, M. W. van der Woude, D. A. Low.** 1998. Thermoregulation of *Escherichia coli* pap transcription: H-NS is a temperature-dependent DNA methylation blocking factor. *Mol. Microbiol.* **28**:1121-1137.
- Winsor, D. K. Jr., S. Ashkenazi, R. Chiovetti, T. G. Cleary.** 1992. Adherence of enterohemorrhagic *Escherichia coli* strains to a human colonic epithelial cell line (T24). *Infect. Immun.* **60**:1613-1617.
- Wolf, M. K.** 1997. Occurrence, distribution, and association of O and H serogroups, colonization factor antigens, and toxins of enterotoxigenic *Escherichia coli*. *Clin. Microbiol. Rev.* **10**:569-584.
- Wolff, C., I. Nisan, E. Hanski, G. Frankel, I. Rosenshine.** 1998. Protein translocation into epithelial cells by infecting enteropathogenic *Escherichia coli*. *Mol. Microbiol.* **28**:143-155.
- Wu, L. F., M. H. Saier jr.** 1991. Differences in codon usage among genes encoding proteins of different function in *Rhodobacter capsulatus*. *Res. Microbiol.* **142**:943-949.
- Wyckoff, E. E., D. Duncan, A. G. Torres, M. Mills, K. Maase, S. M. Payne.** 1998. Structure of the *Shigella dysenteriae* haem transport locus and its phylogenetic distribution in enteric bacteria. *Mol. Microbiol.* **28**:1139-1152.
- Yakhchali, B., P. A. Manning.** 1997. Epitope analysis of the CS3 fimbrial subunit of human enterotoxigenic *Escherichia coli* and the construction of novel CS3::ST and CS3::LT-B immunogens. *Behring Inst. Mitt.* (98):124-134.
- Yamamoto, K., T. Higashikawa, K. Ohta, Y. Oda.** 1985. A loss of *uvrA* function decreases the induction of the SOS functions *recA* and *umuC* by mitomycin C in *E. coli*. *Mutation Res.* **149**:297-302.
- Yamasaki, S., M. Furutani, K. Ito, K. Igarashi, M. Nishibuchi, Y. Takeda.** 1991. Importance of arginine at position 170 of the A subunit of Vero toxin 1 produced by enterohemorrhagic *Escherichia coli* for toxin activity. *Microb. Pathog.* **11**:1-9.
- Yanisch-Perron C., J. Vieira, J. Messing.** 1985. Improved M13 phage cloning vectors and host strains: nucleotide sequences of the M13mp18 and pUC19 vectors. *Gene* **33**:103-119.
- Yee, A. J., S. DeGrandis, C. L. Gyles.** 1993. Mitomycin-induced synthesis of a Shiga-like toxin from enteropathogenic *Escherichia coli* H.I.8. *Infect. Immun.* **61**:4510-4513.

- Yonei, S., R. Yokota, Y. Sato.** 1987. The distinct role of catalase and DNA repair systems in protection against hydrogen peroxide in *Escherichia coli*. *Biochem. Biophys. Res. Commun.* **143**:638-644.
- Yoshida, T., M. Fukada, N. Koide, H. Ikeda, T. Sugiyama, Y. Kato, N. Ishikawa, T. Yokochi.** 1999. Primary cultures of human endothelial cells are susceptible to low doses of Shiga toxins and undergo apoptosis. *J. Infect. Dis.* **180**:2048-2052.
- Yoshimura, M., H. Inokuchi, H. Ozeki.** 1984. Identification of transfer RNA suppressors in *Escherichia coli*. *J. Mol. Biol.* **177**:627-644.
- Yoshioka, K., K. Yagi, N. Moriguchi.** 1999. Clinical features and treatment of children with hemolytic uremic syndrome caused by enterohemorrhagic *Escherichia coli* O157:H7 infection: experience of an outbreak in Sakai City, 1996. *Pediatr. Int.* **41**:223-227.
- Yu, J., J. B. Kaper.** 1992. Cloning and characterization of the *eae* gene of enterohaemorrhagic *Escherichia coli* O157:H7. *Mol. Microbiol.* **6**:411-417.
- Zagaglia, C., M. Casalino, B. Colonna, C. Conti, A. Calconi, M. Nicoletti.** 1991. Virulence plasmids of enteroinvasive *Escherichia coli* and *Shigella flexneri* integrate into a specific site of the host chromosome: integration greatly reduces expression of plasmid-carried virulence genes. *Infect. Immun.* **59**:792-799.
- Zhang, X., S. M. Kelly, W. Bollen, R. Curtiss III.** 1999. Protection and immune responses induced by attenuated *Salmonella typhimurium* UK-1 strains. *Microb. Pathog.* **26**:121-130.
- Zhao, S., J. Meng, M. P. Doyle, R. Meinersman, G. Wang, P. Zhao.** 1996. A low molecular weight outer-membrane protein of *Escherichia coli* O157:H7 associated with adherence to INT407 cells and chicken caeca. *J. Med. Microbiol.* **45**:90-96.
- Zoja, C., D. Corna, C. Farina, G. Sacchi, C. Lingwood, M. P. Doyle, V. V. Padhye, M. Abbate, G. Remuzzi.** 1992. Verotoxin glycolipid receptors determine the localization of microangiopathic process in rabbits given verotoxin-1. *J. Lab. Clin. Med.* **120**:229-238.